

Spurious Emission at Antenna Terminals


5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-72.95	-13	59.95	Pass	2986
30	689	0.1	RMS	488.9	-65.86	-13	52.86	Pass	6591
689	726	0.1	RMS	705.373	20.9	60	39.1	Pass	401
726	1000	0.1	RMS	833.5	-65	-13	52	Pass	2741
1000	3000	1	RMS	1410	-46.81	-13	33.81	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001




**5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.68	-13	59.68	Pass	401
0.15	30	0.01	RMS	0.17	-72.29	-13	59.29	Pass	2986
30	689	0.1	RMS	483.7	-65.9	-13	52.9	Pass	6591
689	726	0.1	RMS	705.373	20.01	60	39.99	Pass	401
726	1000	0.1	RMS	963.2	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1410	-47.83	-13	34.83	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




**5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-13	59.96	Pass	2986
30	689	0.1	RMS	607.9	-65.84	-13	52.84	Pass	6591
689	726	0.1	RMS	711.293	20.66	60	39.34	Pass	401
726	1000	0.1	RMS	994.8	-64.91	-13	51.91	Pass	2741
1000	3000	1	RMS	1422	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




**5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.2	-72.32	-13	59.32	Pass	2986
30	689	0.1	RMS	515	-65.93	-13	52.93	Pass	6591
689	726	0.1	RMS	711.385	19.8	60	40.2	Pass	401
726	1000	0.1	RMS	850.9	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1422	-47.97	-13	34.97	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.18	-72.6	-13	59.6	Pass	2986
30	689	0.1	RMS	688.9	-65.22	-13	52.22	Pass	6591
689	726	0.1	RMS	699.545	20.53	60	39.47	Pass	401
726	1000	0.1	RMS	845.4	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1399	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6807	-45.58	-13	32.58	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.38	-72.65	-13	59.65	Pass	2986
30	689	0.1	RMS	688.9	-65.55	-13	52.55	Pass	6591
689	726	0.1	RMS	699.638	19.68	60	40.32	Pass	401
726	1000	0.1	RMS	936.3	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1399	-48.44	-13	35.44	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.23	-72.39	-13	59.39	Pass	2986
30	689	0.1	RMS	503.7	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	703.06	20.76	60	39.24	Pass	401
726	1000	0.1	RMS	979.7	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1406	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.23	-72.86	-13	59.86	Pass	2986
30	689	0.1	RMS	617.5	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	703.06	19.8	60	40.2	Pass	401
726	1000	0.1	RMS	902.8	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1406	-48.64	-13	35.64	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.22	-72.39	-13	59.39	Pass	2986
30	689	0.1	RMS	606.5	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	706.575	21.07	60	38.93	Pass	401
726	1000	0.1	RMS	823.4	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1413	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	6798	-45.56	-13	32.56	Pass	7001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	689	0.1	RMS	499.4	-66	-13	53	Pass	6591
689	726	0.1	RMS	706.575	20.19	60	39.81	Pass	401
726	1000	0.1	RMS	840.4	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1413	-48.34	-13	35.34	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	694	0.1	RMS	693.6	-65.16	-13	52.16	Pass	6641
694	726	0.1	RMS	704.32	21.15	60	38.85	Pass	401
726	1000	0.1	RMS	905	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1408	-46.64	-13	33.64	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	694	0.1	RMS	693.7	-65.42	-13	52.42	Pass	6641
694	726	0.1	RMS	704.32	20.16	60	39.84	Pass	401
726	1000	0.1	RMS	861.7	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1408	-47.88	-13	34.88	Pass	2001
3000	10000	1	RMS	6803	-45.6	-13	32.6	Pass	7001




**6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.18	-72.61	-13	59.61	Pass	2986
30	694	0.1	RMS	496.2	-65.98	-13	52.98	Pass	6641
694	726	0.1	RMS	707.84	21.26	60	38.74	Pass	401
726	1000	0.1	RMS	835.5	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1415	-47.01	-13	34.01	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




**6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	694	0.1	RMS	477.4	-65.97	-13	52.97	Pass	6641
694	726	0.1	RMS	707.84	20.44	60	39.56	Pass	401
726	1000	0.1	RMS	856.9	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1415	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	6799	-45.48	-13	32.48	Pass	7001




**6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	694	0.1	RMS	494.1	-65.87	-13	52.87	Pass	6641
694	726	0.1	RMS	711.36	20.82	60	39.18	Pass	401
726	1000	0.1	RMS	852.6	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1422	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




**6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	694	0.1	RMS	488.3	-66.05	-13	53.05	Pass	6641
694	726	0.1	RMS	711.36	20.3	60	39.7	Pass	401
726	1000	0.1	RMS	945.8	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1422	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




**6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	694	0.1	RMS	693.9	-64.43	-13	51.43	Pass	6641
694	726	0.1	RMS	704.56	20.98	60	39.02	Pass	401
726	1000	0.1	RMS	820.9	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1409	-47.25	-13	34.25	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




**6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	694	0.1	RMS	693.9	-64.55	-13	51.55	Pass	6641
694	726	0.1	RMS	704.56	20.13	60	39.87	Pass	401
726	1000	0.1	RMS	954.7	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1409	-48.25	-13	35.25	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




**6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.17	-72.24	-13	59.24	Pass	2986
30	694	0.1	RMS	692.3	-65.37	-13	52.37	Pass	6641
694	726	0.1	RMS	705.6	21.12	60	38.88	Pass	401
726	1000	0.1	RMS	848.3	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1411	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.23	-72.84	-13	59.84	Pass	2986
30	694	0.1	RMS	692.5	-65.83	-13	52.83	Pass	6641
694	726	0.1	RMS	705.6	20.15	60	39.85	Pass	401
726	1000	0.1	RMS	946.5	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1411	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001




**6.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11,
Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.19	-72.02	-13	59.02	Pass	2986
30	694	0.1	RMS	693.3	-64.67	-13	51.67	Pass	6641
694	726	0.1	RMS	706.56	20.98	60	39.02	Pass	401
726	1000	0.1	RMS	998.5	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1413	-47.41	-13	34.41	Pass	2001
3000	10000	1	RMS	6801	-45.51	-13	32.51	Pass	7001



6.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	694	0.1	RMS	693.4	-65.05	-13	52.05	Pass	6641
694	726	0.1	RMS	706.56	20.04	60	39.96	Pass	401
726	1000	0.1	RMS	849	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1413	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6805	-45.57	-13	32.57	Pass	7001



7. LTE_Band30


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-40	33.17	Pass	401
0.15	30	0.01	RMS	0.2	-72.59	-40	32.59	Pass	2986
30	1000	0.1	RMS	344.6	-59.51	-40	19.51	Pass	9701
1000	2295	1	RMS	2295	-52.32	-40	12.32	Pass	1296
2295	2325	1	RMS	2305.275	23.05	60	36.95	Pass	401
2325	3000	1	RMS	2998	-51.39	-40	11.39	Pass	676
3000	12000	1	RMS	11998	-64.05	-40	24.05	Pass	9002
12000	24000	1	RMS	23868	-58.63	-40	18.63	Pass	12002




**7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-40	32.71	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-40	31.79	Pass	2986
30	1000	0.1	RMS	344.6	-60.55	-40	20.55	Pass	9701
1000	2295	1	RMS	2295	-52.27	-40	12.27	Pass	1296
2295	2325	1	RMS	2305.275	21.98	60	38.02	Pass	401
2325	3000	1	RMS	3000	-51.36	-40	11.36	Pass	676
3000	12000	1	RMS	11998	-64.01	-40	24.01	Pass	9002
12000	24000	1	RMS	23908	-58.68	-40	18.68	Pass	12002




**7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3,
Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-40	32.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-40	31.92	Pass	2986
30	1000	0.1	RMS	347.1	-59.39	-40	19.39	Pass	9701
1000	2295	1	RMS	2295	-53.02	-40	13.02	Pass	1296
2295	2325	1	RMS	2307.825	22.99	60	37.01	Pass	401
2325	3000	1	RMS	2843	-51.43	-40	11.43	Pass	676
3000	12000	1	RMS	11900	-64.04	-40	24.04	Pass	9002
12000	24000	1	RMS	23897	-58.72	-40	18.72	Pass	12002




**7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:27710, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-40	31.95	Pass	401
0.15	30	0.01	RMS	0.19	-72.56	-40	32.56	Pass	2986
30	1000	0.1	RMS	347.1	-60.46	-40	20.46	Pass	9701
1000	2295	1	RMS	2294	-53.08	-40	13.08	Pass	1296
2295	2325	1	RMS	2307.75	22.06	60	37.94	Pass	401
2325	3000	1	RMS	2994	-51.46	-40	11.46	Pass	676
3000	12000	1	RMS	11999	-63.9	-40	23.9	Pass	9002
12000	24000	1	RMS	23886	-58.73	-40	18.73	Pass	12002




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-40	31.75	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-40	32.16	Pass	2986
30	1000	0.1	RMS	349.6	-59.32	-40	19.32	Pass	9701
1000	2295	1	RMS	2295	-53.13	-40	13.13	Pass	1296
2295	2325	1	RMS	2310.3	23	60	37	Pass	401
2325	3000	1	RMS	2978	-51.41	-40	11.41	Pass	676
3000	12000	1	RMS	11999	-64.01	-40	24.01	Pass	9002
12000	24000	1	RMS	23908	-58.75	-40	18.75	Pass	12002




**7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-40	32.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-40	31.87	Pass	2986
30	1000	0.1	RMS	349.6	-60.34	-40	20.34	Pass	9701
1000	2295	1	RMS	2294	-53.15	-40	13.15	Pass	1296
2295	2325	1	RMS	2310.3	22.16	60	37.84	Pass	401
2325	3000	1	RMS	2988	-51.43	-40	11.43	Pass	676
3000	12000	1	RMS	11996	-64.04	-40	24.04	Pass	9002
12000	24000	1	RMS	22801	-58.75	-40	18.75	Pass	12002




**7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-40	32.89	Pass	401
0.15	30	0.01	RMS	0.32	-73.02	-40	33.02	Pass	2986
30	1000	0.1	RMS	344.9	-58.71	-40	18.71	Pass	9701
1000	2295	1	RMS	2295	-50.89	-40	10.89	Pass	1296
2295	2325	1	RMS	2305.575	23.01	60	36.99	Pass	401
2325	3000	1	RMS	2992	-51.44	-40	11.44	Pass	676
3000	12000	1	RMS	12000	-63.94	-40	23.94	Pass	9002
12000	24000	1	RMS	23889	-58.71	-40	18.71	Pass	12002



7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.94	-40	32.94	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-40	31.44	Pass	2986
30	1000	0.1	RMS	344.9	-59.63	-40	19.63	Pass	9701
1000	2295	1	RMS	2295	-50.91	-40	10.91	Pass	1296
2295	2325	1	RMS	2305.575	22.04	60	37.96	Pass	401
2325	3000	1	RMS	2997	-51.39	-40	11.39	Pass	676
3000	12000	1	RMS	11991	-63.99	-40	23.99	Pass	9002
12000	24000	1	RMS	23905	-58.69	-40	18.69	Pass	12002



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.16	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	852.602	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.67	-13	40.67	Pass	701
1700	1790	1	RMS	1710.125	22.93	60	37.07	Pass	401
1790	3000	1	RMS	2978	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11996	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.17	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	862.709	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.79	-13	40.79	Pass	701
1700	1790	1	RMS	1710.125	22.06	60	37.94	Pass	401
1790	3000	1	RMS	2986	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	949.066	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1684	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1744.55	23.04	60	36.96	Pass	401
1790	3000	1	RMS	2980	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	12000	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	852.102	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1676	-54.06	-13	41.06	Pass	701
1700	1790	1	RMS	1744.325	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2980	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13605	-39.66	-13	26.66	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	850.301	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1679	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1778.75	23.13	60	36.87	Pass	401
1790	3000	1	RMS	2986	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	12000	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.66	-13	60.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	981.388	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1680	-54	-13	41	Pass	701
1700	1790	1	RMS	1778.75	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2998	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	12000	-44.15	-13	31.15	Pass	9002
12000	20000	1	RMS	13608	-39.8	-13	26.8	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	991.194	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.25	-13	40.25	Pass	701
1700	1790	1	RMS	1710.125	23.01	60	36.99	Pass	401
1790	3000	1	RMS	2989	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11999	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13607	-39.8	-13	26.8	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	966.678	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1700	-53.38	-13	40.38	Pass	701
1700	1790	1	RMS	1710.125	22.15	60	37.85	Pass	401
1790	3000	1	RMS	2999	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	12000	-44.08	-13	31.08	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




**8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	956.171	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1687	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1743.65	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2984	-51.32	-13	38.32	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.78	-13	26.78	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	978.386	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1679	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1743.65	22.24	60	37.76	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11995	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.19	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	964.677	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1673	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1777.175	23.1	60	36.9	Pass	401
1790	3000	1	RMS	2992	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11998	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13602	-39.74	-13	26.74	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	989.893	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1678	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1777.175	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2996	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11997	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.59	-13	26.59	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	848.3	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1700	-53.34	-13	40.34	Pass	701
1700	1790	1	RMS	1710.125	23.02	60	36.98	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11985	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	966.578	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-53.49	-13	40.49	Pass	701
1700	1790	1	RMS	1710.125	21.97	60	38.03	Pass	401
1790	3000	1	RMS	2999	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11981	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	822.9	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1681	-54	-13	41	Pass	701
1700	1790	1	RMS	1742.75	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2984	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11996	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	931.154	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1681	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1742.75	22.36	60	37.64	Pass	401
1790	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	58.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	987.091	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1680	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1775.15	23.15	60	36.85	Pass	401
1790	3000	1	RMS	2988	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13602	-39.83	-13	26.83	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	846.7	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1681	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1775.15	22.34	60	37.66	Pass	401
1790	3000	1	RMS	2987	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11997	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	836.3	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-51.72	-13	38.72	Pass	701
1700	1790	1	RMS	1710.575	22.97	60	37.03	Pass	401
1790	3000	1	RMS	2935	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11977	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13609	-39.76	-13	26.76	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	931.655	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-51.97	-13	38.97	Pass	701
1700	1790	1	RMS	1710.575	22.14	60	37.86	Pass	401
1790	3000	1	RMS	2986	-51.33	-13	38.33	Pass	1211
3000	12000	1	RMS	11998	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13601	-39.7	-13	26.7	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	862.209	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1686	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1740.5	23.19	60	36.81	Pass	401
1790	3000	1	RMS	2989	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11994	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.34	-13	59.34	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	844.2	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1681	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1740.5	22.26	60	37.74	Pass	401
1790	3000	1	RMS	2982	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11998	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13598	-39.78	-13	26.78	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	916.945	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1676	-54.03	-13	41.03	Pass	701
1700	1790	1	RMS	1770.425	23.17	60	36.83	Pass	401
1790	3000	1	RMS	2840	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	11869	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13599	-39.72	-13	26.72	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	59.34	Pass	2986
30	1000	0.1	RMS	960.174	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1680	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1770.425	22.25	60	37.75	Pass	401
1790	3000	1	RMS	2979	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11996	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	957.272	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	37.51	Pass	701
1700	1790	1	RMS	1710.8	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2991	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.79	-13	26.79	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	926.751	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	37.68	Pass	701
1700	1790	1	RMS	1710.8	22.2	60	37.8	Pass	401
1790	3000	1	RMS	2949	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11991	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.74	-13	26.74	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	856.005	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1682	-54.04	-13	41.04	Pass	701
1700	1790	1	RMS	1738.25	23.25	60	36.75	Pass	401
1790	3000	1	RMS	2987	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11990	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	854.404	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1677	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1738.25	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2990	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11995	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13598	-39.74	-13	26.74	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	953.169	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1679	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1765.7	23.21	60	36.79	Pass	401
1790	3000	1	RMS	1790	-50.37	-13	37.37	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.65	-13	26.65	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	59.03	Pass	2986
30	1000	0.1	RMS	983.389	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1681	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1765.7	22.34	60	37.66	Pass	401
1790	3000	1	RMS	1790	-50.96	-13	37.96	Pass	1211
3000	12000	1	RMS	11995	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13603	-39.74	-13	26.74	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.17	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	867.612	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-50.05	-13	37.05	Pass	701
1700	1790	1	RMS	1711.025	23.08	60	36.92	Pass	401
1790	3000	1	RMS	2992	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13604	-39.81	-13	26.81	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	976.885	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1698	-50.06	-13	37.06	Pass	701
1700	1790	1	RMS	1711.025	22.18	60	37.82	Pass	401
1790	3000	1	RMS	2989	-51.35	-13	38.35	Pass	1211
3000	12000	1	RMS	11999	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13603	-39.72	-13	26.72	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	913.343	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1700	-53.95	-13	40.95	Pass	701
1700	1790	1	RMS	1736	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2985	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	12000	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13601	-39.72	-13	26.72	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	RMS	0.15	-70.6	-13	57.6	Pass	2986
30	1000	0.1	RMS	854.804	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1697	-54.01	-13	41.01	Pass	701
1700	1790	1	RMS	1736	22.25	60	37.75	Pass	401
1790	3000	1	RMS	2982	-51.37	-13	38.37	Pass	1211
3000	12000	1	RMS	11994	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.72	-13	26.72	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	865.211	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1677	-54.02	-13	41.02	Pass	701
1700	1790	1	RMS	1760.975	23.2	60	36.8	Pass	401
1790	3000	1	RMS	1790	-43.67	-13	30.67	Pass	1211
3000	12000	1	RMS	11998	-44.26	-13	31.26	Pass	9002
12000	20000	1	RMS	13606	-39.86	-13	26.86	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	856.505	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1684	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1760.975	22.29	60	37.71	Pass	401
1790	3000	1	RMS	1790	-44.4	-13	31.4	Pass	1211
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.75	-13	26.75	Pass	8001



1. LTE_Band14


1.1. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	778	0.1	RMS	777.6	-64.73	-13	51.73	Pass	7481
778	808	0.1	RMS	788.35	21.31	60	38.69	Pass	401
808	1000	0.1	RMS	830.9	-65.19	-13	52.19	Pass	1921
1000	3000	1	RMS	1576	-46.11	-13	33.11	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




**1.2. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2,
Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	778	0.1	RMS	777.6	-65.1	-13	52.1	Pass	7481
778	808	0.1	RMS	788.35	20.54	60	39.46	Pass	401
808	1000	0.1	RMS	993.2	-65.21	-13	52.21	Pass	1921
1000	3000	1	RMS	1576	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




**1.3. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3,
Channel:23330, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	778	0.1	RMS	731.4	-65.66	-13	52.66	Pass	7481
778	808	0.1	RMS	790.825	21.43	60	38.57	Pass	401
808	1000	0.1	RMS	854.6	-65.15	-13	52.15	Pass	1921
1000	3000	1	RMS	1581	-46.28	-13	33.28	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




**1.4. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4,
Channel:23330, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	778	0.1	RMS	758.2	-65.56	-13	52.56	Pass	7481
778	808	0.1	RMS	790.825	20.57	60	39.43	Pass	401
808	1000	0.1	RMS	856.1	-65.28	-13	52.28	Pass	1921
1000	3000	1	RMS	1581	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6800	-45.49	-13	32.49	Pass	7001



**1.5. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	778	0.1	RMS	777.5	-65.68	-13	52.68	Pass	7481
778	808	0.1	RMS	793.3	21.15	60	38.85	Pass	401
808	1000	0.1	RMS	809.2	-65.1	-13	52.1	Pass	1921
1000	3000	1	RMS	1586	-46.3	-13	33.3	Pass	2001
3000	10000	1	RMS	6798	-45.55	-13	32.55	Pass	7001



**1.6. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6,
Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.12	-13	58.12	Pass	401
0.15	30	0.01	RMS	0.2	-72.71	-13	59.71	Pass	2986
30	778	0.1	RMS	764.7	-65.63	-13	52.63	Pass	7481
778	808	0.1	RMS	793.375	20.31	60	39.69	Pass	401
808	1000	0.1	RMS	887.7	-64.99	-13	51.99	Pass	1921
1000	3000	1	RMS	1586	-47.4	-13	34.4	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001

