

Spurious Emission at Antenna Terminals


**1.7. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequenc y (MHz)	Stop Frequenc y (MHz)	RBW (MHz)	Detecto r	Frequenc y (MHz)	Powe r (dBm)	Limit (dBm)	Margi n (dB)	Verdic t	Swee p Point
0.009	0.15	0.001	RMS	0.014	-72.87	-13	59.87	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	59.15	Pass	2986
30	778	0.1	RMS	777.9	-64.55	-13	51.55	Pass	7481
778	808	0.1	RMS	788.575	21.42	60	38.58	Pass	401
808	1000	0.1	RMS	808.1	-60.73	-13	47.73	Pass	1921
1000	3000	1	RMS	1577	-46.78	-13	33.78	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001



**1.8. LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8,
Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.89	-13	58.89	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	59.38	Pass	2986
30	778	0.1	RMS	777.9	-65.07	-13	52.07	Pass	7481
778	808	0.1	RMS	788.575	20.57	60	39.43	Pass	401
808	1000	0.1	RMS	808.1	-61.43	-13	48.43	Pass	1921
1000	3000	1	RMS	1577	-47.67	-13	34.67	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001



3. n2


3.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.16	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	970.18	-65.54	-13	52.54	Pass	9701
1000	1840	1	RMS	1840	-46.15	-13	33.15	Pass	841
1840	1920	1	RMS	1850.4	13.41	60	46.59	Pass	101
1920	3000	1	RMS	2946	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6969	-66.65	-13	53.65	Pass	4001
7000	20000	1	RMS	19452	-53.86	-13	40.86	Pass	13002




3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.01	-13	60.01	Pass	141
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	869.814	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1840	-53.26	-13	40.26	Pass	841
1840	1920	1	RMS	1849.6	19.1	60	40.9	Pass	101
1920	3000	1	RMS	2941	-50.01	-13	37.01	Pass	1081
3000	7000	1	RMS	6978	-66.67	-13	53.67	Pass	4001
7000	20000	1	RMS	19286	-53.87	-13	40.87	Pass	13002




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	141
0.15	30	0.01	RMS	0.18	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	950.767	-65.55	-13	52.55	Pass	9701
1000	1840	1	RMS	1840	-53.53	-13	40.53	Pass	841
1840	1920	1	RMS	1853.6	18.04	60	41.96	Pass	101
1920	3000	1	RMS	2938	-50	-13	37	Pass	1081
3000	7000	1	RMS	6972	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19304	-53.92	-13	40.92	Pass	13002




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-13	59.77	Pass	141
0.15	30	0.01	RMS	0.18	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	956.971	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1837	-54.05	-13	41.05	Pass	841
1840	1920	1	RMS	1880	13.46	60	46.54	Pass	101
1920	3000	1	RMS	2936	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6972	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19398	-53.93	-13	40.93	Pass	13002




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.15	-72.87	-13	59.87	Pass	2986
30	1000	0.1	RMS	968.479	-65.5	-13	52.5	Pass	9701
1000	1840	1	RMS	1839	-54.04	-13	41.04	Pass	841
1840	1920	1	RMS	1876.8	18.24	60	41.76	Pass	101
1920	3000	1	RMS	2936	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6975	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19300	-53.85	-13	40.85	Pass	13002




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	59.93	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	1000	0.1	RMS	909.94	-65.55	-13	52.55	Pass	9701
1000	1840	1	RMS	1840	-53.94	-13	40.94	Pass	841
1840	1920	1	RMS	1881.6	18.91	60	41.09	Pass	101
1920	3000	1	RMS	2940	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6979	-66.59	-13	53.59	Pass	4001
7000	20000	1	RMS	19395	-53.9	-13	40.9	Pass	13002




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.04	-13	61.04	Pass	141
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	844.9	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1838	-54.09	-13	41.09	Pass	841
1840	1920	1	RMS	1905.6	13.6	60	46.4	Pass	101
1920	3000	1	RMS	1920	-49.43	-13	36.43	Pass	1081
3000	7000	1	RMS	6977	-66.58	-13	53.58	Pass	4001
7000	20000	1	RMS	19311	-53.9	-13	40.9	Pass	13002




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	60.08	Pass	141
0.15	30	0.01	RMS	0.17	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	980.587	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1839	-54.02	-13	41.02	Pass	841
1840	1920	1	RMS	1904.8	18.78	60	41.22	Pass	101
1920	3000	1	RMS	2934	-49.99	-13	36.99	Pass	1081
3000	7000	1	RMS	6968	-66.65	-13	53.65	Pass	4001
7000	20000	1	RMS	19308	-53.89	-13	40.89	Pass	13002




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	60.87	Pass	141
0.15	30	0.01	RMS	0.35	-72.88	-13	59.88	Pass	2986
30	1000	0.1	RMS	984.59	-65.6	-13	52.6	Pass	9701
1000	1840	1	RMS	1837	-54.02	-13	41.02	Pass	841
1840	1920	1	RMS	1908.8	18.95	60	41.05	Pass	101
1920	3000	1	RMS	2940	-50.01	-13	37.01	Pass	1081
3000	7000	1	RMS	6971	-66.65	-13	53.65	Pass	4001
7000	20000	1	RMS	19350	-53.95	-13	40.95	Pass	13002




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-74.03	-13	61.03	Pass	141
0.15	30	0.01	RMS	0.2	-72.2	-13	59.2	Pass	2986
30	1000	0.1	RMS	926.351	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1840	-38.39	-13	25.39	Pass	841
1840	1920	1	RMS	1867.2	7.84	60	52.16	Pass	101
1920	3000	1	RMS	2938	-49.94	-13	36.94	Pass	1081
3000	7000	1	RMS	6971	-66.65	-13	53.65	Pass	4001
7000	20000	1	RMS	19312	-53.87	-13	40.87	Pass	13002




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.91	-13	59.91	Pass	141
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	970.681	-65.47	-13	52.47	Pass	9701
1000	1840	1	RMS	1840	-50.04	-13	37.04	Pass	841
1840	1920	1	RMS	1849.6	18.74	60	41.26	Pass	101
1920	3000	1	RMS	2934	-49.94	-13	36.94	Pass	1081
3000	7000	1	RMS	6974	-66.61	-13	53.61	Pass	4001
7000	20000	1	RMS	19438	-53.94	-13	40.94	Pass	13002




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	141
0.15	30	0.01	RMS	0.22	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	884.624	-65.63	-13	52.63	Pass	9701
1000	1840	1	RMS	1840	-44.65	-13	31.65	Pass	841
1840	1920	1	RMS	1868.8	19.1	60	40.9	Pass	101
1920	3000	1	RMS	2933	-50	-13	37	Pass	1081
3000	7000	1	RMS	6976	-66.68	-13	53.68	Pass	4001
7000	20000	1	RMS	19333	-53.89	-13	40.89	Pass	13002




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.21	-13	60.21	Pass	141
0.15	30	0.01	RMS	0.16	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	979.486	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-47.88	-13	34.88	Pass	841
1840	1920	1	RMS	1885.6	7.3	60	52.7	Pass	101
1920	3000	1	RMS	1920	-49.7	-13	36.7	Pass	1081
3000	7000	1	RMS	6972	-66.53	-13	53.53	Pass	4001
7000	20000	1	RMS	19325	-53.9	-13	40.9	Pass	13002




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.24	-73.01	-13	60.01	Pass	2986
30	1000	0.1	RMS	976.384	-65.46	-13	52.46	Pass	9701
1000	1840	1	RMS	1840	-54.03	-13	41.03	Pass	841
1840	1920	1	RMS	1869.6	18.63	60	41.37	Pass	101
1920	3000	1	RMS	2945	-49.98	-13	36.98	Pass	1081
3000	7000	1	RMS	6980	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19368	-53.9	-13	40.9	Pass	13002




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-13	60.18	Pass	141
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	891.828	-65.53	-13	52.53	Pass	9701
1000	1840	1	RMS	1840	-53.95	-13	40.95	Pass	841
1840	1920	1	RMS	1888.8	19.19	60	40.81	Pass	101
1920	3000	1	RMS	2939	-50	-13	37	Pass	1081
3000	7000	1	RMS	3779	-64.93	-13	51.93	Pass	4001
7000	20000	1	RMS	19340	-53.91	-13	40.91	Pass	13002




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	831.4	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	39.12	Pass	841
1840	1920	1	RMS	1891.2	8.21	60	51.79	Pass	101
1920	3000	1	RMS	1920	-38.24	-13	25.24	Pass	1081
3000	7000	1	RMS	6978	-66.63	-13	53.63	Pass	4001
7000	20000	1	RMS	19372	-53.91	-13	40.91	Pass	13002




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	59.56	Pass	141
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	1000	0.1	RMS	849.6	-65.58	-13	52.58	Pass	9701
1000	1840	1	RMS	1833	-54.09	-13	41.09	Pass	841
1840	1920	1	RMS	1889.6	18.74	60	41.26	Pass	101
1920	3000	1	RMS	1920	-47.6	-13	34.6	Pass	1081
3000	7000	1	RMS	3781	-61.5	-13	48.5	Pass	4001
7000	20000	1	RMS	19374	-53.92	-13	40.92	Pass	13002




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.8	-13	59.8	Pass	141
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	1000	0.1	RMS	865.511	-65.41	-13	52.41	Pass	9701
1000	1840	1	RMS	1836	-54.1	-13	41.1	Pass	841
1840	1920	1	RMS	1908.8	19.13	60	40.87	Pass	101
1920	3000	1	RMS	2935	-50	-13	37	Pass	1081
3000	7000	1	RMS	7000	-66.69	-13	53.69	Pass	4001
7000	20000	1	RMS	19407	-53.9	-13	40.9	Pass	13002




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	990.494	-65.48	-13	52.48	Pass	9701
1000	1840	1	RMS	1840	-41.08	-13	28.08	Pass	841
1840	1920	1	RMS	1887.2	4.82	60	55.18	Pass	101
1920	3000	1	RMS	1920	-39.96	-13	26.96	Pass	1081
3000	7000	1	RMS	6979	-66.68	-13	53.68	Pass	4001
7000	20000	1	RMS	19379	-53.93	-13	40.93	Pass	13002




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	855.704	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1840	-50.25	-13	37.25	Pass	841
1840	1920	1	RMS	1849.6	18.15	60	41.85	Pass	101
1920	3000	1	RMS	2937	-50	-13	37	Pass	1081
3000	7000	1	RMS	6970	-66.7	-13	53.7	Pass	4001
7000	20000	1	RMS	19353	-53.93	-13	40.93	Pass	13002




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	966.478	-65.4	-13	52.4	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	38.84	Pass	841
1840	1920	1	RMS	1888.8	18.96	60	41.04	Pass	101
1920	3000	1	RMS	2931	-50.03	-13	37.03	Pass	1081
3000	7000	1	RMS	3779	-65.53	-13	52.53	Pass	4001
7000	20000	1	RMS	19320	-53.91	-13	40.91	Pass	13002




3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	60.54	Pass	141
0.15	30	0.01	RMS	0.21	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	937.759	-65.52	-13	52.52	Pass	9701
1000	1840	1	RMS	1840	-34.08	-13	21.08	Pass	841
1840	1920	1	RMS	1888.8	4.57	60	55.43	Pass	101
1920	3000	1	RMS	1920	-36.94	-13	23.94	Pass	1081
3000	7000	1	RMS	6979	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19309	-53.91	-13	40.91	Pass	13002




3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.82	-13	59.82	Pass	141
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	862.509	-65.58	-13	52.58	Pass	9701
1000	1840	1	RMS	1840	-52.87	-13	39.87	Pass	841
1840	1920	1	RMS	1860	19.11	60	40.89	Pass	101
1920	3000	1	RMS	2937	-50.02	-13	37.02	Pass	1081
3000	7000	1	RMS	6970	-66.69	-13	53.69	Pass	4001
7000	20000	1	RMS	19305	-53.83	-13	40.83	Pass	13002




3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.87	-13	59.87	Pass	141
0.15	30	0.01	RMS	0.21	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	967.178	-65.6	-13	52.6	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	38.53	Pass	841
1840	1920	1	RMS	1898.4	18.8	60	41.2	Pass	101
1920	3000	1	RMS	2941	-50.02	-13	37.02	Pass	1081
3000	7000	1	RMS	6971	-66.64	-13	53.64	Pass	4001
7000	20000	1	RMS	19286	-53.93	-13	40.93	Pass	13002




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.16	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	895.03	-65.56	-13	52.56	Pass	9701
1000	1840	1	RMS	1840	-36.55	-13	23.55	Pass	841
1840	1920	1	RMS	1888	4.69	60	55.31	Pass	101
1920	3000	1	RMS	1920	-41.16	-13	28.16	Pass	1081
3000	7000	1	RMS	6976	-66.67	-13	53.67	Pass	4001
7000	20000	1	RMS	19332	-53.94	-13	40.94	Pass	13002




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.95	-13	59.95	Pass	141
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	877.319	-65.57	-13	52.57	Pass	9701
1000	1840	1	RMS	1840	-53.72	-13	40.72	Pass	841
1840	1920	1	RMS	1869.6	18.23	60	41.77	Pass	101
1920	3000	1	RMS	2934	-49.98	-13	36.98	Pass	1081
3000	7000	1	RMS	6970	-66.69	-13	53.69	Pass	4001
7000	20000	1	RMS	19309	-53.93	-13	40.93	Pass	13002



3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.05	-13	60.05	Pass	141
0.15	30	0.01	RMS	0.18	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	849.7	-65.59	-13	52.59	Pass	9701
1000	1840	1	RMS	1840	-53.6	-13	40.6	Pass	841
1840	1920	1	RMS	1908.8	18.9	60	41.1	Pass	101
1920	3000	1	RMS	2930	-50.03	-13	37.03	Pass	1081
3000	7000	1	RMS	6984	-66.71	-13	53.71	Pass	4001
7000	20000	1	RMS	19301	-53.97	-13	40.97	Pass	13002



4. n5


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.19	-73.2	-13	60.2	Pass	2986
30	814	0.1	RMS	814	-58.99	-13	45.99	Pass	7841
814	859	0.1	RMS	824.9	4.61	60	55.39	Pass	451
859	1000	0.1	RMS	881.3	-65.59	-13	52.59	Pass	1411
1000	3000	1	RMS	2940	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	8745	-66.01	-13	53.01	Pass	7001




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	813.6	-65.45	-13	52.45	Pass	7841
814	859	0.1	RMS	824.3	17.93	60	42.07	Pass	451
859	1000	0.1	RMS	941.6	-65.64	-13	52.64	Pass	1411
1000	3000	1	RMS	1648	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	8744	-66.06	-13	53.06	Pass	7001




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.16	-71.85	-13	58.85	Pass	2986
30	814	0.1	RMS	797.3	-65.91	-13	52.91	Pass	7841
814	859	0.1	RMS	828.6	17.34	60	42.66	Pass	451
859	1000	0.1	RMS	932	-65.63	-13	52.63	Pass	1411
1000	3000	1	RMS	1657	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	8737	-66.1	-13	53.1	Pass	7001




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.21	-72.89	-13	59.89	Pass	2986
30	814	0.1	RMS	809.4	-65.83	-13	52.83	Pass	7841
814	859	0.1	RMS	835.1	4.84	60	55.16	Pass	451
859	1000	0.1	RMS	892.3	-65.64	-13	52.64	Pass	1411
1000	3000	1	RMS	2938	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8740	-66.06	-13	53.06	Pass	7001




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.17	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	784.4	-65.87	-13	52.87	Pass	7841
814	859	0.1	RMS	834.3	17.8	60	42.2	Pass	451
859	1000	0.1	RMS	896.3	-65.41	-13	52.41	Pass	1411
1000	3000	1	RMS	1668	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	8750	-66.08	-13	53.08	Pass	7001




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	60.55	Pass	141
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	813	-65.93	-13	52.93	Pass	7841
814	859	0.1	RMS	838.6	17.41	60	42.59	Pass	451
859	1000	0.1	RMS	954.6	-65.67	-13	52.67	Pass	1411
1000	3000	1	RMS	1677	-49.62	-13	36.62	Pass	2001
3000	10000	1	RMS	8741	-66.08	-13	53.08	Pass	7001




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	59.82	Pass	141
0.15	30	0.01	RMS	0.16	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	737.5	-65.68	-13	52.68	Pass	7841
814	859	0.1	RMS	844.8	4.77	60	55.23	Pass	451
859	1000	0.1	RMS	859	-60.83	-13	47.83	Pass	1411
1000	3000	1	RMS	2938	-50	-13	37	Pass	2001
3000	10000	1	RMS	8738	-66.02	-13	53.02	Pass	7001




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.64	-13	60.64	Pass	141
0.15	30	0.01	RMS	0.15	-71.38	-13	58.38	Pass	2986
30	814	0.1	RMS	805.9	-65.92	-13	52.92	Pass	7841
814	859	0.1	RMS	844.3	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	890.1	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	1688	-49.56	-13	36.56	Pass	2001
3000	10000	1	RMS	8746	-66.03	-13	53.03	Pass	7001




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	59.92	Pass	141
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	814	0.1	RMS	813.1	-65.85	-13	52.85	Pass	7841
814	859	0.1	RMS	848.6	17.13	60	42.87	Pass	451
859	1000	0.1	RMS	998.1	-65.52	-13	52.52	Pass	1411
1000	3000	1	RMS	1697	-49.8	-13	36.8	Pass	2001
3000	10000	1	RMS	8742	-66.07	-13	53.07	Pass	7001




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.26	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	814	-53.05	-13	40.05	Pass	7841
814	859	0.1	RMS	831.4	-0.23	60	60.23	Pass	451
859	1000	0.1	RMS	859	-58.26	-13	45.26	Pass	1411
1000	3000	1	RMS	2940	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	8748	-66.04	-13	53.04	Pass	7001




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	814	0.1	RMS	814	-65.08	-13	52.08	Pass	7841
814	859	0.1	RMS	824.5	17.89	60	42.11	Pass	451
859	1000	0.1	RMS	897.8	-65.7	-13	52.7	Pass	1411
1000	3000	1	RMS	2937	-50	-13	37	Pass	2001
3000	10000	1	RMS	8745	-66.02	-13	53.02	Pass	7001




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	814	-64.94	-13	51.94	Pass	7841
814	859	0.1	RMS	838.5	18.17	60	41.83	Pass	451
859	1000	0.1	RMS	993.9	-65.65	-13	52.65	Pass	1411
1000	3000	1	RMS	2949	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8744	-66.04	-13	53.04	Pass	7001




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.26	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	814	-55.92	-13	42.92	Pass	7841
814	859	0.1	RMS	831.7	-0.33	60	60.33	Pass	451
859	1000	0.1	RMS	859	-53.27	-13	40.27	Pass	1411
1000	3000	1	RMS	2939	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	8746	-65.87	-13	52.87	Pass	7001




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.95	-13	59.95	Pass	141
0.15	30	0.01	RMS	0.18	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813.8	-65.81	-13	52.81	Pass	7841
814	859	0.1	RMS	829.5	17.87	60	42.13	Pass	451
859	1000	0.1	RMS	859	-65.67	-13	52.67	Pass	1411
1000	3000	1	RMS	2944	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8745	-66.08	-13	53.08	Pass	7001




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	814	0.1	RMS	746.8	-65.98	-13	52.98	Pass	7841
814	859	0.1	RMS	843.5	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	965.1	-65.48	-13	52.48	Pass	1411
1000	3000	1	RMS	2938	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8744	-66.06	-13	53.06	Pass	7001




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	814	-59.13	-13	46.13	Pass	7841
814	859	0.1	RMS	845.7	-0.35	60	60.35	Pass	451
859	1000	0.1	RMS	859	-48.57	-13	35.57	Pass	1411
1000	3000	1	RMS	2933	-50.06	-13	37.06	Pass	2001
3000	10000	1	RMS	8748	-66.05	-13	53.05	Pass	7001




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.38	-13	60.38	Pass	141
0.15	30	0.01	RMS	0.18	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	736.8	-65.9	-13	52.9	Pass	7841
814	859	0.1	RMS	834.5	17.85	60	42.15	Pass	451
859	1000	0.1	RMS	859	-65.11	-13	52.11	Pass	1411
1000	3000	1	RMS	2931	-50	-13	37	Pass	2001
3000	10000	1	RMS	8745	-66.04	-13	53.04	Pass	7001




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.18	-73.02	-13	60.02	Pass	2986
30	814	0.1	RMS	813.6	-65.81	-13	52.81	Pass	7841
814	859	0.1	RMS	848.5	17.85	60	42.15	Pass	451
859	1000	0.1	RMS	859	-65.24	-13	52.24	Pass	1411
1000	3000	1	RMS	2946	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-66.08	-13	53.08	Pass	7001




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.78	-13	59.78	Pass	141
0.15	30	0.01	RMS	0.15	-72.54	-13	59.54	Pass	2986
30	814	0.1	RMS	814	-51.76	-13	38.76	Pass	7841
814	859	0.1	RMS	833.3	-1.39	60	61.39	Pass	451
859	1000	0.1	RMS	859	-51.13	-13	38.13	Pass	1411
1000	3000	1	RMS	2930	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8747	-66.07	-13	53.07	Pass	7001




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.48	-13	59.48	Pass	141
0.15	30	0.01	RMS	0.22	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	813.9	-64.51	-13	51.51	Pass	7841
814	859	0.1	RMS	824.5	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	859.1	-65.37	-13	52.37	Pass	1411
1000	3000	1	RMS	2930	-50.04	-13	37.04	Pass	2001
3000	10000	1	RMS	8748	-66.08	-13	53.08	Pass	7001




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-13	59.98	Pass	141
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	814	-61.99	-13	48.99	Pass	7841
814	859	0.1	RMS	843.4	17.54	60	42.46	Pass	451
859	1000	0.1	RMS	859.1	-65.56	-13	52.56	Pass	1411
1000	3000	1	RMS	1686	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8743	-66.04	-13	53.04	Pass	7001




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.19	-72.88	-13	59.88	Pass	2986
30	814	0.1	RMS	814	-53.55	-13	40.55	Pass	7841
814	859	0.1	RMS	835.7	-1.55	60	61.55	Pass	451
859	1000	0.1	RMS	859	-48.65	-13	35.65	Pass	1411
1000	3000	1	RMS	2939	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8746	-66.04	-13	53.04	Pass	7001




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.1	-13	60.1	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	814	-64.84	-13	51.84	Pass	7841
814	859	0.1	RMS	827	17.64	60	42.36	Pass	451
859	1000	0.1	RMS	859	-65.04	-13	52.04	Pass	1411
1000	3000	1	RMS	2932	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	8746	-66.02	-13	53.02	Pass	7001




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.9	-13	59.9	Pass	141
0.15	30	0.01	RMS	0.18	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	814	-64.81	-13	51.81	Pass	7841
814	859	0.1	RMS	845.9	17.56	60	42.44	Pass	451
859	1000	0.1	RMS	859	-65.17	-13	52.17	Pass	1411
1000	3000	1	RMS	2947	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8741	-66.06	-13	53.06	Pass	7001




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.52	-13	60.52	Pass	141
0.15	30	0.01	RMS	0.43	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	814	-54.28	-13	41.28	Pass	7841
814	859	0.1	RMS	845.3	-1.6	60	61.6	Pass	451
859	1000	0.1	RMS	859	-47.36	-13	34.36	Pass	1411
1000	3000	1	RMS	2939	-50.02	-13	37.02	Pass	2001
3000	10000	1	RMS	8734	-66.08	-13	53.08	Pass	7001




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.11	-13	61.11	Pass	141
0.15	30	0.01	RMS	0.16	-72.04	-13	59.04	Pass	2986
30	814	0.1	RMS	814	-65.48	-13	52.48	Pass	7841
814	859	0.1	RMS	829.5	17.63	60	42.37	Pass	451
859	1000	0.1	RMS	859	-64.05	-13	51.05	Pass	1411
1000	3000	1	RMS	2930	-50.03	-13	37.03	Pass	2001
3000	10000	1	RMS	8745	-66.06	-13	53.06	Pass	7001



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	60.9	Pass	141
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	814	-65.14	-13	52.14	Pass	7841
814	859	0.1	RMS	848.4	17.47	60	42.53	Pass	451
859	1000	0.1	RMS	859.1	-65.26	-13	52.26	Pass	1411
1000	3000	1	RMS	2943	-50.05	-13	37.05	Pass	2001
3000	10000	1	RMS	8745	-66.06	-13	53.06	Pass	7001



5. n30


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-40	14.64	Pass	141
0.15	30	0.01	RMS	0.15	-60.04	-40	20.04	Pass	2986
30	1000	0.1	RMS	867.6	-60.51	-40	20.51	Pass	9701
1000	2288	1	RMS	2248	-49.15	-40	9.15	Pass	1289
2288	2365	1	RMS	2306.48	14.13	60	45.87	Pass	101
2365	3000	1	RMS	2667	-47.07	-40	7.07	Pass	636
3000	8000	1	RMS	7703	-66.2	-40	26.2	Pass	5001
8000	24000	1	RMS	23993	-47.11	-40	7.11	Pass	16001




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.7	-40	15.7	Pass	141
0.15	30	0.01	RMS	0.17	-59.7	-40	19.7	Pass	2986
30	1000	0.1	RMS	796.6	-60.53	-40	20.53	Pass	9701
1000	2288	1	RMS	2238	-49.17	-40	9.17	Pass	1289
2288	2365	1	RMS	2305.71	18.91	60	41.09	Pass	101
2365	3000	1	RMS	2663	-47.13	-40	7.13	Pass	636
3000	8000	1	RMS	7694	-66.13	-40	26.13	Pass	5001
8000	24000	1	RMS	23988	-47.33	-40	7.33	Pass	16001




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.65	-40	14.65	Pass	141
0.15	30	0.01	RMS	0.15	-58.5	-40	18.5	Pass	2986
30	1000	0.1	RMS	822.5	-60.56	-40	20.56	Pass	9701
1000	2288	1	RMS	2256	-49.13	-40	9.13	Pass	1289
2288	2365	1	RMS	2309.56	19.47	60	40.53	Pass	101
2365	3000	1	RMS	2658	-47.15	-40	7.15	Pass	636
3000	8000	1	RMS	7697	-66.21	-40	26.21	Pass	5001
8000	24000	1	RMS	23988	-47.42	-40	7.42	Pass	16001




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-40	14.32	Pass	141
0.15	30	0.01	RMS	0.18	-58.13	-40	18.13	Pass	2986
30	1000	0.1	RMS	879.5	-59.81	-40	19.81	Pass	9701
1000	2288	1	RMS	2245	-49.14	-40	9.14	Pass	1289
2288	2365	1	RMS	2308.79	14.18	60	45.82	Pass	101
2365	3000	1	RMS	2670	-47.13	-40	7.13	Pass	636
3000	8000	1	RMS	7705	-66.27	-40	26.27	Pass	5001
8000	24000	1	RMS	23999	-47.13	-40	7.13	Pass	16001




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-40	14.21	Pass	141
0.15	30	0.01	RMS	0.16	-57.35	-40	17.35	Pass	2986
30	1000	0.1	RMS	950.2	-60.87	-40	20.87	Pass	9701
1000	2288	1	RMS	2275	-49.09	-40	9.09	Pass	1289
2288	2365	1	RMS	2308.02	19.62	60	40.38	Pass	101
2365	3000	1	RMS	2675	-47.1	-40	7.1	Pass	636
3000	8000	1	RMS	7696	-66.19	-40	26.19	Pass	5001
8000	24000	1	RMS	23968	-47.39	-40	7.39	Pass	16001




5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.45	-40	14.45	Pass	141
0.15	30	0.01	RMS	0.15	-58.73	-40	18.73	Pass	2986
30	1000	0.1	RMS	793.2	-60.39	-40	20.39	Pass	9701
1000	2288	1	RMS	2253	-49.13	-40	9.13	Pass	1289
2288	2365	1	RMS	2311.87	18.55	60	41.45	Pass	101
2365	3000	1	RMS	2658	-47.14	-40	7.14	Pass	636
3000	8000	1	RMS	7710	-66.09	-40	26.09	Pass	5001
8000	24000	1	RMS	23994	-47.12	-40	7.12	Pass	16001




5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.69	-40	15.69	Pass	141
0.15	30	0.01	RMS	0.15	-56.85	-40	16.85	Pass	2986
30	1000	0.1	RMS	822.9	-60.85	-40	20.85	Pass	9701
1000	2288	1	RMS	2277	-49.18	-40	9.18	Pass	1289
2288	2365	1	RMS	2311.1	14.02	60	45.98	Pass	101
2365	3000	1	RMS	2649	-47.13	-40	7.13	Pass	636
3000	8000	1	RMS	7700	-66.07	-40	26.07	Pass	5001
8000	24000	1	RMS	23990	-47.31	-40	7.31	Pass	16001




5.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.15	-40	17.15	Pass	141
0.15	30	0.01	RMS	0.15	-56.75	-40	16.75	Pass	2986
30	1000	0.1	RMS	955.9	-60.48	-40	20.48	Pass	9701
1000	2288	1	RMS	2252	-49.19	-40	9.19	Pass	1289
2288	2365	1	RMS	2310.33	19.63	60	40.37	Pass	101
2365	3000	1	RMS	2654	-47.12	-40	7.12	Pass	636
3000	8000	1	RMS	7692	-66.25	-40	26.25	Pass	5001
8000	24000	1	RMS	23971	-47.34	-40	7.34	Pass	16001




5.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-40	15.85	Pass	141
0.15	30	0.01	RMS	0.16	-58.29	-40	18.29	Pass	2986
30	1000	0.1	RMS	945.3	-60.8	-40	20.8	Pass	9701
1000	2288	1	RMS	2275	-49.19	-40	9.19	Pass	1289
2288	2365	1	RMS	2314.95	19.22	60	40.78	Pass	101
2365	3000	1	RMS	2668	-47.02	-40	7.02	Pass	636
3000	8000	1	RMS	7698	-66.09	-40	26.09	Pass	5001
8000	24000	1	RMS	23972	-47.58	-40	7.58	Pass	16001




5.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.32	-40	15.32	Pass	141
0.15	30	0.01	RMS	0.15	-58.23	-40	18.23	Pass	2986
30	1000	0.1	RMS	968.5	-60.87	-40	20.87	Pass	9701
1000	2288	1	RMS	2288	-48.29	-40	8.29	Pass	1289
2288	2365	1	RMS	2308.79	11.01	60	48.99	Pass	101
2365	3000	1	RMS	2658	-47.07	-40	7.07	Pass	636
3000	8000	1	RMS	7695	-66.19	-40	26.19	Pass	5001
8000	24000	1	RMS	23990	-47.27	-40	7.27	Pass	16001




5.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.23	-40	17.23	Pass	141
0.15	30	0.01	RMS	0.16	-55.99	-40	15.99	Pass	2986
30	1000	0.1	RMS	983.3	-60.66	-40	20.66	Pass	9701
1000	2288	1	RMS	2249	-49.14	-40	9.14	Pass	1289
2288	2365	1	RMS	2305.71	19.27	60	40.73	Pass	101
2365	3000	1	RMS	2660	-47.13	-40	7.13	Pass	636
3000	8000	1	RMS	7700	-66.13	-40	26.13	Pass	5001
8000	24000	1	RMS	23992	-47.28	-40	7.28	Pass	16001



5.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-40	15.61	Pass	141
0.15	30	0.01	RMS	0.15	-55.43	-40	15.43	Pass	2986
30	1000	0.1	RMS	978.1	-60.34	-40	20.34	Pass	9701
1000	2288	1	RMS	2283	-49.17	-40	9.17	Pass	1289
2288	2365	1	RMS	2314.95	18.89	60	41.11	Pass	101
2365	3000	1	RMS	2650	-47.07	-40	7.07	Pass	636
3000	8000	1	RMS	7694	-66.23	-40	26.23	Pass	5001
8000	24000	1	RMS	23991	-47.44	-40	7.44	Pass	16001



6. n66


6.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	61.1	Pass	141
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	958.272	-65.59	-13	52.59	Pass	9701
1000	1700	1	RMS	1700	-48.19	-13	35.19	Pass	701
1700	1790	1	RMS	1710.8	13.61	60	46.39	Pass	101
1790	3000	1	RMS	2937	-50	-13	37	Pass	1211
3000	7000	1	RMS	6975	-66.67	-13	53.67	Pass	4001
7000	20000	1	RMS	19301	-53.95	-13	40.95	Pass	13002




6.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.05	-13	60.05	Pass	141
0.15	30	0.01	RMS	0.17	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	956.971	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1700	-53.83	-13	40.83	Pass	701
1700	1790	1	RMS	1709.9	17.82	60	42.18	Pass	101
1790	3000	1	RMS	2941	-50.03	-13	37.03	Pass	1211
3000	7000	1	RMS	6982	-66.55	-13	53.55	Pass	4001
7000	20000	1	RMS	19371	-53.95	-13	40.95	Pass	13002



6.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	59.71	Pass	141
0.15	30	0.01	RMS	0.21	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	927.352	-65.53	-13	52.53	Pass	9701
1000	1700	1	RMS	1700	-54.08	-13	41.08	Pass	701
1700	1790	1	RMS	1713.5	18.09	60	41.91	Pass	101
1790	3000	1	RMS	2930	-49.98	-13	36.98	Pass	1211
3000	7000	1	RMS	6970	-66.7	-13	53.7	Pass	4001
7000	20000	1	RMS	19309	-53.87	-13	40.87	Pass	13002



6.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.17	-72.96	-13	59.96	Pass	2986
30	1000	0.1	RMS	918.846	-65.64	-13	52.64	Pass	9701
1000	1700	1	RMS	1673	-54.32	-13	41.32	Pass	701
1700	1790	1	RMS	1743.2	13.69	60	46.31	Pass	101
1790	3000	1	RMS	2963	-50.05	-13	37.05	Pass	1211
3000	7000	1	RMS	6969	-66.68	-13	53.68	Pass	4001
7000	20000	1	RMS	19313	-53.97	-13	40.97	Pass	13002

