


Band Edge


8.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.315	11.34	30	18.66	Pass	401
1780	1781	0.02	RMS	1780	-29.46	-13	16.46	Pass	401
1781	1782	1	RMS	1781	-26.73	-13	13.73	Pass	2
1782	1790	1	RMS	1782	-35.26	-13	22.26	Pass	401




8.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.41	-13	23.41	Pass	401
1708	1709	1	RMS	1709	-28.16	-13	15.16	Pass	2
1709	1710	0.002	RMS	1710	-28.16	-13	15.16	Pass	501
1710	1713	0.1	RMS	1710.248	20.69	30	9.31	Pass	401




8.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.5	-13	16.5	Pass	401
1708	1709	1	RMS	1709	-28.1	-13	15.1	Pass	2
1709	1710	0.03	RMS	1710	-29.9	-13	16.9	Pass	401
1710	1713	0.1	RMS	1710.285	8.41	30	21.59	Pass	401




8.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.14	-13	27.14	Pass	401
1708	1709	1	RMS	1709	-36.43	-13	23.43	Pass	2
1709	1710	0.002	RMS	1710	-29.66	-13	16.66	Pass	501
1710	1713	0.1	RMS	1710.248	19.75	30	10.25	Pass	401




8.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.98	-13	17.98	Pass	401
1708	1709	1	RMS	1709	-29.21	-13	16.21	Pass	2
1709	1710	0.03	RMS	1710	-31.38	-13	18.38	Pass	401
1710	1713	0.1	RMS	1710.375	7.4	30	22.6	Pass	401




8.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.85	30	9.15	Pass	401
1780	1781	0.002	RMS	1780	-28.96	-13	15.96	Pass	501
1781	1782	1	RMS	1781	-35.88	-13	22.88	Pass	2
1782	1790	1	RMS	1782.02	-40.11	-13	27.11	Pass	401




8.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.065	8.43	30	21.57	Pass	401
1780	1781	0.03	RMS	1780	-29.52	-13	16.52	Pass	401
1781	1782	1	RMS	1781	-22.29	-13	9.29	Pass	2
1782	1790	1	RMS	1782	-26.09	-13	13.09	Pass	401



8.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.77	30	10.23	Pass	401
1780	1781	0.002	RMS	1780.002	-29.35	-13	16.35	Pass	501
1781	1782	1	RMS	1781	-37.09	-13	24.09	Pass	2
1782	1790	1	RMS	1782	-40.77	-13	27.77	Pass	401




8.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.7	7.45	30	22.55	Pass	401
1780	1781	0.03	RMS	1780	-30.34	-13	17.34	Pass	401
1781	1782	1	RMS	1781	-24.29	-13	11.29	Pass	2
1782	1790	1	RMS	1782	-28.27	-13	15.27	Pass	401




8.17. LTE Band Edge_Part22-24-27(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.98	-13	26.98	Pass	401
1708	1709	1	RMS	1709	-37.69	-13	24.69	Pass	2
1709	1710	0.01	RMS	1710	-25.33	-13	12.33	Pass	401
1710	1715	0.1	RMS	1710.325	20.58	30	9.42	Pass	401




8.18. LTE Band Edge_Part22-24-27(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.11	-13	18.11	Pass	401
1708	1709	1	RMS	1709	-30.06	-13	17.06	Pass	2
1709	1710	0.05	RMS	1710	-30.51	-13	17.51	Pass	401
1710	1715	0.1	RMS	1711.65	6.26	30	23.74	Pass	401




8.19. LTE Band Edge_Part22-24-27(Subtest:19, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.47	-13	27.47	Pass	401
1708	1709	1	RMS	1709	-38.16	-13	25.16	Pass	2
1709	1710	0.01	RMS	1710	-25.81	-13	12.81	Pass	401
1710	1715	0.1	RMS	1710.35	19.72	30	10.28	Pass	401




8.20. LTE Band Edge_Part22-24-27(Subtest:20, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-32.4	-13	19.4	Pass	401
1708	1709	1	RMS	1709	-31.26	-13	18.26	Pass	2
1709	1710	0.05	RMS	1710	-31.2	-13	18.2	Pass	401
1710	1715	0.1	RMS	1711.688	5.23	30	24.77	Pass	401




8.21. LTE Band Edge_Part22-24-27(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.8	30	9.2	Pass	401
1780	1781	0.01	RMS	1780	-24.92	-13	11.92	Pass	401
1781	1782	1	RMS	1781	-37.65	-13	24.65	Pass	2
1782	1790	1	RMS	1782	-39.84	-13	26.84	Pass	401




8.22. LTE Band Edge_Part22-24-27(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.638	6.45	30	23.55	Pass	401
1780	1781	0.05	RMS	1780	-29.6	-13	16.6	Pass	401
1781	1782	1	RMS	1781	-23.52	-13	10.52	Pass	2
1782	1790	1	RMS	1782.02	-25.11	-13	12.11	Pass	401



8.23. LTE Band Edge_Part22-24-27(Subtest:23, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.96	30	10.04	Pass	401
1780	1781	0.01	RMS	1780	-24.87	-13	11.87	Pass	401
1781	1782	1	RMS	1781	-38.05	-13	25.05	Pass	2
1782	1790	1	RMS	1782	-40.44	-13	27.44	Pass	401




8.24. LTE Band Edge_Part22-24-27(Subtest:24, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.438	5.48	30	24.52	Pass	401
1780	1781	0.05	RMS	1780	-30.68	-13	17.68	Pass	401
1781	1782	1	RMS	1781	-25.72	-13	12.72	Pass	2
1782	1790	1	RMS	1782.02	-27.46	-13	14.46	Pass	401




8.25. LTE Band Edge_Part22-24-27(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-39.11	-13	26.11	Pass	401
1708	1709	1	RMS	1709	-35.78	-13	22.78	Pass	2
1709	1710	0.1	RMS	1709.993	-21.14	-13	8.14	Pass	401
1710	1720	0.1	RMS	1710.6	20.66	30	9.34	Pass	401




8.26. LTE Band Edge_Part22-24-27(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-33.36	-13	20.36	Pass	401
1708	1709	1	RMS	1709	-27.85	-13	14.85	Pass	401
1709	1710	0.1	RMS	1709.998	-34.58	-13	21.58	Pass	401
1710	1720	0.1	RMS	1711.95	3.41	30	26.59	Pass	401




8.27. LTE Band Edge_Part22-24-27(Subtest:27, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.93	-13	27.93	Pass	401
1708	1709	1	RMS	1709	-38.5	-13	25.5	Pass	2
1709	1710	0.1	RMS	1709.995	-22.18	-13	9.18	Pass	401
1710	1720	0.1	RMS	1710.6	19.75	30	10.25	Pass	401




8.28. LTE Band Edge_Part22-24-27(Subtest:28, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-34.48	-13	21.48	Pass	401
1708	1709	1	RMS	1709	-34.03	-13	21.03	Pass	2
1709	1710	0.1	RMS	1710	-36.35	-13	23.35	Pass	401
1710	1720	0.1	RMS	1714.025	2.27	30	27.73	Pass	401



8.29. LTE Band Edge_Part22-24-27(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.83	30	9.17	Pass	401
1780	1781	0.1	RMS	1780	-21.36	-13	8.36	Pass	11
1781	1782	1	RMS	1781	-38.61	-13	25.61	Pass	2
1782	1790	1	RMS	1782	-41.34	-13	28.34	Pass	401




8.30. LTE Band Edge_Part22-24-27(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.55	3.43	30	26.57	Pass	401
1780	1781	0.1	RMS	1780.005	-33.76	-13	20.76	Pass	401
1781	1782	1	RMS	1781	-27.48	-13	14.48	Pass	2
1782	1790	1	RMS	1782	-27.65	-13	14.65	Pass	401



8.31. LTE Band Edge_Part22-24-27(Subtest:31, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	19.71	30	10.29	Pass	401
1780	1781	0.1	RMS	1780	-21.61	-13	8.61	Pass	401
1781	1782	1	RMS	1781	-39.25	-13	26.25	Pass	2
1782	1790	1	RMS	1782	-41.91	-13	28.91	Pass	401




8.32. LTE Band Edge_Part22-24-27(Subtest:32, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778.775	2.34	30	27.66	Pass	401
1780	1781	0.1	RMS	1780	-35.2	-13	22.2	Pass	401
1781	1782	1	RMS	1781	-29.34	-13	16.34	Pass	2
1782	1790	1	RMS	1782	-29.52	-13	16.52	Pass	401




8.33. LTE Band Edge_Part22-24-27(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.5	-40.14	-13	27.14	Pass	401
1708	1709	1	RMS	1709	-37.74	-13	24.74	Pass	2
1709	1710	0.15	RMS	1710	-22.11	-13	9.11	Pass	401
1710	1725	0.1	RMS	1710.825	20.59	30	9.41	Pass	401




8.34. LTE Band Edge_Part22-24-27(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-30.82	-13	17.82	Pass	401
1708	1709	1	RMS	1708	-31.04	-13	18.04	Pass	2
1709	1710	0.15	RMS	1710	-35.55	-13	22.55	Pass	401
1710	1725	0.1	RMS	1711.313	1.66	30	28.34	Pass	401




8.35. LTE Band Edge_Part22-24-27(Subtest:35, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.46	-40.49	-13	27.49	Pass	401
1708	1709	1	RMS	1709	-37.82	-13	24.82	Pass	2
1709	1710	0.15	RMS	1709.998	-22.7	-13	9.7	Pass	401
1710	1725	0.1	RMS	1710.825	19.69	30	10.31	Pass	401




8.36. LTE Band Edge_Part22-24-27(Subtest:36, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.9	-33.91	-13	20.91	Pass	401
1708	1709	1	RMS	1708	-33.94	-13	20.94	Pass	2
1709	1710	0.15	RMS	1709.998	-37.19	-13	24.19	Pass	401
1710	1725	0.1	RMS	1711.988	0.72	30	29.28	Pass	401




8.37. LTE Band Edge_Part22-24-27(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.74	30	9.26	Pass	401
1780	1781	0.15	RMS	1780.008	-22.42	-13	9.42	Pass	401
1781	1782	1	RMS	1781	-38.05	-13	25.05	Pass	2
1782	1790	1	RMS	1782.04	-36.58	-13	23.58	Pass	401




8.38. LTE Band Edge_Part22-24-27(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1765.863	2.15	30	27.85	Pass	401
1780	1781	0.15	RMS	1780.003	-32.86	-13	19.86	Pass	401
1781	1782	1	RMS	1781	-27.04	-13	14.04	Pass	2
1782	1790	1	RMS	1782.44	-27.42	-13	14.42	Pass	401




8.39. LTE Band Edge_Part22-24-27(Subtest:39, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.68	30	10.32	Pass	401
1780	1781	0.15	RMS	1780.008	-22.87	-13	9.87	Pass	401
1781	1782	1	RMS	1781	-38.56	-13	25.56	Pass	2
1782	1790	1	RMS	1783.58	-41.34	-13	28.34	Pass	401




8.40. LTE Band Edge_Part22-24-27(Subtest:40, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1765.975	1.07	30	28.93	Pass	401
1780	1781	0.15	RMS	1780	-35.31	-13	22.31	Pass	401
1781	1782	1	RMS	1782	-30.27	-13	17.27	Pass	2
1782	1790	1	RMS	1782.04	-30.14	-13	17.14	Pass	401




8.41. LTE Band Edge_Part22-24-27(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.35	-13	29.35	Pass	401
1708	1709	1	RMS	1709	-38.53	-13	25.53	Pass	2
1709	1710	0.2	RMS	1709.998	-25.05	-13	12.05	Pass	401
1710	1730	0.1	RMS	1711.1	20.59	30	9.41	Pass	401




8.42. LTE Band Edge_Part22-24-27(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-32.6	-13	19.6	Pass	401
1708	1709	1	RMS	1709	-32.23	-13	19.23	Pass	2
1709	1710	0.2	RMS	1709.995	-36.65	-13	23.65	Pass	401
1710	1730	0.1	RMS	1711.95	0.33	30	29.67	Pass	401




8.43. LTE Band Edge_Part22-24-27(Subtest:43, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.46	-13	29.46	Pass	401
1708	1709	1	RMS	1709	-38.63	-13	25.63	Pass	2
1709	1710	0.2	RMS	1710	-24.82	-13	11.82	Pass	401
1710	1730	0.1	RMS	1711.1	19.73	30	10.27	Pass	401




8.44. LTE Band Edge_Part22-24-27(Subtest:44, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.77	-13	21.77	Pass	401
1708	1709	1	RMS	1709	-34.54	-13	21.54	Pass	2
1709	1710	0.2	RMS	1709.993	-38.58	-13	25.58	Pass	401
1710	1730	0.1	RMS	1711.6	-0.51	30	30.51	Pass	401




8.45. LTE Band Edge_Part22-24-27(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.65	30	9.35	Pass	401
1780	1781	0.2	RMS	1780	-24.68	-13	11.68	Pass	401
1781	1782	1	RMS	1781	-38.28	-13	25.28	Pass	2
1782	1790	1	RMS	1782	-42.63	-13	29.63	Pass	401




8.46. LTE Band Edge_Part22-24-27(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1765.35	0.77	30	29.23	Pass	401
1780	1781	0.2	RMS	1780.008	-34.22	-13	21.22	Pass	401
1781	1782	1	RMS	1781	-29.08	-13	16.08	Pass	2
1782	1790	1	RMS	1782	-29.34	-13	16.34	Pass	401




8.47. LTE Band Edge_Part22-24-27(Subtest:47, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.69	30	10.31	Pass	401
1780	1781	0.2	RMS	1780.005	-24.93	-13	11.93	Pass	401
1781	1782	1	RMS	1781	-32.09	-13	19.09	Pass	401
1782	1790	1	RMS	1782.04	-42.82	-13	29.82	Pass	401



8.48. LTE Band Edge_Part22-24-27(Subtest:48, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1764.65	-0.16	30	30.16	Pass	401
1780	1781	0.2	RMS	1780.008	-36.47	-13	23.47	Pass	401
1781	1782	1	RMS	1781	-31.38	-13	18.38	Pass	2
1782	1790	1	RMS	1782.04	-31.66	-13	18.66	Pass	401



1. LTE_Band14


1.1. LTE Band Edge_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	769.273	-76.07	-35	41.07	Pass	968
775	787.9	0.1	RMS	787.9	-20.9	-13	7.9	Pass	401
787.9	788	0.03	RMS	787.999	-20.2	-13	7.2	Pass	401
788	798	0.1	RMS	788.325	21.44	30	8.56	Pass	401




1.2. LTE Band Edge_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	769.453	-76.38	-35	41.38	Pass	968
775	787.9	0.1	RMS	787.9	-29.88	-13	16.88	Pass	401
787.9	788	0.03	RMS	788	-31.85	-13	18.85	Pass	401
788	798	0.1	RMS	789.675	7.22	30	22.78	Pass	401




1.3. LTE Band Edge_Part90(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	773.889	-76.28	-35	41.28	Pass	968
775	787.9	0.1	RMS	787.9	-21.57	-13	8.57	Pass	401
787.9	788	0.03	RMS	788	-20.72	-13	7.72	Pass	401
788	798	0.1	RMS	788.35	20.62	30	9.38	Pass	401




1.4. LTE Band Edge_Part90(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	772.959	-76.4	-35	41.4	Pass	968
775	787.9	0.1	RMS	787.9	-30.26	-13	17.26	Pass	401
787.9	788	0.03	RMS	788	-32.19	-13	19.19	Pass	401
788	798	0.1	RMS	789.7	6.11	30	23.89	Pass	401




1.5. LTE Band Edge_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	21.54	30	8.46	Pass	401
798	798.1	0.03	RMS	798	-20.36	-13	7.36	Pass	401
798.1	799	0.1	RMS	798.1	-20.43	-13	7.43	Pass	401
799	805	0.00625	RMS	799.062	-56.44	-35	21.44	Pass	968
805	810	0.1	RMS	806.363	-36.45	-13	23.45	Pass	401




1.6. LTE Band Edge_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.425	7	30	23	Pass	401
798	798.1	0.03	RMS	798.003	-31.98	-13	18.98	Pass	401
798.1	799	0.1	RMS	798.1	-29.05	-13	16.05	Pass	401
799	805	0.00625	RMS	799.465	-42.63	-35	7.63	Pass	968
805	810	0.1	RMS	805.113	-42.75	-13	29.75	Pass	401




1.7. LTE Band Edge_Part90(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	20.57	30	9.43	Pass	401
798	798.1	0.03	RMS	798	-20.01	-13	7.01	Pass	401
798.1	799	0.1	RMS	798.1	-20.23	-13	7.23	Pass	401
799	805	0.00625	RMS	799.062	-55.5	-35	20.5	Pass	968
805	810	0.1	RMS	806.338	-37.85	-13	24.85	Pass	401




1.8. LTE Band Edge_Part90(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	793.575	6.09	30	23.91	Pass	401
798	798.1	0.03	RMS	798.002	-32.33	-13	19.33	Pass	401
798.1	799	0.1	RMS	798.1	-29.9	-13	16.9	Pass	401
799	805	0.00625	RMS	799.155	-42.64	-35	7.64	Pass	968
805	810	0.1	RMS	805.1	-44.82	-13	31.82	Pass	401




1.9. LTE Band Edge_Part90(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	773.641	-76.42	-35	41.42	Pass	968
775	787.9	0.1	RMS	787.9	-24.64	-13	11.64	Pass	401
787.9	788	0.03	RMS	787.999	-26.15	-13	13.15	Pass	401
788	798	0.1	RMS	788.6	21.54	30	8.46	Pass	401




1.10. LTE Band Edge_Part90(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	770.502	-75.95	-35	40.95	Pass	968
775	787.9	0.1	RMS	787.9	-32.81	-13	19.81	Pass	401
787.9	788	0.03	RMS	787.999	-36.84	-13	23.84	Pass	401
788	798	0.1	RMS	789.925	4.34	30	25.66	Pass	401




1.11. LTE Band Edge_Part90(Subtest:11, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	771.947	-76.43	-35	41.43	Pass	968
775	787.9	0.1	RMS	787.9	-25.91	-13	12.91	Pass	401
787.9	788	0.03	RMS	788	-27.18	-13	14.18	Pass	401
788	798	0.1	RMS	788.6	20.63	30	9.37	Pass	401




1.12. LTE Band Edge_Part90(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	772.047	-76.14	-35	41.14	Pass	968
775	787.9	0.1	RMS	787.9	-33.76	-13	20.76	Pass	401
787.9	788	0.03	RMS	787.997	-38.15	-13	25.15	Pass	401
788	798	0.1	RMS	790.075	3.2	30	26.8	Pass	401




1.13. LTE Band Edge_Part90(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	21.42	30	8.58	Pass	401
798	798.1	0.03	RMS	798.001	-25.5	-13	12.5	Pass	401
798.1	799	0.1	RMS	798.1	-23.59	-13	10.59	Pass	401
799	805	0.00625	RMS	801.823	-57.18	-35	22.18	Pass	968
805	810	0.1	RMS	805.075	-57.22	-13	44.22	Pass	401




1.14. LTE Band Edge_Part90(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	789.925	4.37	30	25.63	Pass	401
798	798.1	0.03	RMS	798	-37.01	-13	24.01	Pass	401
798.1	799	0.1	RMS	798.107	-32.79	-13	19.79	Pass	401
799	805	0.00625	RMS	799.205	-43.99	-35	8.99	Pass	968
805	810	0.1	RMS	805.138	-39.37	-13	26.37	Pass	401




1.15. LTE Band Edge_Part90(Subtest:15, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.425	20.52	30	9.48	Pass	401
798	798.1	0.03	RMS	798.001	-25.88	-13	12.88	Pass	401
798.1	799	0.1	RMS	798.1	-23.99	-13	10.99	Pass	401
799	805	0.00625	RMS	799.323	-59.16	-35	24.16	Pass	968
805	810	0.1	RMS	805.063	-57.6	-13	44.6	Pass	401



1.16. LTE Band Edge_Part90(Subtest:16, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	790.075	3.23	30	26.77	Pass	401
798	798.1	0.03	RMS	798.01	-37.34	-13	24.34	Pass	401
798.1	799	0.1	RMS	798.105	-33.02	-13	20.02	Pass	401
799	805	0.00625	RMS	799.546	-44.55	-35	9.55	Pass	968
805	810	0.1	RMS	805.138	-41.27	-13	28.27	Pass	401



1. LTE_Band30


1.1. LTE Band Edge_Part22-24-27(Subtest:1, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.67	-53.17	-40	13.17	Pass	401
2292	2296	1	RMS	2296	-52.4	-31	21.4	Pass	401
2296	2300	1	RMS	2299.99	-46.44	-25	21.44	Pass	401
2300	2304	1	RMS	2304	-37.81	-13	24.81	Pass	5
2304	2305	0.1	RMS	2305	-16.63	-13	3.63	Pass*	401
2305	2310	0.1	RMS	2305.325	18.53	30	11.47	Pass	401




1.2. LTE Band Edge_Part22-24-27(Subtest:2, Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-51.24	-40	11.24	Pass	401
2292	2296	1	RMS	2296	-44.73	-31	13.73	Pass	401
2296	2300	1	RMS	2300	-35.28	-25	10.28	Pass	401
2300	2304	1	RMS	2302	-32.46	-13	19.46	Pass	5
2304	2305	0.1	RMS	2305	-29.55	-13	16.55	Pass	401
2305	2310	0.1	RMS	2305.413	4.35	30	25.65	Pass	401




1.3. LTE Band Edge_Part22-24-27(Subtest:3, Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-53.12	-40	13.12	Pass	401
2292	2296	1	RMS	2295.98	-52.3	-31	21.3	Pass	401
2296	2300	1	RMS	2299.99	-46.25	-25	21.25	Pass	401
2300	2304	1	RMS	2304	-38.42	-13	25.42	Pass	5
2304	2305	0.1	RMS	2305	-17.35	-13	4.35	Pass*	401
2305	2310	0.1	RMS	2305.338	17.69	30	12.31	Pass	401




1.4. LTE Band Edge_Part22-24-27(Subtest:4, Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.97	-51.78	-40	11.78	Pass	401
2292	2296	1	RMS	2295.96	-45.46	-31	14.46	Pass	401
2296	2300	1	RMS	2299.98	-36.53	-25	11.53	Pass	401
2300	2304	1	RMS	2302	-33.13	-13	20.13	Pass	5
2304	2305	0.1	RMS	2305	-30.2	-13	17.2	Pass	401
2305	2310	0.1	RMS	2305.363	3.35	30	26.65	Pass	401




1.5. LTE Band Edge_Part22-24-27(Subtest:5, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.663	18.67	30	11.33	Pass	401
2315	2316	0.1	RMS	2315	-17.74	-13	4.74	Pass*	11
2316	2320	1	RMS	2316	-37.85	-13	24.85	Pass	5
2320	2324	1	RMS	2320.01	-46.46	-25	21.46	Pass	401
2324	2328	1	RMS	2324.02	-52.21	-31	21.21	Pass	401
2328	2340	1	RMS	2328.03	-53.34	-40	13.34	Pass	401




1.6. LTE Band Edge_Part22-24-27(Subtest:6, Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.65	4.28	30	25.72	Pass	401
2315	2316	0.1	RMS	2315	-29.91	-13	16.91	Pass	401
2316	2320	1	RMS	2318	-31.67	-13	18.67	Pass	5
2320	2324	1	RMS	2320	-34.14	-25	9.14	Pass	401
2324	2328	1	RMS	2324	-43.7	-31	12.7	Pass	401
2328	2340	1	RMS	2328	-51.57	-40	11.57	Pass	401




1.7. LTE Band Edge_Part22-24-27(Subtest:7, Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2314.65	17.74	30	12.26	Pass	401
2315	2316	0.1	RMS	2315	-17.56	-13	4.56	Pass*	11
2316	2320	1	RMS	2316	-37.86	-13	24.86	Pass	5
2320	2324	1	RMS	2320.01	-46.59	-25	21.59	Pass	401
2324	2328	1	RMS	2324.04	-52.3	-31	21.3	Pass	401
2328	2340	1	RMS	2328	-53.32	-40	13.32	Pass	401




1.8. LTE Band Edge_Part22-24-27(Subtest:8, Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2310	2315	0.1	RMS	2310.613	3.26	30	26.74	Pass	401
2315	2316	0.1	RMS	2315	-31.2	-13	18.2	Pass	401
2316	2320	1	RMS	2316	-32.95	-13	19.95	Pass	5
2320	2324	1	RMS	2320.09	-35.21	-25	10.21	Pass	401
2324	2328	1	RMS	2324	-44.57	-31	13.57	Pass	401
2328	2340	1	RMS	2328	-51.98	-40	11.98	Pass	401




1.9. LTE Band Edge_Part22-24-27(Subtest:9, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.97	-52.9	-40	12.9	Pass	401
2292	2296	1	RMS	2296	-49.67	-31	18.67	Pass	401
2296	2300	1	RMS	2299.99	-46.39	-25	21.39	Pass	401
2300	2304	1	RMS	2304	-37.01	-13	24.01	Pass	5
2304	2305	0.2	RMS	2304.995	-19.61	-13	6.61	Pass	401
2305	2315	0.1	RMS	2305.6	18.7	30	11.3	Pass	401




1.10. LTE Band Edge_Part22-24-27(Subtest:10, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-43.98	-40	3.98	Pass*	13
2292	2296	1	RMS	2296	-40.44	-31	9.44	Pass	401
2296	2300	1	RMS	2300	-38.16	-25	13.16	Pass	5
2300	2304	1	RMS	2304	-35.65	-13	22.65	Pass	5
2304	2305	0.2	RMS	2304.993	-34.03	-13	21.03	Pass	401
2305	2315	0.1	RMS	2306.925	1.15	30	28.85	Pass	401




1.11. LTE Band Edge_Part22-24-27(Subtest:11, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2291.82	-52.96	-40	12.96	Pass	401
2292	2296	1	RMS	2295.99	-49.82	-31	18.82	Pass	401
2296	2300	1	RMS	2300	-46.11	-25	21.11	Pass	401
2300	2304	1	RMS	2304	-38.52	-13	25.52	Pass	5
2304	2305	0.2	RMS	2304.998	-20.66	-13	7.66	Pass	401
2305	2315	0.1	RMS	2305.575	17.8	30	12.2	Pass	401




1.12. LTE Band Edge_Part22-24-27(Subtest:12, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2280	2292	1	RMS	2292	-45.15	-40	5.15	Pass*	401
2292	2296	1	RMS	2295.94	-40.59	-31	9.59	Pass	401
2296	2300	1	RMS	2299.54	-37.2	-25	12.2	Pass	401
2300	2304	1	RMS	2304	-36.03	-13	23.03	Pass	5
2304	2305	0.2	RMS	2304.998	-35.04	-13	22.04	Pass	401
2305	2315	0.1	RMS	2308.975	0.09	30	29.91	Pass	401




1.13. LTE Band Edge_Part22-24-27(Subtest:13, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.4	18.65	30	11.35	Pass	401
2315	2316	0.2	RMS	2315	-18.98	-13	5.98	Pass*	401
2316	2320	1	RMS	2316	-38.98	-13	25.98	Pass	5
2320	2324	1	RMS	2320.01	-46.7	-25	21.7	Pass	401
2324	2328	1	RMS	2324.01	-49.79	-31	18.79	Pass	401
2328	2340	1	RMS	2328	-53.13	-40	13.13	Pass	401




1.14. LTE Band Edge_Part22-24-27(Subtest:14, Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2306.95	1.21	30	28.79	Pass	401
2315	2316	0.2	RMS	2315.02	-34.54	-13	21.54	Pass	401
2316	2320	1	RMS	2316	-36.5	-13	23.5	Pass	5
2320	2324	1	RMS	2323	-36.76	-25	11.76	Pass	5
2324	2328	1	RMS	2324.21	-38.21	-31	7.21	Pass	401
2328	2340	1	RMS	2328	-42.16	-40	2.16	Pass*	401




1.15. LTE Band Edge_Part22-24-27(Subtest:15, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2314.4	17.69	30	12.31	Pass	401
2315	2316	0.2	RMS	2315.003	-19.23	-13	6.23	Pass	401
2316	2320	1	RMS	2316	-39.37	-13	26.37	Pass	5
2320	2324	1	RMS	2320.02	-46.36	-25	21.36	Pass	401
2324	2328	1	RMS	2324	-49.92	-31	18.92	Pass	401
2328	2340	1	RMS	2328.03	-53.15	-40	13.15	Pass	401



1.16. LTE Band Edge_Part22-24-27(Subtest:16, Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2305	2315	0.1	RMS	2310.025	0.07	30	29.93	Pass	401
2315	2316	0.2	RMS	2315	-34.12	-13	21.12	Pass	401
2316	2320	1	RMS	2316	-35.11	-13	22.11	Pass	5
2320	2324	1	RMS	2321	-37.71	-25	12.71	Pass	5
2324	2328	1	RMS	2324.05	-38.35	-31	7.35	Pass	401
2328	2340	1	RMS	2328	-43.75	-40	3.75	Pass*	401



3. n2

3.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-25.27	-13	12.27	Pass	101
1849	1850	0.051	RMS	1850	-21.66	-13	8.66	Pass	101
1850	1855	1	RMS	1850.3	19.62	30	10.38	Pass	101



3.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1847.48	-28.35	-13	15.35	Pass	101
1849	1850	0.051	RMS	1850	-34.53	-13	21.53	Pass	101
1850	1855	1	RMS	1851.05	13.5	30	16.5	Pass	101

