

Band Edge


3.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.6	19.69	30	10.31	Pass	101
1910	1911	0.02	RMS	1910	-27.12	-13	14.12	Pass	101
1911.5	1920	1	RMS	1911.5	-35.86	-13	22.86	Pass	101




3.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1906.25	13.66	30	16.34	Pass	101
1910	1911	0.051	RMS	1910	-35.31	-13	22.31	Pass	101
1911.5	1920	1	RMS	1911.755	-30.45	-13	17.45	Pass	101




3.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-28.23	-13	15.23	Pass	101
1849	1850	0.2	RMS	1850	-22.64	-13	9.64	Pass	101
1850	1870	1	RMS	1850.4	19.68	30	10.32	Pass	101




3.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-22.84	-13	9.84	Pass	101
1849	1850	0.2	RMS	1850	-39.48	-13	26.48	Pass	101
1850	1870	1	RMS	1868.2	7.93	30	22.07	Pass	101




3.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.2	19.68	30	10.32	Pass	101
1910	1911	0.2	RMS	1910	-24.14	-13	11.14	Pass	101
1911.5	1935	1	RMS	1911.5	-40	-13	27	Pass	101




3.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1891.4	8.25	30	21.75	Pass	101
1910	1911	0.2	RMS	1910	-37.59	-13	24.59	Pass	101
1911	1935	1	RMS	1911	-32.66	-13	19.66	Pass	101




3.9 Band Edge for SA_Part22-24-27(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-21.85	-13	8.85	Pass	101
1849	1850	0.39	RMS	1850	-33.3	-13	20.3	Pass	101
1850	1890	1	RMS	1888	4.85	30	25.15	Pass	101




3.10 Band Edge for SA_Part22-24-27(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1908.8	19.25	30	10.75	Pass	101
1910	1911	0.4	RMS	1910	-20.44	-13	7.44	Pass	4
1911	1955	1	RMS	1911	-36.86	-13	23.86	Pass	101




3.11 Band Edge for SA_Part22-24-27(Subtest:4, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1870	1910	1	RMS	1886.4	4.69	30	25.31	Pass	101
1910	1911	0.39	RMS	1910	-35.04	-13	22.04	Pass	101
1911	1955	1	RMS	1911	-36.86	-13	23.86	Pass	101



3.12 Band Edge for SA_Part22-24-27(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-38.11	-13	25.11	Pass	45
1849	1850	0.4	RMS	1850	-17.43	-13	4.43	Pass*	4
1850	1890	1	RMS	1850.4	19.29	30	10.71	Pass	101



4. n5


4.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.19	-47.99	-13	34.99	Pass	101
823	824	0.02	RMS	824	-26.6	-13	13.6	Pass	101
824	829	0.1	RMS	824.35	18.18	30	11.82	Pass	101




4.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-32.99	-13	19.99	Pass	101
823	824	0.051	RMS	824	-32.34	-13	19.34	Pass	101
824	829	0.1	RMS	824.85	4.65	30	25.35	Pass	101




4.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.99	30	12.01	Pass	101
849	850	0.02	RMS	849	-28.35	-13	15.35	Pass	101
850	859	0.1	RMS	850.81	-48.43	-13	35.43	Pass	101




4.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.85	4.81	30	25.19	Pass	101
849	850	0.051	RMS	849	-33.57	-13	20.57	Pass	101
850	859	0.1	RMS	850.27	-33.81	-13	20.81	Pass	101




4.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.2	-45.95	-13	32.95	Pass	191
823	824	0.02	RMS	824	-36.03	-13	23.03	Pass	101
824	839	0.1	RMS	824.5	17.9	30	12.1	Pass	151




4.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.7	-38.26	-13	25.26	Pass	191
823	824	0.15	RMS	824	-34.77	-13	21.77	Pass	101
824	839	0.1	RMS	831.4	-0.24	30	30.24	Pass	151




4.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.5	17.83	30	12.17	Pass	151
849	850	0.02	RMS	849	-38.95	-13	25.95	Pass	101
850	869	0.1	RMS	854.7	-46.84	-13	33.84	Pass	191




4.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	844.8	-0.34	30	30.34	Pass	151
849	850	0.15	RMS	849	-34.22	-13	21.22	Pass	101
850	869	0.1	RMS	850.7	-36.92	-13	23.92	Pass	191




4.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.7	-45.99	-13	32.99	Pass	241
823	824	0.02	RMS	824	-36.7	-13	23.7	Pass	101
824	844	0.1	RMS	824.5	17.78	30	12.22	Pass	201




4.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.8	-38.91	-13	25.91	Pass	241
823	824	0.2	RMS	824	-35.51	-13	22.51	Pass	101
824	844	0.1	RMS	833.3	-1.37	30	31.37	Pass	201




4.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.4	17.47	30	12.53	Pass	201
849	850	0.02	RMS	849	-39.14	-13	26.14	Pass	101
850	874	0.1	RMS	850.7	-50.05	-13	37.05	Pass	241



4.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	845.3	-1.6	30	31.6	Pass	201
849	850	0.2	RMS	849.14	-33.63	-13	20.63	Pass	101
850	874	0.1	RMS	850.5	-37.02	-13	24.02	Pass	241



5. n30


5.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-53.28	-40	13.28	Pass	101
2288	2292	1	RMS	2292	-53.04	-37	16.04	Pass	101
2292	2296	1	RMS	2296	-52.05	-31	21.05	Pass	101
2296	2300	1	RMS	2300	-46.16	-25	21.16	Pass	101
2300	2304	1	RMS	2304	-37.48	-13	24.48	Pass	5
2304	2305	0.01	RMS	2305	-29.45	-13	16.45	Pass	101
2305	2315	0.1	RMS	2305.3	16.78	60	43.22	Pass	101
2315	2316	0.01	RMS	2315.15	-63.56	-13	50.56	Pass	101
2316	2320	1	RMS	2316	-47.64	-13	34.64	Pass	101
2320	2324	1	RMS	2320	-52.61	-25	27.61	Pass	101
2324	2328	1	RMS	2324.48	-52.94	-31	21.94	Pass	101
2328	2337	1	RMS	2329.17	-53.3	-37	16.3	Pass	101
2337	2341	1	RMS	2339.96	-53.12	-31	22.12	Pass	101
2341	2345	1	RMS	2342.52	-53.09	-25	28.09	Pass	101
2345	2360	1	RMS	2353.25	-53.3	-13	40.3	Pass	101
2360	2365	1	RMS	2360.35	-53.33	-13	40.33	Pass	101
2365	2395	1	RMS	2390.2	-53.21	-40	13.21	Pass	101




5.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-53.2	-40	13.2	Pass	101
2288	2292	1	RMS	2292	-50.65	-37	13.65	Pass	101
2292	2296	1	RMS	2295.96	-40.45	-31	9.45	Pass	101
2296	2300	1	RMS	2300	-29.33	-25	4.33	Pass*	101
2300	2304	1	RMS	2304	-14.94	-13	1.94	Pass*	101
2304	2305	0.1	RMS	2305	-27.55	-13	14.55	Pass	101
2305	2315	0.1	RMS	2306.1	3.92	60	56.08	Pass	101
2315	2316	0.1	RMS	2315.11	-38.75	-13	25.75	Pass	101
2316	2320	1	RMS	2316.04	-31.4	-13	18.4	Pass	101
2320	2324	1	RMS	2320.04	-41.92	-25	16.92	Pass	101
2324	2328	1	RMS	2324.08	-50.27	-31	19.27	Pass	101
2328	2337	1	RMS	2328	-52.94	-37	15.94	Pass	101
2337	2341	1	RMS	2337.64	-53.15	-31	22.15	Pass	101
2341	2345	1	RMS	2344.24	-53.1	-25	28.1	Pass	101
2345	2360	1	RMS	2352.65	-53.28	-13	40.28	Pass	101
2360	2365	1	RMS	2361.9	-53.36	-13	40.36	Pass	101
2365	2395	1	RMS	2388.7	-53.22	-40	13.22	Pass	101




5.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-53.29	-40	13.29	Pass	101
2288	2292	1	RMS	2291.56	-53.12	-37	16.12	Pass	101
2292	2296	1	RMS	2295.88	-52.96	-31	21.96	Pass	101
2296	2300	1	RMS	2299.84	-52.69	-25	27.69	Pass	101
2300	2304	1	RMS	2304	-46.94	-13	33.94	Pass	101
2304	2305	0.01	RMS	2304.97	-62.11	-13	49.11	Pass	101
2305	2315	0.1	RMS	2314.7	16.36	60	43.64	Pass	101
2315	2316	0.01	RMS	2315	-30.85	-13	17.85	Pass	101
2316	2320	1	RMS	2316	-35.26	-13	22.26	Pass	5
2320	2324	1	RMS	2320.28	-45.47	-25	20.47	Pass	101
2324	2328	1	RMS	2324	-52.06	-31	21.06	Pass	101
2328	2337	1	RMS	2328.09	-53.28	-37	16.28	Pass	101
2337	2341	1	RMS	2338.32	-53.13	-31	22.13	Pass	101
2341	2345	1	RMS	2341.28	-53.1	-25	28.1	Pass	101
2345	2360	1	RMS	2357.6	-53.29	-13	40.29	Pass	101
2360	2365	1	RMS	2361.55	-53.34	-13	40.34	Pass	101
2365	2395	1	RMS	2393.8	-53.2	-40	13.2	Pass	101




5.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2287.12	-53.29	-40	13.29	Pass	101
2280	2292	1	RMS	2292	-52.95	-37	15.95	Pass	101
2292	2296	1	RMS	2295.92	-49.94	-31	18.94	Pass	101
2296	2300	1	RMS	2300	-42.17	-25	17.17	Pass	101
2300	2304	1	RMS	2303.96	-31.77	-13	18.77	Pass	101
2304	2305	0.1	RMS	2304.81	-39.01	-13	26.01	Pass	101
2305	2315	0.1	RMS	2310.8	3.9	60	56.1	Pass	101
2315	2316	0.1	RMS	2315	-28.9	-13	15.9	Pass	101
2316	2320	1	RMS	2316	-17.04	-13	4.04	Pass*	101
2320	2324	1	RMS	2320	-28.89	-25	3.89	Pass*	101
2324	2328	1	RMS	2324	-39.59	-31	8.59	Pass	101
2328	2337	1	RMS	2328	-50.42	-37	13.42	Pass	101
2337	2341	1	RMS	2339.36	-53.12	-31	22.12	Pass	101
2341	2345	1	RMS	2345	-53.13	-25	28.13	Pass	101
2345	2360	1	RMS	2358.35	-53.23	-13	40.23	Pass	101
2360	2365	1	RMS	2363.45	-53.35	-13	40.35	Pass	101
2365	2395	1	RMS	2392	-53.2	-40	13.2	Pass	101




5.5 Band Edge for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200	-53.27	-40	13.27	Pass	101
2288	2292	1	RMS	2291.96	-52.95	-37	15.95	Pass	101
2292	2296	1	RMS	2296	-48.88	-31	17.88	Pass	101
2296	2300	1	RMS	2299.96	-41.36	-25	16.36	Pass	101
2300	2304	1	RMS	2303.68	-38.71	-13	25.71	Pass	101
2304	2305	0.01	RMS	2304.01	-57.52	-13	44.52	Pass	101
2305	2315	0.1	RMS	2314.6	16.98	60	43.02	Pass	101
2315	2316	0.01	RMS	2315	-37.11	-13	24.11	Pass	101
2316.5	2320	1	RMS	2316.5	-36.74	-13	23.74	Pass	101
2320	2324	1	RMS	2320	-46.62	-25	21.62	Pass	101
2324	2328	1	RMS	2324	-48.89	-31	17.89	Pass	101
2328	2337	1	RMS	2329.17	-53.07	-37	16.07	Pass	101
2337	2341	1	RMS	2337.04	-53.13	-31	22.13	Pass	101
2341	2345	1	RMS	2343.08	-53.12	-25	28.12	Pass	101
2345	2360	1	RMS	2350.7	-53.29	-13	40.29	Pass	101
2360	2365	1	RMS	2360.65	-53.33	-13	40.33	Pass	101
2365	2395	1	RMS	2394.7	-53.22	-40	13.22	Pass	101




5.6 Band Edge for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2200.88	-53.25	-40	13.25	Pass	101
2288	2292	1	RMS	2292	-52.81	-37	15.81	Pass	101
2292	2296	1	RMS	2296	-48.76	-31	17.76	Pass	101
2296	2300	1	RMS	2300	-46.89	-25	21.89	Pass	101
2300	2304	1	RMS	2304	-36.79	-13	23.79	Pass	5
2304	2305	0.01	RMS	2305	-35.19	-13	22.19	Pass	101
2305	2315	0.1	RMS	2305.4	17.06	60	42.94	Pass	101
2315	2316	0.01	RMS	2315.71	-58.44	-13	45.44	Pass	101
2316	2320	1	RMS	2320	-40.9	-13	27.9	Pass	101
2320	2324	1	RMS	2320	-40.88	-25	15.88	Pass	101
2324	2328	1	RMS	2324	-48.6	-31	17.6	Pass	101
2328	2337	1	RMS	2328.27	-53.21	-37	16.21	Pass	101
2337	2341	1	RMS	2338.12	-53.1	-31	22.1	Pass	101
2341	2345	1	RMS	2344.2	-53.11	-25	28.11	Pass	101
2345	2360	1	RMS	2350.7	-53.3	-13	40.3	Pass	101
2360	2365	1	RMS	2361.25	-53.33	-13	40.33	Pass	101
2365	2395	1	RMS	2392.6	-53.23	-40	13.23	Pass	101




5.7 Band Edge for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-50.23	-40	10.23	Pass	101
2288	2292	1	RMS	2292	-39.66	-37	2.66	Pass*	101
2292	2296	1	RMS	2296	-31.77	-31	0.77	Pass*	5
2296	2300	1	RMS	2299.96	-27.56	-25	2.56	Pass*	101
2300	2304	1	RMS	2304	-20.89	-13	7.89	Pass	101
2304	2305	0.1	RMS	2305	-32.66	-13	19.66	Pass	101
2305	2315	0.1	RMS	2314	0.53	60	59.47	Pass	101
2315	2316	0.1	RMS	2315.01	-35.21	-13	22.21	Pass	101
2316	2320	1	RMS	2316	-22.61	-13	9.61	Pass	101
2320	2324	1	RMS	2320.48	-27.24	-25	2.24	Pass*	101
2324	2328	1	RMS	2324	-31.08	-31	0.08	Pass*	5
2328	2337	1	RMS	2328	-39.82	-37	2.82	Pass*	101
2337	2341	1	RMS	2337	-52.98	-31	21.98	Pass	101
2341	2345	1	RMS	2344.48	-53.11	-25	28.11	Pass	101
2345	2360	1	RMS	2350.55	-53.32	-13	40.32	Pass	101
2360	2365	1	RMS	2364	-53.35	-13	40.35	Pass	101
2365	2395	1	RMS	2393.2	-53.23	-40	13.23	Pass	101



5.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2200	2288	1	RMS	2288	-50.25	-40	10.25	Pass	101
2288	2292	1	RMS	2292	-40.1	-37	3.1	Pass*	101
2292	2296	1	RMS	2295.92	-31.42	-31	0.42	Pass*	101
2296	2300	1	RMS	2300	-27.82	-25	2.82	Pass*	101
2300	2304	1	RMS	2304	-20.96	-13	7.96	Pass	101
2304	2305	0.1	RMS	2304.86	-34.21	-13	21.21	Pass	101
2305	2315	0.1	RMS	2314	0.56	60	59.44	Pass	101
2315	2316	0.1	RMS	2315.49	-34.66	-13	21.66	Pass	101
2316	2320	1	RMS	2316	-22.69	-13	9.69	Pass	101
2320	2324	1	RMS	2320.16	-27.38	-25	2.38	Pass*	101
2324	2328	1	RMS	2324	-31.18	-31	0.18	Pass*	5
2328	2337	1	RMS	2328	-39.83	-37	2.83	Pass*	101
2337	2341	1	RMS	2337.08	-52.99	-31	21.99	Pass	101
2341	2345	1	RMS	2341	-53.12	-25	28.12	Pass	101
2345	2360	1	RMS	2351.15	-53.27	-13	40.27	Pass	101
2360	2365	1	RMS	2361.7	-53.35	-13	40.35	Pass	101
2365	2395	1	RMS	2392.9	-53.22	-40	13.22	Pass	101



6. n66


6.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-25.35	-13	12.35	Pass	101
1709	1710	0.051	RMS	1710	-21.47	-13	8.47	Pass	101
1710	1715	1	RMS	1710.3	19.71	30	10.29	Pass	101




6.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-24.87	-13	11.87	Pass	101
1709	1710	0.051	RMS	1710	-31.83	-13	18.83	Pass	101
1710	1715	1	RMS	1711.25	13.64	30	16.36	Pass	101




6.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.6	19.86	30	10.14	Pass	101
1780	1781	0.051	RMS	1780	-23.01	-13	10.01	Pass	101
1781.5	1790	1	RMS	1781.5	-36.31	-13	23.31	Pass	101




6.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.2	13.7	30	16.3	Pass	101
1780	1781	0.051	RMS	1780	-31.98	-13	18.98	Pass	101
1781.5	1790	1	RMS	1781.5	-23.74	-13	10.74	Pass	101




6.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-28.26	-13	15.26	Pass	101
1709	1710	0.2	RMS	1710	-22.19	-13	9.19	Pass	101
1710	1730	1	RMS	1710.4	19.76	30	10.24	Pass	101




6.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-29.76	-13	16.76	Pass	101
1709	1710	0.2	RMS	1710	-35.63	-13	22.63	Pass	101
1710	1730	1	RMS	1711.4	7.57	30	22.43	Pass	101




6.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.2	19.88	30	10.12	Pass	101
1780	1781	0.2	RMS	1780	-24.06	-13	11.06	Pass	101
1781.5	1805	1	RMS	1781.5	-37.53	-13	24.53	Pass	101




6.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1765	7.72	30	22.28	Pass	101
1780	1781	0.2	RMS	1780.01	-33.33	-13	20.33	Pass	101
1781.5	1805	1	RMS	1781.5	-27.47	-13	14.47	Pass	101




6.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-20.03	-13	7.03	Pass	101
1709	1709.8	0.39	RMS	1709.8	-23.99	-13	10.99	Pass	101
1710	1750	1	RMS	1710.4	19.51	30	10.49	Pass	101




6.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-20.24	-13	7.24	Pass	101
1709	1710	0.39	RMS	1710	-30.8	-13	17.8	Pass	101
1710	1750	1	RMS	1712.4	4.56	30	25.44	Pass	101




6.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1778.8	19.46	30	10.54	Pass	101
1780.2	1781	0.39	RMS	1780.2	-25.27	-13	12.27	Pass	101
1781	1825	1	RMS	1781	-40.51	-13	27.51	Pass	45



6.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1780	1	RMS	1762.4	4.78	30	25.22	Pass	101
1780	1781	0.39	RMS	1780	-31.5	-13	18.5	Pass	101
1781	1825	1	RMS	1781	-29.66	-13	16.66	Pass	101



1. n77 (3450-3550)


1.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-44.29	-13	31.29	Pass	101
3445	3449	0.62	RMS	3449	-38.83	-13	25.83	Pass	101
3449	3450	0.2	RMS	3450	-26.95	-13	13.95	Pass	101
3450	3460	1	RMS	3450.8	20.81	40	19.19	Pass	101




1.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-31.86	-13	18.86	Pass	101
3445	3449	0.62	RMS	3449	-28.49	-13	15.49	Pass	101
3449	3450	0.2	RMS	3450	-31.48	-13	18.48	Pass	101
3450	3460	1	RMS	3454.7	12.25	40	27.75	Pass	101




1.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3549.1	20.95	40	19.05	Pass	101
3550	3551	0.2	RMS	3550	-28.75	-13	15.75	Pass	101
3551	3555	0.62	RMS	3551	-38	-13	25	Pass	101
3555	3565	1	RMS	3555	-44.54	-13	31.54	Pass	101




1.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	1	RMS	3545	12.3	40	27.7	Pass	101
3550	3551	0.2	RMS	3550	-31.23	-13	18.23	Pass	101
3551	3555	0.62	RMS	3551	-27.79	-13	14.79	Pass	101
3555	3565	1	RMS	3555	-30.32	-13	17.32	Pass	101




1.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3427	-44.95	-13	31.95	Pass	101
3445	3449	0.62	RMS	3449	-40.03	-13	27.03	Pass	101
3449	3450	0.2	RMS	3450	-31.8	-13	18.8	Pass	101
3450	3500	1	RMS	3451	20.37	40	19.63	Pass	101




1.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.49	-13	20.49	Pass	101
3445	3449	0.62	RMS	3448	-34.83	-13	21.83	Pass	101
3449	3450	0.2	RMS	3450	-39.14	-13	26.14	Pass	101
3450	3500	1	RMS	3460	4.9	40	35.1	Pass	101




1.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3548.5	20.65	40	19.35	Pass	101
3550	3551	0.2	RMS	3550	-32.11	-13	19.11	Pass	101
3551	3555	0.62	RMS	3551	-38.94	-13	25.94	Pass	101
3555	3605	1	RMS	3572	-43.9	-13	30.9	Pass	101




1.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3550	1	RMS	3505.5	4.97	40	35.03	Pass	101
3550	3551	0.2	RMS	3550.01	-38.34	-13	25.34	Pass	101
3551	3555	0.62	RMS	3553.68	-33.62	-13	20.62	Pass	101
3555	3605	1	RMS	3555	-32.04	-13	19.04	Pass	101




1.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.58	-13	32.58	Pass	101
3445	3449	0.62	RMS	3449	-37.2	-13	24.2	Pass	101
3449	3450	0.051	RMS	3450	-32.5	-13	19.5	Pass	101
3450	3550	1	RMS	3451	17.79	40	22.21	Pass	101




1.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-35.42	-13	22.42	Pass	101
3445	3449	0.62	RMS	3448.76	-36.85	-13	23.85	Pass	101
3449	3450	0.2	RMS	3449.92	-41.15	-13	28.15	Pass	101
3450	3550	1	RMS	3461	1.9	40	38.1	Pass	101




1.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3548	18.71	40	21.29	Pass	101
3550	3551	0.2	RMS	3550	-29.45	-13	16.45	Pass	101
3551	3555	0.62	RMS	3551	-38	-13	25	Pass	101
3555	3655	1	RMS	3597	-43.92	-13	30.92	Pass	101



1.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3461	1.9	40	38.1	Pass	101
3550	3551	0.2	RMS	3550.22	-40.1	-13	27.1	Pass	101
3551	3555	0.62	RMS	3552.6	-35.55	-13	22.55	Pass	101
3555	3655	1	RMS	3555	-33.99	-13	20.99	Pass	101



2. n77 (3700-3980)


2.1 Band Edge for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3694.8	-42.66	-13	29.66	Pass	101
3695	3699	0.62	RMS	3699	-37.65	-13	24.65	Pass	101
3699	3700	0.051	RMS	3700	-33.88	-13	20.88	Pass	101
3700	3710	1	RMS	3700.8	21.74	40	18.26	Pass	101




2.2 Band Edge for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3695	1	RMS	3695	-32.44	-13	19.44	Pass	101
3695	3699	0.62	RMS	3699	-30.69	-13	17.69	Pass	101
3699	3700	0.39	RMS	3700	-28.53	-13	15.53	Pass	101
3700	3710	1	RMS	3704.8	13.04	40	26.96	Pass	101




2.3 Band Edge for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3979.1	21.35	40	18.65	Pass	101
3980	3981	0.051	RMS	3980	-35.63	-13	22.63	Pass	101
3981	3985	0.62	RMS	3981	-37.72	-13	24.72	Pass	101
3985	3995	1	RMS	3985	-44.07	-13	31.07	Pass	101




2.4 Band Edge for SA_Part22-24-27(Subtest:4, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3970	3980	1	RMS	3974.1	12.7	40	27.3	Pass	101
3980	3981	0.39	RMS	3980	-24.97	-13	11.97	Pass	101
3981	3985	0.62	RMS	3981	-24.62	-13	11.62	Pass	101
3985	3995	1	RMS	3985	-27.46	-13	14.46	Pass	101




2.5 Band Edge for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3677	-43.46	-13	30.46	Pass	101
3695	3699	0.62	RMS	3699	-38.45	-13	25.45	Pass	101
3699	3700	0.39	RMS	3700	-25.31	-13	12.31	Pass	101
3700	3750	1	RMS	3701	21.28	40	18.72	Pass	101




2.6 Band Edge for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3645	3695	1	RMS	3695	-34.99	-13	21.99	Pass	101
3695	3699	0.62	RMS	3698.04	-36.54	-13	23.54	Pass	101
3699	3700	0.39	RMS	3699.99	-38.06	-13	25.06	Pass	101
3700	3750	1	RMS	3705.5	5.68	40	34.32	Pass	101




2.7 Band Edge for SA_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3978.5	20.96	40	19.04	Pass	101
3980	3981	0.39	RMS	3980	-27.53	-13	14.53	Pass	101
3981	3985	0.62	RMS	3981	-39.05	-13	26.05	Pass	101
3985	4035	1	RMS	4002	-44.18	-13	31.18	Pass	101




2.8 Band Edge for SA_Part22-24-27(Subtest:4, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3930	3980	1	RMS	3935.5	5.57	40	34.43	Pass	101
3980	3981	0.39	RMS	3980.01	-33.31	-13	20.31	Pass	101
3981	3985	0.62	RMS	3983.68	-31.33	-13	18.33	Pass	101
3985	4035	1	RMS	3985	-29.97	-13	16.97	Pass	101




2.9 Band Edge for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-44.66	-13	31.66	Pass	101
3695	3699	0.62	RMS	3699	-35.97	-13	22.97	Pass	101
3699	3700	0.051	RMS	3700	-32.99	-13	19.99	Pass	101
3700	3800	1	RMS	3701	18.94	40	21.06	Pass	101




2.10 Band Edge for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3675	-35.3	-13	22.3	Pass	101
3695	3699	0.62	RMS	3698.6	-36.97	-13	23.97	Pass	101
3699	3700	0.39	RMS	3700	-38.57	-13	25.57	Pass	101
3700	3800	1	RMS	3717	2.78	40	37.22	Pass	101



2.11 Band Edge for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3978	18.86	40	21.14	Pass	101
3980	3981	0.051	RMS	3980	-34.44	-13	21.44	Pass	101
3981	3985	0.62	RMS	3981	-36.62	-13	23.62	Pass	101
3985	4085	1	RMS	4027	-44.73	-13	31.73	Pass	101



2.12 Band Edge for SA_Part22-24-27(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3897	2.92	40	37.08	Pass	101
3980	3981	0.39	RMS	3980.74	-36.42	-13	23.42	Pass	101
3981	3985	0.62	RMS	3982.36	-34.63	-13	21.63	Pass	101
3985	4085	1	RMS	3985	-33.22	-13	20.22	Pass	101

