

Spurious Emission at Antenna Terminals


6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.22	-72.81	-13	59.81	Pass	2986
30	689	0.1	RMS	499	-66.13	-13	53.13	Pass	6591
689	726	0.1	RMS	711.3	19.34	60	40.66	Pass	371
726	1000	0.1	RMS	902.5	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1422	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.92	-13	60.92	Pass	141
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	689	0.1	RMS	688.9	-65.85	-13	52.85	Pass	6591
689	726	0.1	RMS	699.6	20.6	60	39.4	Pass	371
726	1000	0.1	RMS	888.6	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1399	-46.72	-13	33.72	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	59.63	Pass	141
0.15	30	0.01	RMS	0.16	-73	-13	60	Pass	2986
30	689	0.1	RMS	688.9	-65.47	-13	52.47	Pass	6591
689	726	0.1	RMS	699.6	19.79	60	40.21	Pass	371
726	1000	0.1	RMS	891.7	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1399	-47.59	-13	34.59	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.58	-13	60.58	Pass	141
0.15	30	0.01	RMS	0.16	-72.46	-13	59.46	Pass	2986
30	689	0.1	RMS	499.8	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	703.1	20.65	60	39.35	Pass	371
726	1000	0.1	RMS	928.4	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1406	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6804	-45.65	-13	32.65	Pass	7001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.94	-13	59.94	Pass	141
0.15	30	0.01	RMS	0.19	-72.22	-13	59.22	Pass	2986
30	689	0.1	RMS	508.5	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	703.1	19.64	60	40.36	Pass	371
726	1000	0.1	RMS	856	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1406	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.96	-13	60.96	Pass	141
0.15	30	0.01	RMS	0.15	-72.63	-13	59.63	Pass	2986
30	689	0.1	RMS	689	-55.33	-13	42.33	Pass	6591
689	726	0.1	RMS	706.6	20.61	60	39.39	Pass	371
726	1000	0.1	RMS	983.6	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1413	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.02	-13	61.02	Pass	141
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	689	0.1	RMS	689	-57.89	-13	44.89	Pass	6591
689	726	0.1	RMS	706.6	19.75	60	40.25	Pass	371
726	1000	0.1	RMS	833.6	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1413	-50.78	-13	37.78	Pass	2001
3000	10000	1	RMS	6799	-45.64	-13	32.64	Pass	7001



7. LTE_Band13


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	767	0.1	RMS	766.6	-65.43	-13	52.43	Pass	7371
767	797	0.1	RMS	777.3	20.02	60	39.98	Pass	301
797	1000	0.1	RMS	847.5	-65.21	-13	52.21	Pass	2031
1000	3000	1	RMS	1554	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




**7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.7	-13	60.7	Pass	141
0.15	30	0.01	RMS	0.19	-72.59	-13	59.59	Pass	2986
30	767	0.1	RMS	766.6	-65.53	-13	52.53	Pass	7371
767	797	0.1	RMS	777.3	19	60	41	Pass	301
797	1000	0.1	RMS	962.8	-65.15	-13	52.15	Pass	2031
1000	3000	1	RMS	1554	-49.28	-13	36.28	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.9	-13	60.9	Pass	141
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	767	0.1	RMS	733.2	-65.74	-13	52.74	Pass	7371
767	797	0.1	RMS	779.8	20.09	60	39.91	Pass	301
797	1000	0.1	RMS	836.5	-65.3	-13	52.3	Pass	2031
1000	3000	1	RMS	1559	-48.31	-13	35.31	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




**7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	767	0.1	RMS	736.7	-65.71	-13	52.71	Pass	7371
767	797	0.1	RMS	779.8	19.23	60	40.77	Pass	301
797	1000	0.1	RMS	847.9	-65.21	-13	52.21	Pass	2031
1000	3000	1	RMS	1559	-49.18	-13	36.18	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




**7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	60.42	Pass	141
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	767	0.1	RMS	745.4	-65.68	-13	52.68	Pass	7371
767	797	0.1	RMS	782.3	20.17	60	39.83	Pass	301
797	1000	0.1	RMS	874.1	-65.27	-13	52.27	Pass	2031
1000	3000	1	RMS	1564	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




**7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	141
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	767	0.1	RMS	731.2	-65.82	-13	52.82	Pass	7371
767	797	0.1	RMS	782.3	19.28	60	40.72	Pass	301
797	1000	0.1	RMS	978.8	-65.29	-13	52.29	Pass	2031
1000	3000	1	RMS	1564	-48.96	-13	35.96	Pass	2001
3000	10000	1	RMS	6798	-45.62	-13	32.62	Pass	7001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	767	0.1	RMS	766.9	-65.22	-13	52.22	Pass	7371
767	797	0.1	RMS	777.6	20.63	60	39.37	Pass	301
797	1000	0.1	RMS	832.9	-65.26	-13	52.26	Pass	2031
1000	3000	1	RMS	1555	-48.49	-13	35.49	Pass	2001
3000	10000	1	RMS	6803	-45.6	-13	32.6	Pass	7001




**7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.39	-13	60.39	Pass	141
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	767	0.1	RMS	766.9	-65.42	-13	52.42	Pass	7371
767	797	0.1	RMS	777.6	19.7	60	40.3	Pass	301
797	1000	0.1	RMS	977.5	-65.25	-13	52.25	Pass	2031
1000	3000	1	RMS	1555	-49.4	-13	36.4	Pass	2001
3000	10000	1	RMS	6803	-45.69	-13	32.69	Pass	7001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.25	-72.88	-13	59.88	Pass	2986
30	767	0.1	RMS	766.9	-65.55	-13	52.55	Pass	7371
767	797	0.1	RMS	777.6	20.6	60	39.4	Pass	301
797	1000	0.1	RMS	933.6	-65.22	-13	52.22	Pass	2031
1000	3000	1	RMS	1555	-48.48	-13	35.48	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.2	-72.42	-13	59.42	Pass	2986
30	767	0.1	RMS	766.9	-65.38	-13	52.38	Pass	7371
767	797	0.1	RMS	777.6	19.74	60	40.26	Pass	301
797	1000	0.1	RMS	990.4	-65.29	-13	52.29	Pass	2031
1000	3000	1	RMS	1555	-49.42	-13	36.42	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	767	0.1	RMS	766.9	-65.24	-13	52.24	Pass	7371
767	797	0.1	RMS	777.6	20.62	60	39.38	Pass	301
797	1000	0.1	RMS	963.6	-65.19	-13	52.19	Pass	2031
1000	3000	1	RMS	1555	-48.52	-13	35.52	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001



7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.19	-72.85	-13	59.85	Pass	2986
30	767	0.1	RMS	766.9	-65.67	-13	52.67	Pass	7371
767	797	0.1	RMS	777.6	19.72	60	40.28	Pass	301
797	1000	0.1	RMS	955.5	-65.16	-13	52.16	Pass	2031
1000	3000	1	RMS	1555	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



8. LTE_Band17


8.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.18	-72.57	-13	59.57	Pass	2986
30	694	0.1	RMS	694	-57.17	-13	44.17	Pass	6641
694	726	0.1	RMS	704.3	20.1	60	39.9	Pass	321
726	1000	0.1	RMS	982.8	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1408	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	6802	-45.61	-13	32.61	Pass	7001




8.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.23	-71.71	-13	58.71	Pass	2986
30	694	0.1	RMS	693.6	-65.43	-13	52.43	Pass	6641
694	726	0.1	RMS	704.3	19.13	60	40.87	Pass	321
726	1000	0.1	RMS	982.1	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1408	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6803	-45.69	-13	32.69	Pass	7001




8.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.17	-72.68	-13	59.68	Pass	2986
30	694	0.1	RMS	587.1	-66.09	-13	53.09	Pass	6641
694	726	0.1	RMS	707.8	20.15	60	39.85	Pass	321
726	1000	0.1	RMS	838.7	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1415	-49.11	-13	36.11	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




8.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	60.74	Pass	141
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	694	0.1	RMS	693.9	-66	-13	53	Pass	6641
694	726	0.1	RMS	707.8	19.36	60	40.64	Pass	321
726	1000	0.1	RMS	901.9	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1415	-50.06	-13	37.06	Pass	2001
3000	10000	1	RMS	6799	-45.68	-13	32.68	Pass	7001




8.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.18	-73.1	-13	60.1	Pass	2986
30	694	0.1	RMS	694	-65.93	-13	52.93	Pass	6641
694	726	0.1	RMS	711.3	20.19	60	39.81	Pass	321
726	1000	0.1	RMS	955	-65.16	-13	52.16	Pass	2741
1000	3000	1	RMS	1422	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6796	-45.74	-13	32.74	Pass	7001




8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-13	60.56	Pass	141
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	694	0.1	RMS	694	-66.02	-13	53.02	Pass	6641
694	726	0.1	RMS	711.3	19.28	60	40.72	Pass	321
726	1000	0.1	RMS	832.1	-65.22	-13	52.22	Pass	2741
1000	3000	1	RMS	1422	-48.06	-13	35.06	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	694	0.1	RMS	693.9	-63.84	-13	50.84	Pass	6641
694	726	0.1	RMS	704.6	20.64	60	39.36	Pass	321
726	1000	0.1	RMS	825.5	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1409	-48.26	-13	35.26	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.11	-13	60.11	Pass	141
0.15	30	0.01	RMS	0.17	-73.11	-13	60.11	Pass	2986
30	694	0.1	RMS	693.9	-64.32	-13	51.32	Pass	6641
694	726	0.1	RMS	704.6	19.74	60	40.26	Pass	321
726	1000	0.1	RMS	855.3	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1409	-49.17	-13	36.17	Pass	2001
3000	10000	1	RMS	6799	-45.67	-13	32.67	Pass	7001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.12	-13	61.12	Pass	141
0.15	30	0.01	RMS	0.15	-72.56	-13	59.56	Pass	2986
30	694	0.1	RMS	693.9	-65.42	-13	52.42	Pass	6641
694	726	0.1	RMS	705.6	20.64	60	39.36	Pass	321
726	1000	0.1	RMS	985.5	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1411	-49.15	-13	36.15	Pass	2001
3000	10000	1	RMS	6799	-45.66	-13	32.66	Pass	7001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.3	-13	60.3	Pass	141
0.15	30	0.01	RMS	0.17	-72.83	-13	59.83	Pass	2986
30	694	0.1	RMS	693.5	-65.61	-13	52.61	Pass	6641
694	726	0.1	RMS	705.6	19.65	60	40.35	Pass	321
726	1000	0.1	RMS	980	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1411	-50.19	-13	37.19	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.19	-72.77	-13	59.77	Pass	2986
30	694	0.1	RMS	689	-55.82	-13	42.82	Pass	6641
694	726	0.1	RMS	706.6	20.65	60	39.35	Pass	321
726	1000	0.1	RMS	899.2	-65.05	-13	52.05	Pass	2741
1000	3000	1	RMS	1413	-49.86	-13	36.86	Pass	2001
3000	10000	1	RMS	6802	-45.71	-13	32.71	Pass	7001



8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.62	-13	60.62	Pass	141
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	694	0.1	RMS	689.1	-58.38	-13	45.38	Pass	6641
694	726	0.1	RMS	706.6	19.78	60	40.22	Pass	321
726	1000	0.1	RMS	974.6	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1413	-50.71	-13	37.71	Pass	2001
3000	10000	1	RMS	6800	-45.47	-13	32.47	Pass	7001



9. LTE_Band26(part22)


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.73	-13	60.73	Pass	141
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	814	0.1	RMS	813.6	-64.92	-13	51.92	Pass	7841
814	860	0.1	RMS	824.3	19.95	60	40.05	Pass	461
860	1000	0.1	RMS	953.3	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1648	-46.34	-13	33.34	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.2	-13	60.2	Pass	141
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	814	0.1	RMS	813.5	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	824.3	19.02	60	40.98	Pass	461
860	1000	0.1	RMS	969.7	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-47.43	-13	34.43	Pass	2001
3000	10000	1	RMS	6803	-45.59	-13	32.59	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-72.35	-13	59.35	Pass	2986
30	814	0.1	RMS	812.8	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	836.1	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	984	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1672	-47.72	-13	34.72	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




**9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	813.7	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	836.1	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	964.5	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1672	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




**9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5,
Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.01	-13	60.01	Pass	141
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	810.3	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	847.8	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	976.3	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1695	-46.95	-13	33.95	Pass	2001
3000	10000	1	RMS	6802	-45.5	-13	32.5	Pass	7001




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-13	59.88	Pass	141
0.15	30	0.01	RMS	0.16	-71.77	-13	58.77	Pass	2986
30	814	0.1	RMS	812.2	-65.63	-13	52.63	Pass	7841
814	860	0.1	RMS	847.8	19.12	60	40.88	Pass	461
860	1000	0.1	RMS	868.7	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1695	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	6801	-45.61	-13	32.61	Pass	7001




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.17	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	813.5	-64.42	-13	51.42	Pass	7841
814	860	0.1	RMS	824.2	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	977.2	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-46.18	-13	33.18	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.82	-13	59.82	Pass	141
0.15	30	0.01	RMS	0.17	-72.74	-13	59.74	Pass	2986
30	814	0.1	RMS	813.5	-64.71	-13	51.71	Pass	7841
814	860	0.1	RMS	824.2	19.38	60	40.62	Pass	461
860	1000	0.1	RMS	887.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1648	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




**9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.66	-13	60.66	Pass	141
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	814	0.1	RMS	810.4	-65.66	-13	52.66	Pass	7841
814	860	0.1	RMS	835.2	20.28	60	39.72	Pass	461
860	1000	0.1	RMS	930.1	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1670	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	813.4	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	835.2	19.3	60	40.7	Pass	461
860	1000	0.1	RMS	958.6	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1670	-48.04	-13	35.04	Pass	2001
3000	10000	1	RMS	6803	-45.63	-13	32.63	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	141
0.15	30	0.01	RMS	0.21	-72.03	-13	59.03	Pass	2986
30	814	0.1	RMS	811.6	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	846.2	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	870	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1692	-47.11	-13	34.11	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	60.41	Pass	141
0.15	30	0.01	RMS	0.16	-72.42	-13	59.42	Pass	2986
30	814	0.1	RMS	758.2	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	846.2	19.33	60	40.67	Pass	461
860	1000	0.1	RMS	938.1	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1692	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.47	-13	60.47	Pass	141
0.15	30	0.01	RMS	0.25	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	813.6	-64.72	-13	51.72	Pass	7841
814	860	0.1	RMS	824.3	20.14	60	39.86	Pass	461
860	1000	0.1	RMS	952	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1648	-46.57	-13	33.57	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.81	-13	59.81	Pass	141
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	813.6	-64.83	-13	51.83	Pass	7841
814	860	0.1	RMS	824.3	19.1	60	40.9	Pass	461
860	1000	0.1	RMS	860.3	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1648	-47.73	-13	34.73	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-13	60.34	Pass	141
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	810.8	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	834.3	20.16	60	39.84	Pass	461
860	1000	0.1	RMS	973.6	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1668	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.15	-72.48	-13	59.48	Pass	2986
30	814	0.1	RMS	813.8	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	834.3	19.41	60	40.59	Pass	461
860	1000	0.1	RMS	868.9	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1668	-48.23	-13	35.23	Pass	2001
3000	10000	1	RMS	6802	-45.66	-13	32.66	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.51	-13	60.51	Pass	141
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	814	0.1	RMS	805.2	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	844.3	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	941.2	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1688	-47	-13	34	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.48	-13	60.48	Pass	141
0.15	30	0.01	RMS	0.15	-70.88	-13	57.88	Pass	2986
30	814	0.1	RMS	809.9	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.3	19.46	60	40.54	Pass	461
860	1000	0.1	RMS	983.9	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1688	-48.02	-13	35.02	Pass	2001
3000	10000	1	RMS	6798	-45.65	-13	32.65	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	814	0.1	RMS	811.4	-55.69	-13	42.69	Pass	7841
814	860	0.1	RMS	824.6	20.78	60	39.22	Pass	461
860	1000	0.1	RMS	905.9	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	1649	-46.94	-13	33.94	Pass	2001
3000	10000	1	RMS	6804	-45.65	-13	32.65	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.76	-13	60.76	Pass	141
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	811.4	-57.15	-13	44.15	Pass	7841
814	860	0.1	RMS	824.6	19.81	60	40.19	Pass	461
860	1000	0.1	RMS	924.9	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1649	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.65	-13	60.65	Pass	141
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	814	0.1	RMS	814	-65.31	-13	52.31	Pass	7841
814	860	0.1	RMS	832.1	20.74	60	39.26	Pass	461
860	1000	0.1	RMS	902.5	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1664	-47.7	-13	34.7	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.94	-13	59.94	Pass	141
0.15	30	0.01	RMS	0.15	-71.46	-13	58.46	Pass	2986
30	814	0.1	RMS	811.6	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	832.1	19.77	60	40.23	Pass	461
860	1000	0.1	RMS	931.7	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1664	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.4	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	839.6	20.77	60	39.23	Pass	461
860	1000	0.1	RMS	874.3	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1679	-46.62	-13	33.62	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.52	-13	59.52	Pass	141
0.15	30	0.01	RMS	0.2	-72.71	-13	59.71	Pass	2986
30	814	0.1	RMS	807.8	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	839.6	19.86	60	40.14	Pass	461
860	1000	0.1	RMS	952.8	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1679	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.24	-13	60.24	Pass	141
0.15	30	0.01	RMS	0.16	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	811.5	-55.45	-13	42.45	Pass	7841
814	860	0.1	RMS	824.8	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	990.4	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-13	60	Pass	141
0.15	30	0.01	RMS	0.17	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	811.5	-55.89	-13	42.89	Pass	7841
814	860	0.1	RMS	824.8	19.27	60	40.73	Pass	461
860	1000	0.1	RMS	970.4	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1649	-47.62	-13	34.62	Pass	2001
3000	10000	1	RMS	6798	-45.6	-13	32.6	Pass	7001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	60.06	Pass	141
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	809.9	-56.26	-13	43.26	Pass	7841
814	860	0.1	RMS	829.8	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	870.6	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1659	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.17	-13	60.17	Pass	141
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	809.9	-57.92	-13	44.92	Pass	7841
814	860	0.1	RMS	829.8	19.26	60	40.74	Pass	461
860	1000	0.1	RMS	977.5	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1659	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.96	-13	59.96	Pass	141
0.15	30	0.01	RMS	0.15	-73.1	-13	60.1	Pass	2986
30	814	0.1	RMS	808.3	-58.97	-13	45.97	Pass	7841
814	860	0.1	RMS	834.8	20.14	60	39.86	Pass	461
860	1000	0.1	RMS	888.5	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1669	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001



9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.32	-13	60.32	Pass	141
0.15	30	0.01	RMS	0.18	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	808.3	-59.79	-13	46.79	Pass	7841
814	860	0.1	RMS	834.8	19.29	60	40.71	Pass	461
860	1000	0.1	RMS	983.9	-65.41	-13	52.41	Pass	1401
1000	3000	1	RMS	1669	-48.22	-13	35.22	Pass	2001
3000	10000	1	RMS	6798	-45.72	-13	32.72	Pass	7001



10. LTE_Band71


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	653	0.1	RMS	652.6	-65.49	-13	52.49	Pass	6231
653	709	0.1	RMS	663.3	20.58	60	39.42	Pass	561
709	1000	0.1	RMS	928.3	-65.17	-13	52.17	Pass	2911
1000	3000	1	RMS	1326	-48.78	-13	35.78	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.16	-71.5	-13	58.5	Pass	2986
30	653	0.1	RMS	652.6	-65.45	-13	52.45	Pass	6231
653	709	0.1	RMS	663.3	19.63	60	40.37	Pass	561
709	1000	0.1	RMS	939.6	-65	-13	52	Pass	2911
1000	3000	1	RMS	1326	-50.1	-13	37.1	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.24	-72.43	-13	59.43	Pass	2986
30	653	0.1	RMS	478.6	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	678.3	19.99	60	40.01	Pass	561
709	1000	0.1	RMS	889.6	-65.04	-13	52.04	Pass	2911
1000	3000	1	RMS	1356	-48.71	-13	35.71	Pass	2001
3000	10000	1	RMS	6796	-45.64	-13	32.64	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	59.56	Pass	141
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	653	0.1	RMS	479.9	-66.01	-13	53.01	Pass	6231
653	709	0.1	RMS	678.3	19.36	60	40.64	Pass	561
709	1000	0.1	RMS	845.4	-64.78	-13	51.78	Pass	2911
1000	3000	1	RMS	1356	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.37	-13	59.37	Pass	2986
30	653	0.1	RMS	608.9	-66.05	-13	53.05	Pass	6231
653	709	0.1	RMS	693.3	20.25	60	39.75	Pass	561
709	1000	0.1	RMS	710.6	-64.98	-13	51.98	Pass	2911
1000	3000	1	RMS	1386	-48.75	-13	35.75	Pass	2001
3000	10000	1	RMS	6798	-45.64	-13	32.64	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.09	-13	60.09	Pass	141
0.15	30	0.01	RMS	0.22	-72.44	-13	59.44	Pass	2986
30	653	0.1	RMS	510.1	-65.93	-13	52.93	Pass	6231
653	709	0.1	RMS	693.3	19.21	60	40.79	Pass	561
709	1000	0.1	RMS	983	-65	-13	52	Pass	2911
1000	3000	1	RMS	1386	-49.7	-13	36.7	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	61.03	Pass	141
0.15	30	0.01	RMS	0.16	-72.63	-13	59.63	Pass	2986
30	653	0.1	RMS	652.9	-65.2	-13	52.2	Pass	6231
653	709	0.1	RMS	663.6	21.13	60	38.87	Pass	561
709	1000	0.1	RMS	839.7	-65.16	-13	52.16	Pass	2911
1000	3000	1	RMS	1327	-49.24	-13	36.24	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.22	-13	60.22	Pass	141
0.15	30	0.01	RMS	0.16	-72.71	-13	59.71	Pass	2986
30	653	0.1	RMS	652.9	-65.38	-13	52.38	Pass	6231
653	709	0.1	RMS	663.6	20.18	60	39.82	Pass	561
709	1000	0.1	RMS	863.6	-65.11	-13	52.11	Pass	2911
1000	3000	1	RMS	1327	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	6803	-45.65	-13	32.65	Pass	7001




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.92	-13	60.92	Pass	141
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	653	0.1	RMS	504.3	-66.15	-13	53.15	Pass	6231
653	709	0.1	RMS	676.1	20.59	60	39.41	Pass	561
709	1000	0.1	RMS	709.7	-61.62	-13	48.62	Pass	2911
1000	3000	1	RMS	1352	-49.43	-13	36.43	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




10.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.95	-13	60.95	Pass	141
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	653	0.1	RMS	497.3	-66.03	-13	53.03	Pass	6231
653	709	0.1	RMS	676.1	19.53	60	40.47	Pass	561
709	1000	0.1	RMS	949.4	-64.93	-13	51.93	Pass	2911
1000	3000	1	RMS	1352	-50.58	-13	37.58	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




10.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.16	-13	60.16	Pass	141
0.15	30	0.01	RMS	0.16	-73.06	-13	60.06	Pass	2986
30	653	0.1	RMS	491.6	-66.07	-13	53.07	Pass	6231
653	709	0.1	RMS	688.6	20.64	60	39.36	Pass	561
709	1000	0.1	RMS	709.3	-64.91	-13	51.91	Pass	2911
1000	3000	1	RMS	1377	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	6801	-45.67	-13	32.67	Pass	7001




10.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.68	-13	60.68	Pass	141
0.15	30	0.01	RMS	0.18	-72.84	-13	59.84	Pass	2986
30	653	0.1	RMS	482.1	-66.09	-13	53.09	Pass	6231
653	709	0.1	RMS	688.6	19.68	60	40.32	Pass	561
709	1000	0.1	RMS	856.5	-65.05	-13	52.05	Pass	2911
1000	3000	1	RMS	1377	-49.74	-13	36.74	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




10.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	141
0.15	30	0.01	RMS	0.19	-72.72	-13	59.72	Pass	2986
30	653	0.1	RMS	610.2	-66.16	-13	53.16	Pass	6231
653	709	0.1	RMS	663.8	20.55	60	39.45	Pass	561
709	1000	0.1	RMS	876.3	-65.05	-13	52.05	Pass	2911
1000	3000	1	RMS	1327	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6802	-45.65	-13	32.65	Pass	7001




10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	60.28	Pass	141
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	653	0.1	RMS	501.1	-66.17	-13	53.17	Pass	6231
653	709	0.1	RMS	663.8	19.72	60	40.28	Pass	561
709	1000	0.1	RMS	885	-65.1	-13	52.1	Pass	2911
1000	3000	1	RMS	1327	-49.58	-13	36.58	Pass	2001
3000	10000	1	RMS	6801	-45.66	-13	32.66	Pass	7001




10.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.02	-13	60.02	Pass	141
0.15	30	0.01	RMS	0.17	-72.9	-13	59.9	Pass	2986
30	653	0.1	RMS	481.7	-66.12	-13	53.12	Pass	6231
653	709	0.1	RMS	673.8	20.41	60	39.59	Pass	561
709	1000	0.1	RMS	709.8	-65.2	-13	52.2	Pass	2911
1000	3000	1	RMS	1347	-49.22	-13	36.22	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




10.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.27	-13	60.27	Pass	141
0.15	30	0.01	RMS	0.16	-72.73	-13	59.73	Pass	2986
30	653	0.1	RMS	606.7	-66.14	-13	53.14	Pass	6231
653	709	0.1	RMS	673.8	19.49	60	40.51	Pass	561
709	1000	0.1	RMS	968.2	-65.03	-13	52.03	Pass	2911
1000	3000	1	RMS	1347	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001




10.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.23	-13	60.23	Pass	141
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	653	0.1	RMS	497.5	-66.27	-13	53.27	Pass	6231
653	709	0.1	RMS	683.8	19.88	60	40.12	Pass	561
709	1000	0.1	RMS	710.5	-30.89	-13	17.89	Pass	2911
1000	3000	1	RMS	1367	-48.58	-13	35.58	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




10.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	60.26	Pass	141
0.15	30	0.01	RMS	0.18	-73.2	-13	60.2	Pass	2986
30	653	0.1	RMS	490.3	-66.03	-13	53.03	Pass	6231
653	709	0.1	RMS	683.8	19.16	60	40.84	Pass	561
709	1000	0.1	RMS	710.5	-31.42	-13	18.42	Pass	2911
1000	3000	1	RMS	1367	-49.29	-13	36.29	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




10.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	59.84	Pass	141
0.15	30	0.01	RMS	0.18	-72.78	-13	59.78	Pass	2986
30	653	0.1	RMS	610.7	-66.02	-13	53.02	Pass	6231
653	709	0.1	RMS	664.1	20.89	60	39.11	Pass	561
709	1000	0.1	RMS	954.4	-65.1	-13	52.1	Pass	2911
1000	3000	1	RMS	1328	-49.66	-13	36.66	Pass	2001
3000	10000	1	RMS	6802	-45.67	-13	32.67	Pass	7001




10.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.15	-13	61.15	Pass	141
0.15	30	0.01	RMS	0.15	-72.49	-13	59.49	Pass	2986
30	653	0.1	RMS	506.1	-66.14	-13	53.14	Pass	6231
653	709	0.1	RMS	664.1	20.03	60	39.97	Pass	561
709	1000	0.1	RMS	849.6	-65.19	-13	52.19	Pass	2911
1000	3000	1	RMS	1328	-50.62	-13	37.62	Pass	2001
3000	10000	1	RMS	6798	-45.72	-13	32.72	Pass	7001




10.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	60.59	Pass	141
0.15	30	0.01	RMS	0.16	-72.32	-13	59.32	Pass	2986
30	653	0.1	RMS	501.9	-66.1	-13	53.1	Pass	6231
653	709	0.1	RMS	671.6	20.78	60	39.22	Pass	561
709	1000	0.1	RMS	709.3	-63.96	-13	50.96	Pass	2911
1000	3000	1	RMS	1343	-49.2	-13	36.2	Pass	2001
3000	10000	1	RMS	6800	-45.63	-13	32.63	Pass	7001




10.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:133297, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.72	-13	60.72	Pass	141
0.15	30	0.01	RMS	0.21	-72.54	-13	59.54	Pass	2986
30	653	0.1	RMS	624.3	-66.11	-13	53.11	Pass	6231
653	709	0.1	RMS	671.6	19.82	60	40.18	Pass	561
709	1000	0.1	RMS	709.8	-63.94	-13	50.94	Pass	2911
1000	3000	1	RMS	1343	-50.18	-13	37.18	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




10.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-13	60.89	Pass	141
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	653	0.1	RMS	620.5	-65.99	-13	52.99	Pass	6231
653	709	0.1	RMS	679.1	20.36	60	39.64	Pass	561
709	1000	0.1	RMS	714.7	-48.5	-13	35.5	Pass	2911
1000	3000	1	RMS	1358	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001



10.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.61	-13	60.61	Pass	141
0.15	30	0.01	RMS	0.15	-72.02	-13	59.02	Pass	2986
30	653	0.1	RMS	616.7	-66.04	-13	53.04	Pass	6231
653	709	0.1	RMS	679.1	19.3	60	40.7	Pass	561
709	1000	0.1	RMS	714.7	-49.76	-13	36.76	Pass	2911
1000	3000	1	RMS	1358	-50.55	-13	37.55	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



1. LTE_Band26(part90)


1.25 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-63.78	-13	50.78	Pass	141
0.15	30	0.01	Peak	0.38	-64.83	-13	51.83	Pass	2986
30	809	0.1	Peak	809	-20.28	-13	7.28	Pass	7791
809	829	0.1	Peak	814.2	25.54	60	34.46	Pass	201
829	1000	0.1	Peak	834.9	-30.98	-13	17.98	Pass	1711
1000	3000	1	Peak	1628	-36.29	-13	23.29	Pass	2001
3000	10000	1	Peak	6812	-34.11	-13	21.11	Pass	7001




1.26 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.59	-13	52.59	Pass	141
0.15	30	0.01	Peak	0.15	-64.45	-13	51.45	Pass	2986
30	809	0.1	Peak	808.9	-22.79	-13	9.79	Pass	7791
809	829	0.1	Peak	814.3	26.15	60	33.85	Pass	201
829	1000	0.1	Peak	832.1	-25.34	-13	12.34	Pass	1711
1000	3000	1	Peak	1629	-36.32	-13	23.32	Pass	2001
3000	10000	1	Peak	7258	-33.51	-13	20.51	Pass	7001




**1.27 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:3,
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-65.59	-13	52.59	Pass	141
0.15	30	0.01	Peak	0.19	-62.45	-13	49.45	Pass	2986
30	809	0.1	Peak	495.6	-54.7	-13	41.7	Pass	7791
809	829	0.1	Peak	818.6	25.86	60	34.14	Pass	201
829	1000	0.1	Peak	900.4	-54.32	-13	41.32	Pass	1711
1000	3000	1	Peak	1637	-37.14	-13	24.14	Pass	2001
3000	10000	1	Peak	7288	-33.4	-13	20.4	Pass	7001




1.28 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.85	-13	52.85	Pass	141
0.15	30	0.01	Peak	0.28	-64.32	-13	51.32	Pass	2986
30	809	0.1	Peak	775.1	-54.81	-13	41.81	Pass	7791
809	829	0.1	Peak	818.6	25.68	60	34.32	Pass	201
829	1000	0.1	Peak	834	-54.23	-13	41.23	Pass	1711
1000	3000	1	Peak	1637	-36.81	-13	23.81	Pass	2001
3000	10000	1	Peak	9574	-33.68	-13	20.68	Pass	7001




**1.29 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.7	-13	52.7	Pass	141
0.15	30	0.01	Peak	0.56	-65.31	-13	52.31	Pass	2986
30	809	0.1	Peak	795.8	-54.83	-13	41.83	Pass	7791
809	829	0.1	Peak	822.9	25.48	60	34.52	Pass	201
829	1000	0.1	Peak	921.2	-53.99	-13	40.99	Pass	1711
1000	3000	1	Peak	1646	-36.61	-13	23.61	Pass	2001
3000	10000	1	Peak	9222	-33.37	-13	20.37	Pass	7001




1.30 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.49	-13	52.49	Pass	141
0.15	30	0.01	Peak	0.18	-64.82	-13	51.82	Pass	2986
30	809	0.1	Peak	765.4	-55	-13	42	Pass	7791
809	829	0.1	Peak	822.9	25.79	60	34.21	Pass	201
829	1000	0.1	Peak	979.7	-53.87	-13	40.87	Pass	1711
1000	3000	1	Peak	1646	-37.14	-13	24.14	Pass	2001
3000	10000	1	Peak	6866	-33.87	-13	20.87	Pass	7001




**1.31 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.86	-13	51.86	Pass	141
0.15	30	0.01	Peak	0.15	-63.58	-13	50.58	Pass	2986
30	809	0.1	Peak	808.9	-42.95	-13	29.95	Pass	7791
809	829	0.1	Peak	814.3	25.79	60	34.21	Pass	201
829	1000	0.1	Peak	989.2	-54.71	-13	41.71	Pass	1711
1000	3000	1	Peak	1629	-36.99	-13	23.99	Pass	2001
3000	10000	1	Peak	9781	-34.02	-13	21.02	Pass	7001




**1.32 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.84	-13	52.84	Pass	141
0.15	30	0.01	Peak	0.18	-64.6	-13	51.6	Pass	2986
30	809	0.1	Peak	808.8	-27.68	-13	14.68	Pass	7791
809	829	0.1	Peak	814.2	26.06	60	33.94	Pass	201
829	1000	0.1	Peak	831.1	-24.96	-13	11.96	Pass	1711
1000	3000	1	Peak	1629	-37.17	-13	24.17	Pass	2001
3000	10000	1	Peak	9896	-33.29	-13	20.29	Pass	7001




1.33 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.02	-13	52.02	Pass	141
0.15	30	0.01	Peak	0.21	-65.33	-13	52.33	Pass	2986
30	809	0.1	Peak	799.1	-54	-13	41	Pass	7791
809	829	0.1	Peak	817.8	25.9	60	34.1	Pass	201
829	1000	0.1	Peak	847.7	-54.33	-13	41.33	Pass	1711
1000	3000	1	Peak	1636	-37.09	-13	24.09	Pass	2001
3000	10000	1	Peak	7656	-33.71	-13	20.71	Pass	7001




1.34 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.27	-13	52.27	Pass	141
0.15	30	0.01	Peak	0.16	-62.86	-13	49.86	Pass	2986
30	809	0.1	Peak	729.6	-54.31	-13	41.31	Pass	7791
809	829	0.1	Peak	817.7	25.73	60	34.27	Pass	201
829	1000	0.1	Peak	829.1	-54.32	-13	41.32	Pass	1711
1000	3000	1	Peak	1635	-37.03	-13	24.03	Pass	2001
3000	10000	1	Peak	7238	-33.69	-13	20.69	Pass	7001




1.35 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.83	-13	52.83	Pass	141
0.15	30	0.01	Peak	0.15	-63.44	-13	50.44	Pass	2986
30	809	0.1	Peak	710.3	-54.05	-13	41.05	Pass	7791
809	829	0.1	Peak	821.2	26.01	60	33.99	Pass	201
829	1000	0.1	Peak	829	-43.27	-13	30.27	Pass	1711
1000	3000	1	Peak	1642	-37.19	-13	24.19	Pass	2001
3000	10000	1	Peak	7030	-33.08	-13	20.08	Pass	7001




1.36 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.88	-13	50.88	Pass	141
0.15	30	0.01	Peak	0.17	-65.12	-13	52.12	Pass	2986
30	809	0.1	Peak	468.5	-55.1	-13	42.1	Pass	7791
809	829	0.1	Peak	821.3	26.41	60	33.59	Pass	201
829	1000	0.1	Peak	829.1	-42.85	-13	29.85	Pass	1711
1000	3000	1	Peak	1643	-37.24	-13	24.24	Pass	2001
3000	10000	1	Peak	6973	-33.85	-13	20.85	Pass	7001




**1.37 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.51	-13	52.51	Pass	141
0.15	30	0.01	Peak	0.19	-65.06	-13	52.06	Pass	2986
30	809	0.1	Peak	809	-48.63	-13	35.63	Pass	7791
809	829	0.1	Peak	814.4	26.08	60	33.92	Pass	201
829	1000	0.1	Peak	846.9	-53.38	-13	40.38	Pass	1711
1000	3000	1	Peak	1629	-35.85	-13	22.85	Pass	2001
3000	10000	1	Peak	7055	-33.76	-13	20.76	Pass	7001




1.38 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.86	-13	52.86	Pass	141
0.15	30	0.01	Peak	0.16	-64.61	-13	51.61	Pass	2986
30	809	0.1	Peak	809	-49.35	-13	36.35	Pass	7791
809	829	0.1	Peak	814.3	26.03	60	33.97	Pass	201
829	1000	0.1	Peak	831.6	-53.72	-13	40.72	Pass	1711
1000	3000	1	Peak	1629	-37.02	-13	24.02	Pass	2001
3000	10000	1	Peak	6825	-33.45	-13	20.45	Pass	7001




1.39 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.67	-13	53.67	Pass	141
0.15	30	0.01	Peak	0.23	-64.76	-13	51.76	Pass	2986
30	809	0.1	Peak	808.3	-52.15	-13	39.15	Pass	7791
809	829	0.1	Peak	816.8	25.94	60	34.06	Pass	201
829	1000	0.1	Peak	834	-53.17	-13	40.17	Pass	1711
1000	3000	1	Peak	1633	-37.58	-13	24.58	Pass	2001
3000	10000	1	Peak	7189	-33.94	-13	20.94	Pass	7001




1.40 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.04	-13	52.04	Pass	141
0.15	30	0.01	Peak	0.19	-64.71	-13	51.71	Pass	2986
30	809	0.1	Peak	808.4	-53.25	-13	40.25	Pass	7791
809	829	0.1	Peak	816.8	25.9	60	34.1	Pass	201
829	1000	0.1	Peak	834.2	-52.78	-13	39.78	Pass	1711
1000	3000	1	Peak	1634	-37.13	-13	24.13	Pass	2001
3000	10000	1	Peak	6836	-33.65	-13	20.65	Pass	7001




**1.41 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.46	-13	52.46	Pass	141
0.15	30	0.01	Peak	0.15	-63.05	-13	50.05	Pass	2986
30	809	0.1	Peak	802.4	-55.2	-13	42.2	Pass	7791
809	829	0.1	Peak	819.4	25.7	60	34.3	Pass	201
829	1000	0.1	Peak	830	-49.14	-13	36.14	Pass	1711
1000	3000	1	Peak	1639	-36.77	-13	23.77	Pass	2001
3000	10000	1	Peak	7276	-33.58	-13	20.58	Pass	7001




**1.42 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.14	-13	53.14	Pass	141
0.15	30	0.01	Peak	0.19	-64.9	-13	51.9	Pass	2986
30	809	0.1	Peak	787.5	-53.31	-13	40.31	Pass	7791
809	829	0.1	Peak	819.3	25.82	60	34.18	Pass	201
829	1000	0.1	Peak	829	-50.13	-13	37.13	Pass	1711
1000	3000	1	Peak	1638	-37.09	-13	24.09	Pass	2001
3000	10000	1	Peak	6803	-33.89	-13	20.89	Pass	7001




1.43 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.09	-13	53.09	Pass	141
0.15	30	0.01	Peak	0.33	-65.72	-13	52.72	Pass	2986
30	809	0.1	Peak	808.8	-47.8	-13	34.8	Pass	7791
809	829	0.1	Peak	814.6	26.01	60	33.99	Pass	201
829	1000	0.1	Peak	832.4	-38.71	-13	25.71	Pass	1711
1000	3000	1	Peak	1629	-36.71	-13	23.71	Pass	2001
3000	10000	1	Peak	7445	-33.64	-13	20.64	Pass	7001




1.44 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.23	-13	53.23	Pass	141
0.15	30	0.01	Peak	0.15	-64.85	-13	51.85	Pass	2986
30	809	0.1	Peak	808.8	-47.91	-13	34.91	Pass	7791
809	829	0.1	Peak	814.6	26.01	60	33.99	Pass	201
829	1000	0.1	Peak	832.2	-38.08	-13	25.08	Pass	1711
1000	3000	1	Peak	1629	-36.43	-13	23.43	Pass	2001
3000	10000	1	Peak	7494	-32.62	-13	19.62	Pass	7001




1.45 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:21, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.56	-13	51.56	Pass	141
0.15	30	0.01	Peak	0.17	-63.92	-13	50.92	Pass	2986
30	809	0.1	Peak	808.7	-46.82	-13	33.82	Pass	7791
809	829	0.1	Peak	814.6	25.99	60	34.01	Pass	201
829	1000	0.1	Peak	832.2	-37.75	-13	24.75	Pass	1711
1000	3000	1	Peak	1629	-36.46	-13	23.46	Pass	2001
3000	10000	1	Peak	8750	-33.81	-13	20.81	Pass	7001




1.46 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:22, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.42	-13	53.42	Pass	141
0.15	30	0.01	Peak	0.16	-64.67	-13	51.67	Pass	2986
30	809	0.1	Peak	808.7	-46.79	-13	33.79	Pass	7791
809	829	0.1	Peak	814.5	26.12	60	33.88	Pass	201
829	1000	0.1	Peak	832.2	-38.48	-13	25.48	Pass	1711
1000	3000	1	Peak	1629	-36.72	-13	23.72	Pass	2001
3000	10000	1	Peak	7329	-33.51	-13	20.51	Pass	7001




1.47 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:23, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.56	-13	52.56	Pass	141
0.15	30	0.01	Peak	0.15	-65.89	-13	52.89	Pass	2986
30	809	0.1	Peak	808.6	-48.35	-13	35.35	Pass	7791
809	829	0.1	Peak	814.6	25.99	60	34.01	Pass	201
829	1000	0.1	Peak	832.2	-38.34	-13	25.34	Pass	1711
1000	3000	1	Peak	1629	-36.72	-13	23.72	Pass	2001
3000	10000	1	Peak	6814	-33.31	-13	20.31	Pass	7001



1.48 LTE Spurious Emission at Antenna Terminals_Part90(Subtest:24, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.69	-13	52.69	Pass	141
0.15	30	0.01	Peak	0.16	-64.03	-13	51.03	Pass	2986
30	809	0.1	Peak	809	-46.29	-13	33.29	Pass	7791
809	829	0.1	Peak	814.6	25.92	60	34.08	Pass	201
829	1000	0.1	Peak	832.2	-38.11	-13	25.11	Pass	1711
1000	3000	1	Peak	1629	-37.01	-13	24.01	Pass	2001
3000	10000	1	Peak	7276	-33.5	-13	20.5	Pass	7001



--BLANK BELOW--