


Band Edge


2.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.32	10.7	30	19.3	Pass	101
1755	1756	0.02	RMS	1755	-31.64	-13	18.64	Pass	101
1756	1757	1	RMS	1756	-27.99	-13	14.99	Pass	2
1757	1765	1	RMS	1757	-36.17	-13	23.17	Pass	101




2.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-38.87	-13	25.87	Pass	101
1708	1709	1	RMS	1709	-37.78	-13	24.78	Pass	2
1709	1710	0.002	RMS	1710	-32.14	-13	19.14	Pass	501
1710	1713	0.1	RMS	1710.24	19.83	30	10.17	Pass	101




2.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.64	-13	17.64	Pass	101
1708	1709	1	RMS	1709	-28.54	-13	15.54	Pass	2
1709	1710	0.03	RMS	1710	-33.71	-13	20.71	Pass	101
1710	1713	0.1	RMS	1711.8	7.65	30	22.35	Pass	101




2.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.98	-13	28.98	Pass	101
1708	1709	1	RMS	1709	-38.47	-13	25.47	Pass	2
1709	1710	0.002	RMS	1709.99	-33.63	-13	20.63	Pass	501
1710	1713	0.1	RMS	1710.24	18.93	30	11.07	Pass	101




2.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.63	-13	17.63	Pass	101
1708	1709	1	RMS	1709	-27.99	-13	14.99	Pass	2
1709	1710	0.03	RMS	1710	-34.86	-13	21.86	Pass	101
1710	1713	0.1	RMS	1711.23	6.6	30	23.4	Pass	101




2.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	19.92	30	10.08	Pass	101
1755	1756	0.002	RMS	1755.008	-32.74	-13	19.74	Pass	501
1756	1757	1	RMS	1756	-37.54	-13	24.54	Pass	2
1757	1765	1	RMS	1757	-40.45	-13	27.45	Pass	101




2.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.08	7.74	30	22.26	Pass	101
1755	1756	0.03	RMS	1755	-34.61	-13	21.61	Pass	101
1756	1757	1	RMS	1756	-27.25	-13	14.25	Pass	2
1757	1765	1	RMS	1757	-30.11	-13	17.11	Pass	101




2.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	18.92	30	11.08	Pass	101
1755	1756	0.002	RMS	1755	-33.37	-13	20.37	Pass	501
1756	1757	1	RMS	1756	-38.35	-13	25.35	Pass	2
1757	1765	1	RMS	1757	-41.95	-13	28.95	Pass	101




2.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.41	6.56	30	23.44	Pass	101
1755	1756	0.03	RMS	1755	-34.72	-13	21.72	Pass	101
1756	1757	1	RMS	1756	-28.11	-13	15.11	Pass	2
1757	1765	1	RMS	1757	-31.13	-13	18.13	Pass	101




2.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.45	-13	26.45	Pass	101
1708	1709	1	RMS	1709	-39.13	-13	26.13	Pass	2
1709	1710	0.05	RMS	1710	-21.85	-13	8.85	Pass	21
1710	1715	0.1	RMS	1710.35	19.44	30	10.56	Pass	101




2.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.22	-13	18.22	Pass	101
1708	1709	1	RMS	1709	-29.7	-13	16.7	Pass	2
1709	1710	0.051	RMS	1710	-33.49	-13	20.49	Pass	101
1710	1715	0.1	RMS	1714.55	5.44	30	24.56	Pass	101




2.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.13	-13	27.13	Pass	101
1708	1709	1	RMS	1709	-39.87	-13	26.87	Pass	2
1709	1710	0.051	RMS	1710	-20.55	-13	7.55	Pass	101
1710	1715	0.1	RMS	1710.35	18.76	30	11.24	Pass	101




2.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.23	-13	18.23	Pass	101
1708	1709	1	RMS	1709	-29.67	-13	16.67	Pass	2
1709	1710	0.051	RMS	1710	-34.11	-13	21.11	Pass	101
1710	1715	0.1	RMS	1713.3	4.44	30	25.56	Pass	101




2.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	19.69	30	10.31	Pass	101
1755	1756	0.051	RMS	1755	-20.19	-13	7.19	Pass	101
1756	1757	1	RMS	1756	-36.94	-13	23.94	Pass	2
1757	1765	1	RMS	1757	-37.79	-13	24.79	Pass	101




2.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.85	5.4	30	24.6	Pass	101
1755	1756	0.051	RMS	1755	-33.19	-13	20.19	Pass	101
1756	1757	1	RMS	1756	-27.36	-13	14.36	Pass	2
1757	1765	1	RMS	1757	-28.87	-13	15.87	Pass	101




2.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	18.85	30	11.15	Pass	101
1755	1756	0.05	RMS	1755	-21.75	-13	8.75	Pass	21
1756	1757	1	RMS	1756	-37.63	-13	24.63	Pass	2
1757	1765	1	RMS	1757.08	-38.51	-13	25.51	Pass	101




2.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.5	4.4	30	25.6	Pass	101
1755	1756	0.051	RMS	1755	-34.04	-13	21.04	Pass	101
1756	1757	1	RMS	1756	-29.31	-13	16.31	Pass	2
1757	1765	1	RMS	1757	-30.91	-13	17.91	Pass	101




2.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.08	-41.48	-13	28.48	Pass	101
1708	1709	1	RMS	1709	-40.99	-13	27.99	Pass	2
1709	1710	0.1	RMS	1710	-23.44	-13	10.44	Pass	101
1710	1720	0.1	RMS	1710.6	19.55	30	10.45	Pass	101




2.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.19	-13	20.19	Pass	101
1708	1709	1	RMS	1709	-32.87	-13	19.87	Pass	2
1709	1710	0.1	RMS	1710	-37.35	-13	24.35	Pass	101
1710	1720	0.1	RMS	1718	2.53	30	27.47	Pass	101




2.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-42.1	-13	29.1	Pass	101
1708	1709	1	RMS	1709	-40.39	-13	27.39	Pass	2
1709	1710	0.1	RMS	1710	-24.31	-13	11.31	Pass	101
1710	1720	0.1	RMS	1710.6	18.77	30	11.23	Pass	101




2.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.23	-13	20.23	Pass	101
1708	1709	1	RMS	1709	-29.13	-13	16.13	Pass	101
1709	1710	0.1	RMS	1710	-38.26	-13	25.26	Pass	101
1710	1720	0.1	RMS	1718.4	1.55	30	28.45	Pass	101




2.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.65	30	10.35	Pass	101
1755	1756	0.1	RMS	1755	-22.9	-13	9.9	Pass	101
1756	1757	1	RMS	1756	-40.83	-13	27.83	Pass	2
1757	1765	1	RMS	1758.84	-41.14	-13	28.14	Pass	101




2.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1747.1	2.45	30	27.55	Pass	101
1755	1756	0.1	RMS	1755	-36.79	-13	23.79	Pass	101
1756	1757	1	RMS	1756	-29.75	-13	16.75	Pass	2
1757	1765	1	RMS	1757	-30.18	-13	17.18	Pass	101




2.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	18.67	30	11.33	Pass	101
1755	1756	0.1	RMS	1755	-23.94	-13	10.94	Pass	101
1756	1757	1	RMS	1756	-40.99	-13	27.99	Pass	2
1757	1765	1	RMS	1758.68	-41.91	-13	28.91	Pass	101




2.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.2	1.55	30	28.45	Pass	101
1755	1756	0.1	RMS	1755	-38.11	-13	25.11	Pass	101
1756	1757	1	RMS	1756	-31.76	-13	18.76	Pass	2
1757	1765	1	RMS	1757	-32.21	-13	19.21	Pass	101




2.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.16	-41.5	-13	28.5	Pass	101
1708	1709	1	RMS	1709	-38.79	-13	25.79	Pass	2
1709	1710	0.15	RMS	1710	-24.37	-13	11.37	Pass	101
1710	1725	0.1	RMS	1710.8	19.04	30	10.96	Pass	151




2.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.87	-13	20.87	Pass	101
1708	1709	1	RMS	1708	-33.95	-13	20.95	Pass	2
1709	1710	0.15	RMS	1710	-39.14	-13	26.14	Pass	101
1710	1725	0.1	RMS	1723.2	0.75	30	29.25	Pass	151




2.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1704.08	-42.15	-13	29.15	Pass	101
1708	1709	1	RMS	1709	-39.68	-13	26.68	Pass	2
1709	1710	0.15	RMS	1710	-24.79	-13	11.79	Pass	101
1710	1725	0.1	RMS	1710.8	18.22	30	11.78	Pass	151




2.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.09	-13	22.09	Pass	101
1708	1709	1	RMS	1709	-34.47	-13	21.47	Pass	2
1709	1710	0.15	RMS	1710	-39.7	-13	26.7	Pass	101
1710	1725	0.1	RMS	1723.2	-0.22	30	30.22	Pass	151




2.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	19.13	30	10.87	Pass	151
1755	1756	0.15	RMS	1755	-24.81	-13	11.81	Pass	101
1756	1757	1	RMS	1756	-39.34	-13	26.34	Pass	2
1757	1765	1	RMS	1760.68	-41.72	-13	28.72	Pass	101




2.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1743.9	0.8	30	29.2	Pass	151
1755	1756	0.15	RMS	1755	-35.78	-13	22.78	Pass	101
1756	1757	1	RMS	1757	-29.41	-13	16.41	Pass	2
1757	1765	1	RMS	1757	-29.3	-13	16.3	Pass	101




2.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	18.15	30	11.85	Pass	151
1755	1756	0.15	RMS	1755	-25.23	-13	12.23	Pass	101
1756	1757	1	RMS	1756	-39.89	-13	26.89	Pass	2
1757	1765	1	RMS	1760.68	-42.53	-13	29.53	Pass	101




2.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1742.6	-0.24	30	30.24	Pass	151
1755	1756	0.15	RMS	1755	-38.73	-13	25.73	Pass	101
1756	1757	1	RMS	1757	-33.08	-13	20.08	Pass	2
1757	1765	1	RMS	1757.08	-33.07	-13	20.07	Pass	101




2.41 LTE Band Edge_Part22-24-27(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-42.67	-13	29.67	Pass	101
1708	1709	1	RMS	1709	-41.62	-13	28.62	Pass	2
1709	1710	0.2	RMS	1710	-27.55	-13	14.55	Pass	101
1710	1730	0.1	RMS	1711.1	19.31	30	10.69	Pass	201




2.42 LTE Band Edge_Part22-24-27(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.41	-13	24.41	Pass	101
1708	1709	1	RMS	1709	-37.01	-13	24.01	Pass	2
1709	1710	0.2	RMS	1710	-41.41	-13	28.41	Pass	101
1710	1730	0.1	RMS	1727.6	-0.58	30	30.58	Pass	201




2.43 LTE Band Edge_Part22-24-27(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.08	-43.35	-13	30.35	Pass	101
1708	1709	1	RMS	1709	-41.5	-13	28.5	Pass	2
1709	1710	0.2	RMS	1710	-27.32	-13	14.32	Pass	101
1710	1730	0.1	RMS	1711.1	18.55	30	11.45	Pass	201




2.44 LTE Band Edge_Part22-24-27(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.76	-13	23.76	Pass	101
1708	1709	1	RMS	1708.99	-36.07	-13	23.07	Pass	101
1709	1710	0.2	RMS	1710	-40.92	-13	27.92	Pass	101
1710	1730	0.1	RMS	1720	-1.54	30	31.54	Pass	201




2.45 LTE Band Edge_Part22-24-27(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.35	30	10.65	Pass	201
1755	1756	0.2	RMS	1755	-27.52	-13	14.52	Pass	101
1756	1757	1	RMS	1756	-41.05	-13	28.05	Pass	2
1757	1765	1	RMS	1762.76	-42.29	-13	29.29	Pass	101




2.46 LTE Band Edge_Part22-24-27(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1741.3	-0.62	30	30.62	Pass	201
1755	1756	0.2	RMS	1755	-39.61	-13	26.61	Pass	101
1756	1757	1	RMS	1756	-34.43	-13	21.43	Pass	2
1757	1765	1	RMS	1757.08	-34.42	-13	21.42	Pass	101




2.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	18.37	30	11.63	Pass	201
1755	1756	0.2	RMS	1755	-27.8	-13	14.8	Pass	101
1756	1757	1	RMS	1756	-41.45	-13	28.45	Pass	2
1757	1765	1	RMS	1762.76	-43.06	-13	30.06	Pass	101



2.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1743	-1.62	30	31.62	Pass	201
1755	1756	0.2	RMS	1755	-40.85	-13	27.85	Pass	101
1756	1757	1	RMS	1756.03	-35.33	-13	22.33	Pass	101
1757	1765	1	RMS	1757	-35.52	-13	22.52	Pass	101



3. LTE_Band25


3.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.35	-13	27.35	Pass	101
1848	1849	1	RMS	1849	-38	-13	25	Pass	2
1849	1850	0.02	RMS	1850	-23.31	-13	10.31	Pass	101
1850	1852	0.1	RMS	1850.26	20.04	30	9.96	Pass	101




3.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.31	-13	20.31	Pass	101
1848	1849	1	RMS	1849	-24.11	-13	11.11	Pass	2
1849	1850	0.02	RMS	1850	-29.66	-13	16.66	Pass	101
1850	1852	0.1	RMS	1850.62	11.7	30	18.3	Pass	101




3.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.58	-13	27.58	Pass	101
1848	1849	1	RMS	1849	-38.45	-13	25.45	Pass	2
1849	1850	0.02	RMS	1850	-24.52	-13	11.52	Pass	101
1850	1852	0.1	RMS	1850.26	18.96	30	11.04	Pass	101




3.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.42	-13	22.42	Pass	101
1848	1849	1	RMS	1849	-26.11	-13	13.11	Pass	2
1849	1850	0.02	RMS	1850	-30.18	-13	17.18	Pass	101
1850	1852	0.1	RMS	1850.72	10.78	30	19.22	Pass	101




3.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74	19.99	30	10.01	Pass	101
1915	1916	0.02	RMS	1915	-23.1	-13	10.1	Pass	101
1916	1917	1	RMS	1916	-37.15	-13	24.15	Pass	2
1917	1925	1	RMS	1917	-41.04	-13	28.04	Pass	101




3.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.44	11.76	30	18.24	Pass	101
1915	1916	0.02	RMS	1915	-29.75	-13	16.75	Pass	101
1916	1917	1	RMS	1916	-23.99	-13	10.99	Pass	2
1917	1925	1	RMS	1917	-33.25	-13	20.25	Pass	101




3.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74	19.04	30	10.96	Pass	101
1915	1916	0.02	RMS	1915	-24.6	-13	11.6	Pass	101
1916	1917	1	RMS	1916	-38.03	-13	25.03	Pass	2
1917	1925	1	RMS	1917	-41.39	-13	28.39	Pass	101




3.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.32	10.88	30	19.12	Pass	101
1915	1916	0.02	RMS	1915	-30.73	-13	17.73	Pass	101
1916	1917	1	RMS	1916	-25.73	-13	12.73	Pass	2
1917	1925	1	RMS	1917	-35.37	-13	22.37	Pass	101




3.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.87	-13	28.87	Pass	101
1848	1849	1	RMS	1849	-37.57	-13	24.57	Pass	2
1849	1850	0.03	RMS	1850	-21.64	-13	8.64	Pass	101
1850	1853	0.1	RMS	1850.24	20.06	30	9.94	Pass	101




3.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.34	-13	11.34	Pass	101
1848	1849	1	RMS	1849	-22.5	-13	9.5	Pass	2
1849	1850	0.03	RMS	1850	-31.56	-13	18.56	Pass	101
1850	1853	0.1	RMS	1851.44	7.88	30	22.12	Pass	101




3.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.09	-13	29.09	Pass	101
1848	1849	1	RMS	1849	-38.21	-13	25.21	Pass	2
1849	1850	0.03	RMS	1850	-22.82	-13	9.82	Pass	101
1850	1853	0.1	RMS	1850.24	19.18	30	10.82	Pass	101




3.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.98	-13	12.98	Pass	101
1848	1849	1	RMS	1849	-22.61	-13	9.61	Pass	2
1849	1850	0.03	RMS	1850	-32.64	-13	19.64	Pass	101
1850	1853	0.1	RMS	1851.23	6.85	30	23.15	Pass	101



3.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.09	30	9.91	Pass	101
1915	1916	0.03	RMS	1915	-21.48	-13	8.48	Pass	101
1916	1917	1	RMS	1916	-35.95	-13	22.95	Pass	2
1917	1925	1	RMS	1917	-37.55	-13	24.55	Pass	101




3.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.05	7.92	30	22.08	Pass	101
1915	1916	0.03	RMS	1915	-33.4	-13	20.4	Pass	101
1916	1917	1	RMS	1916	-22.83	-13	9.83	Pass	2
1917	1925	1	RMS	1917	-25.72	-13	12.72	Pass	101



3.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.07	30	10.93	Pass	101
1915	1916	0.03	RMS	1915	-23.62	-13	10.62	Pass	35
1916	1917	1	RMS	1916	-36.94	-13	23.94	Pass	2
1917	1925	1	RMS	1917	-39.3	-13	26.3	Pass	101




3.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.93	6.72	30	23.28	Pass	101
1915	1916	0.03	RMS	1915	-33.34	-13	20.34	Pass	101
1916	1917	1	RMS	1916	-23.58	-13	10.58	Pass	2
1917	1925	1	RMS	1917	-27.6	-13	14.6	Pass	101




3.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.71	-13	25.71	Pass	101
1848	1849	1	RMS	1849	-35.17	-13	22.17	Pass	2
1849	1850	0.051	RMS	1850	-14.44	-13	1.44	Pass*	101
1850	1855	0.1	RMS	1850.35	19.7	30	10.3	Pass	101




3.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.9	-13	10.9	Pass	101
1848	1849	1	RMS	1849	-22.95	-13	9.95	Pass	2
1849	1850	0.051	RMS	1850	-26.53	-13	13.53	Pass	101
1850	1855	0.1	RMS	1851.65	5.52	30	24.48	Pass	101




3.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.37	-13	26.37	Pass	101
1848	1849	1	RMS	1849	-35.99	-13	22.99	Pass	2
1849	1850	0.051	RMS	1850	-14.84	-13	1.84	Pass*	101
1850	1855	0.1	RMS	1850.35	19	30	11	Pass	101




3.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.35	-13	11.35	Pass	101
1848	1849	1	RMS	1849	-23.12	-13	10.12	Pass	2
1849	1850	0.051	RMS	1850	-27.25	-13	14.25	Pass	101
1850	1855	0.1	RMS	1851.7	4.5	30	25.5	Pass	101




3.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	19.85	30	10.15	Pass	101
1915	1916	0.051	RMS	1915	-14.64	-13	1.64	Pass*	101
1916	1917	1	RMS	1916	-35.99	-13	22.99	Pass	2
1917	1925	1	RMS	1917	-39.64	-13	26.64	Pass	101




3.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.85	5.63	30	24.37	Pass	101
1915	1916	0.051	RMS	1915	-27.42	-13	14.42	Pass	101
1916	1917	1	RMS	1916	-24.24	-13	11.24	Pass	2
1917	1925	1	RMS	1917	-25.3	-13	12.3	Pass	101




3.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	18.99	30	11.01	Pass	101
1915	1916	0.051	RMS	1915	-14.33	-13	1.33	Pass*	101
1916	1917	1	RMS	1916	-35.5	-13	22.5	Pass	2
1917	1925	1	RMS	1917	-39.94	-13	26.94	Pass	101




3.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.25	4.55	30	25.45	Pass	101
1915	1916	0.051	RMS	1915	-28.23	-13	15.23	Pass	101
1916	1917	1	RMS	1916	-25.01	-13	12.01	Pass	2
1917	1925	1	RMS	1917	-26.37	-13	13.37	Pass	101




3.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.16	-40.32	-13	27.32	Pass	101
1848	1849	1	RMS	1849	-30.07	-13	17.07	Pass	2
1849	1850	0.1	RMS	1850	-17.38	-13	4.38	Pass*	101
1850	1860	0.1	RMS	1850.6	19.8	30	10.2	Pass	101




3.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.36	-13	12.36	Pass	101
1848	1849	1	RMS	1849	-24.43	-13	11.43	Pass	2
1849	1850	0.1	RMS	1850	-29.35	-13	16.35	Pass	101
1850	1860	0.1	RMS	1858	2.7	30	27.3	Pass	101




3.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1846.08	-40.67	-13	27.67	Pass	101
1848	1849	1	RMS	1849	-31.27	-13	18.27	Pass	2
1849	1850	0.1	RMS	1850	-18.38	-13	5.38	Pass*	101
1850	1860	0.1	RMS	1850.6	18.99	30	11.01	Pass	101




3.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-25.52	-13	12.52	Pass	101
1848	1849	1	RMS	1849	-24.89	-13	11.89	Pass	2
1849	1850	0.1	RMS	1850	-30.58	-13	17.58	Pass	101
1850	1860	0.1	RMS	1858.4	1.66	30	28.34	Pass	101




3.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.76	30	10.24	Pass	101
1915	1916	0.1	RMS	1915	-17.07	-13	4.07	Pass*	101
1916	1917	1	RMS	1917	-54.45	-13	41.45	Pass	2
1917	1925	1	RMS	1918.68	-42.02	-13	29.02	Pass	101




3.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1906.5	2.86	30	27.14	Pass	101
1915	1916	0.1	RMS	1915	-31.63	-13	18.63	Pass	101
1916	1917	1	RMS	1916	-27.11	-13	14.11	Pass	2
1917	1925	1	RMS	1917	-27.84	-13	14.84	Pass	101




3.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	18.84	30	11.16	Pass	101
1915	1916	0.1	RMS	1915	-17.34	-13	4.34	Pass*	101
1916	1917	1	RMS	1916	-30.57	-13	17.57	Pass	2
1917	1925	1	RMS	1917	-42.62	-13	29.62	Pass	101




3.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1907.2	1.81	30	28.19	Pass	101
1915	1916	0.1	RMS	1915	-32.66	-13	19.66	Pass	101
1916	1917	1	RMS	1916	-27.64	-13	14.64	Pass	2
1917	1925	1	RMS	1917	-28.72	-13	15.72	Pass	101




3.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.84	-13	26.84	Pass	101
1848	1849	1	RMS	1849	-27	-13	14	Pass	2
1849	1850	0.15	RMS	1850	-18.12	-13	5.12	Pass*	101
1850	1865	0.1	RMS	1850.8	19.34	30	10.66	Pass	151




3.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.76	-24.85	-13	11.85	Pass	101
1848	1849	1	RMS	1848	-25.05	-13	12.05	Pass	2
1849	1850	0.15	RMS	1850	-30.84	-13	17.84	Pass	101
1850	1865	0.1	RMS	1863.4	1.27	30	28.73	Pass	151




3.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.3	-13	27.3	Pass	101
1848	1849	1	RMS	1849	-27.61	-13	14.61	Pass	2
1849	1850	0.15	RMS	1850	-18.57	-13	5.57	Pass*	101
1850	1865	0.1	RMS	1850.8	18.47	30	11.53	Pass	151




3.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.68	-25.67	-13	12.67	Pass	101
1848	1849	1	RMS	1849	-25.83	-13	12.83	Pass	2
1849	1850	0.15	RMS	1850	-31.75	-13	18.75	Pass	101
1850	1865	0.1	RMS	1863.2	0.2	30	29.8	Pass	151




3.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.2	19.33	30	10.67	Pass	151
1915	1916	0.15	RMS	1915	-18.75	-13	5.75	Pass*	101
1916	1917	1	RMS	1916	-27.89	-13	14.89	Pass	2
1917	1925	1	RMS	1917	-42.21	-13	29.21	Pass	101



3.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1902.4	1.34	30	28.66	Pass	151
1915	1916	0.15	RMS	1915	-31.96	-13	18.96	Pass	101
1916	1917	1	RMS	1917	-26.96	-13	13.96	Pass	2
1917	1925	1	RMS	1917.08	-26.91	-13	13.91	Pass	101



3.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.2	18.32	30	11.68	Pass	151
1915	1916	0.15	RMS	1915	-19.19	-13	6.19	Pass	101
1916	1917	1	RMS	1916	-28.32	-13	15.32	Pass	2
1917	1925	1	RMS	1917	-42.25	-13	29.25	Pass	101

