

Band Edge


3.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1902.6	0.38	30	29.62	Pass	151
1915	1916	0.15	RMS	1915	-33.2	-13	20.2	Pass	101
1916	1917	1	RMS	1917	-28.44	-13	15.44	Pass	2
1917	1925	1	RMS	1917	-28.42	-13	15.42	Pass	101




3.41 LTE Band Edge_Part22-24-27(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1842.08	-40.76	-13	27.76	Pass	101
1848	1849	1	RMS	1849	-30.62	-13	17.62	Pass	2
1849	1850	0.2	RMS	1850	-21.22	-13	8.22	Pass	101
1850	1870	0.1	RMS	1851.1	19.57	30	10.43	Pass	201




3.42 LTE Band Edge_Part22-24-27(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.25	-13	14.25	Pass	101
1848	1849	1	RMS	1849	-26.73	-13	13.73	Pass	2
1849	1850	0.2	RMS	1849.98	-31.88	-13	18.88	Pass	101
1850	1870	0.1	RMS	1866	-0.28	30	30.28	Pass	201




3.43 LTE Band Edge_Part22-24-27(Subtest:43, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1842.08	-41.52	-13	28.52	Pass	101
1848	1849	1	RMS	1849	-30.86	-13	17.86	Pass	2
1849	1850	0.2	RMS	1850	-21.24	-13	8.24	Pass	101
1850	1870	0.1	RMS	1851.1	18.79	30	11.21	Pass	201




3.44 LTE Band Edge_Part22-24-27(Subtest:44, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.85	-13	14.85	Pass	101
1848	1849	1	RMS	1849	-27.36	-13	14.36	Pass	2
1849	1850	0.2	RMS	1850	-32.73	-13	19.73	Pass	101
1850	1870	0.1	RMS	1865.9	-1.26	30	31.26	Pass	201




3.45 LTE Band Edge_Part22-24-27(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.53	30	10.47	Pass	201
1915	1916	0.2	RMS	1915	-21.41	-13	8.41	Pass	101
1916	1917	1	RMS	1916	-30.84	-13	17.84	Pass	2
1917	1925	1	RMS	1917	-43.19	-13	30.19	Pass	101




3.46 LTE Band Edge_Part22-24-27(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901.3	-0.08	30	30.08	Pass	201
1915	1916	0.2	RMS	1915	-33.65	-13	20.65	Pass	101
1916	1917	1	RMS	1916	-29.24	-13	16.24	Pass	2
1917	1925	1	RMS	1917	-30.08	-13	17.08	Pass	101



3.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.52	30	11.48	Pass	201
1915	1916	0.2	RMS	1915	-21.72	-13	8.72	Pass	101
1916	1917	1	RMS	1916	-31.22	-13	18.22	Pass	2
1917	1925	1	RMS	1917	-43.38	-13	30.38	Pass	101



3.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901	-1.15	30	31.15	Pass	201
1915	1916	0.2	RMS	1915	-34.85	-13	21.85	Pass	101
1916	1917	1	RMS	1916	-29.99	-13	16.99	Pass	2
1917	1925	1	RMS	1917	-30.76	-13	17.76	Pass	101



4. LTE_Band66


4.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.72	-13	26.72	Pass	101
1708	1709	1	RMS	1709	-37.25	-13	24.25	Pass	2
1709	1710	0.02	RMS	1710	-21.19	-13	8.19	Pass	101
1710	1712	0.1	RMS	1710.26	20.1	30	9.9	Pass	101




4.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.01	-13	19.01	Pass	101
1708	1709	1	RMS	1709	-24.72	-13	11.72	Pass	2
1709	1710	0.02	RMS	1710	-29.7	-13	16.7	Pass	101
1710	1712	0.1	RMS	1710.64	11.74	30	18.26	Pass	101




4.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.13	-13	27.13	Pass	101
1708	1709	1	RMS	1709	-37.91	-13	24.91	Pass	2
1709	1710	0.02	RMS	1710	-22.35	-13	9.35	Pass	101
1710	1712	0.1	RMS	1710.26	19	30	11	Pass	101




4.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.8	-13	20.8	Pass	101
1708	1709	1	RMS	1709	-26.3	-13	13.3	Pass	2
1709	1710	0.02	RMS	1710	-30.19	-13	17.19	Pass	101
1710	1712	0.1	RMS	1710.72	10.85	30	19.15	Pass	101




4.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	20.08	30	9.92	Pass	101
1780	1781	0.02	RMS	1780	-21.87	-13	8.87	Pass	101
1781	1782	1	RMS	1781	-37.95	-13	24.95	Pass	2
1782	1790	1	RMS	1782	-41.17	-13	28.17	Pass	101




4.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.44	11.8	30	18.2	Pass	101
1780	1781	0.02	RMS	1780	-30.22	-13	17.22	Pass	101
1781	1782	1	RMS	1781	-27.82	-13	14.82	Pass	2
1782	1790	1	RMS	1782	-33.21	-13	20.21	Pass	101




4.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	19.12	30	10.88	Pass	101
1780	1781	0.02	RMS	1780	-22.78	-13	9.78	Pass	101
1781	1782	1	RMS	1781	-38.59	-13	25.59	Pass	2
1782	1790	1	RMS	1782	-41.16	-13	28.16	Pass	101




4.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.34	10.94	30	19.06	Pass	101
1780	1781	0.02	RMS	1780	-31.63	-13	18.63	Pass	101
1781	1782	1	RMS	1781	-28.12	-13	15.12	Pass	2
1782	1790	1	RMS	1782	-34.85	-13	21.85	Pass	101



4.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.52	-13	27.52	Pass	101
1708	1709	1	RMS	1709	-37.43	-13	24.43	Pass	2
1709	1710	0.002	RMS	1710	-31.27	-13	18.27	Pass	501
1710	1713	0.1	RMS	1710.24	20.13	30	9.87	Pass	101




4.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.25	-13	15.25	Pass	101
1708	1709	1	RMS	1709	-26.12	-13	13.12	Pass	2
1709	1710	0.03	RMS	1710	-33.06	-13	20.06	Pass	101
1710	1713	0.1	RMS	1711.44	7.98	30	22.02	Pass	101




4.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.57	-13	28.57	Pass	101
1708	1709	1	RMS	1709	-38.13	-13	25.13	Pass	2
1709	1710	0.002	RMS	1710	-32.28	-13	19.28	Pass	501
1710	1713	0.1	RMS	1710.24	19.22	30	10.78	Pass	101




4.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.12	-13	16.12	Pass	101
1708	1709	1	RMS	1709	-26.62	-13	13.62	Pass	2
1709	1710	0.03	RMS	1710	-34.35	-13	21.35	Pass	101
1710	1713	0.1	RMS	1711.23	6.92	30	23.08	Pass	101




4.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.15	30	9.85	Pass	101
1780	1781	0.002	RMS	1780	-32.89	-13	19.89	Pass	501
1781	1782	1	RMS	1781	-37.18	-13	24.18	Pass	2
1782	1790	1	RMS	1782	-41.77	-13	28.77	Pass	101




4.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.08	7.99	30	22.01	Pass	101
1780	1781	0.03	RMS	1780	-34.77	-13	21.77	Pass	101
1781	1782	1	RMS	1781	-29.97	-13	16.97	Pass	2
1782	1790	1	RMS	1782	-31.48	-13	18.48	Pass	101




4.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.15	30	10.85	Pass	101
1780	1781	0.002	RMS	1780.002	-33.12	-13	20.12	Pass	501
1781	1782	1	RMS	1781	-37.96	-13	24.96	Pass	2
1782	1790	1	RMS	1782	-42.58	-13	29.58	Pass	101




4.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.41	6.81	30	23.19	Pass	101
1780	1781	0.03	RMS	1780	-34.74	-13	21.74	Pass	101
1781	1782	1	RMS	1781	-29.3	-13	16.3	Pass	2
1782	1790	1	RMS	1782	-31.67	-13	18.67	Pass	101




4.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.03	-13	26.03	Pass	101
1708	1709	1	RMS	1709	-36.91	-13	23.91	Pass	2
1709	1710	0.01	RMS	1710	-21.06	-13	8.06	Pass	101
1710	1715	0.1	RMS	1710.35	19.75	30	10.25	Pass	101




4.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.67	-13	15.67	Pass	101
1708	1709	1	RMS	1709	-27.3	-13	14.3	Pass	2
1709	1710	0.051	RMS	1710	-26.94	-13	13.94	Pass	101
1710	1715	0.1	RMS	1714.55	5.72	30	24.28	Pass	101




4.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.75	-13	26.75	Pass	101
1708	1709	1	RMS	1709	-37.29	-13	24.29	Pass	2
1709	1710	0.01	RMS	1710	-21.48	-13	8.48	Pass	101
1710	1715	0.1	RMS	1710.35	19.04	30	10.96	Pass	101




4.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.82	-13	16.82	Pass	101
1708	1709	1	RMS	1709	-28.37	-13	15.37	Pass	2
1709	1710	0.051	RMS	1710	-27.75	-13	14.75	Pass	101
1710	1715	0.1	RMS	1713.3	4.75	30	25.25	Pass	101



4.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19.91	30	10.09	Pass	101
1780	1781	0.01	RMS	1780	-21.29	-13	8.29	Pass	101
1781	1782	1	RMS	1781	-37.13	-13	24.13	Pass	2
1782	1790	1	RMS	1782	-39.51	-13	26.51	Pass	101




4.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.85	5.64	30	24.36	Pass	101
1780	1781	0.051	RMS	1780	-27.21	-13	14.21	Pass	101
1781	1782	1	RMS	1781	-30.32	-13	17.32	Pass	2
1782	1790	1	RMS	1782	-31.58	-13	18.58	Pass	101




4.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19.1	30	10.9	Pass	101
1780	1781	0.01	RMS	1780	-20.81	-13	7.81	Pass	101
1781	1782	1	RMS	1781	-37.12	-13	24.12	Pass	2
1782	1790	1	RMS	1782	-39.81	-13	26.81	Pass	101




4.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	4.61	30	25.39	Pass	101
1780	1781	0.051	RMS	1780	-28.05	-13	15.05	Pass	101
1781	1782	1	RMS	1781	-30.53	-13	17.53	Pass	2
1782	1790	1	RMS	1782	-31.97	-13	18.97	Pass	101




4.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-41.41	-13	28.41	Pass	101
1708	1709	1	RMS	1709	-31.3	-13	18.3	Pass	2
1709	1710	0.1	RMS	1710	-17.07	-13	4.07	Pass*	101
1710	1720	0.1	RMS	1710.6	19.87	30	10.13	Pass	101




4.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.51	-13	17.51	Pass	101
1708	1709	1	RMS	1709	-26.74	-13	13.74	Pass	101
1709	1710	0.1	RMS	1710	-31.48	-13	18.48	Pass	101
1710	1720	0.1	RMS	1718	2.88	30	27.12	Pass	101




4.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-41.98	-13	28.98	Pass	101
1708	1709	1	RMS	1709	-31.79	-13	18.79	Pass	2
1709	1710	0.1	RMS	1710	-18.03	-13	5.03	Pass*	101
1710	1720	0.1	RMS	1710.6	19.06	30	10.94	Pass	101




4.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.86	-13	18.86	Pass	101
1708	1709	1	RMS	1709	-31.38	-13	18.38	Pass	2
1709	1710	0.1	RMS	1710	-32.95	-13	19.95	Pass	101
1710	1720	0.1	RMS	1718.4	1.87	30	28.13	Pass	101




4.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.89	30	10.11	Pass	101
1780	1781	0.1	RMS	1780	-17.35	-13	4.35	Pass*	11
1781	1782	1	RMS	1781	-30.86	-13	17.86	Pass	2
1782	1790	1	RMS	1783.76	-41.27	-13	28.27	Pass	101




4.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1772.1	2.7	30	27.3	Pass	101
1780	1781	0.1	RMS	1780	-32.94	-13	19.94	Pass	101
1781	1782	1	RMS	1781	-33.01	-13	20.01	Pass	2
1782	1790	1	RMS	1782	-33.03	-13	20.03	Pass	101




4.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	18.89	30	11.11	Pass	101
1780	1781	0.1	RMS	1780	-17.72	-13	4.72	Pass*	101
1781	1782	1	RMS	1781	-31.83	-13	18.83	Pass	2
1782	1790	1	RMS	1783.76	-41.78	-13	28.78	Pass	101




4.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1770	1780	0.1	RMS	1771.8	1.74	30	28.26	Pass	101
1780	1781	0.1	RMS	1780	-33.5	-13	20.5	Pass	101
1781	1782	1	RMS	1781	-33.06	-13	20.06	Pass	2
1782	1790	1	RMS	1782	-33.41	-13	20.41	Pass	101




4.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.49	-13	28.49	Pass	101
1708	1709	1	RMS	1709	-28.14	-13	15.14	Pass	2
1709	1710	0.15	RMS	1710	-18.11	-13	5.11	Pass*	101
1710	1725	0.1	RMS	1710.8	19.37	30	10.63	Pass	151




4.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.95	-13	17.95	Pass	101
1708	1709	1	RMS	1709	-31.05	-13	18.05	Pass	2
1709	1710	0.15	RMS	1710	-33.92	-13	20.92	Pass	101
1710	1725	0.1	RMS	1723.4	1.13	30	28.87	Pass	151




4.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.44	-13	28.44	Pass	101
1708	1709	1	RMS	1709	-28.43	-13	15.43	Pass	2
1709	1710	0.15	RMS	1710	-18.52	-13	5.52	Pass*	101
1710	1725	0.1	RMS	1710.8	18.5	30	11.5	Pass	151




4.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.58	-13	20.58	Pass	101
1708	1709	1	RMS	1709	-33.42	-13	20.42	Pass	2
1709	1710	0.15	RMS	1710	-35.05	-13	22.05	Pass	101
1710	1725	0.1	RMS	1722.4	0.11	30	29.89	Pass	151




4.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.2	19.37	30	10.63	Pass	151
1780	1781	0.15	RMS	1780	-18.59	-13	5.59	Pass*	101
1781	1782	1	RMS	1781	-28.49	-13	15.49	Pass	2
1782	1790	1	RMS	1785.68	-41.37	-13	28.37	Pass	101




4.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768.9	0.94	30	29.06	Pass	151
1780	1781	0.15	RMS	1780	-33.9	-13	20.9	Pass	101
1781	1782	1	RMS	1782	-33.41	-13	20.41	Pass	2
1782	1790	1	RMS	1782.08	-33.21	-13	20.21	Pass	101




4.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.2	18.41	30	11.59	Pass	151
1780	1781	0.15	RMS	1780	-18.93	-13	5.93	Pass*	101
1781	1782	1	RMS	1781	-28.84	-13	15.84	Pass	2
1782	1790	1	RMS	1785.68	-42.12	-13	29.12	Pass	101




4.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1765	1780	0.1	RMS	1767.6	-0.01	30	30.01	Pass	151
1780	1781	0.15	RMS	1780	-34.83	-13	21.83	Pass	101
1781	1782	1	RMS	1781	-34.02	-13	21.02	Pass	2
1782	1790	1	RMS	1782	-34.85	-13	21.85	Pass	101




4.41 LTE Band Edge_Part22-24-27(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1702.08	-42.39	-13	29.39	Pass	101
1708	1709	1	RMS	1709	-31.9	-13	18.9	Pass	2
1709	1710	0.2	RMS	1710	-21.37	-13	8.37	Pass	101
1710	1730	0.1	RMS	1711.1	19.62	30	10.38	Pass	201




4.42 LTE Band Edge_Part22-24-27(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.63	-13	22.63	Pass	101
1708	1709	1	RMS	1709	-35.22	-13	22.22	Pass	2
1709	1710	0.2	RMS	1710	-37.4	-13	24.4	Pass	101
1710	1730	0.1	RMS	1727.6	-0.32	30	30.32	Pass	201




4.43 LTE Band Edge_Part22-24-27(Subtest:43, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.87	-13	29.87	Pass	101
1708	1709	1	RMS	1709	-31.72	-13	18.72	Pass	2
1709	1710	0.2	RMS	1710	-21.22	-13	8.22	Pass	101
1710	1730	0.1	RMS	1711.1	18.82	30	11.18	Pass	201




4.44 LTE Band Edge_Part22-24-27(Subtest:44, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.81	-13	22.81	Pass	101
1708	1709	1	RMS	1709	-35.3	-13	22.3	Pass	2
1709	1710	0.2	RMS	1710	-37.74	-13	24.74	Pass	101
1710	1730	0.1	RMS	1719.2	-1.33	30	31.33	Pass	201




4.45 LTE Band Edge_Part22-24-27(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.58	30	10.42	Pass	201
1780	1781	0.2	RMS	1780	-21.38	-13	8.38	Pass	101
1781	1782	1	RMS	1781	-31.71	-13	18.71	Pass	2
1782	1790	1	RMS	1787.84	-42.84	-13	29.84	Pass	101




4.46 LTE Band Edge_Part22-24-27(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.1	-0.24	30	30.24	Pass	201
1780	1781	0.2	RMS	1780	-37.14	-13	24.14	Pass	101
1781	1782	1	RMS	1781	-35.54	-13	22.54	Pass	2
1782	1790	1	RMS	1782.88	-35.74	-13	22.74	Pass	101




4.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.6	30	11.4	Pass	201
1780	1781	0.2	RMS	1780	-21.64	-13	8.64	Pass	101
1781	1782	1	RMS	1781	-27.69	-13	14.69	Pass	101
1782	1790	1	RMS	1787.76	-43.57	-13	30.57	Pass	101



4.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	0.1	RMS	1766	-1.27	30	31.27	Pass	201
1780	1781	0.2	RMS	1780	-37.98	-13	24.98	Pass	101
1781	1782	1	RMS	1781	-35.58	-13	22.58	Pass	2
1782	1790	1	RMS	1782	-35.91	-13	22.91	Pass	101



5. LTE_Band5

5.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-30.76	-13	17.76	Pass	101
823	824	0.02	RMS	824	-22.49	-13	9.49	Pass	101
824	826	0.1	RMS	824.24	20.82	30	9.18	Pass	101




5.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.89	-13	20.89	Pass	101
823	824	0.02	RMS	824	-28.76	-13	15.76	Pass	101
824	826	0.1	RMS	824.64	12.44	30	17.56	Pass	101




5.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-32.93	-13	19.93	Pass	101
823	824	0.02	RMS	824	-23.9	-13	10.9	Pass	101
824	826	0.1	RMS	824.26	19.68	30	10.32	Pass	101




5.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.67	-13	20.67	Pass	101
823	824	0.02	RMS	824	-29.24	-13	16.24	Pass	101
824	826	0.1	RMS	824.72	11.53	30	18.47	Pass	101




5.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	20.82	30	9.18	Pass	101
849	850	0.02	RMS	849	-22.95	-13	9.95	Pass	101
850	860	0.1	RMS	850.6	-31.28	-13	18.28	Pass	101




5.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.94	12.75	30	17.25	Pass	101
849	850	0.02	RMS	849	-28.46	-13	15.46	Pass	101
850	860	0.1	RMS	850	-38.43	-13	25.43	Pass	101




5.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	19.81	30	10.19	Pass	101
849	850	0.02	RMS	849	-24.05	-13	11.05	Pass	101
850	860	0.1	RMS	850.6	-33.63	-13	20.63	Pass	101




5.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.96	11.82	30	18.18	Pass	101
849	850	0.02	RMS	849	-30	-13	17	Pass	101
850	860	0.1	RMS	850	-37.66	-13	24.66	Pass	101




5.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-29.77	-13	16.77	Pass	101
823	824	0.002	RMS	824	-31.96	-13	18.96	Pass	501
824	827	0.1	RMS	824.24	20.87	30	9.13	Pass	101




5.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.86	-13	17.86	Pass	101
823	824	0.03	RMS	824	-30.74	-13	17.74	Pass	101
824	827	0.1	RMS	825.44	8.63	30	21.37	Pass	101




5.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-31.51	-13	18.51	Pass	101
823	824	0.03	RMS	824	-22.98	-13	9.98	Pass	35
824	827	0.1	RMS	824.24	19.98	30	10.02	Pass	101




5.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.91	-13	17.91	Pass	101
823	824	0.03	RMS	824	-31.82	-13	18.82	Pass	101
824	827	0.1	RMS	825.2	7.66	30	22.34	Pass	101




5.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.92	30	9.08	Pass	101
849	850	0.002	RMS	849	-32.15	-13	19.15	Pass	501
850	860	0.1	RMS	850	-45.07	-13	32.07	Pass	101




5.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.27	9.23	30	20.77	Pass	101
849	850	0.03	RMS	849	-33.2	-13	20.2	Pass	101
850	860	0.1	RMS	850	-33.31	-13	20.31	Pass	101




5.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.87	30	10.13	Pass	101
849	850	0.002	RMS	849.002	-33.91	-13	20.91	Pass	501
850	860	0.1	RMS	850	-46.57	-13	33.57	Pass	101




5.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.45	8.22	30	21.78	Pass	101
849	850	0.03	RMS	849	-33.58	-13	20.58	Pass	101
850	860	0.1	RMS	850	-34.11	-13	21.11	Pass	101




5.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-30.24	-13	17.24	Pass	101
823	824	0.051	RMS	824	-19.92	-13	6.92	Pass	101
824	829	0.1	RMS	824.35	20.5	30	9.5	Pass	101




5.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-31.71	-13	18.71	Pass	101
823	824	0.051	RMS	824	-30.47	-13	17.47	Pass	101
824	829	0.1	RMS	825.65	6.27	30	23.73	Pass	101




5.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-32.2	-13	19.2	Pass	101
823	824	0.051	RMS	824	-20.3	-13	7.3	Pass	101
824	829	0.1	RMS	824.35	19.73	30	10.27	Pass	101




5.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-31.92	-13	18.92	Pass	101
823	824	0.051	RMS	824	-30.96	-13	17.96	Pass	101
824	829	0.1	RMS	826.9	5.33	30	24.67	Pass	101




5.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.73	30	9.27	Pass	101
849	850	0.051	RMS	849	-20.52	-13	7.52	Pass	101
850	860	0.1	RMS	850.8	-47.55	-13	34.55	Pass	101



5.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	6.78	30	23.22	Pass	101
849	850	0.051	RMS	849	-33.45	-13	20.45	Pass	101
850	860	0.1	RMS	850.1	-35.74	-13	22.74	Pass	101



5.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	19.79	30	10.21	Pass	101
849	850	0.051	RMS	849	-20.29	-13	7.29	Pass	101
850	860	0.1	RMS	850.8	-48.63	-13	35.63	Pass	101

