


Band Edge


5.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	846.25	5.68	30	24.32	Pass	101
849	850	0.051	RMS	849	-33.83	-13	20.83	Pass	101
850	860	0.1	RMS	850.1	-35.91	-13	22.91	Pass	101




5.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-47.01	-13	34.01	Pass	101
823	824	0.1	RMS	824	-22.49	-13	9.49	Pass	101
824	834	0.1	RMS	824.6	20.57	30	9.43	Pass	101




5.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.83	-13	20.83	Pass	101
823	824	0.1	RMS	824	-31.7	-13	18.7	Pass	101
824	834	0.1	RMS	833.3	4.02	30	25.98	Pass	101




5.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.2	-47.91	-13	34.91	Pass	101
823	824	0.1	RMS	824	-23.61	-13	10.61	Pass	101
824	834	0.1	RMS	824.6	19.72	30	10.28	Pass	101




5.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.24	-13	21.24	Pass	101
823	824	0.1	RMS	824	-32.54	-13	19.54	Pass	101
824	834	0.1	RMS	833.1	3.01	30	26.99	Pass	101




5.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.67	30	9.33	Pass	101
849	850	0.1	RMS	849	-22.88	-13	9.88	Pass	101
850	860	0.1	RMS	850	-49.55	-13	36.55	Pass	101




5.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	845.4	3.51	30	26.49	Pass	101
849	850	0.1	RMS	849	-36.1	-13	23.1	Pass	101
850	860	0.1	RMS	850	-38.28	-13	25.28	Pass	101




5.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.59	30	10.41	Pass	101
849	850	0.1	RMS	849	-24.14	-13	11.14	Pass	101
850	860	0.1	RMS	850	-50.79	-13	37.79	Pass	101



5.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	846	2.56	30	27.44	Pass	101
849	850	0.1	RMS	849	-35.82	-13	22.82	Pass	101
850	860	0.1	RMS	850	-38.38	-13	25.38	Pass	101



6. LTE_Band12


6.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.4	-13	10.4	Pass	101
698.9	699	0.03	RMS	699	-20.75	-13	7.75	Pass	101
699	701	0.1	RMS	699.26	20.77	30	9.23	Pass	101




6.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.58	-13	12.58	Pass	101
698.9	699	0.03	RMS	699	-27.62	-13	14.62	Pass	101
699	701	0.1	RMS	699.64	12.41	30	17.59	Pass	101




6.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.38	-13	11.38	Pass	101
698.9	699	0.03	RMS	699	-21.97	-13	8.97	Pass	101
699	701	0.1	RMS	699.26	19.67	30	10.33	Pass	101




6.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.65	-13	12.65	Pass	101
698.9	699	0.03	RMS	699	-27.88	-13	14.88	Pass	101
699	701	0.1	RMS	699.72	11.52	30	18.48	Pass	101



6.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	20.82	30	9.18	Pass	101
716	716.1	0.03	RMS	716	-20.45	-13	7.45	Pass	5
716.1	725	0.1	RMS	716.1	-22.6	-13	9.6	Pass	101




6.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.44	12.52	30	17.48	Pass	101
716	716.1	0.03	RMS	716	-27.49	-13	14.49	Pass	101
716.1	725	0.1	RMS	716.1	-25.28	-13	12.28	Pass	101




6.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.74	19.79	30	10.21	Pass	101
716	716.1	0.03	RMS	716	-21.31	-13	8.31	Pass	101
716.1	725	0.1	RMS	716.1	-23.39	-13	10.39	Pass	101




6.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.34	11.67	30	18.33	Pass	101
716	716.1	0.03	RMS	716.001	-28.34	-13	15.34	Pass	101
716.1	725	0.1	RMS	716.1	-25.75	-13	12.75	Pass	101




6.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.39	-13	10.39	Pass	101
698.9	698.985	0.03	RMS	698.985	-23.53	-13	10.53	Pass	101
699	702	0.1	RMS	699.24	20.83	30	9.17	Pass	101




6.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.72	-13	16.72	Pass	101
698.9	699	0.03	RMS	699	-32.08	-13	19.08	Pass	101
699	702	0.1	RMS	700.8	8.64	30	21.36	Pass	101




6.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.27	-13	11.27	Pass	101
698.9	699	0.03	RMS	699	-22.47	-13	9.47	Pass	101
699	702	0.1	RMS	699.24	19.9	30	10.1	Pass	101




6.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.48	-13	16.48	Pass	101
698.9	699	0.03	RMS	699	-32.76	-13	19.76	Pass	101
699	702	0.1	RMS	701.4	7.56	30	22.44	Pass	101




6.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.87	30	9.13	Pass	101
716.015	716.1	0.03	RMS	716.015	-22.6	-13	9.6	Pass	4
716.1	725	0.1	RMS	716.1	-22.68	-13	9.68	Pass	101




6.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.86	8.56	30	21.44	Pass	101
716	716.1	0.03	RMS	716	-33.08	-13	20.08	Pass	101
716.1	725	0.1	RMS	716.1	-29.85	-13	16.85	Pass	101




6.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.84	30	10.16	Pass	101
716.015	716.1	0.03	RMS	716.015	-24.13	-13	11.13	Pass	101
716.1	725	0.1	RMS	716.1	-24.23	-13	11.23	Pass	101




6.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.83	7.42	30	22.58	Pass	101
716	716.1	0.03	RMS	716	-32.52	-13	19.52	Pass	101
716.1	725	0.1	RMS	716.1	-29.62	-13	16.62	Pass	101




6.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-14.78	-13	1.78	Pass*	101
698.9	699	0.03	RMS	699	-16.25	-13	3.25	Pass*	101
699	704	0.1	RMS	699.35	20.48	30	9.52	Pass	101




6.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.83	-13	13.83	Pass	101
698.9	699	0.03	RMS	699	-29.11	-13	16.11	Pass	101
699	704	0.1	RMS	703.55	6.47	30	23.53	Pass	101




6.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-15.29	-13	2.29	Pass*	101
698.9	699	0.03	RMS	699	-16.62	-13	3.62	Pass*	101
699	704	0.1	RMS	699.35	19.7	30	10.3	Pass	101




6.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.32	-13	14.32	Pass	101
698.9	699	0.03	RMS	699	-29.42	-13	16.42	Pass	101
699	704	0.1	RMS	702.3	5.41	30	24.59	Pass	101




6.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.64	30	9.36	Pass	101
716	716.1	0.03	RMS	716	-16.35	-13	3.35	Pass*	101
716.1	725	0.1	RMS	716.1	-15.07	-13	2.07	Pass*	101




6.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.45	6.35	30	23.65	Pass	101
716	716.1	0.03	RMS	716	-28.92	-13	15.92	Pass	101
716.1	725	0.1	RMS	716.1	-26.54	-13	13.54	Pass	101




6.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.76	30	10.24	Pass	101
716	716.1	0.03	RMS	716	-15.93	-13	2.93	Pass*	101
716.1	725	0.1	RMS	716.1	-14.74	-13	1.74	Pass*	101




6.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715	5.37	30	24.63	Pass	101
716	716.1	0.03	RMS	716	-29.45	-13	16.45	Pass	101
716.1	725	0.1	RMS	716.1	-27.18	-13	14.18	Pass	101




6.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-19.4	-13	6.4	Pass	101
698.9	699	0.03	RMS	699	-22.14	-13	9.14	Pass	101
699	709	0.1	RMS	699.6	20.57	30	9.43	Pass	101




6.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.74	-13	18.74	Pass	101
698.9	699	0.03	RMS	699	-35.4	-13	22.4	Pass	101
699	709	0.1	RMS	707	3.43	30	26.57	Pass	101




6.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.44	-13	7.44	Pass	101
698.9	699	0.03	RMS	699	-23.19	-13	10.19	Pass	101
699	709	0.1	RMS	699.6	19.75	30	10.25	Pass	101




6.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.52	-13	19.52	Pass	101
698.9	699	0.03	RMS	698.999	-36.56	-13	23.56	Pass	101
699	709	0.1	RMS	705.6	2.41	30	27.59	Pass	101




6.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.63	30	9.37	Pass	101
716	716.1	0.03	RMS	716	-21.65	-13	8.65	Pass	101
716.1	725	0.1	RMS	716.1	-18.93	-13	5.93	Pass*	101




6.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	706.7	3.55	30	26.45	Pass	101
716	716.1	0.03	RMS	716.001	-35.87	-13	22.87	Pass	101
716.1	725	0.1	RMS	716.1	-31.57	-13	18.57	Pass	101




6.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.57	30	10.43	Pass	101
716	716.1	0.03	RMS	716	-22.73	-13	9.73	Pass	101
716.1	725	0.1	RMS	716.1	-20.04	-13	7.04	Pass	101



6.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	2.67	30	27.33	Pass	101
716	716.1	0.03	RMS	716	-36.08	-13	23.08	Pass	101
716.1	725	0.1	RMS	716.1	-32.07	-13	19.07	Pass	101



7. LTE_Band13


7.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-73.31	-35	38.31	Pass	1201
775	775.9	0.1	RMS	775.891	-51.15	-13	38.15	Pass	101
775.9	776	0.03	RMS	775.998	-55.06	-13	42.06	Pass	101
776	788	0.1	RMS	777.3	19.99	30	10.01	Pass	121




7.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-57.46	-35	22.46	Pass	1201
775	775.9	0.1	RMS	775.9	-34.91	-13	21.91	Pass	101
775.9	776	0.03	RMS	775.981	-39.67	-13	26.67	Pass	101
776	788	0.1	RMS	779.7	6.35	30	23.65	Pass	121




7.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.87	-74.61	-35	39.61	Pass	1201
775	775.9	0.1	RMS	775.9	-51.76	-13	38.76	Pass	101
775.9	776	0.03	RMS	775.949	-55.73	-13	42.73	Pass	101
776	788	0.1	RMS	777.3	18.98	30	11.02	Pass	121




7.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:23205, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.94	-60.27	-35	25.27	Pass	1201
775	775.9	0.1	RMS	775.9	-37.02	-13	24.02	Pass	101
775.9	776	0.03	RMS	776	-41.5	-13	28.5	Pass	101
776	788	0.1	RMS	779.9	5.46	30	24.54	Pass	121




7.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.7	20.03	30	9.97	Pass	121
788	788.1	0.03	RMS	788.063	-51.75	-13	38.75	Pass	101
788.1	793	0.1	RMS	788.688	-47.69	-13	34.69	Pass	101
793	805	0.01	RMS	793.17	-71.43	-35	36.43	Pass	1201




7.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	785.3	6.29	30	23.71	Pass	121
788	788.1	0.03	RMS	788.063	-36.37	-13	23.37	Pass	101
788.1	793	0.1	RMS	788.1	-31.48	-13	18.48	Pass	101
793	805	0.01	RMS	793.13	-61.68	-35	26.68	Pass	1201




7.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.7	19.17	30	10.83	Pass	121
788	788.1	0.03	RMS	788.056	-52.73	-13	39.73	Pass	101
788.1	793	0.1	RMS	788.1	-48.05	-13	35.05	Pass	101
793	805	0.01	RMS	793.16	-72.65	-35	37.65	Pass	1201




7.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:23255, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786	5.43	30	24.57	Pass	121
788	788.1	0.03	RMS	788.083	-37.42	-13	24.42	Pass	101
788.1	793	0.1	RMS	788.1	-32.48	-13	19.48	Pass	101
793	805	0.01	RMS	793.1	-63.23	-35	28.23	Pass	1201




7.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	773.82	-74.37	-35	39.37	Pass	1201
775	775.9	0.1	RMS	775.9	-51.2	-13	38.2	Pass	101
775.9	776	0.03	RMS	775.999	-52.82	-13	39.82	Pass	101
776	788	0.1	RMS	777.6	20.61	30	9.39	Pass	121




7.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.87	-64.99	-35	29.99	Pass	1201
775	775.9	0.1	RMS	775.9	-37.79	-13	24.79	Pass	101
775.9	776	0.03	RMS	775.999	-42.14	-13	29.14	Pass	101
776	788	0.1	RMS	785	3.69	30	26.31	Pass	121




7.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	770.87	-74.12	-35	39.12	Pass	1201
775	775.9	0.1	RMS	775.9	-51.72	-13	38.72	Pass	101
775.9	776	0.03	RMS	775.987	-54.49	-13	41.49	Pass	101
776	788	0.1	RMS	777.6	19.72	30	10.28	Pass	121




7.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-66.79	-35	31.79	Pass	1201
775	775.9	0.1	RMS	775.9	-39.57	-13	26.57	Pass	101
775.9	776	0.03	RMS	775.963	-43.71	-13	30.71	Pass	101
776	788	0.1	RMS	785.4	2.69	30	27.31	Pass	121




7.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.4	20.63	30	9.37	Pass	121
788	788.1	0.03	RMS	788.026	-51.78	-13	38.78	Pass	101
788.1	793	0.1	RMS	788.394	-47.69	-13	34.69	Pass	101
793	805	0.01	RMS	795.28	-67.35	-35	32.35	Pass	1201




7.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	785	3.67	30	26.33	Pass	121
788	788.1	0.03	RMS	788.013	-36.76	-13	23.76	Pass	101
788.1	793	0.1	RMS	788.247	-31.82	-13	18.82	Pass	101
793	805	0.01	RMS	793.02	-54.86	-35	19.86	Pass	1201



7.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.4	19.69	30	10.31	Pass	121
788	788.1	0.03	RMS	788.082	-51.12	-13	38.12	Pass	101
788.1	793	0.1	RMS	788.394	-48.56	-13	35.56	Pass	101
793	805	0.01	RMS	795.23	-68.96	-35	33.96	Pass	1201



7.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	785.4	2.68	30	27.32	Pass	121
788	788.1	0.03	RMS	788.006	-38.33	-13	25.33	Pass	101
788.1	793	0.1	RMS	788.198	-33.5	-13	20.5	Pass	101
793	805	0.01	RMS	793.17	-57.72	-35	22.72	Pass	1201



8. LTE_Band17


8.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-14.54	-13	1.54	Pass*	139
703.9	704	0.03	RMS	704	-16.06	-13	3.06	Pass*	101
704	709	0.1	RMS	704.35	20.53	30	9.47	Pass	101




8.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.15	-13	13.15	Pass	139
703.9	704	0.03	RMS	704	-28.46	-13	15.46	Pass	101
704	709	0.1	RMS	705.65	6.5	30	23.5	Pass	101




8.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-14.98	-13	1.98	Pass*	139
703.9	704	0.03	RMS	704	-16.39	-13	3.39	Pass*	101
704	709	0.1	RMS	704.35	19.82	30	10.18	Pass	101




8.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.78	-13	13.78	Pass	139
703.9	704	0.03	RMS	704	-28.83	-13	15.83	Pass	101
704	709	0.1	RMS	705.7	5.49	30	24.51	Pass	101




8.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.6	30	9.4	Pass	101
716	716.1	0.03	RMS	716	-16.36	-13	3.36	Pass*	101
716.1	725	0.1	RMS	716.1	-15.08	-13	2.08	Pass*	101




8.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.45	6.32	30	23.68	Pass	101
716	716.1	0.03	RMS	716	-28.92	-13	15.92	Pass	101
716.1	725	0.1	RMS	716.1	-26.56	-13	13.56	Pass	101




8.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.75	30	10.25	Pass	101
716	716.1	0.03	RMS	716	-15.94	-13	2.94	Pass*	101
716.1	725	0.1	RMS	716.1	-14.74	-13	1.74	Pass*	101




8.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715	5.35	30	24.65	Pass	101
716	716.1	0.03	RMS	716.002	-29.42	-13	16.42	Pass	101
716.1	725	0.1	RMS	716.1	-27.2	-13	14.2	Pass	101




8.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-19.25	-13	6.25	Pass	139
703.9	704	0.03	RMS	704	-22	-13	9	Pass	101
704	714	0.1	RMS	704.6	20.64	30	9.36	Pass	101




8.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.87	-13	17.87	Pass	139
703.9	704	0.03	RMS	704	-34.47	-13	21.47	Pass	101
704	714	0.1	RMS	705.9	3.88	30	26.12	Pass	101




8.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.29	-13	7.29	Pass	139
703.9	704	0.03	RMS	704	-23.04	-13	10.04	Pass	101
704	714	0.1	RMS	704.6	19.81	30	10.19	Pass	101




8.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.69	-13	18.69	Pass	139
703.9	704	0.03	RMS	703.999	-35.62	-13	22.62	Pass	101
704	714	0.1	RMS	705.4	2.76	30	27.24	Pass	101




8.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.57	30	9.43	Pass	101
716	716.1	0.03	RMS	716	-21.73	-13	8.73	Pass	101
716.1	725	0.1	RMS	716.1	-18.99	-13	5.99	Pass*	101




8.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	706.7	3.61	30	26.39	Pass	101
716	716.1	0.03	RMS	716.002	-35.88	-13	22.88	Pass	101
716.1	725	0.1	RMS	716.1	-31.6	-13	18.6	Pass	101




8.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.54	30	10.46	Pass	101
716	716.1	0.03	RMS	716	-22.8	-13	9.8	Pass	101
716.1	725	0.1	RMS	716.1	-20.12	-13	7.12	Pass	101



8.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	2.73	30	27.27	Pass	101
716	716.1	0.03	RMS	716.002	-36.09	-13	23.09	Pass	101
716.1	725	0.1	RMS	716.1	-32.07	-13	19.07	Pass	101



9. LTE_Band26(part22)

9.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-47.88	-13	34.88	Pass	101
823	824	0.02	RMS	824	-22.54	-13	9.54	Pass	101
824	826	0.1	RMS	824.24	20.93	30	9.07	Pass	101




9.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.29	-13	21.29	Pass	101
823	824	0.02	RMS	824	-29.76	-13	16.76	Pass	101
824	826	0.1	RMS	824.64	12.56	30	17.44	Pass	101




9.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.16	-13	35.16	Pass	101
823	824	0.02	RMS	824	-23.83	-13	10.83	Pass	101
824	826	0.1	RMS	824.26	19.84	30	10.16	Pass	101




9.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.22	-13	21.22	Pass	101
823	824	0.02	RMS	824	-29.84	-13	16.84	Pass	101
824	826	0.1	RMS	824.72	11.66	30	18.34	Pass	101




9.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	20.98	30	9.02	Pass	101
849	850	0.02	RMS	849	-22.91	-13	9.91	Pass	101
850	860	0.1	RMS	850	-49.18	-13	36.18	Pass	101



9.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.96	12.85	30	17.15	Pass	101
849	850	0.02	RMS	849	-29.16	-13	16.16	Pass	101
850	860	0.1	RMS	850	-39.06	-13	26.06	Pass	101



9.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	19.94	30	10.06	Pass	101
849	850	0.02	RMS	849	-23.92	-13	10.92	Pass	101
850	860	0.1	RMS	850	-49.05	-13	36.05	Pass	101

