



3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	60.37	Pass	141
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	814	0.1	RMS	813.9	-61.67	-13	48.67	Pass	7841
814	860	0.1	RMS	824.6	19.39	60	40.61	Pass	461
860	1000	0.1	RMS	984.4	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1649	-48.85	-13	35.85	Pass	2001
3000	10000	1	RMS	6802	-45.64	-13	32.64	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.71	-13	60.71	Pass	141
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	814	0.1	RMS	814	-63.59	-13	50.59	Pass	7841
814	860	0.1	RMS	832.1	20.39	60	39.61	Pass	461
860	1000	0.1	RMS	879.6	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	1664	-48.45	-13	35.45	Pass	2001
3000	10000	1	RMS	6797	-45.61	-13	32.61	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	60.44	Pass	141
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	814	0.1	RMS	814	-64.09	-13	51.09	Pass	7841
814	860	0.1	RMS	832.1	19.42	60	40.58	Pass	461
860	1000	0.1	RMS	861.6	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1664	-49.47	-13	36.47	Pass	2001
3000	10000	1	RMS	6800	-45.58	-13	32.58	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	813.3	-65.57	-13	52.57	Pass	7841
814	860	0.1	RMS	839.6	20.33	60	39.67	Pass	461
860	1000	0.1	RMS	936.6	-65.34	-13	52.34	Pass	1401
1000	3000	1	RMS	1679	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	6804	-45.61	-13	32.61	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-13	60.79	Pass	141
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	814	0.1	RMS	812.4	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	839.6	19.5	60	40.5	Pass	461
860	1000	0.1	RMS	862.1	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1679	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.34	-25	49.34	Pass	141
0.15	30	0.01	RMS	0.15	-71.84	-25	46.84	Pass	2986
30	1000	0.1	RMS	539.6	-64.22	-25	39.22	Pass	9701
1000	2490	1	RMS	2490	-51.51	-25	26.51	Pass	1491
2490	2580	1	RMS	2499.9	20.74	60	39.26	Pass	101
2580	3000	1	RMS	2979	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11889	-64.08	-25	39.08	Pass	9002
12000	26000	1	RMS	25497	-56.82	-25	31.82	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.05	-25	48.05	Pass	141
0.15	30	0.01	RMS	0.16	-72.11	-25	47.11	Pass	2986
30	1000	0.1	RMS	539.6	-64.85	-25	39.85	Pass	9701
1000	2490	1	RMS	2490	-51.67	-25	26.67	Pass	1491
2490	2580	1	RMS	2499.9	19.7	60	40.3	Pass	101
2580	3000	1	RMS	2987	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11894	-64.06	-25	39.06	Pass	9002
12000	26000	1	RMS	25486	-56.79	-25	31.79	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-25	48.97	Pass	141
0.15	30	0.01	RMS	0.18	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	572.1	-65.14	-25	40.14	Pass	9701
1000	2490	1	RMS	2484	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2532.3	21.2	60	38.8	Pass	101
2580	3000	1	RMS	2994	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11886	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25510	-56.72	-25	31.72	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-25	48.5	Pass	141
0.15	30	0.01	RMS	0.16	-72.38	-25	47.38	Pass	2986
30	1000	0.1	RMS	846.1	-65.32	-25	40.32	Pass	9701
1000	2490	1	RMS	2485	-52.47	-25	27.47	Pass	1491
2490	2580	1	RMS	2532.3	20.37	60	39.63	Pass	101
2580	3000	1	RMS	2980	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11884	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25505	-56.68	-25	31.68	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.64	-25	48.64	Pass	141
0.15	30	0.01	RMS	0.16	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	604.6	-64.88	-25	39.88	Pass	9701
1000	2490	1	RMS	2486	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2564.7	21.5	60	38.5	Pass	101
2580	3000	1	RMS	2990	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11900	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25500	-56.67	-25	31.67	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.67	-25	48.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.05	-25	47.05	Pass	2986
30	1000	0.1	RMS	917.645	-65.23	-25	40.23	Pass	9701
1000	2490	1	RMS	2487	-52.51	-25	27.51	Pass	1491
2490	2580	1	RMS	2564.7	20.64	60	39.36	Pass	101
2580	3000	1	RMS	2983	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11995	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25482	-56.67	-25	31.67	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-25	48.44	Pass	141
0.15	30	0.01	RMS	0.17	-71.58	-25	46.58	Pass	2986
30	1000	0.1	RMS	539.9	-63.41	-25	38.41	Pass	9701
1000	2490	1	RMS	2483	-39.61	-25	14.61	Pass	1491
2490	2580	1	RMS	2499.9	21.93	60	38.07	Pass	101
2580	3000	1	RMS	2996	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11898	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25499	-56.71	-25	31.71	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-25	48.4	Pass	141
0.15	30	0.01	RMS	0.15	-72.43	-25	47.43	Pass	2986
30	1000	0.1	RMS	539.9	-64.25	-25	39.25	Pass	9701
1000	2490	1	RMS	2483	-41.29	-25	16.29	Pass	1491
2490	2580	1	RMS	2499.9	20.9	60	39.1	Pass	101
2580	3000	1	RMS	2998	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11997	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25500	-56.67	-25	31.67	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.52	-25	48.52	Pass	141
0.15	30	0.01	RMS	0.19	-73.07	-25	48.07	Pass	2986
30	1000	0.1	RMS	569.9	-64.77	-25	39.77	Pass	9701
1000	2490	1	RMS	2483	-52.51	-25	27.51	Pass	1491
2490	2580	1	RMS	2529.6	21.63	60	38.37	Pass	101
2580	3000	1	RMS	2987	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	12000	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25492	-56.72	-25	31.72	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.68	-25	48.68	Pass	141
0.15	30	0.01	RMS	0.15	-72.56	-25	47.56	Pass	2986
30	1000	0.1	RMS	569.9	-64.8	-25	39.8	Pass	9701
1000	2490	1	RMS	2481	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2529.6	20.66	60	39.34	Pass	101
2580	3000	1	RMS	2984	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11994	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25503	-56.72	-25	31.72	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-25	48.72	Pass	141
0.15	30	0.01	RMS	0.16	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	599.9	-64.81	-25	39.81	Pass	9701
1000	2490	1	RMS	2485	-52.49	-25	27.49	Pass	1491
2490	2580	1	RMS	2560.2	20.42	60	39.58	Pass	101
2580	3000	1	RMS	2985	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11896	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25499	-56.56	-25	31.56	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.32	-25	48.32	Pass	141
0.15	30	0.01	RMS	0.15	-72.78	-25	47.78	Pass	2986
30	1000	0.1	RMS	599.9	-64.89	-25	39.89	Pass	9701
1000	2490	1	RMS	2489	-52.55	-25	27.55	Pass	1491
2490	2580	1	RMS	2560.2	19.36	60	40.64	Pass	101
2580	3000	1	RMS	2988	-51.43	-25	26.43	Pass	421
3000	12000	1	RMS	11880	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25500	-56.75	-25	31.75	Pass	14002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.1	-25	48.1	Pass	141
0.15	30	0.01	RMS	0.16	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	540.1	-63.85	-25	38.85	Pass	9701
1000	2490	1	RMS	2474	-41.73	-25	16.73	Pass	1491
2490	2580	1	RMS	2499.9	21.79	60	38.21	Pass	101
2580	3000	1	RMS	2992	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11905	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25508	-56.78	-25	31.78	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.62	-25	48.62	Pass	141
0.15	30	0.01	RMS	0.17	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	540.2	-65.15	-25	40.15	Pass	9701
1000	2490	1	RMS	2474	-43.85	-25	18.85	Pass	1491
2490	2580	1	RMS	2499.9	20.78	60	39.22	Pass	101
2580	3000	1	RMS	2987	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11889	-64.02	-25	39.02	Pass	9002
12000	26000	1	RMS	25502	-56.73	-25	31.73	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.49	-25	48.49	Pass	141
0.15	30	0.01	RMS	0.15	-71.78	-25	46.78	Pass	2986
30	1000	0.1	RMS	567.6	-65.11	-25	40.11	Pass	9701
1000	2490	1	RMS	2488	-52.5	-25	27.5	Pass	1491
2490	2580	1	RMS	2527.8	21.27	60	38.73	Pass	101
2580	3000	1	RMS	2993	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11892	-64	-25	39	Pass	9002
12000	26000	1	RMS	25502	-56.69	-25	31.69	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-25	48.3	Pass	141
0.15	30	0.01	RMS	0.15	-72.65	-25	47.65	Pass	2986
30	1000	0.1	RMS	567.6	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2486	-51.96	-25	26.96	Pass	1491
2490	2580	1	RMS	2527.8	20.31	60	39.69	Pass	101
2580	3000	1	RMS	2982	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11903	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25517	-56.72	-25	31.72	Pass	14002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-25	47.89	Pass	141
0.15	30	0.01	RMS	0.18	-72.63	-25	47.63	Pass	2986
30	1000	0.1	RMS	595.1	-64.42	-25	39.42	Pass	9701
1000	2490	1	RMS	2490	-52.53	-25	27.53	Pass	1491
2490	2580	1	RMS	2554.8	21.34	60	38.66	Pass	101
2580	3000	1	RMS	2582	-29.88	-25	4.88	Pass*	421
3000	12000	1	RMS	11877	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25499	-56.72	-25	31.72	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-25	48.45	Pass	141
0.15	30	0.01	RMS	0.15	-71.99	-25	46.99	Pass	2986
30	1000	0.1	RMS	841.9	-65.26	-25	40.26	Pass	9701
1000	2490	1	RMS	2487	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2554.8	20.36	60	39.64	Pass	101
2580	3000	1	RMS	2582	-31.37	-25	6.37	Pass	421
3000	12000	1	RMS	11999	-63.99	-25	38.99	Pass	9002
12000	26000	1	RMS	25503	-56.72	-25	31.72	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.04	-25	48.04	Pass	141
0.15	30	0.01	RMS	0.16	-71.64	-25	46.64	Pass	2986
30	1000	0.1	RMS	540.4	-63.91	-25	38.91	Pass	9701
1000	2490	1	RMS	2483	-44.08	-25	19.08	Pass	1491
2490	2580	1	RMS	2499.9	20.6	60	39.4	Pass	101
2580	3000	1	RMS	2993	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	11898	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	25492	-56.73	-25	31.73	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-25	48.85	Pass	141
0.15	30	0.01	RMS	0.15	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	540.4	-64.69	-25	39.69	Pass	9701
1000	2490	1	RMS	2483	-45.91	-25	20.91	Pass	1491
2490	2580	1	RMS	2499.9	19.63	60	40.37	Pass	101
2580	3000	1	RMS	2996	-51.45	-25	26.45	Pass	421
3000	12000	1	RMS	11983	-64.01	-25	39.01	Pass	9002
12000	26000	1	RMS	25498	-56.67	-25	31.67	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-73.91	-25	48.91	Pass	141
0.15	30	0.01	RMS	0.15	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	565.4	-64.91	-25	39.91	Pass	9701
1000	2490	1	RMS	2490	-39.38	-25	14.38	Pass	1491
2490	2580	1	RMS	2525.1	21.48	60	38.52	Pass	101
2580	3000	1	RMS	2986	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11999	-64	-25	39	Pass	9002
12000	26000	1	RMS	25494	-56.69	-25	31.69	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.91	-25	48.91	Pass	141
0.15	30	0.01	RMS	0.15	-72	-25	47	Pass	2986
30	1000	0.1	RMS	565.4	-65.22	-25	40.22	Pass	9701
1000	2490	1	RMS	2490	-44.54	-25	19.54	Pass	1491
2490	2580	1	RMS	2525.1	20.53	60	39.47	Pass	101
2580	3000	1	RMS	2984	-51.48	-25	26.48	Pass	421
3000	12000	1	RMS	11896	-64.07	-25	39.07	Pass	9002
12000	26000	1	RMS	25497	-56.76	-25	31.76	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.41	-25	48.41	Pass	141
0.15	30	0.01	RMS	0.15	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	590.4	-64.32	-25	39.32	Pass	9701
1000	2490	1	RMS	2486	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2550.3	21.63	60	38.37	Pass	101
2580	3000	1	RMS	2586	-33.13	-25	8.13	Pass	421
3000	12000	1	RMS	12000	-64.06	-25	39.06	Pass	9002
12000	26000	1	RMS	25507	-56.78	-25	31.78	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-25	47.65	Pass	141
0.15	30	0.01	RMS	0.16	-72.55	-25	47.55	Pass	2986
30	1000	0.1	RMS	590.4	-65.17	-25	40.17	Pass	9701
1000	2490	1	RMS	2488	-52.57	-25	27.57	Pass	1491
2490	2580	1	RMS	2550.3	20.57	60	39.43	Pass	101
2580	3000	1	RMS	2586	-33.32	-25	8.32	Pass	421
3000	12000	1	RMS	12000	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25497	-56.68	-25	31.68	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	60.21	Pass	141
0.15	30	0.01	RMS	0.17	-72.78	-13	59.78	Pass	2986
30	689	0.1	RMS	688.5	-65.85	-13	52.85	Pass	6591
689	726	0.1	RMS	699.3	19.3	60	40.7	Pass	371
726	1000	0.1	RMS	896.6	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1398	-46.26	-13	33.26	Pass	2001
3000	10000	1	RMS	6798	-45.52	-13	32.52	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.17	-72.38	-13	59.38	Pass	2986
30	689	0.1	RMS	688.5	-65.88	-13	52.88	Pass	6591
689	726	0.1	RMS	699.3	18.32	60	41.68	Pass	371
726	1000	0.1	RMS	827.5	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1398	-47.34	-13	34.34	Pass	2001
3000	10000	1	RMS	6797	-45.54	-13	32.54	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.86	-13	60.86	Pass	141
0.15	30	0.01	RMS	0.17	-71.67	-13	58.67	Pass	2986
30	689	0.1	RMS	488.1	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	707.1	19.41	60	40.59	Pass	371
726	1000	0.1	RMS	952.3	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1414	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73	-13	60	Pass	141
0.15	30	0.01	RMS	0.25	-72.57	-13	59.57	Pass	2986
30	689	0.1	RMS	484.8	-66	-13	53	Pass	6591
689	726	0.1	RMS	707.1	18.37	60	41.63	Pass	371
726	1000	0.1	RMS	991.2	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1414	-50.94	-13	37.94	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.15	-72.18	-13	59.18	Pass	2986
30	689	0.1	RMS	475.7	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	714.9	19.34	60	40.66	Pass	371
726	1000	0.1	RMS	925.3	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1429	-48.09	-13	35.09	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.02	-13	61.02	Pass	141
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	689	0.1	RMS	502.9	-66.05	-13	53.05	Pass	6591
689	726	0.1	RMS	714.9	18.41	60	41.59	Pass	371
726	1000	0.1	RMS	849.7	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1429	-48.95	-13	35.95	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.04	-13	61.04	Pass	141
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	689	0.1	RMS	688.5	-65.9	-13	52.9	Pass	6591
689	726	0.1	RMS	699.2	19.57	60	40.43	Pass	371
726	1000	0.1	RMS	840	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1398	-46.14	-13	33.14	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




**5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.18	-72.88	-13	59.88	Pass	2986
30	689	0.1	RMS	688.5	-65.83	-13	52.83	Pass	6591
689	726	0.1	RMS	699.2	18.67	60	41.33	Pass	371
726	1000	0.1	RMS	830.9	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1398	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.87	-13	60.87	Pass	141
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	689	0.1	RMS	615	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	706.2	19.59	60	40.41	Pass	371
726	1000	0.1	RMS	835	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1412	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.5	-13	60.5	Pass	141
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	689	0.1	RMS	464.9	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	706.2	18.61	60	41.39	Pass	371
726	1000	0.1	RMS	851.5	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1412	-51.21	-13	38.21	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.26	-72.12	-13	59.12	Pass	2986
30	689	0.1	RMS	491	-66.07	-13	53.07	Pass	6591
689	726	0.1	RMS	713.2	19.57	60	40.43	Pass	371
726	1000	0.1	RMS	852.1	-65.06	-13	52.06	Pass	2741
1000	3000	1	RMS	1426	-46.51	-13	33.51	Pass	2001
3000	10000	1	RMS	6800	-45.68	-13	32.68	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.57	-13	60.57	Pass	141
0.15	30	0.01	RMS	0.21	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	614.5	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	713.2	18.61	60	41.39	Pass	371
726	1000	0.1	RMS	848	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1426	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




**5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	60.75	Pass	141
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	689	0.1	RMS	688.6	-65.68	-13	52.68	Pass	6591
689	726	0.1	RMS	699.3	19.38	60	40.62	Pass	371
726	1000	0.1	RMS	959.7	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1398	-46.32	-13	33.32	Pass	2001
3000	10000	1	RMS	6802	-45.62	-13	32.62	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	61.1	Pass	141
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	689	0.1	RMS	688.6	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	699.3	18.37	60	41.63	Pass	371
726	1000	0.1	RMS	967.8	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1398	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6800	-45.62	-13	32.62	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.15	-13	60.15	Pass	141
0.15	30	0.01	RMS	0.15	-72.24	-13	59.24	Pass	2986
30	689	0.1	RMS	488.1	-66.11	-13	53.11	Pass	6591
689	726	0.1	RMS	705.3	19.42	60	40.58	Pass	371
726	1000	0.1	RMS	852.4	-65.04	-13	52.04	Pass	2741
1000	3000	1	RMS	1410	-50.2	-13	37.2	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.31	-13	60.31	Pass	141
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	689	0.1	RMS	497.9	-66.1	-13	53.1	Pass	6591
689	726	0.1	RMS	705.3	18.65	60	41.35	Pass	371
726	1000	0.1	RMS	884.9	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1410	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	60.49	Pass	141
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	689	0.1	RMS	525.4	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	711.3	19.51	60	40.49	Pass	371
726	1000	0.1	RMS	961.5	-65.19	-13	52.19	Pass	2741
1000	3000	1	RMS	1422	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.53	-13	60.53	Pass	141
0.15	30	0.01	RMS	0.15	-72.91	-13	59.91	Pass	2986
30	689	0.1	RMS	488.3	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	711.3	18.66	60	41.34	Pass	371
726	1000	0.1	RMS	865.7	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1422	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	6799	-45.65	-13	32.65	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	689	0.1	RMS	688.9	-65.87	-13	52.87	Pass	6591
689	726	0.1	RMS	699.6	19.96	60	40.04	Pass	371
726	1000	0.1	RMS	841.5	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	1399	-46.42	-13	33.42	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.19	-72.33	-13	59.33	Pass	2986
30	689	0.1	RMS	688.9	-65.66	-13	52.66	Pass	6591
689	726	0.1	RMS	699.6	19.16	60	40.84	Pass	371
726	1000	0.1	RMS	974.7	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1399	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.63	-13	60.63	Pass	141
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	689	0.1	RMS	490.3	-66.09	-13	53.09	Pass	6591
689	726	0.1	RMS	703.1	20.03	60	39.97	Pass	371
726	1000	0.1	RMS	839.3	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1406	-49.54	-13	36.54	Pass	2001
3000	10000	1	RMS	6797	-45.61	-13	32.61	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.81	-13	60.81	Pass	141
0.15	30	0.01	RMS	0.17	-71.97	-13	58.97	Pass	2986
30	689	0.1	RMS	509	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	703.1	18.99	60	41.01	Pass	371
726	1000	0.1	RMS	985.5	-65.18	-13	52.18	Pass	2741
1000	3000	1	RMS	1406	-50.49	-13	37.49	Pass	2001
3000	10000	1	RMS	6801	-45.45	-13	32.45	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	60.36	Pass	141
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	689	0.1	RMS	689	-65.58	-13	52.58	Pass	6591
689	726	0.1	RMS	706.6	19.98	60	40.02	Pass	371
726	1000	0.1	RMS	861.3	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1413	-50.19	-13	37.19	Pass	2001
3000	10000	1	RMS	6800	-45.52	-13	32.52	Pass	7001



5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	60.67	Pass	141
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	689	0.1	RMS	689	-65.65	-13	52.65	Pass	6591
689	726	0.1	RMS	706.6	19.12	60	40.88	Pass	371
726	1000	0.1	RMS	823.8	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1413	-51.11	-13	38.11	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.4	-13	60.4	Pass	141
0.15	30	0.01	RMS	0.17	-72.47	-13	59.47	Pass	2986
30	694	0.1	RMS	693.6	-65.42	-13	52.42	Pass	6641
694	726	0.1	RMS	704.3	19.41	60	40.59	Pass	321
726	1000	0.1	RMS	851.3	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1408	-50.14	-13	37.14	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.79	-13	60.79	Pass	141
0.15	30	0.01	RMS	0.17	-72.3	-13	59.3	Pass	2986
30	694	0.1	RMS	693.7	-65.73	-13	52.73	Pass	6641
694	726	0.1	RMS	704.3	18.5	60	41.5	Pass	321
726	1000	0.1	RMS	870.3	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1408	-50.91	-13	37.91	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.25	-13	60.25	Pass	141
0.15	30	0.01	RMS	0.15	-72.2	-13	59.2	Pass	2986
30	694	0.1	RMS	485.7	-66.02	-13	53.02	Pass	6641
694	726	0.1	RMS	707.8	19.51	60	40.49	Pass	321
726	1000	0.1	RMS	837.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1415	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	6803	-45.65	-13	32.65	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	60.12	Pass	141
0.15	30	0.01	RMS	0.16	-72.66	-13	59.66	Pass	2986
30	694	0.1	RMS	693.2	-66.09	-13	53.09	Pass	6641
694	726	0.1	RMS	707.8	18.75	60	41.25	Pass	321
726	1000	0.1	RMS	853.4	-65.12	-13	52.12	Pass	2741
1000	3000	1	RMS	1415	-49.27	-13	36.27	Pass	2001
3000	10000	1	RMS	6797	-45.56	-13	32.56	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	60.4	Pass	141
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	694	0.1	RMS	500.1	-66.04	-13	53.04	Pass	6641
694	726	0.1	RMS	711.3	19.51	60	40.49	Pass	321
726	1000	0.1	RMS	941.1	-65.13	-13	52.13	Pass	2741
1000	3000	1	RMS	1422	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




**6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB
Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	141
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	694	0.1	RMS	690.5	-66.03	-13	53.03	Pass	6641
694	726	0.1	RMS	711.3	18.77	60	41.23	Pass	321
726	1000	0.1	RMS	838.3	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1422	-47.44	-13	34.44	Pass	2001
3000	10000	1	RMS	6798	-45.57	-13	32.57	Pass	7001



6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.91	-13	60.91	Pass	141
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	694	0.1	RMS	693.9	-63.9	-13	50.9	Pass	6641
694	726	0.1	RMS	704.6	19.95	60	40.05	Pass	321
726	1000	0.1	RMS	867.9	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1409	-50.57	-13	37.57	Pass	2001
3000	10000	1	RMS	6799	-45.6	-13	32.6	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	60.45	Pass	141
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	694	0.1	RMS	693.9	-63.95	-13	50.95	Pass	6641
694	726	0.1	RMS	704.6	19.14	60	40.86	Pass	321
726	1000	0.1	RMS	851	-65.01	-13	52.01	Pass	2741
1000	3000	1	RMS	1409	-51.27	-13	38.27	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001

