



2.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	20.21	30	9.79	Pass	101
1755	1756	0.02	RMS	1755	-20.92	-13	7.92	Pass	101
1756	1757	1	RMS	1756	-35.54	-13	22.54	Pass	2
1757	1765	1	RMS	1757	-36.87	-13	23.87	Pass	101




2.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.24	11.84	30	18.16	Pass	101
1755	1756	0.02	RMS	1755	-29.7	-13	16.7	Pass	101
1756	1757	1	RMS	1756	-24.49	-13	11.49	Pass	2
1757	1765	1	RMS	1757	-29.96	-13	16.96	Pass	101




2.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	19.14	30	10.86	Pass	101
1755	1756	0.02	RMS	1755	-21.72	-13	8.72	Pass	101
1756	1757	1	RMS	1756	-36.52	-13	23.52	Pass	2
1757	1765	1	RMS	1757	-37.43	-13	24.43	Pass	101




2.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.32	10.96	30	19.04	Pass	101
1755	1756	0.02	RMS	1755	-30.92	-13	17.92	Pass	101
1756	1757	1	RMS	1756	-25.14	-13	12.14	Pass	2
1757	1765	1	RMS	1757	-31.28	-13	18.28	Pass	101




2.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1705.12	-37.8	-13	24.8	Pass	101
1708	1709	1	RMS	1709	-27.58	-13	14.58	Pass	2
1709	1710	0.002	RMS	1709.998	-31.21	-13	18.21	Pass	501
1710	1713	0.1	RMS	1710.24	20.34	30	9.66	Pass	101




2.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.17	-13	14.17	Pass	101
1708	1709	1	RMS	1709	-24.93	-13	11.93	Pass	2
1709	1710	0.03	RMS	1710	-32.19	-13	19.19	Pass	101
1710	1713	0.1	RMS	1711.44	8.13	30	21.87	Pass	101




2.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1705.2	-38.09	-13	25.09	Pass	101
1708	1709	1	RMS	1709	-37.2	-13	24.2	Pass	2
1709	1710	0.002	RMS	1710	-31.77	-13	18.77	Pass	501
1710	1713	0.1	RMS	1710.24	19.43	30	10.57	Pass	101



2.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.88	-13	14.88	Pass	101
1708	1709	1	RMS	1709	-25.03	-13	12.03	Pass	2
1709	1710	0.03	RMS	1710	-33.63	-13	20.63	Pass	101
1710	1713	0.1	RMS	1711.23	7.1	30	22.9	Pass	101



2.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	20.37	30	9.63	Pass	101
1755	1756	0.002	RMS	1755	-30.93	-13	17.93	Pass	501
1756	1757	1	RMS	1756	-36.74	-13	23.74	Pass	2
1757	1765	1	RMS	1759.64	-37.45	-13	24.45	Pass	101




2.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.08	8.13	30	21.87	Pass	101
1755	1756	0.03	RMS	1755	-33.77	-13	20.77	Pass	101
1756	1757	1	RMS	1756	-26.11	-13	13.11	Pass	2
1757	1765	1	RMS	1757	-27.93	-13	14.93	Pass	101




2.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.76	19.36	30	10.64	Pass	101
1755	1756	0.002	RMS	1755	-32.87	-13	19.87	Pass	501
1756	1757	1	RMS	1756	-37.57	-13	24.57	Pass	2
1757	1765	1	RMS	1759.72	-39.04	-13	26.04	Pass	101




2.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.41	6.97	30	23.03	Pass	101
1755	1756	0.03	RMS	1755	-33.85	-13	20.85	Pass	101
1756	1757	1	RMS	1756	-25.84	-13	12.84	Pass	2
1757	1765	1	RMS	1757	-28.44	-13	15.44	Pass	101




2.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.07	-13	25.07	Pass	101
1708	1709	1	RMS	1709	-37.36	-13	24.36	Pass	2
1709	1710	0.05	RMS	1710	-21.05	-13	8.05	Pass	21
1710	1715	0.1	RMS	1710.35	19.98	30	10.02	Pass	101




2.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.5	-13	14.5	Pass	101
1708	1709	1	RMS	1709	-26.33	-13	13.33	Pass	2
1709	1710	0.051	RMS	1710	-31.92	-13	18.92	Pass	101
1710	1715	0.1	RMS	1714.55	5.91	30	24.09	Pass	101




2.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.58	-13	25.58	Pass	101
1708	1709	1	RMS	1709	-38.35	-13	25.35	Pass	2
1709	1710	0.051	RMS	1710	-20.02	-13	7.02	Pass	101
1710	1715	0.1	RMS	1710.35	19.25	30	10.75	Pass	101




2.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.63	-13	14.63	Pass	101
1708	1709	1	RMS	1709	-26.51	-13	13.51	Pass	2
1709	1710	0.051	RMS	1710	-32.73	-13	19.73	Pass	101
1710	1715	0.1	RMS	1713.3	4.87	30	25.13	Pass	101




2.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	20.11	30	9.89	Pass	101
1755	1756	0.051	RMS	1755	-19.32	-13	6.32	Pass	101
1756	1757	1	RMS	1756	-37.83	-13	24.83	Pass	2
1757	1765	1	RMS	1757	-38.69	-13	25.69	Pass	101




2.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.85	5.79	30	24.21	Pass	101
1755	1756	0.051	RMS	1755	-32.58	-13	19.58	Pass	101
1756	1757	1	RMS	1756	-26.79	-13	13.79	Pass	2
1757	1765	1	RMS	1757	-28.11	-13	15.11	Pass	101




2.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	19.26	30	10.74	Pass	101
1755	1756	0.05	RMS	1755	-20.96	-13	7.96	Pass	21
1756	1757	1	RMS	1756	-38.05	-13	25.05	Pass	2
1757	1765	1	RMS	1757	-39.03	-13	26.03	Pass	101




2.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1755	0.1	RMS	1750.6	4.8	30	25.2	Pass	101
1755	1756	0.051	RMS	1755	-33.2	-13	20.2	Pass	101
1756	1757	1	RMS	1756	-27.43	-13	14.43	Pass	2
1757	1765	1	RMS	1757	-28.59	-13	15.59	Pass	101




2.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.54	-13	25.54	Pass	101
1708	1709	1	RMS	1708	-38.54	-13	25.54	Pass	2
1709	1710	0.1	RMS	1710	-22.71	-13	9.71	Pass	101
1710	1720	0.1	RMS	1710.6	20.06	30	9.94	Pass	101




2.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.96	-13	15.96	Pass	101
1708	1709	1	RMS	1709	-28.2	-13	15.2	Pass	2
1709	1710	0.1	RMS	1710	-34.73	-13	21.73	Pass	101
1710	1720	0.1	RMS	1719.3	3.34	30	26.66	Pass	101




2.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.88	-13	25.88	Pass	101
1708	1709	1	RMS	1708	-38.91	-13	25.91	Pass	2
1709	1710	0.1	RMS	1710	-23.8	-13	10.8	Pass	101
1710	1720	0.1	RMS	1710.6	19.24	30	10.76	Pass	101




2.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.13	-13	16.13	Pass	101
1708	1709	1	RMS	1709	-26.61	-13	13.61	Pass	101
1709	1710	0.1	RMS	1710	-35.94	-13	22.94	Pass	101
1710	1720	0.1	RMS	1719.1	2.3	30	27.7	Pass	101




2.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.07	30	9.93	Pass	101
1755	1756	0.1	RMS	1755	-22.23	-13	9.23	Pass	101
1756	1757	1	RMS	1756	-39.07	-13	26.07	Pass	2
1757	1765	1	RMS	1757	-39.45	-13	26.45	Pass	101




2.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1745.8	3.01	30	26.99	Pass	101
1755	1756	0.1	RMS	1755	-35.79	-13	22.79	Pass	101
1756	1757	1	RMS	1756	-28.45	-13	15.45	Pass	2
1757	1765	1	RMS	1757	-29.06	-13	16.06	Pass	101




2.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	19.05	30	10.95	Pass	101
1755	1756	0.1	RMS	1755	-23.32	-13	10.32	Pass	101
1756	1757	1	RMS	1757	-39.67	-13	26.67	Pass	2
1757	1765	1	RMS	1757	-39.85	-13	26.85	Pass	101




2.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.2	2.13	30	27.87	Pass	101
1755	1756	0.1	RMS	1755	-36.59	-13	23.59	Pass	101
1756	1757	1	RMS	1756	-29.65	-13	16.65	Pass	2
1757	1765	1	RMS	1757	-30.04	-13	17.04	Pass	101




2.33 LTE Band Edge_Part22-24-27(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.26	-13	26.26	Pass	101
1708	1709	1	RMS	1709	-36.88	-13	23.88	Pass	2
1709	1710	0.15	RMS	1710	-23.68	-13	10.68	Pass	101
1710	1725	0.1	RMS	1710.8	19.53	30	10.47	Pass	151




2.34 LTE Band Edge_Part22-24-27(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.12	-28.67	-13	15.67	Pass	101
1708	1709	1	RMS	1709	-28.69	-13	15.69	Pass	2
1709	1710	0.15	RMS	1710	-35.03	-13	22.03	Pass	101
1710	1725	0.1	RMS	1723.4	1.71	30	28.29	Pass	151




2.35 LTE Band Edge_Part22-24-27(Subtest:35, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.85	-13	26.85	Pass	101
1708	1709	1	RMS	1709	-37.76	-13	24.76	Pass	2
1709	1710	0.15	RMS	1710	-24.17	-13	11.17	Pass	101
1710	1725	0.1	RMS	1710.8	18.67	30	11.33	Pass	151




2.36 LTE Band Edge_Part22-24-27(Subtest:36, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.28	-29.74	-13	16.74	Pass	101
1708	1709	1	RMS	1709	-30.1	-13	17.1	Pass	2
1709	1710	0.15	RMS	1710	-36.1	-13	23.1	Pass	101
1710	1725	0.1	RMS	1724.1	0.66	30	29.34	Pass	151




2.37 LTE Band Edge_Part22-24-27(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	19.6	30	10.4	Pass	151
1755	1756	0.15	RMS	1755	-24.22	-13	11.22	Pass	101
1756	1757	1	RMS	1756	-38.17	-13	25.17	Pass	2
1757	1765	1	RMS	1757	-40.78	-13	27.78	Pass	101




2.38 LTE Band Edge_Part22-24-27(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1740.9	1.82	30	28.18	Pass	151
1755	1756	0.15	RMS	1755.74	-34.19	-13	21.19	Pass	101
1756	1757	1	RMS	1756	-27.33	-13	14.33	Pass	2
1757	1765	1	RMS	1757.72	-28	-13	15	Pass	101




2.39 LTE Band Edge_Part22-24-27(Subtest:39, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.2	18.57	30	11.43	Pass	151
1755	1756	0.15	RMS	1755	-24.72	-13	11.72	Pass	101
1756	1757	1	RMS	1756	-38.46	-13	25.46	Pass	2
1757	1765	1	RMS	1757	-41.12	-13	28.12	Pass	101




2.40 LTE Band Edge_Part22-24-27(Subtest:40, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1740	1755	0.1	RMS	1740.9	0.71	30	29.29	Pass	151
1755	1756	0.15	RMS	1755	-36.96	-13	23.96	Pass	101
1756	1757	1	RMS	1756	-30.95	-13	17.95	Pass	2
1757	1765	1	RMS	1757.16	-31.19	-13	18.19	Pass	101




2.41 LTE Band Edge_Part22-24-27(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.25	-13	28.25	Pass	101
1708	1709	1	RMS	1709	-37.68	-13	24.68	Pass	2
1709	1710	0.2	RMS	1710	-26.73	-13	13.73	Pass	101
1710	1730	0.1	RMS	1711.1	19.82	30	10.18	Pass	201




2.42 LTE Band Edge_Part22-24-27(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-30.64	-13	17.64	Pass	101
1708	1709	1	RMS	1709	-29.73	-13	16.73	Pass	2
1709	1710	0.2	RMS	1710	-35.69	-13	22.69	Pass	101
1710	1730	0.1	RMS	1728.4	0.3	30	29.7	Pass	201




2.43 LTE Band Edge_Part22-24-27(Subtest:43, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.63	-13	28.63	Pass	101
1708	1709	1	RMS	1709	-37.16	-13	24.16	Pass	2
1709	1710	0.2	RMS	1710	-26.62	-13	13.62	Pass	101
1710	1730	0.1	RMS	1711.1	19.03	30	10.97	Pass	201




2.44 LTE Band Edge_Part22-24-27(Subtest:44, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.2	-13	18.2	Pass	101
1708	1709	1	RMS	1708.99	-30.45	-13	17.45	Pass	101
1709	1710	0.2	RMS	1710	-36.55	-13	23.55	Pass	101
1710	1730	0.1	RMS	1728.3	-0.67	30	30.67	Pass	201




2.45 LTE Band Edge_Part22-24-27(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.81	30	10.19	Pass	201
1755	1756	0.2	RMS	1755	-26.94	-13	13.94	Pass	101
1756	1757	1	RMS	1756	-38.24	-13	25.24	Pass	2
1757	1765	1	RMS	1757	-42.29	-13	29.29	Pass	101




2.46 LTE Band Edge_Part22-24-27(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1736.9	0.71	30	29.29	Pass	201
1755	1756	0.2	RMS	1755	-36.33	-13	23.33	Pass	101
1756	1757	1	RMS	1756	-30.47	-13	17.47	Pass	2
1757	1765	1	RMS	1757	-31.14	-13	18.14	Pass	101




2.47 LTE Band Edge_Part22-24-27(Subtest:47, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	18.78	30	11.22	Pass	201
1755	1756	0.2	RMS	1755	-27.18	-13	14.18	Pass	101
1756	1757	1	RMS	1756	-38.53	-13	25.53	Pass	2
1757	1765	1	RMS	1758.68	-40.64	-13	27.64	Pass	101



2.48 LTE Band Edge_Part22-24-27(Subtest:48, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1735	1755	0.1	RMS	1737.1	-0.4	30	30.4	Pass	201
1755	1756	0.2	RMS	1755	-37.75	-13	24.75	Pass	101
1756	1757	1	RMS	1756.08	-31.58	-13	18.58	Pass	101
1757	1765	1	RMS	1757.16	-32.46	-13	19.46	Pass	101



3. LTE_Band5


3.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-44.6	-13	31.6	Pass	101
823	824	0.02	RMS	824	-23.65	-13	10.65	Pass	101
824	826	0.1	RMS	824.26	20.49	30	9.51	Pass	101




3.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-39.86	-13	26.86	Pass	101
823	824	0.02	RMS	824	-31.13	-13	18.13	Pass	101
824	826	0.1	RMS	824.64	12.14	30	17.86	Pass	101




3.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.52	-45.76	-13	32.76	Pass	101
823	824	0.02	RMS	824	-24.5	-13	11.5	Pass	101
824	826	0.1	RMS	824.26	19.4	30	10.6	Pass	101




3.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40	-13	27	Pass	101
823	824	0.02	RMS	824	-31.7	-13	18.7	Pass	101
824	826	0.1	RMS	824.72	11.23	30	18.77	Pass	101




3.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	20.5	30	9.5	Pass	101
849	850	0.02	RMS	849	-21.91	-13	8.91	Pass	101
850	860	0.1	RMS	850.6	-43.55	-13	30.55	Pass	101




3.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.44	12.25	30	17.75	Pass	101
849	850	0.02	RMS	849	-29.74	-13	16.74	Pass	101
850	860	0.1	RMS	850	-36.07	-13	23.07	Pass	101




3.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	19.48	30	10.52	Pass	101
849	850	0.02	RMS	849	-24.13	-13	11.13	Pass	101
850	860	0.1	RMS	850.5	-45.24	-13	32.24	Pass	101




3.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.32	11.36	30	18.64	Pass	101
849	850	0.02	RMS	849	-31.34	-13	18.34	Pass	101
850	860	0.1	RMS	850	-36.63	-13	23.63	Pass	101




3.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-45.87	-13	32.87	Pass	101
823	824	0.002	RMS	823.998	-33.72	-13	20.72	Pass	501
824	827	0.1	RMS	824.24	20.51	30	9.49	Pass	101




3.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.62	-13	22.62	Pass	101
823	824	0.03	RMS	824	-33.38	-13	20.38	Pass	101
824	827	0.1	RMS	825.44	8.37	30	21.63	Pass	101




3.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	819.24	-47.07	-13	34.07	Pass	101
823	824	0.03	RMS	824	-23.86	-13	10.86	Pass	35
824	827	0.1	RMS	824.24	19.64	30	10.36	Pass	101




3.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.79	-13	22.79	Pass	101
823	824	0.03	RMS	824	-34.73	-13	21.73	Pass	101
824	827	0.1	RMS	825.23	7.36	30	22.64	Pass	101




3.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.53	30	9.47	Pass	101
849	850	0.002	RMS	849.01	-32	-13	19	Pass	501
850	860	0.1	RMS	850	-47.1	-13	34.1	Pass	101




3.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.08	8.49	30	21.51	Pass	101
849	850	0.03	RMS	849	-33.35	-13	20.35	Pass	101
850	860	0.1	RMS	850	-33.31	-13	20.31	Pass	101



3.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	19.5	30	10.5	Pass	101
849	850	0.002	RMS	849.002	-33.54	-13	20.54	Pass	501
850	860	0.1	RMS	850	-47.17	-13	34.17	Pass	101



3.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	846.93	7.3	30	22.7	Pass	101
849	850	0.03	RMS	849	-34.08	-13	21.08	Pass	101
850	860	0.1	RMS	850	-33.94	-13	20.94	Pass	101



3.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.72	-47.3	-13	34.3	Pass	101
823	824	0.051	RMS	824	-20.67	-13	7.67	Pass	101
824	829	0.1	RMS	824.35	20.16	30	9.84	Pass	101

