


5.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	20.28	30	9.72	Pass	101
716.015	716.1	0.03	RMS	716.015	-19.35	-13	6.35	Pass	4
716.1	725	0.1	RMS	716.1	-21	-13	8	Pass	101




5.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	714.08	8.02	30	21.98	Pass	101
716	716.1	0.03	RMS	716	-32.08	-13	19.08	Pass	101
716.1	725	0.1	RMS	716.1	-28.14	-13	15.14	Pass	101



5.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.18	30	10.82	Pass	101
716.015	716.1	0.03	RMS	716.015	-22.79	-13	9.79	Pass	101
716.1	725	0.1	RMS	716.1	-23.51	-13	10.51	Pass	101




5.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.93	6.87	30	23.13	Pass	101
716	716.1	0.03	RMS	716	-33.17	-13	20.17	Pass	101
716.1	725	0.1	RMS	716.1	-29.46	-13	16.46	Pass	101




5.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-15.49	-13	2.49	Pass*	101
698.9	699	0.03	RMS	699	-16.74	-13	3.74	Pass*	101
699	704	0.1	RMS	699.35	19.86	30	10.14	Pass	101




5.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.17	-13	14.17	Pass	101
698.9	699	0.03	RMS	699	-29.28	-13	16.28	Pass	101
699	704	0.1	RMS	700.7	5.7	30	24.3	Pass	101




5.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-15.81	-13	2.81	Pass*	101
698.9	699	0.03	RMS	699	-17.1	-13	4.1	Pass*	101
699	704	0.1	RMS	699.35	19.13	30	10.87	Pass	101




5.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.21	-13	15.21	Pass	101
698.9	699	0.03	RMS	699	-30.04	-13	17.04	Pass	101
699	704	0.1	RMS	700.7	4.76	30	25.24	Pass	101



5.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20	30	10	Pass	101
716	716.1	0.03	RMS	716	-16.66	-13	3.66	Pass*	101
716.1	725	0.1	RMS	716.1	-15.42	-13	2.42	Pass*	101




5.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	5.78	30	24.22	Pass	101
716	716.1	0.03	RMS	716.001	-29.47	-13	16.47	Pass	101
716.1	725	0.1	RMS	716.1	-26.8	-13	13.8	Pass	101




5.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.08	30	10.92	Pass	101
716	716.1	0.03	RMS	716	-16.47	-13	3.47	Pass*	101
716.1	725	0.1	RMS	716.1	-15.29	-13	2.29	Pass*	101




5.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	713.5	4.79	30	25.21	Pass	101
716	716.1	0.03	RMS	716	-29.99	-13	16.99	Pass	101
716.1	725	0.1	RMS	716.1	-27.28	-13	14.28	Pass	101




5.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.01	-13	7.01	Pass	101
698.9	699	0.03	RMS	699	-22.72	-13	9.72	Pass	101
699	709	0.1	RMS	699.6	19.94	30	10.06	Pass	101




5.26 LTE Band Edge_Part22-24-27(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.91	-13	18.91	Pass	101
698.9	699	0.03	RMS	699	-35.76	-13	22.76	Pass	101
699	709	0.1	RMS	700.9	2.92	30	27.08	Pass	101




5.27 LTE Band Edge_Part22-24-27(Subtest:27, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.91	-13	7.91	Pass	101
698.9	699	0.03	RMS	699	-23.6	-13	10.6	Pass	101
699	709	0.1	RMS	699.6	19.15	30	10.85	Pass	101




5.28 LTE Band Edge_Part22-24-27(Subtest:28, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.8	-13	19.8	Pass	101
698.9	699	0.03	RMS	698.993	-36.41	-13	23.41	Pass	101
699	709	0.1	RMS	700.4	1.86	30	28.14	Pass	101




5.29 LTE Band Edge_Part22-24-27(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.95	30	10.05	Pass	101
716	716.1	0.03	RMS	716	-22.14	-13	9.14	Pass	101
716.1	725	0.1	RMS	716.1	-19.45	-13	6.45	Pass	101




5.30 LTE Band Edge_Part22-24-27(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	706.7	2.78	30	27.22	Pass	101
716	716.1	0.03	RMS	716.007	-35.78	-13	22.78	Pass	101
716.1	725	0.1	RMS	716.1	-31.91	-13	18.91	Pass	101




5.31 LTE Band Edge_Part22-24-27(Subtest:31, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	18.91	30	11.09	Pass	101
716	716.1	0.03	RMS	716	-23.41	-13	10.41	Pass	101
716.1	725	0.1	RMS	716.1	-20.67	-13	7.67	Pass	101



5.32 LTE Band Edge_Part22-24-27(Subtest:32, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	1.99	30	28.01	Pass	101
716	716.1	0.03	RMS	716.001	-36.76	-13	23.76	Pass	101
716.1	725	0.1	RMS	716.1	-32.86	-13	19.86	Pass	101



6. LTE_Band17


6.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-15.35	-13	2.35	Pass*	139
703.9	704	0.03	RMS	704	-16.67	-13	3.67	Pass*	101
704	709	0.1	RMS	704.35	19.91	30	10.09	Pass	101




6.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.83	-13	13.83	Pass	139
703.9	704	0.03	RMS	704	-28.96	-13	15.96	Pass	101
704	709	0.1	RMS	705.65	5.8	30	24.2	Pass	101




6.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-15.69	-13	2.69	Pass*	139
703.9	704	0.03	RMS	704	-16.99	-13	3.99	Pass*	101
704	709	0.1	RMS	704.35	19.19	30	10.81	Pass	101




6.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.69	-13	14.69	Pass	139
703.9	704	0.03	RMS	704	-29.62	-13	16.62	Pass	101
704	709	0.1	RMS	705.7	4.86	30	25.14	Pass	101



6.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.08	30	9.92	Pass	101
716	716.1	0.03	RMS	716	-16.55	-13	3.55	Pass*	101
716.1	725	0.1	RMS	716.1	-15.41	-13	2.41	Pass*	101




6.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	5.79	30	24.21	Pass	101
716	716.1	0.03	RMS	716	-29.44	-13	16.44	Pass	101
716.1	725	0.1	RMS	716.1	-26.93	-13	13.93	Pass	101



6.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	19.14	30	10.86	Pass	101
716	716.1	0.03	RMS	716	-16.35	-13	3.35	Pass*	101
716.1	725	0.1	RMS	716.1	-15.17	-13	2.17	Pass*	101




6.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.6	4.86	30	25.14	Pass	101
716	716.1	0.03	RMS	716	-30.34	-13	17.34	Pass	101
716.1	725	0.1	RMS	716.1	-27.66	-13	14.66	Pass	101




6.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-19.93	-13	6.93	Pass	139
703.9	704	0.03	RMS	704	-22.65	-13	9.65	Pass	101
704	714	0.1	RMS	704.6	19.97	30	10.03	Pass	101




6.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.88	-13	18.88	Pass	139
703.9	704	0.03	RMS	704	-35.63	-13	22.63	Pass	101
704	714	0.1	RMS	705.9	3.06	30	26.94	Pass	101




6.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.8	-13	7.8	Pass	139
703.9	704	0.03	RMS	704	-23.51	-13	10.51	Pass	101
704	714	0.1	RMS	704.6	19.16	30	10.84	Pass	101




6.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.81	-13	19.81	Pass	139
703.9	704	0.03	RMS	704	-36.67	-13	23.67	Pass	101
704	714	0.1	RMS	705.4	2.01	30	27.99	Pass	101




6.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20	30	10	Pass	101
716	716.1	0.03	RMS	716	-22.14	-13	9.14	Pass	101
716.1	725	0.1	RMS	716.1	-19.42	-13	6.42	Pass	101




6.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	706.8	2.83	30	27.17	Pass	101
716	716.1	0.03	RMS	716	-36.32	-13	23.32	Pass	101
716.1	725	0.1	RMS	716.1	-32.24	-13	19.24	Pass	101




6.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	18.93	30	11.07	Pass	101
716	716.1	0.03	RMS	716	-23.4	-13	10.4	Pass	101
716.1	725	0.1	RMS	716.1	-20.72	-13	7.72	Pass	101



6.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.2	2.01	30	27.99	Pass	101
716	716.1	0.03	RMS	716	-36.79	-13	23.79	Pass	101
716.1	725	0.1	RMS	716.1	-32.78	-13	19.78	Pass	101



7. LTE_Band25


7.1 LTE Band Edge_Part22-24-27(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.78	-13	23.78	Pass	101
1848	1849	1	RMS	1849	-36.07	-13	23.07	Pass	2
1849	1850	0.02	RMS	1850	-22.05	-13	9.05	Pass	101
1850	1852	0.1	RMS	1850.26	20.2	30	9.8	Pass	101




7.2 LTE Band Edge_Part22-24-27(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.02	-13	17.02	Pass	101
1848	1849	1	RMS	1849	-23.78	-13	10.78	Pass	2
1849	1850	0.02	RMS	1850	-28.45	-13	15.45	Pass	101
1850	1852	0.1	RMS	1850.64	11.84	30	18.16	Pass	101




7.3 LTE Band Edge_Part22-24-27(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.73	-13	19.73	Pass	101
1848	1849	1	RMS	1849	-32.05	-13	19.05	Pass	2
1849	1850	0.02	RMS	1850	-23.5	-13	10.5	Pass	101
1850	1852	0.1	RMS	1850.26	19.09	30	10.91	Pass	101




7.4 LTE Band Edge_Part22-24-27(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.38	-13	18.38	Pass	101
1848	1849	1	RMS	1849	-24.98	-13	11.98	Pass	2
1849	1850	0.02	RMS	1850	-29.79	-13	16.79	Pass	101
1850	1852	0.1	RMS	1850.72	10.92	30	19.08	Pass	101




7.5 LTE Band Edge_Part22-24-27(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74	20.25	30	9.75	Pass	101
1915	1916	0.02	RMS	1915	-18.55	-13	5.55	Pass*	101
1916	1917	1	RMS	1916	-36.1	-13	23.1	Pass	2
1917	1925	1	RMS	1917	-40.11	-13	27.11	Pass	101




7.6 LTE Band Edge_Part22-24-27(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.28	11.94	30	18.06	Pass	101
1915	1916	0.02	RMS	1915	-26.66	-13	13.66	Pass	101
1916	1917	1	RMS	1916	-21.7	-13	8.7	Pass	2
1917	1925	1	RMS	1917	-33.77	-13	20.77	Pass	101




7.7 LTE Band Edge_Part22-24-27(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74	19.19	30	10.81	Pass	101
1915	1916	0.02	RMS	1915	-21.86	-13	8.86	Pass	101
1916	1917	1	RMS	1916	-37.36	-13	24.36	Pass	2
1917	1925	1	RMS	1917	-40.69	-13	27.69	Pass	101




7.8 LTE Band Edge_Part22-24-27(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.16	11.07	30	18.93	Pass	101
1915	1916	0.02	RMS	1915.02	-28.58	-13	15.58	Pass	101
1916	1917	1	RMS	1916	-23.67	-13	10.67	Pass	2
1917	1925	1	RMS	1917	-34.76	-13	21.76	Pass	101




7.9 LTE Band Edge_Part22-24-27(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-38.73	-13	25.73	Pass	101
1848	1849	1	RMS	1849	-37.25	-13	24.25	Pass	2
1849	1850	0.03	RMS	1850	-20.82	-13	7.82	Pass	101
1850	1853	0.1	RMS	1850.24	20.26	30	9.74	Pass	101




7.10 LTE Band Edge_Part22-24-27(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.94	-13	11.94	Pass	101
1848	1849	1	RMS	1849	-21.14	-13	8.14	Pass	2
1849	1850	0.03	RMS	1850	-30.7	-13	17.7	Pass	101
1850	1853	0.1	RMS	1851.8	8.08	30	21.92	Pass	101




7.11 LTE Band Edge_Part22-24-27(Subtest:11, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.84	-39.12	-13	26.12	Pass	101
1848	1849	1	RMS	1849	-38	-13	25	Pass	2
1849	1850	0.03	RMS	1850	-21.7	-13	8.7	Pass	101
1850	1853	0.1	RMS	1850.24	19.35	30	10.65	Pass	101




7.12 LTE Band Edge_Part22-24-27(Subtest:12, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-26.12	-13	13.12	Pass	101
1848	1849	1	RMS	1849	-21.97	-13	8.97	Pass	2
1849	1850	0.03	RMS	1850	-32.31	-13	19.31	Pass	101
1850	1853	0.1	RMS	1851.23	7.02	30	22.98	Pass	101




7.13 LTE Band Edge_Part22-24-27(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.33	30	9.67	Pass	101
1915	1916	0.03	RMS	1915	-16.87	-13	3.87	Pass*	101
1916	1917	1	RMS	1916	-36.56	-13	23.56	Pass	2
1917	1925	1	RMS	1917	-41.05	-13	28.05	Pass	101




7.14 LTE Band Edge_Part22-24-27(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.05	8.25	30	21.75	Pass	101
1915	1916	0.03	RMS	1915	-29.55	-13	16.55	Pass	101
1916	1917	1	RMS	1916	-19.86	-13	6.86	Pass	2
1917	1925	1	RMS	1917	-25.4	-13	12.4	Pass	101




7.15 LTE Band Edge_Part22-24-27(Subtest:15, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.26	30	10.74	Pass	101
1915	1916	0.03	RMS	1915	-20.26	-13	7.26	Pass	35
1916	1917	1	RMS	1916	-38.16	-13	25.16	Pass	2
1917	1925	1	RMS	1917	-41.71	-13	28.71	Pass	101




7.16 LTE Band Edge_Part22-24-27(Subtest:16, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.11	7.07	30	22.93	Pass	101
1915	1916	0.03	RMS	1915	-30.72	-13	17.72	Pass	101
1916	1917	1	RMS	1916	-20.56	-13	7.56	Pass	2
1917	1925	1	RMS	1917	-26.92	-13	13.92	Pass	101




7.17 LTE Band Edge_Part22-24-27(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.02	-13	25.02	Pass	101
1848	1849	1	RMS	1849	-35.8	-13	22.8	Pass	2
1849	1850	0.051	RMS	1850	-14.28	-13	1.28	Pass*	101
1850	1855	0.1	RMS	1850.35	19.9	30	10.1	Pass	101




7.18 LTE Band Edge_Part22-24-27(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-23.82	-13	10.82	Pass	101
1848	1849	1	RMS	1849	-22.26	-13	9.26	Pass	2
1849	1850	0.051	RMS	1850	-26.49	-13	13.49	Pass	101
1850	1855	0.1	RMS	1854.55	5.81	30	24.19	Pass	101




7.19 LTE Band Edge_Part22-24-27(Subtest:19, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.48	-13	25.48	Pass	101
1848	1849	1	RMS	1849	-36.35	-13	23.35	Pass	2
1849	1850	0.051	RMS	1850	-14.64	-13	1.64	Pass*	101
1850	1855	0.1	RMS	1850.35	19.15	30	10.85	Pass	101




7.20 LTE Band Edge_Part22-24-27(Subtest:20, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-24.77	-13	11.77	Pass	101
1848	1849	1	RMS	1849	-23.16	-13	10.16	Pass	2
1849	1850	0.051	RMS	1850	-27.34	-13	14.34	Pass	101
1850	1855	0.1	RMS	1853.3	4.82	30	25.18	Pass	101




7.21 LTE Band Edge_Part22-24-27(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	20.09	30	9.91	Pass	101
1915	1916	0.051	RMS	1915	-14.25	-13	1.25	Pass*	101
1916	1917	1	RMS	1916	-34.78	-13	21.78	Pass	2
1917	1925	1	RMS	1917	-41.24	-13	28.24	Pass	101




7.22 LTE Band Edge_Part22-24-27(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.85	5.87	30	24.13	Pass	101
1915	1916	0.051	RMS	1915	-26.6	-13	13.6	Pass	101
1916	1917	1	RMS	1916	-20.84	-13	7.84	Pass	2
1917	1925	1	RMS	1917	-24.2	-13	11.2	Pass	101




7.23 LTE Band Edge_Part22-24-27(Subtest:23, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	19.16	30	10.84	Pass	101
1915	1916	0.051	RMS	1915	-14.11	-13	1.11	Pass*	101
1916	1917	1	RMS	1916	-34.77	-13	21.77	Pass	2
1917	1925	1	RMS	1917	-41.45	-13	28.45	Pass	101



7.24 LTE Band Edge_Part22-24-27(Subtest:24, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.5	4.86	30	25.14	Pass	101
1915	1916	0.051	RMS	1915	-27.5	-13	14.5	Pass	101
1916	1917	1	RMS	1916	-21.83	-13	8.83	Pass	2
1917	1925	1	RMS	1917	-25.14	-13	12.14	Pass	101



7.25 LTE Band Edge_Part22-24-27(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.23	-13	25.23	Pass	101
1848	1849	1	RMS	1849	-31.03	-13	18.03	Pass	2
1849	1850	0.1	RMS	1850	-17.29	-13	4.29	Pass*	101
1850	1860	0.1	RMS	1850.6	19.98	30	10.02	Pass	101

