14.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-32.12	-13	19.12	Pass	401
823	824	0.051	RMS	823.993	-30.62	-13	17.62	Pass	401
824	829	0.1	RMS	825.675	6.2	30	23.8	Pass	401



14.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820	-49.05	-13	36.05	Pass	401
823	824	0.051	RMS	824	-20.85	-13	7.85	Pass	401
824	829	0.1	RMS	824.338	19.6	30	10.4	Pass	401



14.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.77	-13	19.77	Pass	401
823	824	0.051	RMS	824	-31.55	-13	18.55	Pass	401
824	829	0.1	RMS	825.688	5.21	30	24.79	Pass	401



14.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.61	30	9.39	Pass	401
849	850	0.051	RMS	849	-20.53	-13	7.53	Pass	401
850	860	0.1	RMS	850	-49.7	-13	36.7	Pass	401



14.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.438	6.67	30	23.33	Pass	401
849	850	0.051	RMS	849	-28.04	-13	15.04	Pass	401
850	860	0.1	RMS	850.025	-29.54	-13	16.54	Pass	401



14.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.76	30	10.24	Pass	401
849	850	0.051	RMS	849	-20.41	-13	7.41	Pass	401
850	860	0.1	RMS	850	-49.69	-13	36.69	Pass	401



14.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.475	5.78	30	24.22	Pass	401
849	850	0.051	RMS	849	-29.15	-13	16.15	Pass	401
850	860	0.1	RMS	850	-30.04	-13	17.04	Pass	401



14.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-45.23	-13	32.23	Pass	401
823	824	0.1	RMS	823.998	-23.36	-13	10.36	Pass	401
824	834	0.1	RMS	824.575	20.62	30	9.38	Pass	401



14.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.65	-13	21.65	Pass	401
823	824	0.1	RMS	824	-32.28	-13	19.28	Pass	401
824	834	0.1	RMS	825.925	3.53	30	26.47	Pass	401



14.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.8	-46.01	-13	33.01	Pass	401
823	824	0.1	RMS	823.995	-24.15	-13	11.15	Pass	401
824	834	0.1	RMS	824.6	19.75	30	10.25	Pass	401



14.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-35.4	-13	22.4	Pass	401
823	824	0.1	RMS	824	-33.51	-13	20.51	Pass	401
824	834	0.1	RMS	825.725	2.41	30	27.59	Pass	401



14.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.67	30	9.33	Pass	401
849	850	0.1	RMS	849.003	-22.86	-13	9.86	Pass	401
850	860	0.1	RMS	850.025	-50.72	-13	37.72	Pass	401



14.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	839.775	4.22	30	25.78	Pass	401
849	850	0.1	RMS	849.008	-30.64	-13	17.64	Pass	401
850	860	0.1	RMS	850	-32.44	-13	19.44	Pass	401



14.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	19.69	30	10.31	Pass	401
849	850	0.1	RMS	849.003	-23.67	-13	10.67	Pass	401
850	860	0.1	RMS	850.025	-50.59	-13	37.59	Pass	401



14.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.2	3.36	30	26.64	Pass	401
849	850	0.1	RMS	849.005	-31.3	-13	18.3	Pass	401
850	860	0.1	RMS	850	-33.12	-13	20.12	Pass	401



14.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	818.16	-49.87	-13	36.87	Pass	401
823	824	0.15	RMS	824	-24.2	-13	11.2	Pass	401
824	839	0.1	RMS	824.825	20.4	30	9.6	Pass	401



14.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-35.24	-13	22.24	Pass	401
823	824	0.15	RMS	823.715	-32.25	-13	19.25	Pass	401
824	839	0.1	RMS	826.738	1.73	30	28.27	Pass	401



14.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.6	-13	37.6	Pass	401
823	824	0.15	RMS	824	-24.34	-13	11.34	Pass	401
824	839	0.1	RMS	824.825	19.54	30	10.46	Pass	401



14.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-36.27	-13	23.27	Pass	401
823	824	0.15	RMS	823.695	-33.78	-13	20.78	Pass	401
824	839	0.1	RMS	826.025	0.8	30	29.2	Pass	401



14.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.56	30	9.44	Pass	401
849	850	0.15	RMS	849.003	-24.39	-13	11.39	Pass	401
850	860	0.1	RMS	850.05	-52.56	-13	39.56	Pass	401



14.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.4	2.21	30	27.79	Pass	401
849	850	0.15	RMS	849.295	-31.85	-13	18.85	Pass	401
850	860	0.1	RMS	850.025	-35.01	-13	22.01	Pass	401



14.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.55	30	10.45	Pass	401
849	850	0.15	RMS	849	-24.54	-13	11.54	Pass	401
850	860	0.1	RMS	850.175	-45.91	-13	32.91	Pass	401



14.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.588	1.22	30	28.78	Pass	401
849	850	0.15	RMS	849.513	-32.69	-13	19.69	Pass	401
850	860	0.1	RMS	850.05	-35.41	-13	22.41	Pass	401



15. LTE_Band26(part90)

15.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-23.09	-13	10.09	Pass	401
813.9625	814	0.002	RMS	813.999	-30.3	-20	10.3	Pass	401
814	819	0.1	RMS	814.25	20.68	30	9.32	Pass	401



15.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.14	-13	9.14	Pass	401
813.9625	814	0.02	RMS	813.999	-28.42	-20	8.42	Pass	401
814	819	0.1	RMS	814.625	12.23	30	17.77	Pass	401



15.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.84	-13	4.84	Pass	401
813.9625	814	0.002	RMS	813.994	-32.1	-20	12.1	Pass	401
814	819	0.1	RMS	814.263	19.62	30	10.38	Pass	401



15.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.7	-13	9.7	Pass	401
813.9625	814	0.02	RMS	814	-29.09	-20	9.09	Pass	401
814	819	0.1	RMS	814.75	11.37	30	18.63	Pass	401



15.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.61	30	9.39	Pass	401
824	824.0375	0.002	RMS	824.003	-29.81	-20	9.81	Pass	401
824.0875	829	0.1	RMS	824.088	-23.13	-13	10.13	Pass	401



15.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.425	12.27	30	17.73	Pass	401
824	824.0375	0.02	RMS	824	-28.79	-20	8.79	Pass	401
824.0375	829	0.1	RMS	824.038	-22.5	-13	9.5	Pass	401



15.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.65	30	10.35	Pass	401
824	824.0375	0.002	RMS	824.002	-33.64	-20	13.64	Pass	401
824.0875	829	0.1	RMS	824.088	-25.07	-13	12.07	Pass	401



15.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.313	11.45	30	18.55	Pass	401
824	824.0375	0.02	RMS	824.001	-30.19	-20	10.19	Pass	401
824.0375	829	0.1	RMS	824.038	-23.73	-13	10.73	Pass	401



15.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.49	-13	4.49	Pass	401
813.9625	814	0.002	RMS	813.986	-32.21	-20	12.21	Pass	401
814	819	0.1	RMS	814.238	20.74	30	9.26	Pass	401



15.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.76	-13	12.76	Pass	401
813.9625	814	0.03	RMS	814	-30.39	-20	10.39	Pass	401
814	819	0.1	RMS	815.45	8.55	30	21.45	Pass	401



15.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.2	-13	5.2	Pass	401
813.9625	814	0.002	RMS	814	-32.12	-20	12.12	Pass	401
814	819	0.1	RMS	814.238	19.89	30	10.11	Pass	401



15.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.1	-13	14.1	Pass	401
813.9625	814	0.03	RMS	813.999	-31.81	-20	11.81	Pass	401
814	819	0.1	RMS	815.213	7.56	30	22.44	Pass	401



15.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.72	30	9.28	Pass	401
824	824.0375	0.002	RMS	824.01	-31.52	-20	11.52	Pass	401
824.0875	829	0.1	RMS	824.088	-22.68	-13	9.68	Pass	401



15.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.063	8.5	30	21.5	Pass	401
824	824.0375	0.03	RMS	824	-30.56	-20	10.56	Pass	401
824.0375	829	0.1	RMS	824.038	-25.88	-13	12.88	Pass	401



15.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.71	30	10.29	Pass	401
824	824.0375	0.002	RMS	824.003	-33.16	-20	13.16	Pass	401
824.0375	829	0.1	RMS	824.038	-20.96	-13	7.96	Pass	51



15.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.6	7.39	30	22.61	Pass	401
824	824.0375	0.03	RMS	824	-31.77	-20	11.77	Pass	401
824.0375	829	0.1	RMS	824.038	-27.16	-13	14.16	Pass	401



15.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.71	-13	6.71	Pass	401
813.9625	814	0.002	RMS	813.99	-33.8	-20	13.8	Pass	401
814	819	0.1	RMS	814.35	20.42	30	9.58	Pass	401



15.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.56	-13	15.56	Pass	401
813.9625	814	0.051	RMS	814	-30.44	-20	10.44	Pass	401
814	819	0.1	RMS	815.688	6.15	30	23.85	Pass	401



15.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.9	-13	6.9	Pass	401
813.9625	814	0.002	RMS	813.998	-34.12	-20	14.12	Pass	401
814	819	0.1	RMS	814.338	19.66	30	10.34	Pass	401



15.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.59	-13	16.59	Pass	401
813.9625	814	0.051	RMS	814	-31.52	-20	11.52	Pass	401
814	819	0.1	RMS	817.325	5.25	30	24.75	Pass	401



15.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	20.55	30	9.45	Pass	401
824	824.0375	0.002	RMS	824.003	-33.13	-20	13.13	Pass	401
824.0375	829	0.1	RMS	824.038	-19.51	-13	6.51	Pass	401



15.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.875	6.19	30	23.81	Pass	401
824	824.0375	0.051	RMS	824	-29.96	-20	9.96	Pass	401
824.0375	829	0.1	RMS	824.038	-28.01	-13	15.01	Pass	401



15.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	19.69	30	10.31	Pass	401
824	824.0375	0.002	RMS	824.011	-32.95	-20	12.95	Pass	401
824.0375	829	0.1	RMS	824.038	-19.51	-13	6.51	Pass	401



15.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.288	5.22	30	24.78	Pass	401
824	824.0375	0.051	RMS	824	-31.16	-20	11.16	Pass	401
824.0375	829	0.1	RMS	824.038	-29.11	-13	16.11	Pass	401



15.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.06	-13	12.06	Pass	401
813.9625	814	0.02	RMS	813.994	-30.6	-20	10.6	Pass	401
814	819	0.1	RMS	814.588	20.67	30	9.33	Pass	401



15.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.17	-13	20.17	Pass	401
813.9625	814	0.1	RMS	814	-32.75	-20	12.75	Pass	401
814	819	0.1	RMS	815.938	3.36	30	26.64	Pass	401



15.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.74	-13	12.74	Pass	401
813.9625	814	0.02	RMS	813.999	-31.39	-20	11.39	Pass	401
814	819	0.1	RMS	814.6	19.89	30	10.11	Pass	401



15.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.23	-13	21.23	Pass	401
813.9625	814	0.1	RMS	813.999	-33.76	-20	13.76	Pass	401
814	819	0.1	RMS	815.725	2.24	30	27.76	Pass	401



15.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	20.58	30	9.42	Pass	401
824	824.0375	0.02	RMS	824	-29.74	-20	9.74	Pass	401
824.0375	829	0.1	RMS	824.038	-24.53	-13	11.53	Pass	401



15.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.988	3.14	30	26.86	Pass	401
824	824.0375	0.1	RMS	824	-32.05	-20	12.05	Pass	401
824.0375	829	0.1	RMS	824.038	-32.29	-13	19.29	Pass	401



15.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19.76	30	10.24	Pass	401
824	824.0375	0.02	RMS	824	-29.85	-20	9.85	Pass	401
824.0375	829	0.1	RMS	824.038	-24.33	-13	11.33	Pass	401



15.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.6	2.17	30	27.83	Pass	401
824	824.0375	0.1	RMS	824	-32.97	-20	12.97	Pass	401
824.0375	829	0.1	RMS	824.05	-33.27	-13	20.27	Pass	401



16.. LTE_Band38

16..1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-41.45	-25	16.45	Pass	401
2564	2565	1	RMS	2564.978	-37.04	-13	24.04	Pass	401
2565	2569	1	RMS	2569	-26.42	-10	16.42	Pass	5
2569	2570	0.051	RMS	2570	-17.85	-10	7.85	Pass	401
2570	2575	0.1	RMS	2570.338	21.83	30	8.17	Pass	401



16.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-38.64	-25	13.64	Pass	20
2564	2565	1	RMS	2565	-35.34	-13	22.34	Pass	2
2565	2569	1	RMS	2569	-22.6	-10	12.6	Pass	5
2569	2570	0.1	RMS	2569.993	-26.72	-10	16.72	Pass	401
2570	2575	0.1	RMS	2572.513	7.16	30	22.84	Pass	401



16.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-41.31	-25	16.31	Pass	401
2564	2565	1	RMS	2565	-37.02	-13	24.02	Pass	401
2565	2569	1	RMS	2569	-26.87	-10	16.87	Pass	5
2569	2570	0.051	RMS	2569.998	-17.79	-10	7.79	Pass	401
2570	2575	0.1	RMS	2570.338	20.82	30	9.18	Pass	401



16.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-39.86	-25	14.86	Pass	20
2564	2565	1	RMS	2565	-36.55	-13	23.55	Pass	2
2565	2569	1	RMS	2569	-22.84	-10	12.84	Pass	5
2569	2570	0.1	RMS	2570	-25.86	-10	15.86	Pass	401
2570	2575	0.1	RMS	2574	5.79	30	24.21	Pass	401



16.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	21.46	30	8.54	Pass	401
2620	2621	0.051	RMS	2620	-19.17	-10	9.17	Pass	401
2621	2625	1	RMS	2621	-28.42	-10	18.42	Pass	5
2625	2626	1	RMS	2625	-40.36	-13	27.36	Pass	401
2626	2645	1	RMS	2628.233	-40.27	-25	15.27	Pass	401