

Spurious Emission at Antenna Terminals

GSM and WCDMA Mode Test Verdict

Test Band	Test Channel	Verdict
GSM 850	LCH	Pass
	MCH	Pass
	HCH	Pass
GSM 1900	LCH	Pass
	MCH	Pass
	HCH	Pass
GPRS 850	LCH	Pass
	MCH	Pass
	HCH	Pass
GPRS 1900	LCH	Pass
	MCH	Pass
	HCH	Pass
EGPRS 850	LCH	Pass
	MCH	Pass
	HCH	Pass
EGPRS 1900	LCH	Pass
	MCH	Pass
	HCH	Pass
WCDMA Band 2	LCH	Pass
	MCH	Pass
	HCH	Pass
WCDMA Band 4	LCH	Pass
	MCH	Pass
	HCH	Pass
WCDMA Band 5	LCH	Pass
	MCH	Pass
	HCH	Pass

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 2	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 4	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 5	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 7	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 12	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 17	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 25	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 22)	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
LTE Band 26(Part 90)	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 38	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 41(120M)	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 66	1.4 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	3 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass

1. GSM_GSM850


1.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.42	-13	44.42	Pass	401
0.15	30	0.01	Peak	0.26	-59.25	-13	46.25	Pass	2986
30	500	0.1	Peak	471	-50.28	-13	37.28	Pass	4701
500	1000	0.1	Peak	824.1	27.91	-13	-40.91	Pass	5001
1000	10000	1	Peak	9707	-23.31	-13	10.31	Pass	9002




1.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-57.74	-13	44.74	Pass	401
0.15	30	0.01	Peak	0.22	-59.63	-13	46.63	Pass	2986
30	500	0.1	Peak	492.7	-49.97	-13	36.97	Pass	4701
500	1000	0.1	Peak	836.5	28.27	-13	-41.27	Pass	5001
1000	10000	1	Peak	9917	-23.99	-13	10.99	Pass	9002



1.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.4	-13	44.4	Pass	401
0.15	30	0.01	Peak	0.15	-60.13	-13	47.13	Pass	2986
30	500	0.1	Peak	423	-50.34	-13	37.34	Pass	4701
500	1000	0.1	Peak	848.7	26.96	-13	-39.96	Pass	5001
1000	10000	1	Peak	9957	-24.06	-13	11.06	Pass	9002



2. GSM_PCS


2.1 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.83	-13	45.83	Pass	401
0.15	30	0.01	Peak	0.15	-66.53	-13	53.53	Pass	2986
30	1000	0.1	Peak	845.5	-55.02	-13	42.02	Pass	9701
1000	3000	1	Peak	1850	26.28	-13	-39.28	Pass	2001
3000	20000	1	Peak	19311	-47.57	-13	34.57	Pass	17003




2.2 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.5	-13	45.5	Pass	401
0.15	30	0.01	Peak	0.47	-66.2	-13	53.2	Pass	2986
30	1000	0.1	Peak	916.244	-53.22	-13	40.22	Pass	9701
1000	3000	1	Peak	1880	26.35	-13	-39.35	Pass	2001
3000	20000	1	Peak	3760	-47.4	-13	34.4	Pass	17003



2.3 GSM Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.8	-13	45.8	Pass	401
0.15	30	0.01	Peak	0.18	-66.3	-13	53.3	Pass	2986
30	1000	0.1	Peak	966.778	-54.34	-13	41.34	Pass	9701
1000	3000	1	Peak	1910	25.33	-13	-38.33	Pass	2001
3000	20000	1	Peak	19212	-47.07	-13	34.07	Pass	17003



1. GPRS_GSM850


1.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.01	-13	44.01	Pass	401
0.15	30	0.01	Peak	0.21	-59.43	-13	46.43	Pass	2986
30	500	0.1	Peak	438	-50.14	-13	37.14	Pass	4701
500	1000	0.1	Peak	824.2	27.87	-13	-40.87	Pass	5001
1000	10000	1	Peak	9581	-23.71	-13	10.71	Pass	9002




1.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.05	-13	44.05	Pass	401
0.15	30	0.01	Peak	0.4	-59.61	-13	46.61	Pass	2986
30	500	0.1	Peak	430.2	-50.26	-13	37.26	Pass	4701
500	1000	0.1	Peak	836.6	28.01	-13	-41.01	Pass	5001
1000	10000	1	Peak	9626	-24.01	-13	11.01	Pass	9002



1.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-57.04	-13	44.04	Pass	401
0.15	30	0.01	Peak	0.28	-60.16	-13	47.16	Pass	2986
30	500	0.1	Peak	475.3	-50.01	-13	37.01	Pass	4701
500	1000	0.1	Peak	848.8	28.12	-13	-41.12	Pass	5001
1000	10000	1	Peak	9792	-23.73	-13	10.73	Pass	9002



2. GPRS_PCS


2.1 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.31	-13	45.31	Pass	401
0.15	30	0.01	Peak	0.17	-65.7	-13	52.7	Pass	2986
30	1000	0.1	Peak	711.6	-55.08	-13	42.08	Pass	9701
1000	3000	1	Peak	1850	26.36	-13	-39.36	Pass	2001
3000	20000	1	Peak	3701	-46.64	-13	33.64	Pass	17003




2.2 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.05	-13	46.05	Pass	401
0.15	30	0.01	Peak	0.15	-66.25	-13	53.25	Pass	2986
30	1000	0.1	Peak	971.681	-54.8	-13	41.8	Pass	9701
1000	3000	1	Peak	1880	24.14	-13	-37.14	Pass	2001
3000	20000	1	Peak	3760	-46.69	-13	33.69	Pass	17003



2.3 GPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-58.77	-13	45.77	Pass	401
0.15	30	0.01	Peak	0.29	-66.15	-13	53.15	Pass	2986
30	1000	0.1	Peak	982.088	-54.71	-13	41.71	Pass	9701
1000	3000	1	Peak	1910	25.44	-13	-38.44	Pass	2001
3000	20000	1	Peak	3820	-47.05	-13	34.05	Pass	17003



1. EGPRS_GSM850


1.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.56	-13	41.56	Pass	401
0.15	30	0.01	Peak	0.17	-60.35	-13	47.35	Pass	2986
30	500	0.1	Peak	455.6	-50.06	-13	37.06	Pass	4701
500	1000	0.1	Peak	824.2	25.95	-13	-38.95	Pass	5001
1000	10000	1	Peak	9698	-23.6	-13	10.6	Pass	9002




1.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:190)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.95	-13	44.95	Pass	401
0.15	30	0.01	Peak	0.17	-59.55	-13	46.55	Pass	2986
30	500	0.1	Peak	406.3	-50.53	-13	37.53	Pass	4701
500	1000	0.1	Peak	836.5	21.9	-13	-34.9	Pass	5001
1000	10000	1	Peak	9877	-24.06	-13	11.06	Pass	9002



1.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:251)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.95	-13	43.95	Pass	401
0.15	30	0.01	Peak	0.16	-59.34	-13	46.34	Pass	2986
30	500	0.1	Peak	488.8	-50.28	-13	37.28	Pass	4701
500	1000	0.1	Peak	848.9	24.45	-13	-37.45	Pass	5001
1000	10000	1	Peak	9699	-23.78	-13	10.78	Pass	9002



2. EGPRS_PCS


2.1 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.65	-13	44.65	Pass	401
0.15	30	0.01	Peak	1.11	-66.22	-13	53.22	Pass	2986
30	1000	0.1	Peak	944.663	-55.02	-13	42.02	Pass	9701
1000	3000	1	Peak	1851	26.16	-13	-39.16	Pass	2001
3000	20000	1	Peak	17779	-47.51	-13	34.51	Pass	17003




2.2 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.8	-13	43.8	Pass	401
0.15	30	0.01	Peak	0.22	-66.24	-13	53.24	Pass	2986
30	1000	0.1	Peak	825.6	-48.13	-13	35.13	Pass	9701
1000	3000	1	Peak	1880	26.49	-13	-39.49	Pass	2001
3000	20000	1	Peak	15005	-46.78	-13	33.78	Pass	17003



2.3 EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.34	-13	44.34	Pass	401
0.15	30	0.01	Peak	0.26	-66.11	-13	53.11	Pass	2986
30	1000	0.1	Peak	952.569	-54.16	-13	41.16	Pass	9701
1000	3000	1	Peak	1910	26.98	-13	-39.98	Pass	2001
3000	20000	1	Peak	14300	-47.91	-13	34.91	Pass	17003



1. WCDMA_Band2


1.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-72.14	-13	59.14	Pass	401
0.15	30	0.01	Peak	0.15	-69.29	-13	56.29	Pass	2986
30	1000	0.1	Peak	774.9	-58.48	-13	45.48	Pass	9701
1000	3000	1	Peak	1851	19.38	-13	-32.38	Pass	2001
3000	20000	1	Peak	17832	-23.13	-13	10.13	Pass	17003




1.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:9400)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72.19	-13	59.19	Pass	401
0.15	30	0.01	Peak	0.29	-71.05	-13	58.05	Pass	2986
30	1000	0.1	Peak	465.9	-58.07	-13	45.07	Pass	9701
1000	3000	1	Peak	1881	19.3	-13	-32.3	Pass	2001
3000	20000	1	Peak	19164	-22.44	-13	9.44	Pass	17003



1.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.99	-13	58.99	Pass	401
0.15	30	0.01	Peak	0.25	-70.18	-13	57.18	Pass	2986
30	1000	0.1	Peak	961.675	-58.56	-13	45.56	Pass	9701
1000	3000	1	Peak	1906	19.55	-13	-32.55	Pass	2001
3000	20000	1	Peak	18727	-22.8	-13	9.8	Pass	17003



2. WCDMA_Band4


2.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.66	-13	57.66	Pass	401
0.15	30	0.01	Peak	0.18	-70.59	-13	57.59	Pass	2986
30	1000	0.1	Peak	973.783	-59.11	-13	46.11	Pass	9701
1000	3000	1	Peak	1711	18.47	-13	-31.47	Pass	2001
3000	20000	1	Peak	19265	-22.87	-13	9.87	Pass	17003



2.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:1412)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.23	-13	58.23	Pass	401
0.15	30	0.01	Peak	0.15	-70.44	-13	57.44	Pass	2986
30	1000	0.1	Peak	903.536	-58.53	-13	45.53	Pass	9701
1000	3000	1	Peak	1731	18.49	-13	-31.49	Pass	2001
3000	20000	1	Peak	17788	-22.27	-13	9.27	Pass	17003



2.3 WCDMA Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-72.36	-13	59.36	Pass	401
0.15	30	0.01	Peak	0.16	-70.71	-13	57.71	Pass	2986
30	1000	0.1	Peak	822.9	-58	-13	45	Pass	9701
1000	3000	1	Peak	1751	18.58	-13	-31.58	Pass	2001
3000	20000	1	Peak	19318	-22.71	-13	9.71	Pass	17003



3. WCDMA_Band5


3.1 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:4132)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-70.62	-13	57.62	Pass	401
0.15	30	0.01	Peak	0.15	-70.59	-13	57.59	Pass	2986
30	500	0.1	Peak	419.9	-60.54	-13	47.54	Pass	4701
500	1000	0.1	Peak	825.5	13.26	-13	-26.26	Pass	5001
1000	10000	1	Peak	9496	-33.86	-13	20.86	Pass	9002




3.2 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.15	-13	53.15	Pass	401
0.15	30	0.01	Peak	0.19	-69.54	-13	56.54	Pass	2986
30	500	0.1	Peak	479.1	-60.39	-13	47.39	Pass	4701
500	1000	0.1	Peak	835.1	11.49	-13	-24.49	Pass	5001
1000	10000	1	Peak	9610	-34.4	-13	21.4	Pass	9002



3.3 WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.54	-13	54.54	Pass	401
0.15	30	0.01	Peak	0.15	-69.87	-13	56.87	Pass	2986
30	500	0.1	Peak	455.8	-60.15	-13	47.15	Pass	4701
500	1000	0.1	Peak	847.9	11.5	-13	-24.5	Pass	5001
1000	10000	1	Peak	9723	-34.09	-13	21.09	Pass	9002



1. LTE_Band2


1.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.76	-13	53.76	Pass	401
0.15	30	0.01	RMS	0.15	-76.71	-13	63.71	Pass	2986
30	1000	0.1	RMS	972.882	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-57.18	-13	44.18	Pass	841
1840	1920	1	RMS	1850.2	19.6	60	40.4	Pass	401
1920	3000	1	RMS	2999	-54.37	-13	41.37	Pass	1081
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19325	-34.97	-13	21.97	Pass	8001




1.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	0.15	-77.25	-13	64.25	Pass	2986
30	1000	0.1	RMS	968.379	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1840	-57.13	-13	44.13	Pass	841
1840	1920	1	RMS	1850.2	18.59	60	41.41	Pass	401
1920	3000	1	RMS	2991	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11893	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19384	-34.91	-13	21.91	Pass	8001




1.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.79	-13	60.79	Pass	401
0.15	30	0.01	RMS	0.15	-77.12	-13	64.12	Pass	2986
30	1000	0.1	RMS	939.56	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1839	-57.61	-13	44.61	Pass	841
1840	1920	1	RMS	1879.4	19.47	60	40.53	Pass	401
1920	3000	1	RMS	2990	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19392	-34.92	-13	21.92	Pass	8001




**1.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.16	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	992.195	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1879.4	18.49	60	41.51	Pass	401
1920	3000	1	RMS	2976	-54.36	-13	41.36	Pass	1081
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19381	-34.94	-13	21.94	Pass	8001




1.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.72	-13	60.72	Pass	401
0.15	30	0.01	RMS	0.15	-76.4	-13	63.4	Pass	2986
30	1000	0.1	RMS	975.584	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.62	-13	44.62	Pass	841
1840	1920	1	RMS	1908.8	19.62	60	40.38	Pass	401
1920	3000	1	RMS	2975	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11896	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19370	-34.92	-13	21.92	Pass	8001




1.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	963.876	-69.98	-13	56.98	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1920	1	RMS	1908.8	18.77	60	41.23	Pass	401
1920	3000	1	RMS	2995	-54.39	-13	41.39	Pass	1081
3000	12000	1	RMS	11997	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19441	-34.94	-13	21.94	Pass	8001




**1.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.03	-13	57.03	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	937.158	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-56.72	-13	43.72	Pass	841
1840	1920	1	RMS	1850.2	19.64	60	40.36	Pass	401
1920	3000	1	RMS	2996	-54.29	-13	41.29	Pass	1081
3000	12000	1	RMS	11986	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19312	-34.98	-13	21.98	Pass	8001




1.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71	-13	58	Pass	401
0.15	30	0.01	RMS	0.15	-77.34	-13	64.34	Pass	2986
30	1000	0.1	RMS	960.874	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-56.81	-13	43.81	Pass	841
1840	1920	1	RMS	1850.2	18.8	60	41.2	Pass	401
1920	3000	1	RMS	3000	-54.38	-13	41.38	Pass	1081
3000	12000	1	RMS	11902	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19386	-34.93	-13	21.93	Pass	8001




**1.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.53	-13	56.53	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	846.4	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1839	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1878.6	19.56	60	40.44	Pass	401
1920	3000	1	RMS	2998	-54.31	-13	41.31	Pass	1081
3000	12000	1	RMS	11888	-43.23	-13	30.23	Pass	9002
12000	20000	1	RMS	17855	-34.99	-13	21.99	Pass	8001




1.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-78.36	-13	65.36	Pass	2986
30	1000	0.1	RMS	992.095	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1838	-57.66	-13	44.66	Pass	841
1840	1920	1	RMS	1878.6	18.58	60	41.42	Pass	401
1920	3000	1	RMS	2993	-54.36	-13	41.36	Pass	1081
3000	12000	1	RMS	11997	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19368	-34.94	-13	21.94	Pass	8001




1.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-76.36	-13	63.36	Pass	2986
30	1000	0.1	RMS	949.867	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1838	-57.62	-13	44.62	Pass	841
1840	1920	1	RMS	1907.2	19.66	60	40.34	Pass	401
1920	3000	1	RMS	2998	-54.35	-13	41.35	Pass	1081
3000	12000	1	RMS	11993	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19368	-34.93	-13	21.93	Pass	8001




1.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.16	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	906.038	-69.96	-13	56.96	Pass	9701
1000	1840	1	RMS	1838	-57.53	-13	44.53	Pass	841
1840	1920	1	RMS	1907.2	18.77	60	41.23	Pass	401
1920	3000	1	RMS	2959	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11906	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19363	-34.93	-13	21.93	Pass	8001




1.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-13	57.41	Pass	401
0.15	30	0.01	RMS	0.15	-76.65	-13	63.65	Pass	2986
30	1000	0.1	RMS	918.346	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-55.65	-13	42.65	Pass	841
1840	1920	1	RMS	1850.2	19.53	60	40.47	Pass	401
1920	3000	1	RMS	2983	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11995	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19345	-34.91	-13	21.91	Pass	8001




1.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.16	-77.96	-13	64.96	Pass	2986
30	1000	0.1	RMS	982.588	-69.69	-13	56.69	Pass	9701
1000	1840	1	RMS	1840	-56.98	-13	43.98	Pass	841
1840	1920	1	RMS	1850.2	18.61	60	41.39	Pass	401
1920	3000	1	RMS	2997	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11997	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19375	-34.88	-13	21.88	Pass	8001




1.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	1000	0.1	RMS	843.4	-69.81	-13	56.81	Pass	9701
1000	1840	1	RMS	1840	-57.53	-13	44.53	Pass	841
1840	1920	1	RMS	1877.8	19.47	60	40.53	Pass	401
1920	3000	1	RMS	2977	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19311	-34.92	-13	21.92	Pass	8001




1.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-76.62	-13	63.62	Pass	2986
30	1000	0.1	RMS	929.053	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1840	-57.61	-13	44.61	Pass	841
1840	1920	1	RMS	1877.8	18.66	60	41.34	Pass	401
1920	3000	1	RMS	2989	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11999	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19419	-34.95	-13	21.95	Pass	8001




1.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.38	-13	62.38	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	939.96	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.6	-13	44.6	Pass	841
1840	1920	1	RMS	1905.2	19.62	60	40.38	Pass	401
1920	3000	1	RMS	2994	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11998	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19363	-34.91	-13	21.91	Pass	8001




1.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.37	-13	59.37	Pass	401
0.15	30	0.01	RMS	0.16	-77.54	-13	64.54	Pass	2986
30	1000	0.1	RMS	970.981	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1905.2	18.85	60	41.15	Pass	401
1920	3000	1	RMS	2996	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11999	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19371	-34.93	-13	21.93	Pass	8001




1.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	61.44	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	987.492	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-55.09	-13	42.09	Pass	841
1840	1920	1	RMS	1850.4	19.58	60	40.42	Pass	401
1920	3000	1	RMS	2998	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11998	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19379	-34.91	-13	21.91	Pass	8001




1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	57.44	Pass	401
0.15	30	0.01	RMS	0.15	-76.73	-13	63.73	Pass	2986
30	1000	0.1	RMS	969.78	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-55.12	-13	42.12	Pass	841
1840	1920	1	RMS	1850.4	18.72	60	41.28	Pass	401
1920	3000	1	RMS	2992	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11998	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19343	-34.9	-13	21.9	Pass	8001




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.12	-13	64.12	Pass	2986
30	1000	0.1	RMS	980.487	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1875.4	19.5	60	40.5	Pass	401
1920	3000	1	RMS	2989	-54.38	-13	41.38	Pass	1081
3000	12000	1	RMS	11997	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19448	-34.93	-13	21.93	Pass	8001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.04	-13	58.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.54	-13	64.54	Pass	2986
30	1000	0.1	RMS	928.052	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1839	-57.6	-13	44.6	Pass	841
1840	1920	1	RMS	1875.4	18.54	60	41.46	Pass	401
1920	3000	1	RMS	3000	-54.34	-13	41.34	Pass	1081
3000	12000	1	RMS	11998	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19327	-34.89	-13	21.89	Pass	8001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.16	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	842.7	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1836	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1900.4	19.67	60	40.33	Pass	401
1920	3000	1	RMS	2997	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11902	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19387	-34.9	-13	21.9	Pass	8001




1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.52	-13	58.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.24	-13	64.24	Pass	2986
30	1000	0.1	RMS	931.355	-69.93	-13	56.93	Pass	9701
1000	1840	1	RMS	1839	-57.63	-13	44.63	Pass	841
1840	1920	1	RMS	1900.6	18.75	60	41.25	Pass	401
1920	3000	1	RMS	2997	-54.27	-13	41.27	Pass	1081
3000	12000	1	RMS	11997	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19318	-34.94	-13	21.94	Pass	8001




1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	0.2	-78.2	-13	65.2	Pass	2986
30	1000	0.1	RMS	845.8	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1838	-50.75	-13	37.75	Pass	841
1840	1920	1	RMS	1850.8	19.55	60	40.45	Pass	401
1920	3000	1	RMS	2998	-54.31	-13	41.31	Pass	1081
3000	12000	1	RMS	11993	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19393	-34.9	-13	21.9	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	1000	0.1	RMS	920.747	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1838	-51.47	-13	38.47	Pass	841
1840	1920	1	RMS	1850.8	18.72	60	41.28	Pass	401
1920	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11985	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19315	-34.96	-13	21.96	Pass	8001




**1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	1000	0.1	RMS	965.777	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1839	-57.52	-13	44.52	Pass	841
1840	1920	1	RMS	1873.2	19.5	60	40.5	Pass	401
1920	3000	1	RMS	2986	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19409	-34.93	-13	21.93	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	871.115	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.6	-13	44.6	Pass	841
1840	1920	1	RMS	1873.2	18.55	60	41.45	Pass	401
1920	3000	1	RMS	2999	-54.25	-13	41.25	Pass	1081
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19402	-34.95	-13	21.95	Pass	8001




**1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-13	61.51	Pass	401
0.15	30	0.01	RMS	0.15	-76.42	-13	63.42	Pass	2986
30	1000	0.1	RMS	984.59	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1838	-57.64	-13	44.64	Pass	841
1840	1920	1	RMS	1895.8	19.58	60	40.42	Pass	401
1920	3000	1	RMS	1922	-49.98	-13	36.98	Pass	1081
3000	12000	1	RMS	11901	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19445	-34.96	-13	21.96	Pass	8001



1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.25	-13	57.25	Pass	401
0.15	30	0.01	RMS	0.17	-78.17	-13	65.17	Pass	2986
30	1000	0.1	RMS	976.384	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-57.68	-13	44.68	Pass	841
1840	1920	1	RMS	1895.8	18.75	60	41.25	Pass	401
1920	3000	1	RMS	1922	-50.69	-13	37.69	Pass	1081
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19313	-34.89	-13	21.89	Pass	8001



**1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-13	57.26	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	965.577	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-52.74	-13	39.74	Pass	841
1840	1920	1	RMS	1851	19.42	60	40.58	Pass	401
1920	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1081
3000	12000	1	RMS	11992	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19304	-34.93	-13	21.93	Pass	8001

