



**2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-76.9	-13	63.9	Pass	2986
30	1000	0.1	RMS	930.154	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1681	-57.98	-13	44.98	Pass	701
1700	1765	1	RMS	1732.01 3	18.05	60	41.95	Pass	401
1765	3000	1	RMS	2995	-54.3	-13	41.3	Pass	1236
3000	12000	1	RMS	11901	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19365	-34.9	-13	21.9	Pass	8001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.15	-13	64.15	Pass	401
0.15	30	0.01	RMS	0.15	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	961.675	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1686	-58.03	-13	45.03	Pass	701
1700	1765	1	RMS	1753.788	19.09	60	40.91	Pass	401
1765	3000	1	RMS	2997	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11897	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19442	-34.93	-13	21.93	Pass	8001




**2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.15	-77.13	-13	64.13	Pass	2986
30	1000	0.1	RMS	938.459	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1686	-58.02	-13	45.02	Pass	701
1700	1765	1	RMS	1753.78 8	18.2	60	41.8	Pass	401
1765	3000	1	RMS	2968	-54.26	-13	41.26	Pass	1236
3000	12000	1	RMS	11901	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19394	-34.96	-13	21.96	Pass	8001




**2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.01	-13	65.01	Pass	401
0.15	30	0.01	RMS	0.18	-77.93	-13	64.93	Pass	2986
30	1000	0.1	RMS	964.677	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-57.32	-13	44.32	Pass	701
1700	1765	1	RMS	1710.23 8	18.87	60	41.13	Pass	401
1765	3000	1	RMS	3000	-54.26	-13	41.26	Pass	1236
3000	12000	1	RMS	11997	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19374	-34.9	-13	21.9	Pass	8001




**2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.15	-77.66	-13	64.66	Pass	2986
30	1000	0.1	RMS	957.772	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-57.53	-13	44.53	Pass	701
1700	1765	1	RMS	1710.23 8	18.01	60	41.99	Pass	401
1765	3000	1	RMS	2989	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11902	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	17850	-34.9	-13	21.9	Pass	8001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.79	-13	63.79	Pass	401
0.15	30	0.01	RMS	0.15	-76.84	-13	63.84	Pass	2986
30	1000	0.1	RMS	987.192	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1683	-57.99	-13	44.99	Pass	701
1700	1765	1	RMS	1731.2	19.09	60	40.91	Pass	401
1765	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1236
3000	12000	1	RMS	11992	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19389	-34.84	-13	21.84	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.56	-13	64.56	Pass	401
0.15	30	0.01	RMS	0.15	-77.29	-13	64.29	Pass	2986
30	1000	0.1	RMS	851.101	-69.93	-13	56.93	Pass	9701
1000	1700	1	RMS	1699	-58	-13	45	Pass	701
1700	1765	1	RMS	1731.2	18.1	60	41.9	Pass	401
1765	3000	1	RMS	2996	-54.32	-13	41.32	Pass	1236
3000	12000	1	RMS	11994	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19460	-34.94	-13	21.94	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.54	-13	63.54	Pass	401
0.15	30	0.01	RMS	0.15	-77	-13	64	Pass	2986
30	1000	0.1	RMS	966.978	-69.89	-13	56.89	Pass	9701
1000	1700	1	RMS	1688	-58	-13	45	Pass	701
1700	1765	1	RMS	1752.163	19.15	60	40.85	Pass	401
1765	3000	1	RMS	2977	-54.29	-13	41.29	Pass	1236
3000	12000	1	RMS	11896	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19404	-34.91	-13	21.91	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.49	-13	64.49	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	943.362	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1681	-57.99	-13	44.99	Pass	701
1700	1765	1	RMS	1752.163	18.27	60	41.73	Pass	401
1765	3000	1	RMS	2992	-54.27	-13	41.27	Pass	1236
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19433	-34.91	-13	21.91	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.14	-13	63.14	Pass	401
0.15	30	0.01	RMS	0.16	-77.99	-13	64.99	Pass	2986
30	1000	0.1	RMS	937.058	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-56.04	-13	43.04	Pass	701
1700	1765	1	RMS	1710.238	18.81	60	41.19	Pass	401
1765	3000	1	RMS	2986	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11897	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19442	-34.88	-13	21.88	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.89	-13	64.89	Pass	401
0.15	30	0.01	RMS	0.16	-77.51	-13	64.51	Pass	2986
30	1000	0.1	RMS	971.781	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1700	-57.55	-13	44.55	Pass	701
1700	1765	1	RMS	1710.238	17.94	60	42.06	Pass	401
1765	3000	1	RMS	3000	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11999	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19327	-34.9	-13	21.9	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.15	-77.35	-13	64.35	Pass	2986
30	1000	0.1	RMS	985.19	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1678	-57.98	-13	44.98	Pass	701
1700	1765	1	RMS	1730.225	18.98	60	41.02	Pass	401
1765	3000	1	RMS	2987	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11900	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19328	-34.8	-13	21.8	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.15	-78.24	-13	65.24	Pass	2986
30	1000	0.1	RMS	960.274	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1682	-58	-13	45	Pass	701
1700	1765	1	RMS	1730.225	18.18	60	41.82	Pass	401
1765	3000	1	RMS	3000	-54.25	-13	41.25	Pass	1236
3000	12000	1	RMS	11996	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19377	-34.86	-13	21.86	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.38	-13	64.38	Pass	401
0.15	30	0.01	RMS	0.15	-77.96	-13	64.96	Pass	2986
30	1000	0.1	RMS	928.353	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1686	-58.02	-13	45.02	Pass	701
1700	1765	1	RMS	1750.213	19.02	60	40.98	Pass	401
1765	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1236
3000	12000	1	RMS	12000	-43.05	-13	30.05	Pass	9002
12000	20000	1	RMS	19370	-34.92	-13	21.92	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.75	-13	64.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.25	-13	64.25	Pass	2986
30	1000	0.1	RMS	954.97	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1684	-57.99	-13	44.99	Pass	701
1700	1765	1	RMS	1750.213	18.33	60	41.67	Pass	401
1765	3000	1	RMS	2997	-54.27	-13	41.27	Pass	1236
3000	12000	1	RMS	11997	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19367	-34.87	-13	21.87	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.39	-13	64.39	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	1000	0.1	RMS	904.136	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1693	-52.17	-13	39.17	Pass	701
1700	1765	1	RMS	1710.563	18.91	60	41.09	Pass	401
1765	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1236
3000	12000	1	RMS	11998	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19402	-34.9	-13	21.9	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.56	-13	63.56	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	924.95	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1693	-52.96	-13	39.96	Pass	701
1700	1765	1	RMS	1710.563	18.05	60	41.95	Pass	401
1765	3000	1	RMS	2970	-54.27	-13	41.27	Pass	1236
3000	12000	1	RMS	11996	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19417	-34.92	-13	21.92	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.65	-13	63.65	Pass	401
0.15	30	0.01	RMS	0.27	-78.2	-13	65.2	Pass	2986
30	1000	0.1	RMS	975.884	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1696	-57.97	-13	44.97	Pass	701
1700	1765	1	RMS	1727.95	19.12	60	40.88	Pass	401
1765	3000	1	RMS	2978	-54.31	-13	41.31	Pass	1236
3000	12000	1	RMS	11901	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19400	-34.89	-13	21.89	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	948.366	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1689	-57.96	-13	44.96	Pass	701
1700	1765	1	RMS	1727.95	18.13	60	41.87	Pass	401
1765	3000	1	RMS	3000	-54.27	-13	41.27	Pass	1236
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19306	-34.92	-13	21.92	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.31	-13	64.31	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	1000	0.1	RMS	924.25	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1698	-58	-13	45	Pass	701
1700	1765	1	RMS	1745.5	19.17	60	40.83	Pass	401
1765	3000	1	RMS	1765	-53.69	-13	40.69	Pass	1236
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19305	-34.86	-13	21.86	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.12	-13	64.12	Pass	401
0.15	30	0.01	RMS	0.15	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	994.396	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1681	-57.97	-13	44.97	Pass	701
1700	1765	1	RMS	1745.5	18.28	60	41.72	Pass	401
1765	3000	1	RMS	1765	-53.69	-13	40.69	Pass	1236
3000	12000	1	RMS	11999	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19302	-34.91	-13	21.91	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.73	-13	64.73	Pass	2986
30	1000	0.1	RMS	962.575	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1684	-51.19	-13	38.19	Pass	701
1700	1765	1	RMS	1710.725	18.89	60	41.11	Pass	401
1765	3000	1	RMS	2996	-54.28	-13	41.28	Pass	1236
3000	12000	1	RMS	11897	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	17849	-34.91	-13	21.91	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.18	-77.56	-13	64.56	Pass	2986
30	1000	0.1	RMS	985.891	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1684	-52.47	-13	39.47	Pass	701
1700	1765	1	RMS	1710.725	18.02	60	41.98	Pass	401
1765	3000	1	RMS	2984	-54.33	-13	41.33	Pass	1236
3000	12000	1	RMS	11995	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19437	-34.92	-13	21.92	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.41	-13	63.41	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	1000	0.1	RMS	996.197	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1699	-51.84	-13	38.84	Pass	701
1700	1765	1	RMS	1725.838	18.95	60	41.05	Pass	401
1765	3000	1	RMS	2988	-54.23	-13	41.23	Pass	1236
3000	12000	1	RMS	11993	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19412	-34.87	-13	21.87	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.89	-13	64.89	Pass	2986
30	1000	0.1	RMS	946.064	-69.63	-13	56.63	Pass	9701
1000	1700	1	RMS	1699	-53.96	-13	40.96	Pass	701
1700	1765	1	RMS	1725.838	17.99	60	42.01	Pass	401
1765	3000	1	RMS	2996	-54.29	-13	41.29	Pass	1236
3000	12000	1	RMS	11894	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19331	-34.93	-13	21.93	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.46	-13	64.46	Pass	401
0.15	30	0.01	RMS	0.15	-77.18	-13	64.18	Pass	2986
30	1000	0.1	RMS	971.781	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1682	-57.94	-13	44.94	Pass	701
1700	1765	1	RMS	1740.788	19.06	60	40.94	Pass	401
1765	3000	1	RMS	1767	-29.75	-13	16.75	Pass	1236
3000	12000	1	RMS	11894	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19370	-34.81	-13	21.81	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.39	-13	64.39	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	972.482	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1683	-58.01	-13	45.01	Pass	701
1700	1765	1	RMS	1740.788	18.25	60	41.75	Pass	401
1765	3000	1	RMS	1767	-30.26	-13	17.26	Pass	1236
3000	12000	1	RMS	11899	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19327	-34.9	-13	21.9	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.4	-13	65.4	Pass	401
0.15	30	0.01	RMS	0.25	-78.01	-13	65.01	Pass	2986
30	1000	0.1	RMS	970.681	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1675	-53.33	-13	40.33	Pass	701
1700	1765	1	RMS	1711.05	18.71	60	41.29	Pass	401
1765	3000	1	RMS	2999	-54.27	-13	41.27	Pass	1236
3000	12000	1	RMS	11996	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19388	-34.95	-13	21.95	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.04	-13	64.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.15	-13	64.15	Pass	2986
30	1000	0.1	RMS	897.232	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1700	-53.99	-13	40.99	Pass	701
1700	1765	1	RMS	1711.05	17.88	60	42.12	Pass	401
1765	3000	1	RMS	2999	-54.26	-13	41.26	Pass	1236
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19354	-34.86	-13	21.86	Pass	8001




**2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.14	-13	64.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.37	-13	64.37	Pass	2986
30	1000	0.1	RMS	981.188	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1688	-54.88	-13	41.88	Pass	701
1700	1765	1	RMS	1723.56 3	18.8	60	41.2	Pass	401
1765	3000	1	RMS	2999	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11900	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19293	-34.93	-13	21.93	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.16	-78.19	-13	65.19	Pass	2986
30	1000	0.1	RMS	928.553	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1688	-56.33	-13	43.33	Pass	701
1700	1765	1	RMS	1723.563	17.82	60	42.18	Pass	401
1765	3000	1	RMS	2977	-54.31	-13	41.31	Pass	1236
3000	12000	1	RMS	11995	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19333	-34.88	-13	21.88	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.04	-13	64.04	Pass	401
0.15	30	0.01	RMS	0.15	-76.71	-13	63.71	Pass	2986
30	1000	0.1	RMS	960.674	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1765	1	RMS	1736.075	18.81	60	41.19	Pass	401
1765	3000	1	RMS	1772	-29.74	-13	16.74	Pass	1236
3000	12000	1	RMS	11995	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19317	-34.86	-13	21.86	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-77.17	-13	64.17	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	1000	0.1	RMS	923.649	-69.88	-13	56.88	Pass	9701
1000	1700	1	RMS	1700	-52.67	-13	39.67	Pass	701
1700	1765	1	RMS	1736.075	17.86	60	42.14	Pass	401
1765	3000	1	RMS	1772	-31.19	-13	18.19	Pass	1236
3000	12000	1	RMS	12000	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	17841	-34.92	-13	21.92	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.61	-13	64.61	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	814	0.1	RMS	813.5	-69.64	-13	56.64	Pass	7841
814	860	0.1	RMS	824.3	14.65	60	45.35	Pass	461
860	1000	0.1	RMS	917.1	-69.75	-13	56.75	Pass	1401
1000	3000	1	RMS	1648	-51.93	-13	38.93	Pass	2001
3000	10000	1	RMS	9699	-45.44	-13	32.44	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.45	-13	64.45	Pass	401
0.15	30	0.01	RMS	0.15	-78.54	-13	65.54	Pass	2986
30	814	0.1	RMS	813.5	-69.84	-13	56.84	Pass	7841
814	860	0.1	RMS	824.3	13.75	60	46.25	Pass	461
860	1000	0.1	RMS	928.3	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1648	-52.87	-13	39.87	Pass	2001
3000	10000	1	RMS	9701	-45.43	-13	32.43	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.88	-13	63.88	Pass	401
0.15	30	0.01	RMS	0.16	-78.3	-13	65.3	Pass	2986
30	814	0.1	RMS	811.7	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	836.1	14.81	60	45.19	Pass	461
860	1000	0.1	RMS	988.7	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1672	-52.78	-13	39.78	Pass	2001
3000	10000	1	RMS	9699	-45.4	-13	32.4	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.53	-13	63.53	Pass	401
0.15	30	0.01	RMS	0.16	-77.72	-13	64.72	Pass	2986
30	814	0.1	RMS	806.4	-70.17	-13	57.17	Pass	7841
814	860	0.1	RMS	836.1	13.85	60	46.15	Pass	461
860	1000	0.1	RMS	967.8	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1672	-53.77	-13	40.77	Pass	2001
3000	10000	1	RMS	9703	-45.48	-13	32.48	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.17	-13	63.17	Pass	401
0.15	30	0.01	RMS	0.15	-78.41	-13	65.41	Pass	2986
30	814	0.1	RMS	812.6	-70.15	-13	57.15	Pass	7841
814	860	0.1	RMS	847.9	14.95	60	45.05	Pass	461
860	1000	0.1	RMS	860.3	-69.79	-13	56.79	Pass	1401
1000	3000	1	RMS	1695	-50	-13	37	Pass	2001
3000	10000	1	RMS	9702	-45.43	-13	32.43	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.26	-78.12	-13	65.12	Pass	2986
30	814	0.1	RMS	812.4	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	847.9	14.06	60	45.94	Pass	461
860	1000	0.1	RMS	937.6	-69.93	-13	56.93	Pass	1401
1000	3000	1	RMS	1695	-50.96	-13	37.96	Pass	2001
3000	10000	1	RMS	9698	-45.42	-13	32.42	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-77.08	-13	64.08	Pass	401
0.15	30	0.01	RMS	0.15	-77.79	-13	64.79	Pass	2986
30	814	0.1	RMS	813.5	-68.94	-13	55.94	Pass	7841
814	860	0.1	RMS	824.2	14.89	60	45.11	Pass	461
860	1000	0.1	RMS	959.8	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1648	-51.72	-13	38.72	Pass	2001
3000	10000	1	RMS	9705	-45.47	-13	32.47	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.21	-78.34	-13	65.34	Pass	2986
30	814	0.1	RMS	813.6	-69.32	-13	56.32	Pass	7841
814	860	0.1	RMS	824.2	14.08	60	45.92	Pass	461
860	1000	0.1	RMS	979.5	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1648	-52.53	-13	39.53	Pass	2001
3000	10000	1	RMS	9701	-45.44	-13	32.44	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.66	-13	65.66	Pass	401
0.15	30	0.01	RMS	0.15	-78.13	-13	65.13	Pass	2986
30	814	0.1	RMS	809.9	-70.09	-13	57.09	Pass	7841
814	860	0.1	RMS	835.2	15.12	60	44.88	Pass	461
860	1000	0.1	RMS	978.5	-69.82	-13	56.82	Pass	1401
1000	3000	1	RMS	1670	-51.67	-13	38.67	Pass	2001
3000	10000	1	RMS	9698	-45.44	-13	32.44	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.96	-13	62.96	Pass	401
0.15	30	0.01	RMS	0.15	-77.73	-13	64.73	Pass	2986
30	814	0.1	RMS	814	-65.34	-13	52.34	Pass	7841
814	860	0.1	RMS	835.2	14.07	60	45.93	Pass	461
860	1000	0.1	RMS	997.3	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1670	-52.8	-13	39.8	Pass	2001
3000	10000	1	RMS	9706	-45.42	-13	32.42	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.45	-13	64.45	Pass	401
0.15	30	0.01	RMS	0.16	-77.18	-13	64.18	Pass	2986
30	814	0.1	RMS	812.9	-70.08	-13	57.08	Pass	7841
814	860	0.1	RMS	846.2	15.25	60	44.75	Pass	461
860	1000	0.1	RMS	957.6	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1692	-49.64	-13	36.64	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.42	-13	64.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.07	-13	64.07	Pass	2986
30	814	0.1	RMS	810	-70.06	-13	57.06	Pass	7841
814	860	0.1	RMS	846.2	14.42	60	45.58	Pass	461
860	1000	0.1	RMS	930.2	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1692	-50.66	-13	37.66	Pass	2001
3000	10000	1	RMS	9697	-45.47	-13	32.47	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.16	-78.32	-13	65.32	Pass	2986
30	814	0.1	RMS	813.6	-68.89	-13	55.89	Pass	7841
814	860	0.1	RMS	824.3	14.83	60	45.17	Pass	461
860	1000	0.1	RMS	943.3	-69.77	-13	56.77	Pass	1401
1000	3000	1	RMS	1648	-52.07	-13	39.07	Pass	2001
3000	10000	1	RMS	9699	-45.44	-13	32.44	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.26	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	813.6	-69.5	-13	56.5	Pass	7841
814	860	0.1	RMS	824.3	13.84	60	46.16	Pass	461
860	1000	0.1	RMS	999.9	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1648	-53	-13	40	Pass	2001
3000	10000	1	RMS	9701	-45.41	-13	32.41	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.17	-77.96	-13	64.96	Pass	2986
30	814	0.1	RMS	810.5	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	834.3	15.01	60	44.99	Pass	461
860	1000	0.1	RMS	906.1	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1668	-51.73	-13	38.73	Pass	2001
3000	10000	1	RMS	9699	-45.48	-13	32.48	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.16	-77.59	-13	64.59	Pass	2986
30	814	0.1	RMS	812.6	-70.17	-13	57.17	Pass	7841
814	860	0.1	RMS	834.3	14.2	60	45.8	Pass	461
860	1000	0.1	RMS	998	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1668	-52.6	-13	39.6	Pass	2001
3000	10000	1	RMS	9701	-45.4	-13	32.4	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.43	-13	64.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-13	64.94	Pass	2986
30	814	0.1	RMS	813.1	-70.08	-13	57.08	Pass	7841
814	860	0.1	RMS	844.3	15.18	60	44.82	Pass	461
860	1000	0.1	RMS	995	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1688	-51.19	-13	38.19	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.72	-13	59.72	Pass	401
0.15	30	0.01	RMS	0.16	-77.87	-13	64.87	Pass	2986
30	814	0.1	RMS	814	-70.19	-13	57.19	Pass	7841
814	860	0.1	RMS	844.3	14.42	60	45.58	Pass	461
860	1000	0.1	RMS	947.9	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1688	-52.16	-13	39.16	Pass	2001
3000	10000	1	RMS	9706	-45.44	-13	32.44	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.16	-78.2	-13	65.2	Pass	2986
30	814	0.1	RMS	813.9	-66.4	-13	53.4	Pass	7841
814	860	0.1	RMS	824.6	15.37	60	44.63	Pass	461
860	1000	0.1	RMS	870	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1649	-52.36	-13	39.36	Pass	2001
3000	10000	1	RMS	9700	-45.41	-13	32.41	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.56	-13	64.56	Pass	2986
30	814	0.1	RMS	813.9	-66.59	-13	53.59	Pass	7841
814	860	0.1	RMS	824.6	14.53	60	45.47	Pass	461
860	1000	0.1	RMS	997.2	-69.8	-13	56.8	Pass	1401
1000	3000	1	RMS	1649	-53.17	-13	40.17	Pass	2001
3000	10000	1	RMS	9703	-45.43	-13	32.43	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.73	-13	63.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	814	0.1	RMS	814	-69.59	-13	56.59	Pass	7841
814	860	0.1	RMS	832.1	15.54	60	44.46	Pass	461
860	1000	0.1	RMS	929.8	-69.76	-13	56.76	Pass	1401
1000	3000	1	RMS	1664	-51.5	-13	38.5	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.18	-78.02	-13	65.02	Pass	2986
30	814	0.1	RMS	813.8	-69.95	-13	56.95	Pass	7841
814	860	0.1	RMS	832.1	14.56	60	45.44	Pass	461
860	1000	0.1	RMS	973	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1664	-52.68	-13	39.68	Pass	2001
3000	10000	1	RMS	9700	-45.44	-13	32.44	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.23	-13	64.23	Pass	401
0.15	30	0.01	RMS	0.15	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	812.8	-69.76	-13	56.76	Pass	7841
814	860	0.1	RMS	839.6	15.42	60	44.58	Pass	461
860	1000	0.1	RMS	950.2	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1679	-52.63	-13	39.63	Pass	2001
3000	10000	1	RMS	9707	-45.4	-13	32.4	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.13	-13	64.13	Pass	401
0.15	30	0.01	RMS	0.2	-78.01	-13	65.01	Pass	2986
30	814	0.1	RMS	813.2	-70.13	-13	57.13	Pass	7841
814	860	0.1	RMS	839.6	14.61	60	45.39	Pass	461
860	1000	0.1	RMS	885.4	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1679	-53.55	-13	40.55	Pass	2001
3000	10000	1	RMS	9717	-45.52	-13	32.52	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.97	-25	52.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.48	-25	52.48	Pass	2986
30	1000	0.1	RMS	539.6	-68.44	-25	43.44	Pass	9701
1000	2490	1	RMS	2490	-54.79	-25	29.79	Pass	1491
2490	2580	1	RMS	2500.125	19.49	60	40.51	Pass	401
2580	3000	1	RMS	2993	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11901	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25853	-25.24	-25	0.24	Pass*	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.86	-25	51.86	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-25	52.67	Pass	2986
30	1000	0.1	RMS	539.6	-69.02	-25	44.02	Pass	9701
1000	2490	1	RMS	2490	-54.88	-25	29.88	Pass	1491
2490	2580	1	RMS	2500.125	18.57	60	41.43	Pass	401
2580	3000	1	RMS	2997	-54.31	-25	29.31	Pass	421
3000	12000	1	RMS	11899	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25501	-56.7	-25	31.7	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.93	-25	52.93	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-25	53.18	Pass	2986
30	1000	0.1	RMS	965.977	-69.61	-25	44.61	Pass	9701
1000	2490	1	RMS	2486	-55.54	-25	30.54	Pass	1491
2490	2580	1	RMS	2532.75	19.35	60	40.65	Pass	401
2580	3000	1	RMS	2999	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11898	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25494	-56.67	-25	31.67	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-25	48.78	Pass	401
0.15	30	0.01	RMS	0.23	-77.81	-25	52.81	Pass	2986
30	1000	0.1	RMS	914.643	-62.71	-25	37.71	Pass	9701
1000	2490	1	RMS	2489	-55.56	-25	30.56	Pass	1491
2490	2580	1	RMS	2532.75	18.62	60	41.38	Pass	401
2580	3000	1	RMS	3000	-54.27	-25	29.27	Pass	421
3000	12000	1	RMS	12000	-63.88	-25	38.88	Pass	9002
12000	26000	1	RMS	25490	-56.7	-25	31.7	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.75	-25	52.75	Pass	401
0.15	30	0.01	RMS	0.15	-77.85	-25	52.85	Pass	2986
30	1000	0.1	RMS	604.6	-69.77	-25	44.77	Pass	9701
1000	2490	1	RMS	2488	-55.54	-25	30.54	Pass	1491
2490	2580	1	RMS	2565.15	19.58	60	40.42	Pass	401
2580	3000	1	RMS	2987	-54.31	-25	29.31	Pass	421
3000	12000	1	RMS	11899	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25494	-56.72	-25	31.72	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.67	-25	51.67	Pass	401
0.15	30	0.01	RMS	0.16	-78.1	-25	53.1	Pass	2986
30	1000	0.1	RMS	903.536	-69.77	-25	44.77	Pass	9701
1000	2490	1	RMS	2484	-55.55	-25	30.55	Pass	1491
2490	2580	1	RMS	2565.15	18.88	60	41.12	Pass	401
2580	3000	1	RMS	3000	-54.34	-25	29.34	Pass	421
3000	12000	1	RMS	11999	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25496	-56.58	-25	31.58	Pass	14002




**4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.13	-25	53.13	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-25	53.15	Pass	2986
30	1000	0.1	RMS	539.9	-67.81	-25	42.81	Pass	9701
1000	2490	1	RMS	2483	-51.71	-25	26.71	Pass	1491
2490	2580	1	RMS	2500.575	19.55	60	40.45	Pass	401
2580	3000	1	RMS	2992	-54.32	-25	29.32	Pass	421
3000	12000	1	RMS	11898	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25497	-56.67	-25	31.67	Pass	14002




**4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75	-25	50	Pass	401
0.15	30	0.01	RMS	0.26	-77.8	-25	52.8	Pass	2986
30	1000	0.1	RMS	539.9	-68.49	-25	43.49	Pass	9701
1000	2490	1	RMS	2483	-52.62	-25	27.62	Pass	1491
2490	2580	1	RMS	2500.575	18.71	60	41.29	Pass	401
2580	3000	1	RMS	2997	-54.31	-25	29.31	Pass	421
3000	12000	1	RMS	11999	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25509	-56.7	-25	31.7	Pass	14002




**4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.66	-25	49.66	Pass	401
0.15	30	0.01	RMS	0.17	-78.26	-25	53.26	Pass	2986
30	1000	0.1	RMS	569.9	-69.02	-25	44.02	Pass	9701
1000	2490	1	RMS	2490	-55.5	-25	30.5	Pass	1491
2490	2580	1	RMS	2530.5	19.44	60	40.56	Pass	401
2580	3000	1	RMS	2992	-54.28	-25	29.28	Pass	421
3000	12000	1	RMS	11899	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25502	-56.66	-25	31.66	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.84	-25	49.84	Pass	401
0.15	30	0.01	RMS	0.28	-78.47	-25	53.47	Pass	2986
30	1000	0.1	RMS	971.681	-69.82	-25	44.82	Pass	9701
1000	2490	1	RMS	2488	-55.51	-25	30.51	Pass	1491
2490	2580	1	RMS	2530.5	18.54	60	41.46	Pass	401
2580	3000	1	RMS	2999	-54.27	-25	29.27	Pass	421
3000	12000	1	RMS	11998	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25499	-56.68	-25	31.68	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.79	-25	50.79	Pass	401
0.15	30	0.01	RMS	0.15	-78.35	-25	53.35	Pass	2986
30	1000	0.1	RMS	599.9	-68.73	-25	43.73	Pass	9701
1000	2490	1	RMS	2487	-55.44	-25	30.44	Pass	1491
2490	2580	1	RMS	2560.425	19.67	60	40.33	Pass	401
2580	3000	1	RMS	3000	-54.28	-25	29.28	Pass	421
3000	12000	1	RMS	11902	-63.91	-25	38.91	Pass	9002
12000	26000	1	RMS	25504	-56.71	-25	31.71	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-75.11	-25	50.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.99	-25	52.99	Pass	2986
30	1000	0.1	RMS	599.9	-69.36	-25	44.36	Pass	9701
1000	2490	1	RMS	2490	-55.54	-25	30.54	Pass	1491
2490	2580	1	RMS	2560.425	18.83	60	41.17	Pass	401
2580	3000	1	RMS	3000	-54.28	-25	29.28	Pass	421
3000	12000	1	RMS	12000	-63.94	-25	38.94	Pass	9002
12000	26000	1	RMS	25506	-56.69	-25	31.69	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.58	-25	52.58	Pass	401
0.15	30	0.01	RMS	0.18	-77.39	-25	52.39	Pass	2986
30	1000	0.1	RMS	540.1	-68.81	-25	43.81	Pass	9701
1000	2490	1	RMS	2488	-48.22	-25	23.22	Pass	1491
2490	2580	1	RMS	2500.8	19.53	60	40.47	Pass	401
2580	3000	1	RMS	2997	-54.27	-25	29.27	Pass	421
3000	12000	1	RMS	11894	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25499	-56.63	-25	31.63	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.36	-25	52.36	Pass	401
0.15	30	0.01	RMS	0.29	-77.82	-25	52.82	Pass	2986
30	1000	0.1	RMS	540.1	-69.21	-25	44.21	Pass	9701
1000	2490	1	RMS	2488	-48.68	-25	23.68	Pass	1491
2490	2580	1	RMS	2500.8	18.71	60	41.29	Pass	401
2580	3000	1	RMS	2998	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11900	-63.87	-25	38.87	Pass	9002
12000	26000	1	RMS	25500	-56.6	-25	31.6	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-25	49.15	Pass	401
0.15	30	0.01	RMS	0.15	-77	-25	52	Pass	2986
30	1000	0.1	RMS	567.6	-69.54	-25	44.54	Pass	9701
1000	2490	1	RMS	2489	-55.42	-25	30.42	Pass	1491
2490	2580	1	RMS	2528.25	19.4	60	40.6	Pass	401
2580	3000	1	RMS	2992	-54.26	-25	29.26	Pass	421
3000	12000	1	RMS	11898	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25503	-56.62	-25	31.62	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.58	-25	50.58	Pass	401
0.15	30	0.01	RMS	0.37	-78.23	-25	53.23	Pass	2986
30	1000	0.1	RMS	988.793	-69.74	-25	44.74	Pass	9701
1000	2490	1	RMS	2488	-55.51	-25	30.51	Pass	1491
2490	2580	1	RMS	2528.25	18.5	60	41.5	Pass	401
2580	3000	1	RMS	2999	-54.28	-25	29.28	Pass	421
3000	12000	1	RMS	11999	-63.97	-25	38.97	Pass	9002
12000	26000	1	RMS	25494	-56.65	-25	31.65	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.6	-25	52.6	Pass	401
0.15	30	0.01	RMS	0.15	-78.57	-25	53.57	Pass	2986
30	1000	0.1	RMS	595.1	-69.29	-25	44.29	Pass	9701
1000	2490	1	RMS	2488	-55.51	-25	30.51	Pass	1491
2490	2580	1	RMS	2555.7	19.54	60	40.46	Pass	401
2580	3000	1	RMS	2582	-27.24	-25	2.24	Pass*	421
3000	12000	1	RMS	11901	-63.96	-25	38.96	Pass	9002
12000	26000	1	RMS	25503	-56.59	-25	31.59	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.08	-25	53.08	Pass	401
0.15	30	0.01	RMS	0.16	-78.04	-25	53.04	Pass	2986
30	1000	0.1	RMS	595.1	-69.76	-25	44.76	Pass	9701
1000	2490	1	RMS	2488	-55.5	-25	30.5	Pass	1491
2490	2580	1	RMS	2555.7	18.75	60	41.25	Pass	401
2580	3000	1	RMS	2582	-28.23	-25	3.23	Pass*	421
3000	12000	1	RMS	11900	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25520	-56.66	-25	31.66	Pass	14002




**4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.84	-25	52.84	Pass	401
0.15	30	0.01	RMS	0.22	-78.33	-25	53.33	Pass	2986
30	1000	0.1	RMS	540.4	-68.53	-25	43.53	Pass	9701
1000	2490	1	RMS	2483	-48.97	-25	23.97	Pass	1491
2490	2580	1	RMS	2501.02 5	19.41	60	40.59	Pass	401
2580	3000	1	RMS	2995	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11999	-63.93	-25	38.93	Pass	9002
12000	26000	1	RMS	25521	-56.69	-25	31.69	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.88	-25	52.88	Pass	401
0.15	30	0.01	RMS	0.17	-77.48	-25	52.48	Pass	2986
30	1000	0.1	RMS	540.4	-68.81	-25	43.81	Pass	9701
1000	2490	1	RMS	2483	-49.93	-25	24.93	Pass	1491
2490	2580	1	RMS	2501.025	18.7	60	41.3	Pass	401
2580	3000	1	RMS	3000	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	12000	-63.88	-25	38.88	Pass	9002
12000	26000	1	RMS	25511	-56.53	-25	31.53	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.1	-25	52.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.35	-25	53.35	Pass	2986
30	1000	0.1	RMS	565.4	-69.29	-25	44.29	Pass	9701
1000	2490	1	RMS	2490	-52.88	-25	27.88	Pass	1491
2490	2580	1	RMS	2526	19.26	60	40.74	Pass	401
2580	3000	1	RMS	2995	-54.3	-25	29.3	Pass	421
3000	12000	1	RMS	11900	-63.92	-25	38.92	Pass	9002
12000	26000	1	RMS	25514	-56.61	-25	31.61	Pass	14002



4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.38	-25	51.38	Pass	401
0.15	30	0.01	RMS	0.15	-77.95	-25	52.95	Pass	2986
30	1000	0.1	RMS	996.798	-69.87	-25	44.87	Pass	9701
1000	2490	1	RMS	2490	-54.65	-25	29.65	Pass	1491
2490	2580	1	RMS	2526	18.34	60	41.66	Pass	401
2580	3000	1	RMS	2999	-54.29	-25	29.29	Pass	421
3000	12000	1	RMS	11997	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25506	-56.68	-25	31.68	Pass	14002



4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.54	-25	52.54	Pass	401
0.15	30	0.01	RMS	0.15	-77.11	-25	52.11	Pass	2986
30	1000	0.1	RMS	590.4	-69.46	-25	44.46	Pass	9701
1000	2490	1	RMS	2489	-55.48	-25	30.48	Pass	1491
2490	2580	1	RMS	2550.975	19.32	60	40.68	Pass	401
2580	3000	1	RMS	2586	-30.51	-25	5.51	Pass*	421
3000	12000	1	RMS	11897	-63.95	-25	38.95	Pass	9002
12000	26000	1	RMS	25498	-56.63	-25	31.63	Pass	14002

