


8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-77.62	-13	64.62	Pass	401
0.15	30	0.01	RMS	0.15	-76.59	-13	63.59	Pass	2986
30	1000	0.1	RMS	955.07	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1839	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1895.888	18.11	60	41.89	Pass	401
1925	3000	1	RMS	2995	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11902	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19335	-34.95	-13	21.95	Pass	8001



9. LTE_Band26(part22)


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.74	-13	64.74	Pass	401
0.15	30	0.01	RMS	0.15	-77.49	-13	64.49	Pass	2986
30	814	0.1	RMS	813.6	-69.48	-13	56.48	Pass	7841
814	860	0.1	RMS	824.3	14.76	60	45.24	Pass	461
860	1000	0.1	RMS	964.5	-69.87	-13	56.87	Pass	1401
1000	3000	1	RMS	1648	-51.71	-13	38.71	Pass	2001
3000	10000	1	RMS	9703	-45.5	-13	32.5	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	814	0.1	RMS	813.5	-69.83	-13	56.83	Pass	7841
814	860	0.1	RMS	824.3	13.89	60	46.11	Pass	461
860	1000	0.1	RMS	930.9	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1648	-52.62	-13	39.62	Pass	2001
3000	10000	1	RMS	9701	-45.49	-13	32.49	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.83	-13	65.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	814	0.1	RMS	813.6	-69.71	-13	56.71	Pass	7841
814	860	0.1	RMS	824.3	14.78	60	45.22	Pass	461
860	1000	0.1	RMS	979.2	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1648	-51.59	-13	38.59	Pass	2001
3000	10000	1	RMS	9697	-45.58	-13	32.58	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	814	0.1	RMS	813.6	-69.45	-13	56.45	Pass	7841
814	860	0.1	RMS	824.3	13.82	60	46.18	Pass	461
860	1000	0.1	RMS	926.3	-69.92	-13	56.92	Pass	1401
1000	3000	1	RMS	1648	-52.63	-13	39.63	Pass	2001
3000	10000	1	RMS	9700	-45.54	-13	32.54	Pass	7001




**9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3,
Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.59	-13	65.59	Pass	401
0.15	30	0.01	RMS	0.15	-77.18	-13	64.18	Pass	2986
30	814	0.1	RMS	812.4	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	836.1	14.89	60	45.11	Pass	461
860	1000	0.1	RMS	947.6	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1672	-52.63	-13	39.63	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.6	-13	65.6	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	814	0.1	RMS	812	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	836.1	13.88	60	46.12	Pass	461
860	1000	0.1	RMS	980.1	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1672	-53.6	-13	40.6	Pass	2001
3000	10000	1	RMS	9703	-45.52	-13	32.52	Pass	7001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.55	-13	65.55	Pass	401
0.15	30	0.01	RMS	0.38	-78.94	-13	65.94	Pass	2986
30	814	0.1	RMS	809.2	-70.26	-13	57.26	Pass	7841
814	860	0.1	RMS	847.9	14.99	60	45.01	Pass	461
860	1000	0.1	RMS	999.6	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1695	-49.79	-13	36.79	Pass	2001
3000	10000	1	RMS	9700	-45.57	-13	32.57	Pass	7001




**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.79	-13	65.79	Pass	401
0.15	30	0.01	RMS	0.17	-77.6	-13	64.6	Pass	2986
30	814	0.1	RMS	811.7	-70.12	-13	57.12	Pass	7841
814	860	0.1	RMS	847.9	14.15	60	45.85	Pass	461
860	1000	0.1	RMS	927.7	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1695	-50.8	-13	37.8	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.56	-13	65.56	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	814	0.1	RMS	813.5	-69.39	-13	56.39	Pass	7841
814	860	0.1	RMS	824.2	15.09	60	44.91	Pass	461
860	1000	0.1	RMS	988.8	-69.99	-13	56.99	Pass	1401
1000	3000	1	RMS	1648	-51.49	-13	38.49	Pass	2001
3000	10000	1	RMS	9700	-45.59	-13	32.59	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.16	-13	64.16	Pass	2986
30	814	0.1	RMS	813.5	-69.43	-13	56.43	Pass	7841
814	860	0.1	RMS	824.2	14.2	60	45.8	Pass	461
860	1000	0.1	RMS	990.1	-70.01	-13	57.01	Pass	1401
1000	3000	1	RMS	1648	-52.31	-13	39.31	Pass	2001
3000	10000	1	RMS	9697	-45.58	-13	32.58	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.15	-78.26	-13	65.26	Pass	2986
30	814	0.1	RMS	811.6	-70.03	-13	57.03	Pass	7841
814	860	0.1	RMS	835.2	15.13	60	44.87	Pass	461
860	1000	0.1	RMS	954.9	-69.71	-13	56.71	Pass	1401
1000	3000	1	RMS	1670	-51.64	-13	38.64	Pass	2001
3000	10000	1	RMS	9697	-45.5	-13	32.5	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.18	-77.78	-13	64.78	Pass	2986
30	814	0.1	RMS	812.7	-70.1	-13	57.1	Pass	7841
814	860	0.1	RMS	835.2	14.22	60	45.78	Pass	461
860	1000	0.1	RMS	949.6	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1670	-52.7	-13	39.7	Pass	2001
3000	10000	1	RMS	9702	-45.57	-13	32.57	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.65	-13	65.65	Pass	401
0.15	30	0.01	RMS	0.19	-78.06	-13	65.06	Pass	2986
30	814	0.1	RMS	812.3	-70.24	-13	57.24	Pass	7841
814	860	0.1	RMS	846.2	15.33	60	44.67	Pass	461
860	1000	0.1	RMS	967.5	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1692	-49.51	-13	36.51	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-79.29	-13	66.29	Pass	401
0.15	30	0.01	RMS	0.27	-78.7	-13	65.7	Pass	2986
30	814	0.1	RMS	810.5	-70.33	-13	57.33	Pass	7841
814	860	0.1	RMS	846.2	14.45	60	45.55	Pass	461
860	1000	0.1	RMS	968	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1692	-50.5	-13	37.5	Pass	2001
3000	10000	1	RMS	9701	-45.52	-13	32.52	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.48	-13	65.48	Pass	401
0.15	30	0.01	RMS	0.15	-77.14	-13	64.14	Pass	2986
30	814	0.1	RMS	813.6	-69.38	-13	56.38	Pass	7841
814	860	0.1	RMS	824.3	14.86	60	45.14	Pass	461
860	1000	0.1	RMS	961.6	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1648	-51.86	-13	38.86	Pass	2001
3000	10000	1	RMS	9707	-45.54	-13	32.54	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.04	-13	65.04	Pass	401
0.15	30	0.01	RMS	0.15	-77.31	-13	64.31	Pass	2986
30	814	0.1	RMS	813.7	-69.62	-13	56.62	Pass	7841
814	860	0.1	RMS	824.3	13.97	60	46.03	Pass	461
860	1000	0.1	RMS	873.2	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1648	-52.85	-13	39.85	Pass	2001
3000	10000	1	RMS	9702	-45.5	-13	32.5	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.15	-78.15	-13	65.15	Pass	2986
30	814	0.1	RMS	812.9	-70.18	-13	57.18	Pass	7841
814	860	0.1	RMS	834.3	14.96	60	45.04	Pass	461
860	1000	0.1	RMS	992.9	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1668	-51.72	-13	38.72	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.16	-78.69	-13	65.69	Pass	2986
30	814	0.1	RMS	813.7	-70.15	-13	57.15	Pass	7841
814	860	0.1	RMS	834.3	14.24	60	45.76	Pass	461
860	1000	0.1	RMS	974.9	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1668	-52.59	-13	39.59	Pass	2001
3000	10000	1	RMS	9700	-45.52	-13	32.52	Pass	7001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-78.77	-13	65.77	Pass	401
0.15	30	0.01	RMS	0.15	-78.09	-13	65.09	Pass	2986
30	814	0.1	RMS	812.9	-70.17	-13	57.17	Pass	7841
814	860	0.1	RMS	844.3	15.24	60	44.76	Pass	461
860	1000	0.1	RMS	940.1	-69.85	-13	56.85	Pass	1401
1000	3000	1	RMS	1688	-51.08	-13	38.08	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.08	-13	65.08	Pass	401
0.15	30	0.01	RMS	0.15	-77.57	-13	64.57	Pass	2986
30	814	0.1	RMS	811.3	-70.25	-13	57.25	Pass	7841
814	860	0.1	RMS	844.3	14.39	60	45.61	Pass	461
860	1000	0.1	RMS	969.2	-70.02	-13	57.02	Pass	1401
1000	3000	1	RMS	1688	-51.95	-13	38.95	Pass	2001
3000	10000	1	RMS	9699	-45.47	-13	32.47	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.19	-78.19	-13	65.19	Pass	2986
30	814	0.1	RMS	813.9	-66.61	-13	53.61	Pass	7841
814	860	0.1	RMS	824.6	15.43	60	44.57	Pass	461
860	1000	0.1	RMS	978.7	-69.95	-13	56.95	Pass	1401
1000	3000	1	RMS	1649	-52.09	-13	39.09	Pass	2001
3000	10000	1	RMS	9706	-45.5	-13	32.5	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.04	-13	65.04	Pass	2986
30	814	0.1	RMS	813.9	-67.01	-13	54.01	Pass	7841
814	860	0.1	RMS	824.6	14.68	60	45.32	Pass	461
860	1000	0.1	RMS	940.7	-69.91	-13	56.91	Pass	1401
1000	3000	1	RMS	1649	-52.92	-13	39.92	Pass	2001
3000	10000	1	RMS	9700	-45.5	-13	32.5	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-78.94	-13	65.94	Pass	401
0.15	30	0.01	RMS	0.16	-77.71	-13	64.71	Pass	2986
30	814	0.1	RMS	813.7	-70.2	-13	57.2	Pass	7841
814	860	0.1	RMS	832.1	15.54	60	44.46	Pass	461
860	1000	0.1	RMS	960.1	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1664	-51.44	-13	38.44	Pass	2001
3000	10000	1	RMS	9694	-45.56	-13	32.56	Pass	7001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.12	-13	64.12	Pass	401
0.15	30	0.01	RMS	0.18	-78.18	-13	65.18	Pass	2986
30	814	0.1	RMS	811.9	-70.21	-13	57.21	Pass	7841
814	860	0.1	RMS	832.1	14.51	60	45.49	Pass	461
860	1000	0.1	RMS	930.8	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1664	-52.49	-13	39.49	Pass	2001
3000	10000	1	RMS	9698	-45.5	-13	32.5	Pass	7001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.67	-13	65.67	Pass	401
0.15	30	0.01	RMS	0.15	-77.5	-13	64.5	Pass	2986
30	814	0.1	RMS	809.5	-70.22	-13	57.22	Pass	7841
814	860	0.1	RMS	839.6	15.57	60	44.43	Pass	461
860	1000	0.1	RMS	940.9	-69.94	-13	56.94	Pass	1401
1000	3000	1	RMS	1679	-52.48	-13	39.48	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.15	-77.05	-13	64.05	Pass	2986
30	814	0.1	RMS	811.6	-70.16	-13	57.16	Pass	7841
814	860	0.1	RMS	839.6	14.68	60	45.32	Pass	461
860	1000	0.1	RMS	924	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1679	-53.25	-13	40.25	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.05	-13	64.05	Pass	401
0.15	30	0.01	RMS	0.17	-78.47	-13	65.47	Pass	2986
30	814	0.1	RMS	811.5	-58.52	-13	45.52	Pass	7841
814	860	0.1	RMS	824.8	15	60	45	Pass	461
860	1000	0.1	RMS	870.6	-69.84	-13	56.84	Pass	1401
1000	3000	1	RMS	1649	-51.7	-13	38.7	Pass	2001
3000	10000	1	RMS	9705	-45.57	-13	32.57	Pass	7001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.35	-78.11	-13	65.11	Pass	2986
30	814	0.1	RMS	811.5	-58.6	-13	45.6	Pass	7841
814	860	0.1	RMS	824.8	14.07	60	45.93	Pass	461
860	1000	0.1	RMS	946.6	-69.96	-13	56.96	Pass	1401
1000	3000	1	RMS	1649	-52.57	-13	39.57	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.5	-13	64.5	Pass	2986
30	814	0.1	RMS	814	-67.4	-13	54.4	Pass	7841
814	860	0.1	RMS	829.8	14.96	60	45.04	Pass	461
860	1000	0.1	RMS	946.1	-69.86	-13	56.86	Pass	1401
1000	3000	1	RMS	1659	-50.7	-13	37.7	Pass	2001
3000	10000	1	RMS	9700	-45.53	-13	32.53	Pass	7001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.16	-78.14	-13	65.14	Pass	2986
30	814	0.1	RMS	814	-67.45	-13	54.45	Pass	7841
814	860	0.1	RMS	829.8	13.96	60	46.04	Pass	461
860	1000	0.1	RMS	973.9	-69.88	-13	56.88	Pass	1401
1000	3000	1	RMS	1659	-51.9	-13	38.9	Pass	2001
3000	10000	1	RMS	9705	-45.48	-13	32.48	Pass	7001




**9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.4	-13	65.4	Pass	401
0.15	30	0.01	RMS	0.23	-78.55	-13	65.55	Pass	2986
30	814	0.1	RMS	808.2	-65.79	-13	52.79	Pass	7841
814	860	0.1	RMS	834.8	14.82	60	45.18	Pass	461
860	1000	0.1	RMS	938.4	-69.97	-13	56.97	Pass	1401
1000	3000	1	RMS	1669	-51.96	-13	38.96	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001



9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.89	-13	65.89	Pass	401
0.15	30	0.01	RMS	0.24	-78.5	-13	65.5	Pass	2986
30	814	0.1	RMS	808.3	-66.24	-13	53.24	Pass	7841
814	860	0.1	RMS	834.8	14.03	60	45.97	Pass	461
860	1000	0.1	RMS	968.8	-69.89	-13	56.89	Pass	1401
1000	3000	1	RMS	1669	-52.84	-13	39.84	Pass	2001
3000	10000	1	RMS	9705	-45.49	-13	32.49	Pass	7001



1. LTE_Band26(part90)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.76	-13	52.76	Pass	401
0.15	30	0.01	Peak	0.22	-70.26	-13	57.26	Pass	2986
30	809	0.1	Peak	617.6	-59.17	-13	46.17	Pass	7791
809	829	0.1	Peak	814.3	20.11	60	39.89	Pass	401
829	1000	0.1	Peak	980.8	-59.08	-13	46.08	Pass	1711
1000	3000	1	Peak	2986	-42.34	-13	29.34	Pass	2001
3000	10000	1	Peak	7975	-33.66	-13	20.66	Pass	7001




**1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.48	-13	58.48	Pass	401
0.15	30	0.01	Peak	0.21	-70.01	-13	57.01	Pass	2986
30	809	0.1	Peak	808.9	-58.84	-13	45.84	Pass	7791
809	829	0.1	Peak	814.25	20.32	60	39.68	Pass	401
829	1000	0.1	Peak	890.5	-58.99	-13	45.99	Pass	1711
1000	3000	1	Peak	2442	-42.67	-13	29.67	Pass	2001
3000	10000	1	Peak	7936	-33.55	-13	20.55	Pass	7001




1.3 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-66.26	-13	53.26	Pass	401
0.15	30	0.01	Peak	0.17	-69.83	-13	56.83	Pass	2986
30	809	0.1	Peak	420.4	-59.55	-13	46.55	Pass	7791
809	829	0.1	Peak	818.6	20.27	60	39.73	Pass	401
829	1000	0.1	Peak	982.9	-58.57	-13	45.57	Pass	1711
1000	3000	1	Peak	1637	-41.65	-13	28.65	Pass	2001
3000	10000	1	Peak	6962	-33.69	-13	20.69	Pass	7001




**1.4 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-72.61	-13	59.61	Pass	401
0.15	30	0.01	Peak	0.17	-69.5	-13	56.5	Pass	2986
30	809	0.1	Peak	740.2	-59.17	-13	46.17	Pass	7791
809	829	0.1	Peak	818.55	20.91	60	39.09	Pass	401
829	1000	0.1	Peak	830.1	-57.96	-13	44.96	Pass	1711
1000	3000	1	Peak	2992	-42.68	-13	29.68	Pass	2001
3000	10000	1	Peak	6863	-33.43	-13	20.43	Pass	7001




**1.5 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-70.67	-13	57.67	Pass	401
0.15	30	0.01	Peak	0.15	-69.15	-13	56.15	Pass	2986
30	809	0.1	Peak	571.3	-59.57	-13	46.57	Pass	7791
809	829	0.1	Peak	822.85	20.86	60	39.14	Pass	401
829	1000	0.1	Peak	933.9	-58.18	-13	45.18	Pass	1711
1000	3000	1	Peak	1646	-40.22	-13	27.22	Pass	2001
3000	10000	1	Peak	7655	-33.16	-13	20.16	Pass	7001




**1.6 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.72	-13	54.72	Pass	401
0.15	30	0.01	Peak	0.22	-69.95	-13	56.95	Pass	2986
30	809	0.1	Peak	749.8	-59.27	-13	46.27	Pass	7791
809	829	0.1	Peak	822.85	21.14	60	38.86	Pass	401
829	1000	0.1	Peak	989.1	-58.35	-13	45.35	Pass	1711
1000	3000	1	Peak	1645	-40.49	-13	27.49	Pass	2001
3000	10000	1	Peak	7288	-33.65	-13	20.65	Pass	7001




**1.7 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-71.07	-13	58.07	Pass	401
0.15	30	0.01	Peak	0.15	-69.22	-13	56.22	Pass	2986
30	809	0.1	Peak	808.9	-49.68	-13	36.68	Pass	7791
809	829	0.1	Peak	814.3	20.13	60	39.87	Pass	401
829	1000	0.1	Peak	967.8	-58.67	-13	45.67	Pass	1711
1000	3000	1	Peak	1628	-42.49	-13	29.49	Pass	2001
3000	10000	1	Peak	7289	-33.23	-13	20.23	Pass	7001




**1.8 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-69.73	-13	56.73	Pass	401
0.15	30	0.01	Peak	0.2	-69.85	-13	56.85	Pass	2986
30	809	0.1	Peak	809	-51.09	-13	38.09	Pass	7791
809	829	0.1	Peak	814.2	20.55	60	39.45	Pass	401
829	1000	0.1	Peak	990.7	-58.68	-13	45.68	Pass	1711
1000	3000	1	Peak	2958	-41.79	-13	28.79	Pass	2001
3000	10000	1	Peak	8954	-33.55	-13	20.55	Pass	7001




**1.9 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.11	-13	57.11	Pass	401
0.15	30	0.01	Peak	0.25	-70.19	-13	57.19	Pass	2986
30	809	0.1	Peak	807.3	-59.24	-13	46.24	Pass	7791
809	829	0.1	Peak	817.75	20.9	60	39.1	Pass	401
829	1000	0.1	Peak	999.5	-58.66	-13	45.66	Pass	1711
1000	3000	1	Peak	1635	-42.46	-13	29.46	Pass	2001
3000	10000	1	Peak	7613	-33.72	-13	20.72	Pass	7001




**1.10 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.35	-13	55.35	Pass	401
0.15	30	0.01	Peak	0.23	-69.96	-13	56.96	Pass	2986
30	809	0.1	Peak	748.7	-59.15	-13	46.15	Pass	7791
809	829	0.1	Peak	817.7	20.56	60	39.44	Pass	401
829	1000	0.1	Peak	857.5	-57.89	-13	44.89	Pass	1711
1000	3000	1	Peak	2871	-42.13	-13	29.13	Pass	2001
3000	10000	1	Peak	7518	-33.87	-13	20.87	Pass	7001




**1.11 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.82	-13	53.82	Pass	401
0.15	30	0.01	Peak	0.25	-70.25	-13	57.25	Pass	2986
30	809	0.1	Peak	808.7	-45.57	-13	32.57	Pass	7791
809	829	0.1	Peak	821.2	20.76	60	39.24	Pass	401
829	1000	0.1	Peak	829	-48.21	-13	35.21	Pass	1711
1000	3000	1	Peak	1642	-42.4	-13	29.4	Pass	2001
3000	10000	1	Peak	9619	-33.44	-13	20.44	Pass	7001




**1.12 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-68.15	-13	55.15	Pass	401
0.15	30	0.01	Peak	0.42	-70.04	-13	57.04	Pass	2986
30	809	0.1	Peak	808.6	-46.8	-13	33.8	Pass	7791
809	829	0.1	Peak	821.3	21.47	60	38.53	Pass	401
829	1000	0.1	Peak	829	-40.86	-13	27.86	Pass	1711
1000	3000	1	Peak	1642	-42.26	-13	29.26	Pass	2001
3000	10000	1	Peak	6859	-33.55	-13	20.55	Pass	7001




**1.13 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-71.36	-13	58.36	Pass	401
0.15	30	0.01	Peak	0.31	-70.31	-13	57.31	Pass	2986
30	809	0.1	Peak	807.9	-53.17	-13	40.17	Pass	7791
809	829	0.1	Peak	814.35	20.58	60	39.42	Pass	401
829	1000	0.1	Peak	957.8	-58.88	-13	45.88	Pass	1711
1000	3000	1	Peak	2890	-42.87	-13	29.87	Pass	2001
3000	10000	1	Peak	8756	-33.81	-13	20.81	Pass	7001




**1.14 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-71.13	-13	58.13	Pass	401
0.15	30	0.01	Peak	0.22	-70.31	-13	57.31	Pass	2986
30	809	0.1	Peak	807.9	-54.98	-13	41.98	Pass	7791
809	829	0.1	Peak	814.3	20.63	60	39.37	Pass	401
829	1000	0.1	Peak	831.6	-58.84	-13	45.84	Pass	1711
1000	3000	1	Peak	2723	-42.58	-13	29.58	Pass	2001
3000	10000	1	Peak	9845	-33.41	-13	20.41	Pass	7001




**1.15 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-69.16	-13	56.16	Pass	401
0.15	30	0.01	Peak	0.37	-70.19	-13	57.19	Pass	2986
30	809	0.1	Peak	808.2	-53.53	-13	40.53	Pass	7791
809	829	0.1	Peak	816.85	20.28	60	39.72	Pass	401
829	1000	0.1	Peak	998.2	-58.56	-13	45.56	Pass	1711
1000	3000	1	Peak	1634	-42.37	-13	29.37	Pass	2001
3000	10000	1	Peak	7496	-33.35	-13	20.35	Pass	7001




**1.16 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.9	-13	57.9	Pass	401
0.15	30	0.01	Peak	0.28	-69.55	-13	56.55	Pass	2986
30	809	0.1	Peak	808.2	-53.66	-13	40.66	Pass	7791
809	829	0.1	Peak	816.8	20.61	60	39.39	Pass	401
829	1000	0.1	Peak	834.1	-56.63	-13	43.63	Pass	1711
1000	3000	1	Peak	2973	-41.73	-13	28.73	Pass	2001
3000	10000	1	Peak	7639	-32.62	-13	19.62	Pass	7001




**1.17 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-69.47	-13	56.47	Pass	401
0.15	30	0.01	Peak	0.15	-69.69	-13	56.69	Pass	2986
30	809	0.1	Peak	800.2	-58.83	-13	45.83	Pass	7791
809	829	0.1	Peak	819.35	20.29	60	39.71	Pass	401
829	1000	0.1	Peak	829	-52	-13	39	Pass	1711
1000	3000	1	Peak	2944	-42.25	-13	29.25	Pass	2001
3000	10000	1	Peak	6945	-33.12	-13	20.12	Pass	7001




**1.18 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-70.19	-13	57.19	Pass	401
0.15	30	0.01	Peak	0.23	-68.63	-13	55.63	Pass	2986
30	809	0.1	Peak	799	-59.38	-13	46.38	Pass	7791
809	829	0.1	Peak	819.35	20.62	60	39.38	Pass	401
829	1000	0.1	Peak	829.1	-53.54	-13	40.54	Pass	1711
1000	3000	1	Peak	2979	-41.97	-13	28.97	Pass	2001
3000	10000	1	Peak	7674	-33.27	-13	20.27	Pass	7001




**1.19 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.59	-13	55.59	Pass	401
0.15	30	0.01	Peak	0.19	-70.16	-13	57.16	Pass	2986
30	809	0.1	Peak	808.1	-50.82	-13	37.82	Pass	7791
809	829	0.1	Peak	814.55	20.3	60	39.7	Pass	401
829	1000	0.1	Peak	829.9	-43.7	-13	30.7	Pass	1711
1000	3000	1	Peak	2975	-42.82	-13	29.82	Pass	2001
3000	10000	1	Peak	7044	-33.78	-13	20.78	Pass	7001



**1.20 LTE Spurious Emission at Antenna Terminals_Part90(NTLV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-70.5	-13	57.5	Pass	401
0.15	30	0.01	Peak	0.51	-70.76	-13	57.76	Pass	2986
30	809	0.1	Peak	808.9	-46.81	-13	33.81	Pass	7791
809	829	0.1	Peak	814.55	20.58	60	39.42	Pass	401
829	1000	0.1	Peak	829.9	-43.74	-13	30.74	Pass	1711
1000	3000	1	Peak	2444	-42.73	-13	29.73	Pass	2001
3000	10000	1	Peak	6986	-33.76	-13	20.76	Pass	7001



10. LTE_Band38


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	42.78	Pass	2986
30	1000	0.1	RMS	869.313	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2560	-48.25	-25	23.25	Pass	1561
2560	2630	1	RMS	2570.325	23.4	60	36.6	Pass	401
2630	3000	1	RMS	2900.1	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11955	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25483	-51.09	-25	26.09	Pass	14502




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.29	-25	44.29	Pass	401
0.15	30	0.01	RMS	0.16	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	859.407	-61.56	-25	36.56	Pass	9701
1000	2560	1	RMS	2559	-48.39	-25	23.39	Pass	1561
2560	2630	1	RMS	2570.325	22.17	60	37.83	Pass	401
2630	3000	1	RMS	2899.175	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11953	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25506	-51.07	-25	26.07	Pass	14502




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.2	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	963.176	-61.59	-25	36.59	Pass	9701
1000	2560	1	RMS	2497	-48.5	-25	23.5	Pass	1561
2560	2630	1	RMS	2592.9	22.77	60	37.23	Pass	401
2630	3000	1	RMS	2901.95	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11964	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25513	-51.09	-25	26.09	Pass	14502




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	0.15	-67.76	-25	42.76	Pass	2986
30	1000	0.1	RMS	950.867	-61.59	-25	36.59	Pass	9701
1000	2560	1	RMS	2498	-48.49	-25	23.49	Pass	1561
2560	2630	1	RMS	2592.9	22.54	60	37.46	Pass	401
2630	3000	1	RMS	2903.8	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11951	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25504	-50.95	-25	25.95	Pass	14502




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	988.993	-61.48	-25	36.48	Pass	9701
1000	2560	1	RMS	2530	-48.5	-25	23.5	Pass	1561
2560	2630	1	RMS	2615.3	23.65	60	36.35	Pass	401
2630	3000	1	RMS	2899.175	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11972	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25496	-51	-25	26	Pass	14502




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.21	-25	43.21	Pass	401
0.15	30	0.01	RMS	0.22	-69.06	-25	44.06	Pass	2986
30	1000	0.1	RMS	870.114	-61.51	-25	36.51	Pass	9701
1000	2560	1	RMS	2535	-48.38	-25	23.38	Pass	1561
2560	2630	1	RMS	2615.125	22.56	60	37.44	Pass	401
2630	3000	1	RMS	2900.1	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11950	-49.96	-25	24.96	Pass	9002
12000	26500	1	RMS	25509	-51.01	-25	26.01	Pass	14502




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	0.15	-67.95	-25	42.95	Pass	2986
30	1000	0.1	RMS	850.101	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2553	-42.5	-25	17.5	Pass	1561
2560	2630	1	RMS	2570.5	23	60	37	Pass	401
2630	3000	1	RMS	2899.175	-46.38	-25	21.38	Pass	401
3000	12000	1	RMS	11951	-49.97	-25	24.97	Pass	9002
12000	26500	1	RMS	25493	-50.94	-25	25.94	Pass	14502




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.15	-68.56	-25	43.56	Pass	2986
30	1000	0.1	RMS	972.081	-61.6	-25	36.6	Pass	9701
1000	2560	1	RMS	2554	-44.26	-25	19.26	Pass	1561
2560	2630	1	RMS	2570.325	21.99	60	38.01	Pass	401
2630	3000	1	RMS	2899.175	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11957	-49.93	-25	24.93	Pass	9002
12000	26500	1	RMS	25514	-51.06	-25	26.06	Pass	14502



10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.23	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	820.9	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2517	-48.5	-25	23.5	Pass	1561
2560	2630	1	RMS	2590.625	22.78	60	37.22	Pass	401
2630	3000	1	RMS	2901.025	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11947	-49.99	-25	24.99	Pass	9002
12000	26500	1	RMS	25494	-51.04	-25	26.04	Pass	14502



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.7	-25	43.7	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	860.407	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2530	-48.49	-25	23.49	Pass	1561
2560	2630	1	RMS	2590.45	22.37	60	37.63	Pass	401
2630	3000	1	RMS	2901.025	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11966	-49.96	-25	24.96	Pass	9002
12000	26500	1	RMS	25893	-51.03	-25	26.03	Pass	14502



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.9	-25	43.9	Pass	401
0.15	30	0.01	RMS	0.15	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	971.081	-61.49	-25	36.49	Pass	9701
1000	2560	1	RMS	2526	-48.47	-25	23.47	Pass	1561
2560	2630	1	RMS	2610.575	23.1	60	36.9	Pass	401
2630	3000	1	RMS	2903.8	-46.41	-25	21.41	Pass	401
3000	12000	1	RMS	11997	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25897	-51.06	-25	26.06	Pass	14502



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.6	-25	43.6	Pass	401
0.15	30	0.01	RMS	0.19	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	995.497	-61.54	-25	36.54	Pass	9701
1000	2560	1	RMS	2538	-48.48	-25	23.48	Pass	1561
2560	2630	1	RMS	2610.4	22.89	60	37.11	Pass	401
2630	3000	1	RMS	2899.175	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11965	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25501	-50.99	-25	25.99	Pass	14502



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.17	-68.14	-25	43.14	Pass	2986
30	1000	0.1	RMS	898.833	-61.49	-25	36.49	Pass	9701
1000	2560	1	RMS	2544	-38.17	-25	13.17	Pass	1561
2560	2630	1	RMS	2570.85	23.15	60	36.85	Pass	401
2630	3000	1	RMS	2900.1	-46.38	-25	21.38	Pass	401
3000	12000	1	RMS	11966	-49.98	-25	24.98	Pass	9002
12000	26500	1	RMS	25507	-51	-25	26	Pass	14502



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.37	-25	43.37	Pass	401
0.15	30	0.01	RMS	0.22	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	887.926	-61.56	-25	36.56	Pass	9701
1000	2560	1	RMS	2544	-41.4	-25	16.4	Pass	1561
2560	2630	1	RMS	2570.675	22.17	60	37.83	Pass	401
2630	3000	1	RMS	2904.725	-46.43	-25	21.43	Pass	401
3000	12000	1	RMS	11950	-50	-25	25	Pass	9002
12000	26500	1	RMS	25501	-50.93	-25	25.93	Pass	14502



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.04	-25	44.04	Pass	401
0.15	30	0.01	RMS	0.18	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	840.4	-61.6	-25	36.6	Pass	9701
1000	2560	1	RMS	2501	-48.5	-25	23.5	Pass	1561
2560	2630	1	RMS	2588.175	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2900.1	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11952	-49.95	-25	24.95	Pass	9002
12000	26500	1	RMS	25501	-51.06	-25	26.06	Pass	14502



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.84	-25	43.84	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	847.5	-61.53	-25	36.53	Pass	9701
1000	2560	1	RMS	2531	-48.46	-25	23.46	Pass	1561
2560	2630	1	RMS	2588.35	22.45	60	37.55	Pass	401
2630	3000	1	RMS	2900.1	-46.4	-25	21.4	Pass	401
3000	12000	1	RMS	11973	-50.01	-25	25.01	Pass	9002
12000	26500	1	RMS	25502	-50.96	-25	25.96	Pass	14502



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.03	-25	43.03	Pass	401
0.15	30	0.01	RMS	0.19	-68.68	-25	43.68	Pass	2986
30	1000	0.1	RMS	852.202	-61.59	-25	36.59	Pass	9701
1000	2560	1	RMS	2559	-41.37	-25	16.37	Pass	1561
2560	2630	1	RMS	2571.025	23.32	60	36.68	Pass	401
2630	3000	1	RMS	2901.025	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11963	-50.06	-25	25.06	Pass	9002
12000	26500	1	RMS	25486	-51.05	-25	26.05	Pass	14502



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:37850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	0.15	-68.71	-25	43.71	Pass	2986
30	1000	0.1	RMS	863.61	-61.56	-25	36.56	Pass	9701
1000	2560	1	RMS	2558	-41.97	-25	16.97	Pass	1561
2560	2630	1	RMS	2571.025	22.23	60	37.77	Pass	401
2630	3000	1	RMS	2901.95	-46.39	-25	21.39	Pass	401
3000	12000	1	RMS	11980	-49.99	-25	24.99	Pass	9002
12000	26500	1	RMS	25507	-51.03	-25	26.03	Pass	14502



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	849.7	-61.46	-25	36.46	Pass	9701
1000	2560	1	RMS	2550	-42.81	-25	17.81	Pass	1561
2560	2630	1	RMS	2585.9	22.77	60	37.23	Pass	401
2630	3000	1	RMS	2902.875	-46.44	-25	21.44	Pass	401
3000	12000	1	RMS	11957	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25515	-51.02	-25	26.02	Pass	14502



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:38000, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.51	-25	43.51	Pass	401
0.15	30	0.01	RMS	0.22	-68.99	-25	43.99	Pass	2986
30	1000	0.1	RMS	998.899	-61.55	-25	36.55	Pass	9701
1000	2560	1	RMS	2550	-43.6	-25	18.6	Pass	1561
2560	2630	1	RMS	2586.075	22.44	60	37.56	Pass	401
2630	3000	1	RMS	2899.175	-46.42	-25	21.42	Pass	401
3000	12000	1	RMS	11953	-49.92	-25	24.92	Pass	9002
12000	26500	1	RMS	25502	-50.92	-25	25.92	Pass	14502



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:38150, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.52	-25	43.52	Pass	401
0.15	30	0.01	RMS	0.16	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	850.901	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2503	-48.49	-25	23.49	Pass	1561
2560	2630	1	RMS	2600.95	22.6	60	37.4	Pass	401
2630	3000	1	RMS	2636.475	-26.16	-25	1.16	Pass*	401
3000	12000	1	RMS	11953	-49.97	-25	24.97	Pass	9002
12000	26500	1	RMS	25902	-51.04	-25	26.04	Pass	14502



10.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-51.2	-25	26.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-25	42.49	Pass	2986
30	1000	0.1	RMS	955.17	-61.37	-25	36.37	Pass	9701
1000	2560	1	RMS	2515	-48.37	-25	23.37	Pass	1561
2560	2630	1	RMS	2605.675	21.81	60	38.19	Pass	401
2630	3000	1	RMS	2631.85	-26.08	-25	1.08	Pass*	401
3000	12000	1	RMS	11949	-49.94	-25	24.94	Pass	9002
12000	26500	1	RMS	25503	-50.91	-25	25.91	Pass	14502



10.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-50.82	-25	25.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	987.892	-61.41	-25	36.41	Pass	9701
1000	2560	1	RMS	2513	-48.35	-25	23.35	Pass	1561
2560	2630	1	RMS	2605.675	20.84	60	39.16	Pass	401
2630	3000	1	RMS	2631.85	-28.11	-25	3.11	Pass*	401
3000	12000	1	RMS	11953	-49.84	-25	24.84	Pass	9002
12000	26500	1	RMS	25506	-50.95	-25	25.95	Pass	14502



10.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-56.4	-25	31.4	Pass	401
0.15	30	0.01	RMS	0.23	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	953.769	-61.45	-25	36.45	Pass	9701
1000	2560	1	RMS	2512	-48.31	-25	23.31	Pass	1561
2560	2630	1	RMS	2601.125	21.29	60	38.71	Pass	401
2630	3000	1	RMS	2636.475	-27.11	-25	2.11	Pass*	401
3000	12000	1	RMS	11964	-49.86	-25	24.86	Pass	9002
12000	26500	1	RMS	25499	-50.9	-25	25.9	Pass	14502



11. LTE_Band41 120M


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.65	-25	43.65	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	43.7	Pass	2986
30	1000	0.1	RMS	991.394	-61.33	-25	36.33	Pass	9701
1000	2525	1	RMS	2524	-48.35	-25	23.35	Pass	1526
2525	2665	1	RMS	2535.15	21.42	60	38.58	Pass	401
2665	3000	1	RMS	2902.85	-46.33	-25	21.33	Pass	401
3000	12000	1	RMS	5070	-52.98	-25	27.98	Pass	9002
12000	26500	1	RMS	25500	-50.38	-25	25.38	Pass	14502



11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.36	-25	43.36	Pass	401
0.15	30	0.01	RMS	0.16	-68.63	-25	43.63	Pass	2986
30	1000	0.1	RMS	872.916	-61.52	-25	36.52	Pass	9701
1000	2525	1	RMS	2525	-48.04	-25	23.04	Pass	1526
2525	2665	1	RMS	2535.15	21.15	60	38.85	Pass	401
2665	3000	1	RMS	2899.5	-46.31	-25	21.31	Pass	401
3000	12000	1	RMS	5070	-57.78	-25	32.78	Pass	9002
12000	26500	1	RMS	25501	-50.31	-25	25.31	Pass	14502



11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.18	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	850.501	-61.45	-25	36.45	Pass	9701
1000	2525	1	RMS	2497	-48.45	-25	23.45	Pass	1526
2525	2665	1	RMS	2592.55	22.37	60	37.63	Pass	401
2665	3000	1	RMS	2900.338	-46.32	-25	21.32	Pass	401
3000	12000	1	RMS	11971	-60.13	-25	35.13	Pass	9002
12000	26500	1	RMS	25511	-50.31	-25	25.31	Pass	14502

