



1.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.68	-13	9.68	Pass	401
813.9625	814	0.002	RMS	813.999	-36.84	-20	16.84	Pass	401
814	819	0.1	RMS	814.238	15.57	30	14.43	Pass	401




1.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.2	-13	20.2	Pass	401
813.9625	814	0.03	RMS	814	-37.56	-20	17.56	Pass	401
814	819	0.1	RMS	815.45	3.46	30	26.54	Pass	401




1.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.04	-13	11.04	Pass	401
813.9625	814	0.002	RMS	814	-37.74	-20	17.74	Pass	401
814	819	0.1	RMS	814.238	14.58	30	15.42	Pass	401




1.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.76	-13	21.76	Pass	401
813.9625	814	0.03	RMS	813.999	-39.41	-20	19.41	Pass	401
814	819	0.1	RMS	815.213	2.49	30	27.51	Pass	401




1.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	15.79	30	14.21	Pass	401
824	824.0375	0.002	RMS	824.001	-38.54	-20	18.54	Pass	401
824.0875	829	0.1	RMS	824.088	-31.7	-13	18.7	Pass	401




1.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.875	3.56	30	26.44	Pass	401
824	824.0375	0.03	RMS	824	-38.29	-20	18.29	Pass	401
824.0375	829	0.1	RMS	824.038	-34.1	-13	21.1	Pass	401




1.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	14.81	30	15.19	Pass	401
824	824.0375	0.002	RMS	824.003	-39	-20	19	Pass	401
824.0375	829	0.1	RMS	824.038	-27.84	-13	14.84	Pass	51




1.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.8	2.54	30	27.46	Pass	401
824	824.0375	0.03	RMS	824	-38.88	-20	18.88	Pass	401
824.0375	829	0.1	RMS	824.038	-34.69	-13	21.69	Pass	401




1.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.41	-13	11.41	Pass	401
813.9625	814	0.002	RMS	813.998	-38.73	-20	18.73	Pass	401
814	819	0.1	RMS	814.325	15.24	30	14.76	Pass	401




1.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-35.32	-13	22.32	Pass	401
813.9625	814	0.051	RMS	814	-37.06	-20	17.06	Pass	401
814	819	0.1	RMS	815.688	1.13	30	28.87	Pass	401




1.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.24	-13	12.24	Pass	401
813.9625	814	0.002	RMS	813.989	-39.3	-20	19.3	Pass	401
814	819	0.1	RMS	814.338	14.49	30	15.51	Pass	401




1.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.43	-13	23.43	Pass	401
813.9625	814	0.051	RMS	813.999	-38	-20	18	Pass	401
814	819	0.1	RMS	815.675	0.17	30	29.83	Pass	401




1.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	15.68	30	14.32	Pass	401
824	824.0375	0.002	RMS	824.002	-38.64	-20	18.64	Pass	401
824.0375	829	0.1	RMS	824.038	-24.97	-13	11.97	Pass	401




1.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.65	1.27	30	28.73	Pass	401
824	824.0375	0.051	RMS	824	-37.11	-20	17.11	Pass	401
824.0375	829	0.1	RMS	824.038	-35.65	-13	22.65	Pass	401




1.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	14.81	30	15.19	Pass	401
824	824.0375	0.002	RMS	824.01	-37.84	-20	17.84	Pass	401
824.0375	829	0.1	RMS	824.038	-24.63	-13	11.63	Pass	401




1.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.013	0.39	30	29.61	Pass	401
824	824.0375	0.051	RMS	824	-38.02	-20	18.02	Pass	401
824.0375	829	0.1	RMS	824.038	-36.49	-13	23.49	Pass	401




1.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.02	-13	17.02	Pass	401
813.9625	814	0.02	RMS	814	-35.51	-20	15.51	Pass	401
814	819	0.1	RMS	814.588	15.55	30	14.45	Pass	401




1.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-38.88	-13	25.88	Pass	401
813.9625	814	0.1	RMS	814	-38.26	-20	18.26	Pass	401
814	819	0.1	RMS	815.913	-1.74	30	31.74	Pass	401




1.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.87	-13	17.87	Pass	401
813.9625	814	0.02	RMS	814	-36.43	-20	16.43	Pass	401
814	819	0.1	RMS	814.613	14.63	30	15.37	Pass	401




1.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-40.38	-13	27.38	Pass	401
813.9625	814	0.1	RMS	813.998	-39.9	-20	19.9	Pass	401
814	819	0.1	RMS	816.088	-2.77	30	32.77	Pass	401




1.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	15.75	30	14.25	Pass	401
824	824.0375	0.02	RMS	824	-34.7	-20	14.7	Pass	401
824.0375	829	0.1	RMS	824.038	-29.5	-13	16.5	Pass	401




1.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822	-1.71	30	31.71	Pass	401
824	824.0375	0.1	RMS	824.02	-38.78	-20	18.78	Pass	401
824.0375	829	0.1	RMS	824.038	-39.45	-13	26.45	Pass	401




1.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	14.88	30	15.12	Pass	401
824	824.0375	0.02	RMS	824.001	-34.89	-20	14.89	Pass	401
824.0375	829	0.1	RMS	824.038	-29.59	-13	16.59	Pass	401



1.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.363	-2.61	30	32.61	Pass	401
824	824.0375	0.1	RMS	824.002	-39.71	-20	19.71	Pass	401
824.0375	829	0.1	RMS	824.038	-40.11	-13	27.11	Pass	401



10. LTE_Band38


10.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2561.768	-40.62	-25	15.62	Pass	401
2564	2565	1	RMS	2564.99	-40.5	-13	27.5	Pass	401
2565	2569	1	RMS	2569	-29.94	-10	19.94	Pass	5
2569	2570	0.051	RMS	2569.998	-17.81	-10	7.81	Pass	401
2570	2575	0.1	RMS	2570.325	20.22	30	9.78	Pass	401




10.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-36.81	-25	11.81	Pass	20
2564	2565	1	RMS	2565	-33.52	-13	20.52	Pass	2
2565	2569	1	RMS	2569	-24.13	-10	14.13	Pass	5
2569	2570	0.1	RMS	2569.998	-27.35	-10	17.35	Pass	401
2570	2575	0.1	RMS	2574.238	6.39	30	23.61	Pass	401




10.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2561.72	-43.01	-25	18.01	Pass	401
2564	2565	1	RMS	2564.995	-40.59	-13	27.59	Pass	401
2565	2569	1	RMS	2569	-30.86	-10	20.86	Pass	5
2569	2570	0.051	RMS	2570	-20.51	-10	10.51	Pass	401
2570	2575	0.1	RMS	2570.338	20.29	30	9.71	Pass	401




10.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.86	-25	12.86	Pass	20
2564	2565	1	RMS	2565	-34.79	-13	21.79	Pass	2
2565	2569	1	RMS	2569	-26.08	-10	16.08	Pass	5
2569	2570	0.1	RMS	2570	-29.83	-10	19.83	Pass	401
2570	2575	0.1	RMS	2572.2	4.95	30	25.05	Pass	401




10.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.91	30	9.09	Pass	401
2620	2621	0.051	RMS	2620	-17.64	-10	7.64	Pass	401
2621	2625	1	RMS	2621	-28.28	-10	18.28	Pass	5
2625	2626	1	RMS	2625.008	-40.07	-13	27.07	Pass	401
2626	2645	1	RMS	2628.328	-42.77	-25	17.77	Pass	401




10.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.675	6.77	30	23.23	Pass	401
2620	2621	0.1	RMS	2620.003	-28.04	-10	18.04	Pass	401
2621	2625	1	RMS	2621	-27.17	-10	17.17	Pass	5
2625	2626	1	RMS	2625	-36.36	-13	23.36	Pass	401
2626	2645	1	RMS	2626	-38.61	-25	13.61	Pass	20




10.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.65	30	9.35	Pass	401
2620	2621	0.051	RMS	2620	-18.13	-10	8.13	Pass	401
2621	2625	1	RMS	2621	-29.22	-10	19.22	Pass	5
2625	2626	1	RMS	2625.015	-40.39	-13	27.39	Pass	401
2626	2645	1	RMS	2628.233	-44.1	-25	19.1	Pass	401




10.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.65	6.34	30	23.66	Pass	401
2620	2621	0.1	RMS	2620	-28.47	-10	18.47	Pass	401
2621	2625	1	RMS	2621	-28.57	-10	18.57	Pass	5
2625	2626	1	RMS	2625.063	-35.81	-13	22.81	Pass	401
2626	2645	1	RMS	2626	-39.04	-25	14.04	Pass	20




10.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2552.95	-39.3	-25	14.3	Pass	401
2560	2565	1	RMS	2564.975	-38.28	-13	25.28	Pass	401
2565	2569	1	RMS	2569	-29.92	-10	19.92	Pass	5
2569	2570	0.2	RMS	2569.998	-17.95	-10	7.95	Pass	401
2570	2580	0.1	RMS	2570.6	20.6	30	9.4	Pass	401




**10.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-36.02	-25	11.02	Pass	401
2560	2565	1	RMS	2565	-28.89	-13	15.89	Pass	401
2565	2569	1	RMS	2569	-26.62	-10	16.62	Pass	5
2569	2570	0.2	RMS	2569.99 8	-29.74	-10	19.74	Pass	401
2570	2580	0.1	RMS	2577.55	3.6	30	26.4	Pass	401




**10.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2552.91 3	-40.21	-25	15.21	Pass	401
2560	2565	1	RMS	2565	-39.93	-13	26.93	Pass	401
2565	2569	1	RMS	2569	-31.85	-10	21.85	Pass	5
2569	2570	0.2	RMS	2569.99 8	-18.04	-10	8.04	Pass	401
2570	2580	0.1	RMS	2570.57 5	20.28	30	9.72	Pass	401




**10.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2559.96 3	-37.98	-25	12.98	Pass	401
2560	2565	1	RMS	2564.92 5	-30.65	-13	17.65	Pass	401
2565	2569	1	RMS	2569	-28.81	-10	18.81	Pass	5
2569	2570	0.2	RMS	2569.99 8	-31.96	-10	21.96	Pass	401
2570	2580	0.1	RMS	2570.82 5	2.44	30	27.56	Pass	401




**10.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.63	30	8.37	Pass	401
2620	2621	0.1	RMS	2620.003	-20.47	-10	10.47	Pass	401
2621	2625	1	RMS	2621	-31.17	-10	21.17	Pass	5
2625	2630	1	RMS	2625.163	-39.72	-13	26.72	Pass	401
2630	2645	1	RMS	2637.125	-42.05	-25	17.05	Pass	401




**10.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.8	4.11	30	25.89	Pass	401
2620	2621	0.2	RMS	2620.003	-31.96	-10	21.96	Pass	401
2621	2625	1	RMS	2621	-29.52	-10	19.52	Pass	5
2625	2630	1	RMS	2625.125	-31.62	-13	18.62	Pass	401
2630	2645	1	RMS	2630.075	-39.93	-25	14.93	Pass	401




**10.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.6	30	9.4	Pass	401
2620	2621	0.2	RMS	2620	-17.96	-10	7.96	Pass	401
2621	2625	1	RMS	2621	-31.6	-10	21.6	Pass	5
2625	2630	1	RMS	2625	-39.34	-13	26.34	Pass	401
2630	2645	1	RMS	2637.013	-43.46	-25	18.46	Pass	401




10.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2612.525	2.57	30	27.43	Pass	401
2620	2621	0.2	RMS	2620.003	-33.1	-10	23.1	Pass	401
2621	2625	1	RMS	2621	-31.25	-10	21.25	Pass	5
2625	2630	1	RMS	2625.038	-33.67	-13	20.67	Pass	401
2630	2645	1	RMS	2630	-39.72	-25	14.72	Pass	401




10.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.025	-45.46	-25	20.46	Pass	401
2555	2565	1	RMS	2564.975	-38.67	-13	25.67	Pass	401
2565	2569	1	RMS	2569	-31.03	-10	21.03	Pass	5
2569	2570	0.3	RMS	2570	-19.64	-10	9.64	Pass	401
2570	2585	0.1	RMS	2570.825	20.87	30	9.13	Pass	401




10.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-36.68	-25	11.68	Pass	401
2555	2565	1	RMS	2564.775	-27.96	-13	14.96	Pass	401
2565	2569	1	RMS	2569	-25.83	-10	15.83	Pass	5
2569	2570	0.3	RMS	2569.995	-28.9	-10	18.9	Pass	401
2570	2585	0.1	RMS	2572.775	1.47	30	28.53	Pass	401




10.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.025	-45.88	-25	20.88	Pass	401
2555	2565	1	RMS	2564.975	-40.19	-13	27.19	Pass	401
2565	2569	1	RMS	2569	-32.75	-10	22.75	Pass	5
2569	2570	0.3	RMS	2570	-19.82	-10	9.82	Pass	401
2570	2585	0.1	RMS	2570.825	19.98	30	10.02	Pass	401




10.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-38.17	-25	13.17	Pass	401
2555	2565	1	RMS	2564.95	-30.59	-13	17.59	Pass	401
2565	2569	1	RMS	2568	-29.68	-10	19.68	Pass	5
2569	2570	0.3	RMS	2569.998	-32.32	-10	22.32	Pass	401
2570	2585	0.1	RMS	2583.275	0.84	30	29.16	Pass	401




10.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	21.36	30	8.64	Pass	401
2620	2621	0.3	RMS	2620	-18.88	-10	8.88	Pass	401
2621	2625	1	RMS	2621	-31.49	-10	21.49	Pass	5
2625	2635	1	RMS	2625	-39.83	-13	26.83	Pass	401
2635	2645	1	RMS	2645	-46.04	-25	21.04	Pass	401




10.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2608.113	2.63	30	27.37	Pass	401
2620	2621	0.3	RMS	2620.008	-31.05	-10	21.05	Pass	401
2621	2625	1	RMS	2622	-29.3	-10	19.3	Pass	5
2625	2635	1	RMS	2626.075	-30.72	-13	17.72	Pass	401
2635	2645	1	RMS	2635.85	-40.34	-25	15.34	Pass	401




10.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.5	30	9.5	Pass	401
2620	2621	0.3	RMS	2620	-19.8	-10	9.8	Pass	401
2621	2625	1	RMS	2621	-31.83	-10	21.83	Pass	5
2625	2635	1	RMS	2625.075	-39.48	-13	26.48	Pass	401
2635	2645	1	RMS	2644.975	-46.84	-25	21.84	Pass	401




10.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2605.938	1.05	30	28.95	Pass	401
2620	2621	0.3	RMS	2620.005	-33.14	-10	23.14	Pass	401
2621	2625	1	RMS	2622	-31.9	-10	21.9	Pass	5
2625	2635	1	RMS	2625.675	-33.37	-13	20.37	Pass	401
2635	2645	1	RMS	2635.15	-39.92	-25	14.92	Pass	401




10.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-47.52	-25	22.52	Pass	401
2550	2565	1	RMS	2564.888	-38.24	-13	25.24	Pass	401
2565	2569	1	RMS	2569	-30.76	-10	20.76	Pass	5
2569	2570	0.51	RMS	2569.995	-19.47	-10	9.47	Pass	401
2570	2590	0.1	RMS	2571.1	20.98	30	9.02	Pass	401




10.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-39.21	-25	14.21	Pass	401
2550	2565	1	RMS	2564.888	-30.83	-13	17.83	Pass	401
2565	2569	1	RMS	2569	-29.98	-10	19.98	Pass	5
2569	2570	0.51	RMS	2569.993	-31.32	-10	21.32	Pass	401
2570	2590	0.1	RMS	2575.8	1	30	29	Pass	401




10.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-47.76	-25	22.76	Pass	401
2550	2565	1	RMS	2565	-39.27	-13	26.27	Pass	401
2565	2569	1	RMS	2569	-31.25	-10	21.25	Pass	5
2569	2570	0.51	RMS	2570	-18.89	-10	8.89	Pass	401
2570	2590	0.1	RMS	2571.1	19.56	30	10.44	Pass	401




10.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-40.33	-25	15.33	Pass	401
2550	2565	1	RMS	2565	-32.46	-13	19.46	Pass	401
2565	2569	1	RMS	2569	-31.77	-10	21.77	Pass	5
2569	2570	0.51	RMS	2569.988	-31.59	-10	21.59	Pass	401
2570	2590	0.1	RMS	2579.2	-0.29	30	30.29	Pass	401



10.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.49	30	9.51	Pass	401
2620	2621	0.51	RMS	2620.003	-19.69	-10	9.69	Pass	401
2621	2625	1	RMS	2621	-34.1	-10	24.1	Pass	5
2625	2640	1	RMS	2625	-41.09	-13	28.09	Pass	401
2640	2645	1	RMS	2640.025	-47.5	-25	22.5	Pass	401




10.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	0.95	30	29.05	Pass	401
2620	2621	0.51	RMS	2620.025	-32.31	-10	22.31	Pass	401
2621	2625	1	RMS	2621	-32.59	-10	22.59	Pass	5
2625	2640	1	RMS	2625.338	-33.57	-13	20.57	Pass	401
2640	2645	1	RMS	2640.038	-42.74	-25	17.74	Pass	401



**10.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	19.71	30	10.29	Pass	401
2620	2621	0.51	RMS	2620.003	-19.71	-10	9.71	Pass	401
2621	2625	1	RMS	2621	-32.96	-10	22.96	Pass	5
2625	2640	1	RMS	2625.038	-40.31	-13	27.31	Pass	401
2640	2645	1	RMS	2640.038	-47.48	-25	22.48	Pass	401



10.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606	-0.29	30	30.29	Pass	401
2620	2621	0.51	RMS	2620.035	-33.39	-10	23.39	Pass	401
2621	2625	1	RMS	2621	-33.54	-10	23.54	Pass	5
2625	2640	1	RMS	2625.45	-34.68	-13	21.68	Pass	401
2640	2645	1	RMS	2640.013	-42.1	-25	17.1	Pass	401



11. LTE_Band41 120M


11.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2486.775	-48.59	-25	23.59	Pass	401
2490	2495	1	RMS	2495	-49.27	-13	36.27	Pass	6
2495	2496	0.051	RMS	2495.39	-61.45	-13	48.45	Pass	401
2496	2501	0.1	RMS	2496.288	-58.74	30	88.74	Pass	401




11.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.838	-48.61	-25	23.61	Pass	401
2490	2495	1	RMS	2491	-49.22	-13	36.22	Pass	6
2495	2496	0.051	RMS	2495.615	-61.46	-13	48.46	Pass	401
2496	2501	0.1	RMS	2500.613	-58.61	30	88.61	Pass	401




11.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.863	-48.62	-25	23.62	Pass	401
2490	2495	1	RMS	2495	-49.28	-13	36.28	Pass	6
2495	2496	0.051	RMS	2495.87	-61.48	-13	48.48	Pass	401
2496	2501	0.1	RMS	2498.613	-58.68	30	88.68	Pass	401




11.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.45	-48.61	-25	23.61	Pass	401
2490	2495	1	RMS	2491	-49.31	-13	36.31	Pass	6
2495	2496	0.051	RMS	2495.473	-61.49	-13	48.49	Pass	401
2496	2501	0.1	RMS	2499.7	-58.69	30	88.69	Pass	401




11.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.588	-58.54	30	88.54	Pass	401
2690	2691	0.051	RMS	2690.37	-61.21	-10	51.21	Pass	401
2691	2695	1	RMS	2693	-48.94	-10	38.94	Pass	5
2695	2696	1	RMS	2695.883	-48.33	-13	35.33	Pass	401
2696	2715	1	RMS	2714.953	-48.07	-25	23.07	Pass	401




11.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.275	-58.44	30	88.44	Pass	401
2690	2691	0.1	RMS	2690.315	-58.4	-10	48.4	Pass	401
2691	2695	1	RMS	2693	-48.97	-10	38.97	Pass	5
2695	2696	1	RMS	2695.215	-48.33	-13	35.33	Pass	401
2696	2715	1	RMS	2713.908	-48.04	-25	23.04	Pass	401




11.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.275	-58.53	30	88.53	Pass	401
2690	2691	0.05	RMS	2690	-61.8	-10	51.8	Pass	21
2691	2695	1	RMS	2695	-48.95	-10	38.95	Pass	5
2695	2696	1	RMS	2695.748	-48.33	-13	35.33	Pass	401
2696	2715	1	RMS	2714.145	-48.07	-25	23.07	Pass	401




11.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.35	-58.55	30	88.55	Pass	401
2690	2691	0.1	RMS	2690.993	-58.48	-10	48.48	Pass	401
2691	2695	1	RMS	2695	-48.97	-10	38.97	Pass	5
2695	2696	1	RMS	2695.96	-48.32	-13	35.32	Pass	401
2696	2715	1	RMS	2713.86	-48.08	-25	23.08	Pass	401




11.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.738	-48.6	-25	23.6	Pass	401
2490	2495	1	RMS	2495	-49.31	-13	36.31	Pass	6
2495	2496	0.1	RMS	2495.56	-58.74	-13	45.74	Pass	401
2496	2506	0.1	RMS	2502.175	-58.67	30	88.67	Pass	401




**11.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:40090,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.36 3	-48.62	-25	23.62	Pass	401
2490	2495	1	RMS	2494	-49.26	-13	36.26	Pass	6
2495	2496	0.1	RMS	2495.06 3	-58.82	-13	45.82	Pass	401
2496	2506	0.1	RMS	2505.92 5	-58.66	30	88.66	Pass	401




**11.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:40090,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.26 3	-48.62	-25	23.62	Pass	401
2490	2495	1	RMS	2494	-49.21	-13	36.21	Pass	6
2495	2496	0.1	RMS	2495.27 8	-58.74	-13	45.74	Pass	401
2496	2506	0.1	RMS	2500.42 5	-58.69	30	88.69	Pass	401




11.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-27.93	-13	14.93	Pass	45
2534	2535	0.051	RMS	2535	-17.89	-13	4.89	Pass*	401
2535	2540	0.1	RMS	2535.35	21.24	30	8.76	Pass	401



11.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-23.14	-13	10.14	Pass	45
2534	2535	0.051	RMS	2534.995	-29.77	-13	16.77	Pass	401
2535	2540	0.1	RMS	2536.688	7.66	30	22.34	Pass	401




11.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.5	-13	15.5	Pass	45
2534	2535	0.051	RMS	2534.998	-19.48	-13	6.48	Pass	401
2535	2540	0.1	RMS	2535.338	21.05	30	8.95	Pass	401




11.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-25.08	-13	12.08	Pass	45
2534	2535	0.051	RMS	2534.995	-30.9	-13	17.9	Pass	401
2535	2540	0.1	RMS	2538.65	6.83	30	23.17	Pass	401



11.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.675	22.61	30	7.39	Pass	401
2655	2656	0.051	RMS	2655	-17.91	-10	7.91	Pass	401
2656	2660	1	RMS	2656	-25.26	-10	15.26	Pass	5
2660	2661	1	RMS	2660.003	-37.46	-13	24.46	Pass	401
2661	2680	1	RMS	2663.233	-35.58	-25	10.58	Pass	401




11.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2651.825	8.15	30	21.85	Pass	401
2655	2656	0.1	RMS	2655.003	-24.4	-10	14.4	Pass	401
2656	2660	1	RMS	2656	-18.95	-10	8.95	Pass	5
2660	2661	1	RMS	2660.01	-33.2	-13	20.2	Pass	401
2661	2680	1	RMS	2661	-34.36	-25	9.36	Pass	401



11.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	21.19	30	8.81	Pass	401
2655	2656	0.05	RMS	2655	-18.41	-10	8.41	Pass	21
2656	2660	1	RMS	2656	-26.61	-10	16.61	Pass	5
2660	2661	1	RMS	2660.018	-38.47	-13	25.47	Pass	401
2661	2680	1	RMS	2663.28	-37.56	-25	12.56	Pass	401




11.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2653.988	7.61	30	22.39	Pass	401
2655	2656	0.1	RMS	2655	-26.08	-10	16.08	Pass	401
2656	2660	1	RMS	2656	-21.68	-10	11.68	Pass	5
2660	2661	1	RMS	2660.038	-33.03	-13	20.03	Pass	401
2661	2680	1	RMS	2661.048	-35.3	-25	10.3	Pass	401




**11.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:40090,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.81	-13	15.81	Pass	45
2534	2535	0.1	RMS	2534.998	-21.52	-13	8.52	Pass	401
2535	2545	0.1	RMS	2535.575	21.49	30	8.51	Pass	401




**11.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:40090,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-25.35	-13	12.35	Pass	45
2534	2535	0.1	RMS	2534.96 3	-32.48	-13	19.48	Pass	401
2535	2545	0.1	RMS	2538.3	4.23	30	25.77	Pass	401




**11.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:40090,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-30.82	-13	17.82	Pass	45
2534	2535	0.1	RMS	2534.99 3	-22.17	-13	9.17	Pass	401
2535	2545	0.1	RMS	2535.6	21.13	30	8.87	Pass	401




**11.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:40090,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-27.14	-13	14.14	Pass	45
2534	2535	0.1	RMS	2534.98 5	-33.92	-13	20.92	Pass	401
2535	2545	0.1	RMS	2536.72 5	3.33	30	26.67	Pass	401




**11.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41190,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	22.24	30	7.76	Pass	401
2655	2656	0.2	RMS	2655.008	-16.13	-10	6.13	Pass	401
2656	2660	1	RMS	2656	-29.29	-10	19.29	Pass	5
2660	2665	1	RMS	2663.25	-33.55	-13	20.55	Pass	401
2665	2680	1	RMS	2672.05	-34.83	-25	9.83	Pass	401




**11.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41190,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2652.575	5.07	30	24.93	Pass	401
2655	2656	0.2	RMS	2655.003	-26.23	-10	16.23	Pass	401
2656	2660	1	RMS	2656	-21.47	-10	11.47	Pass	5
2660	2665	1	RMS	2660.013	-24.26	-13	11.26	Pass	401
2665	2680	1	RMS	2665.038	-36.65	-25	11.65	Pass	401




**11.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41190,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	21.43	30	8.57	Pass	401
2655	2656	0.2	RMS	2655.005	-17.04	-10	7.04	Pass	401
2656	2660	1	RMS	2656	-30.26	-10	20.26	Pass	5
2660	2665	1	RMS	2663.263	-35.69	-13	22.69	Pass	401
2665	2680	1	RMS	2672.125	-37.21	-25	12.21	Pass	401




**11.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41190,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.25	4.15	30	25.85	Pass	401
2655	2656	0.2	RMS	2655.003	-28.66	-10	18.66	Pass	401
2656	2660	1	RMS	2656	-24.43	-10	14.43	Pass	5
2660	2665	1	RMS	2660.013	-27.65	-13	14.65	Pass	401
2665	2680	1	RMS	2665	-36.66	-25	11.66	Pass	401



11.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-29.88	-13	16.88	Pass	45
2534	2535	0.15	RMS	2535	-21.87	-13	8.87	Pass	401
2535	2550	0.1	RMS	2535.825	21.55	30	8.45	Pass	401



11.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-24.62	-13	11.62	Pass	45
2534	2535	0.15	RMS	2534.648	-30.3	-13	17.3	Pass	401
2535	2550	0.1	RMS	2537.775	3.23	30	26.77	Pass	401

