

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	conducted power(dBm)	Max Ant Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.08	3.55	25.63	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.12	3.55	25.67	33	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.11	3.55	25.66	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.27	3.55	25.82	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.31	3.55	25.86	33	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.29	3.55	25.84	33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.37	3.55	24.92	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.22	3.55	24.77	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	21.29	3.55	24.84	33	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	21.22	3.55	24.77	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.37	3.55	24.92	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.43	3.55	24.98	33	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	21.35	3.55	24.90	33	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.60	3.55	24.15	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.05	3.55	25.60	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.03	3.55	25.58	33	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	21.95	3.55	25.50	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.22	3.55	25.77	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.25	3.55	25.80	33	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.13	3.55	25.68	33	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.29	3.55	24.84	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.19	3.55	24.74	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	21.20	3.55	24.75	33	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.09	3.55	24.64	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.31	3.55	24.86	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.35	3.55	24.90	33	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.26	3.55	24.81	33	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	20.54	3.55	24.09	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	21.53	3.55	25.08	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	21.47	3.55	25.02	33	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	21.45	3.55	25.00	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	21.70	3.55	25.25	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	21.69	3.55	25.24	33	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	21.64	3.55	25.19	33	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	20.81	3.55	24.36	33	PASS

Band2	1.4MHz	16QAM	19193	1RB#0	20.69	3.55	24.24	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	20.74	3.55	24.29	33	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	20.64	3.55	24.19	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	20.79	3.55	24.34	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	20.88	3.55	24.43	33	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	20.77	3.55	24.32	33	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.09	3.55	23.64	33	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.17	3.55	25.72	33	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.15	3.55	25.70	33	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.25	3.55	25.80	33	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.52	3.55	25.07	33	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.63	3.55	25.18	33	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.64	3.55	25.19	33	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.65	3.55	25.20	33	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.26	3.55	24.81	33	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.49	3.55	25.04	33	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.28	3.55	24.83	33	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.77	3.55	24.32	33	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.81	3.55	24.36	33	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.91	3.55	24.46	33	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.83	3.55	24.38	33	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.11	3.55	25.66	33	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.01	3.55	25.56	33	PASS
Band2	3MHz	QPSK	18900	1RB#14	21.93	3.55	25.48	33	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.54	3.55	25.09	33	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.47	3.55	25.02	33	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.45	3.55	25.00	33	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.52	3.55	25.07	33	PASS
Band2	3MHz	16QAM	18900	1RB#0	21.37	3.55	24.92	33	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.16	3.55	24.71	33	PASS
Band2	3MHz	16QAM	18900	1RB#14	21.19	3.55	24.74	33	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.80	3.55	24.35	33	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.76	3.55	24.31	33	PASS
Band2	3MHz	16QAM	18900	8RB#7	20.69	3.55	24.24	33	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.76	3.55	24.31	33	PASS
Band2	3MHz	QPSK	19185	1RB#0	21.68	3.55	25.23	33	PASS
Band2	3MHz	QPSK	19185	1RB#8	21.60	3.55	25.15	33	PASS
Band2	3MHz	QPSK	19185	1RB#14	21.52	3.55	25.07	33	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.12	3.55	24.67	33	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.09	3.55	24.64	33	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.03	3.55	24.58	33	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.11	3.55	24.66	33	PASS
Band2	3MHz	16QAM	19185	1RB#0	20.94	3.55	24.49	33	PASS

Band2	3MHz	16QAM	19185	1RB#8	20.76	3.55	24.31	33	PASS
Band2	3MHz	16QAM	19185	1RB#14	20.76	3.55	24.31	33	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.40	3.55	23.95	33	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.33	3.55	23.88	33	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.25	3.55	23.80	33	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.38	3.55	23.93	33	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.40	3.55	25.95	33	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.43	3.55	25.98	33	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.57	3.55	26.12	33	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.69	3.55	25.24	33	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.78	3.55	25.33	33	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.83	3.55	25.38	33	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.82	3.55	25.37	33	PASS
Band2	5MHz	16QAM	18625	1RB#0	21.54	3.55	25.09	33	PASS
Band2	5MHz	16QAM	18625	1RB#12	21.52	3.55	25.07	33	PASS
Band2	5MHz	16QAM	18625	1RB#24	21.68	3.55	25.23	33	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.93	3.55	24.48	33	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.02	3.55	24.57	33	PASS
Band2	5MHz	16QAM	18625	12RB#13	21.10	3.55	24.65	33	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.11	3.55	24.66	33	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.52	3.55	26.07	33	PASS
Band2	5MHz	QPSK	18900	1RB#12	22.28	3.55	25.83	33	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.10	3.55	25.65	33	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.77	3.55	25.32	33	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.66	3.55	25.21	33	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.53	3.55	25.08	33	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.63	3.55	25.18	33	PASS
Band2	5MHz	16QAM	18900	1RB#0	21.68	3.55	25.23	33	PASS
Band2	5MHz	16QAM	18900	1RB#12	21.39	3.55	24.94	33	PASS
Band2	5MHz	16QAM	18900	1RB#24	21.33	3.55	24.88	33	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.01	3.55	24.56	33	PASS
Band2	5MHz	16QAM	18900	12RB#6	20.91	3.55	24.46	33	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.77	3.55	24.32	33	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.96	3.55	24.51	33	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.12	3.55	25.67	33	PASS
Band2	5MHz	QPSK	19175	1RB#12	21.92	3.55	25.47	33	PASS
Band2	5MHz	QPSK	19175	1RB#24	21.78	3.55	25.33	33	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.42	3.55	24.97	33	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.28	3.55	24.83	33	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.16	3.55	24.71	33	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.27	3.55	24.82	33	PASS
Band2	5MHz	16QAM	19175	1RB#0	21.23	3.55	24.78	33	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.02	3.55	24.57	33	PASS

Band2	5MHz	16QAM	19175	1RB#24	20.95	3.55	24.50	33	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.65	3.55	24.20	33	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.56	3.55	24.11	33	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.41	3.55	23.96	33	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.62	3.55	24.17	33	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.40	3.55	25.95	33	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.53	3.55	26.08	33	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.71	3.55	26.26	33	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.77	3.55	25.32	33	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.88	3.55	25.43	33	PASS
Band2	10MHz	QPSK	18650	25RB#25	22.10	3.55	25.65	33	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.98	3.55	25.53	33	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.68	3.55	25.23	33	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.64	3.55	25.19	33	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.96	3.55	25.51	33	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.04	3.55	24.59	33	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.14	3.55	24.69	33	PASS
Band2	10MHz	16QAM	18650	25RB#25	21.36	3.55	24.91	33	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.26	3.55	24.81	33	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.69	3.55	26.24	33	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.23	3.55	25.78	33	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.00	3.55	25.55	33	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.90	3.55	25.45	33	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.69	3.55	25.24	33	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.48	3.55	25.03	33	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.77	3.55	25.32	33	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.92	3.55	25.47	33	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.42	3.55	24.97	33	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.23	3.55	24.78	33	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.20	3.55	24.75	33	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.94	3.55	24.49	33	PASS
Band2	10MHz	16QAM	18900	25RB#25	20.76	3.55	24.31	33	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.03	3.55	24.58	33	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.36	3.55	25.91	33	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.01	3.55	25.56	33	PASS
Band2	10MHz	QPSK	19150	1RB#49	21.80	3.55	25.35	33	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.74	3.55	25.29	33	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.49	3.55	25.04	33	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.19	3.55	24.74	33	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.54	3.55	25.09	33	PASS
Band2	10MHz	16QAM	19150	1RB#0	21.58	3.55	25.13	33	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.22	3.55	24.77	33	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.09	3.55	24.64	33	PASS

Band2	10MHz	16QAM	19150	25RB#0	21.00	3.55	24.55	33	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.78	3.55	24.33	33	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.48	3.55	24.03	33	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.80	3.55	24.35	33	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.43	3.55	25.98	33	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.64	3.55	26.19	33	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.87	3.55	26.42	33	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.70	3.55	25.25	33	PASS
Band2	15MHz	QPSK	18675	38RB#18	21.88	3.55	25.43	33	PASS
Band2	15MHz	QPSK	18675	38RB#37	22.12	3.55	25.67	33	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.01	3.55	25.56	33	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.67	3.55	25.22	33	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.82	3.55	25.37	33	PASS
Band2	15MHz	16QAM	18675	1RB#74	22.10	3.55	25.65	33	PASS
Band2	15MHz	16QAM	18675	38RB#0	21.69	3.55	25.24	33	PASS
Band2	15MHz	16QAM	18675	38RB#18	21.15	3.55	24.70	33	PASS
Band2	15MHz	16QAM	18675	38RB#37	22.14	3.55	25.69	33	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.19	3.55	24.74	33	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.78	3.55	26.33	33	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.23	3.55	25.78	33	PASS
Band2	15MHz	QPSK	18900	1RB#74	21.83	3.55	25.38	33	PASS
Band2	15MHz	QPSK	18900	38RB#0	22.01	3.55	25.56	33	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.53	3.55	25.08	33	PASS
Band2	15MHz	QPSK	18900	38RB#37	21.12	3.55	24.67	33	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.64	3.55	25.19	33	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.04	3.55	25.59	33	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.38	3.55	24.93	33	PASS
Band2	15MHz	16QAM	18900	1RB#74	21.15	3.55	24.70	33	PASS
Band2	15MHz	16QAM	18900	38RB#0	22.05	3.55	25.60	33	PASS
Band2	15MHz	16QAM	18900	38RB#18	20.79	3.55	24.34	33	PASS
Band2	15MHz	16QAM	18900	38RB#37	21.15	3.55	24.70	33	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.88	3.55	24.43	33	PASS
Band2	15MHz	QPSK	19125	1RB#0	22.11	3.55	25.66	33	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.24	3.55	25.79	33	PASS
Band2	15MHz	QPSK	19125	1RB#74	21.81	3.55	25.36	33	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.34	3.55	24.89	33	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.51	3.55	25.06	33	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.06	3.55	24.61	33	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.45	3.55	25.00	33	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.37	3.55	24.92	33	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.39	3.55	24.94	33	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.08	3.55	24.63	33	PASS
Band2	15MHz	16QAM	19125	38RB#0	21.37	3.55	24.92	33	PASS

Band2	15MHz	16QAM	19125	38RB#18	20.69	3.55	24.24	33	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.06	3.55	24.61	33	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.65	3.55	24.20	33	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.36	3.55	25.91	33	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.69	3.55	26.24	33	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.90	3.55	26.45	33	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.82	3.55	25.37	33	PASS
Band2	20MHz	QPSK	18700	50RB#25	22.13	3.55	25.68	33	PASS
Band2	20MHz	QPSK	18700	50RB#50	22.34	3.55	25.89	33	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.15	3.55	25.70	33	PASS
Band2	20MHz	16QAM	18700	1RB#0	21.52	3.55	25.07	33	PASS
Band2	20MHz	16QAM	18700	1RB#49	21.92	3.55	25.47	33	PASS
Band2	20MHz	16QAM	18700	1RB#99	21.99	3.55	25.54	33	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.09	3.55	24.64	33	PASS
Band2	20MHz	16QAM	18700	50RB#25	21.40	3.55	24.95	33	PASS
Band2	20MHz	16QAM	18700	50RB#50	21.58	3.55	25.13	33	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.40	3.55	24.95	33	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.89	3.55	26.44	33	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.17	3.55	25.72	33	PASS
Band2	20MHz	QPSK	18900	1RB#99	21.80	3.55	25.35	33	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.32	3.55	25.87	33	PASS
Band2	20MHz	QPSK	18900	50RB#25	21.76	3.55	25.31	33	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.51	3.55	25.06	33	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.91	3.55	25.46	33	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.96	3.55	25.51	33	PASS
Band2	20MHz	16QAM	18900	1RB#49	21.52	3.55	25.07	33	PASS
Band2	20MHz	16QAM	18900	1RB#99	20.94	3.55	24.49	33	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.58	3.55	25.13	33	PASS
Band2	20MHz	16QAM	18900	50RB#25	21.01	3.55	24.56	33	PASS
Band2	20MHz	16QAM	18900	50RB#50	20.79	3.55	24.34	33	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.15	3.55	24.70	33	PASS
Band2	20MHz	QPSK	19100	1RB#0	21.87	3.55	25.42	33	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.32	3.55	25.87	33	PASS
Band2	20MHz	QPSK	19100	1RB#99	21.84	3.55	25.39	33	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.35	3.55	24.90	33	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.69	3.55	25.24	33	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.25	3.55	24.80	33	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.30	3.55	24.85	33	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.25	3.55	24.80	33	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.63	3.55	25.18	33	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.18	3.55	24.73	33	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.65	3.55	24.20	33	PASS
Band2	20MHz	16QAM	19100	50RB#25	20.97	3.55	24.52	33	PASS

Band2	20MHz	16QAM	19100	50RB#50	20.56	3.55	24.11	33	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.55	3.55	24.10	33	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	5.29	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.42	13	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	6.19	13	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	6.15	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.38	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.48	13	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	6.28	13	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	6.22	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	5.42	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	5.48	13	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	6.31	13	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	6.22	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	5.26	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.03	13	PASS
Band2	3MHz	16QAM	18615	1RB#0	6.35	13	PASS
Band2	3MHz	16QAM	18615	15RB#0	6.06	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.42	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.19	13	PASS
Band2	3MHz	16QAM	18900	1RB#0	6.19	13	PASS
Band2	3MHz	16QAM	18900	15RB#0	6.09	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	5.38	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.22	13	PASS
Band2	3MHz	16QAM	19185	1RB#0	5.96	13	PASS
Band2	3MHz	16QAM	19185	15RB#0	6.09	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	5.16	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.26	13	PASS
Band2	5MHz	16QAM	18625	1RB#0	5.67	13	PASS
Band2	5MHz	16QAM	18625	25RB#0	6.09	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.51	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.38	13	PASS
Band2	5MHz	16QAM	18900	1RB#0	5.87	13	PASS
Band2	5MHz	16QAM	18900	25RB#0	6.15	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	5.54	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.38	13	PASS
Band2	5MHz	16QAM	19175	1RB#0	6.12	13	PASS
Band2	5MHz	16QAM	19175	25RB#0	6.15	13	PASS


Band2	10MHz	QPSK	18650	1RB#0	5.26	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.54	13	PASS
Band2	10MHz	16QAM	18650	1RB#0	6.35	13	PASS
Band2	10MHz	16QAM	18650	50RB#0	6.38	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	5.22	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.64	13	PASS
Band2	10MHz	16QAM	18900	1RB#0	5.99	13	PASS
Band2	10MHz	16QAM	18900	50RB#0	6.41	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	5.13	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.48	13	PASS
Band2	10MHz	16QAM	19150	1RB#0	5.77	13	PASS
Band2	10MHz	16QAM	19150	50RB#0	6.31	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	8.17	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	6.09	13	PASS
Band2	15MHz	16QAM	18675	1RB#0	8.17	13	PASS
Band2	15MHz	16QAM	18675	75RB#0	6.83	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	8.33	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.80	13	PASS
Band2	15MHz	16QAM	18900	1RB#0	8.24	13	PASS
Band2	15MHz	16QAM	18900	75RB#0	6.73	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	8.24	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.51	13	PASS
Band2	15MHz	16QAM	19125	1RB#0	8.17	13	PASS
Band2	15MHz	16QAM	19125	75RB#0	6.57	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	8.62	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	6.63	13	PASS
Band2	20MHz	16QAM	18700	1RB#0	8.46	13	PASS
Band2	20MHz	16QAM	18700	100RB#0	7.18	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	8.46	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	6.44	13	PASS
Band2	20MHz	16QAM	18900	1RB#0	8.37	13	PASS
Band2	20MHz	16QAM	18900	100RB#0	7.12	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	8.56	13	PASS
Band2	20MHz	QPSK	19100	100RB#0	6.25	13	PASS
Band2	20MHz	16QAM	19100	1RB#0	8.37	13	PASS
Band2	20MHz	16QAM	19100	100RB#0	7.05	13	PASS


Test Graphs
































Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.1	1.30	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1.105	1.32	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.1	1.29	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1.105	1.30	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.105	1.30	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1.09	1.28	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.68	2.97	PASS
Band2	3MHz	16QAM	18615	15RB#0	2.68	2.99	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.69	2.98	PASS
Band2	3MHz	16QAM	18900	15RB#0	2.69	2.97	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.69	2.97	PASS
Band2	3MHz	16QAM	19185	15RB#0	2.69	2.98	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.51	4.96	PASS
Band2	5MHz	16QAM	18625	25RB#0	4.5	4.93	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.51	4.93	PASS
Band2	5MHz	16QAM	18900	25RB#0	4.51	4.96	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.52	4.94	PASS
Band2	5MHz	16QAM	19175	25RB#0	4.53	4.95	PASS
Band2	10MHz	QPSK	18650	50RB#0	9	9.87	PASS
Band2	10MHz	16QAM	18650	50RB#0	9	9.83	PASS
Band2	10MHz	QPSK	18900	50RB#0	9.033	9.90	PASS
Band2	10MHz	16QAM	18900	50RB#0	9	9.87	PASS
Band2	10MHz	QPSK	19150	50RB#0	9	9.83	PASS
Band2	10MHz	16QAM	19150	50RB#0	9.033	9.83	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.55	15.00	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.5	14.70	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.55	14.85	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.55	14.75	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.4	14.65	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.45	14.70	PASS
Band2	20MHz	QPSK	18700	100RB#0	18	19.80	PASS
Band2	20MHz	16QAM	18700	100RB#0	18	19.73	PASS
Band2	20MHz	QPSK	18900	100RB#0	18.2	20.00	PASS
Band2	20MHz	16QAM	18900	100RB#0	18.2	19.80	PASS

Band2	20MHz	QPSK	19100	100RB#0	17.933	19.53	PASS
Band2	20MHz	16QAM	19100	100RB#0	17.867	19.67	PASS


Test Graphs

Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	-30.42	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	-47.77	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	-35.96	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	-33.00	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	-48.53	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	-37.06	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	-48.70	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	-33.87	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	-37.98	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	-49.87	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	-34.06	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	-38.06	PASS
Band2	3MHz	QPSK	18615	1RB#0	-17.75	PASS
Band2	3MHz	QPSK	18615	1RB#14	-42.11	PASS
Band2	3MHz	QPSK	18615	15RB#0	-29.44	PASS
Band2	3MHz	16QAM	18615	1RB#0	-18.44	PASS
Band2	3MHz	16QAM	18615	1RB#14	-42.33	PASS
Band2	3MHz	16QAM	18615	15RB#0	-31.04	PASS
Band2	3MHz	QPSK	19185	1RB#0	-43.11	PASS
Band2	3MHz	QPSK	19185	1RB#14	-20.48	PASS
Band2	3MHz	QPSK	19185	15RB#0	-31.80	PASS
Band2	3MHz	16QAM	19185	1RB#0	-43.76	PASS
Band2	3MHz	16QAM	19185	1RB#14	-21.96	PASS
Band2	3MHz	16QAM	19185	15RB#0	-32.56	PASS
Band2	5MHz	QPSK	18625	1RB#0	-24.17	PASS
Band2	5MHz	QPSK	18625	1RB#24	-44.34	PASS
Band2	5MHz	QPSK	18625	25RB#0	-34.85	PASS
Band2	5MHz	16QAM	18625	1RB#0	-25.03	PASS
Band2	5MHz	16QAM	18625	1RB#24	-44.74	PASS
Band2	5MHz	16QAM	18625	25RB#0	-35.14	PASS
Band2	5MHz	QPSK	19175	1RB#0	-44.85	PASS
Band2	5MHz	QPSK	19175	1RB#24	-26.08	PASS
Band2	5MHz	QPSK	19175	25RB#0	-36.70	PASS
Band2	5MHz	16QAM	19175	1RB#0	-45.64	PASS
Band2	5MHz	16QAM	19175	1RB#24	-27.10	PASS
Band2	5MHz	16QAM	19175	25RB#0	-36.49	PASS
Band2	10MHz	QPSK	18650	1RB#0	-27.42	PASS

Band2	10MHz	QPSK	18650	1RB#49	-44.05	PASS
Band2	10MHz	QPSK	18650	50RB#0	-35.71	PASS
Band2	10MHz	16QAM	18650	1RB#0	-27.95	PASS
Band2	10MHz	16QAM	18650	1RB#49	-44.41	PASS
Band2	10MHz	16QAM	18650	50RB#0	-36.17	PASS
Band2	10MHz	QPSK	19150	1RB#0	-44.73	PASS
Band2	10MHz	QPSK	19150	1RB#49	-28.28	PASS
Band2	10MHz	QPSK	19150	50RB#0	-38.67	PASS
Band2	10MHz	16QAM	19150	1RB#0	-45.13	PASS
Band2	10MHz	16QAM	19150	1RB#49	-28.88	PASS
Band2	10MHz	16QAM	19150	50RB#0	-38.88	PASS
Band2	15MHz	QPSK	18675	1RB#0	-28.45	PASS
Band2	15MHz	QPSK	18675	1RB#74	-40.50	PASS
Band2	15MHz	QPSK	18675	75RB#0	-34.49	PASS
Band2	15MHz	16QAM	18675	1RB#0	-28.73	PASS
Band2	15MHz	16QAM	18675	1RB#74	-40.95	PASS
Band2	15MHz	16QAM	18675	75RB#0	-35.09	PASS
Band2	15MHz	QPSK	19125	1RB#0	-41.55	PASS
Band2	15MHz	QPSK	19125	1RB#74	-29.79	PASS
Band2	15MHz	QPSK	19125	75RB#0	-37.55	PASS
Band2	15MHz	16QAM	19125	1RB#0	-41.97	PASS
Band2	15MHz	16QAM	19125	1RB#74	-29.98	PASS
Band2	15MHz	16QAM	19125	75RB#0	-37.92	PASS
Band2	20MHz	QPSK	18700	1RB#0	-30.45	PASS
Band2	20MHz	QPSK	18700	1RB#99	-40.81	PASS
Band2	20MHz	QPSK	18700	100RB#0	-34.53	PASS
Band2	20MHz	16QAM	18700	1RB#0	-30.47	PASS
Band2	20MHz	16QAM	18700	1RB#99	-41.35	PASS
Band2	20MHz	16QAM	18700	100RB#0	-35.25	PASS
Band2	20MHz	QPSK	19100	1RB#0	-40.54	PASS
Band2	20MHz	QPSK	19100	1RB#99	-31.59	PASS
Band2	20MHz	QPSK	19100	100RB#0	-36.51	PASS
Band2	20MHz	16QAM	19100	1RB#0	-40.92	PASS
Band2	20MHz	16QAM	19100	1RB#99	-32.33	PASS
Band2	20MHz	16QAM	19100	100RB#0	-37.00	PASS



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	0.009~0.15	-62.63	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	0.15~30	-62.11	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	30~1000	-58.60	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-45.99	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	1000~3000	-49.31	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	3000~20000	-43.26	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.009~0.15	-61.29	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	0.15~30	-62.85	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	30~1000	-58.64	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-41.70	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	1000~3000	-30.47	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	3000~20000	-43.26	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.009~0.15	-62.33	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	0.15~30	-63.32	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	30~1000	-58.67	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	1000~3000	-45.47	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	3000~20000	-43.25	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.009~0.15	-62.87	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	0.15~30	-63.14	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	30~1000	-58.61	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-42.99	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	1000~3000	-32.56	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	3000~20000	-43.16	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.009~0.15	-63.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	0.15~30	-63.06	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	30~1000	-58.68	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-42.39	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	1000~3000	-31.10	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	3000~20000	-43.27	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.009~0.15	-62.72	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	0.15~30	-62.77	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	30~1000	-58.72	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	-43.28	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	1000~3000	-25.24	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	3000~20000	-43.28	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	0.009~0.15	-63.45	PASS

Band2	1.4MHz	QPSK	18900	1RB#0	0.15~30	-63.05	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	30~1000	-58.61	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	1000~3000	-38.02	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	3000~20000	-43.28	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.009~0.15	-63.67	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	0.15~30	-62.95	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	30~1000	-58.66	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	1000~3000	-41.52	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	3000~20000	-43.26	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.009~0.15	-62.93	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	0.15~30	-63.30	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	30~1000	-58.61	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1000~3000	-39.39	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	3000~20000	-43.24	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.009~0.15	-62.46	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	0.15~30	-63.20	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	30~1000	-58.68	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	1000~3000	-40.53	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	3000~20000	-43.28	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.009~0.15	-62.10	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	0.15~30	-63.22	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	30~1000	-58.62	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	1000~3000	-40.92	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	3000~20000	-43.23	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.009~0.15	-60.66	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	0.15~30	-62.86	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	30~1000	-58.68	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	1000~3000	-40.75	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	3000~20000	-43.23	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.009~0.15	-62.22	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	0.15~30	-63.77	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	30~1000	-58.58	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-41.93	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	1000~3000	-25.19	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	3000~20000	-43.23	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.009~0.15	-61.37	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	0.15~30	-62.29	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	30~1000	-58.71	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-42.23	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	1000~3000	-30.93	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	3000~20000	-43.27	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.009~0.15	-62.68	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	0.15~30	-62.48	PASS

Band2	1.4MHz	QPSK	19193	6RB#0	30~1000	-58.70	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	-43.00	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1000~3000	-25.09	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	3000~20000	-43.28	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.009~0.15	-61.90	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	0.15~30	-62.42	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	30~1000	-58.49	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-43.10	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	1000~3000	-26.82	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	3000~20000	-43.22	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.009~0.15	-63.19	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	0.15~30	-63.03	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	30~1000	-58.53	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	-41.67	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	1000~3000	-31.53	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	3000~20000	-43.22	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.009~0.15	-62.57	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	0.15~30	-62.83	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	30~1000	-58.60	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	-43.95	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	1000~3000	-25.24	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	3000~20000	-43.25	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.009~0.15	-62.46	PASS
Band2	3MHz	QPSK	18615	1RB#0	0.15~30	-63.34	PASS
Band2	3MHz	QPSK	18615	1RB#0	30~1000	-58.63	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-42.08	PASS
Band2	3MHz	QPSK	18615	1RB#0	1000~3000	-31.73	PASS
Band2	3MHz	QPSK	18615	1RB#0	3000~20000	-43.25	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.009~0.15	-61.34	PASS
Band2	3MHz	QPSK	18615	1RB#14	0.15~30	-62.81	PASS
Band2	3MHz	QPSK	18615	1RB#14	30~1000	-58.65	PASS
Band2	3MHz	QPSK	18615	1RB#14	1000~3000	-24.76	PASS
Band2	3MHz	QPSK	18615	1RB#14	3000~20000	-43.22	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.009~0.15	-62.08	PASS
Band2	3MHz	QPSK	18615	15RB#0	0.15~30	-63.64	PASS
Band2	3MHz	QPSK	18615	15RB#0	30~1000	-58.65	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	-42.50	PASS
Band2	3MHz	QPSK	18615	15RB#0	1000~3000	-27.13	PASS
Band2	3MHz	QPSK	18615	15RB#0	3000~20000	-43.17	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.009~0.15	-64.31	PASS
Band2	3MHz	16QAM	18615	1RB#0	0.15~30	-63.06	PASS
Band2	3MHz	16QAM	18615	1RB#0	30~1000	-58.68	PASS
Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-43.39	PASS

Band2	3MHz	16QAM	18615	1RB#0	1000~3000	-32.38	PASS
Band2	3MHz	16QAM	18615	1RB#0	3000~20000	-43.25	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.009~0.15	-62.59	PASS
Band2	3MHz	16QAM	18615	1RB#14	0.15~30	-62.59	PASS
Band2	3MHz	16QAM	18615	1RB#14	30~1000	-58.71	PASS
Band2	3MHz	16QAM	18615	1RB#14	1000~3000	-25.56	PASS
Band2	3MHz	16QAM	18615	1RB#14	3000~20000	-43.22	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.009~0.15	-61.84	PASS
Band2	3MHz	16QAM	18615	15RB#0	0.15~30	-63.55	PASS
Band2	3MHz	16QAM	18615	15RB#0	30~1000	-58.65	PASS
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	-43.61	PASS
Band2	3MHz	16QAM	18615	15RB#0	1000~3000	-25.36	PASS
Band2	3MHz	16QAM	18615	15RB#0	3000~20000	-43.26	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.009~0.15	-62.15	PASS
Band2	3MHz	QPSK	18900	1RB#0	0.15~30	-63.21	PASS
Band2	3MHz	QPSK	18900	1RB#0	30~1000	-58.59	PASS
Band2	3MHz	QPSK	18900	1RB#0	1000~3000	-38.16	PASS
Band2	3MHz	QPSK	18900	1RB#0	3000~20000	-43.26	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.009~0.15	-61.51	PASS
Band2	3MHz	QPSK	18900	1RB#14	0.15~30	-62.95	PASS
Band2	3MHz	QPSK	18900	1RB#14	30~1000	-58.71	PASS
Band2	3MHz	QPSK	18900	1RB#14	1000~3000	-38.33	PASS
Band2	3MHz	QPSK	18900	1RB#14	3000~20000	-43.23	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.009~0.15	-62.67	PASS
Band2	3MHz	QPSK	18900	15RB#0	0.15~30	-63.06	PASS
Band2	3MHz	QPSK	18900	15RB#0	30~1000	-58.37	PASS
Band2	3MHz	QPSK	18900	15RB#0	1000~3000	-39.46	PASS
Band2	3MHz	QPSK	18900	15RB#0	3000~20000	-43.26	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.009~0.15	-63.30	PASS
Band2	3MHz	16QAM	18900	1RB#0	0.15~30	-62.94	PASS
Band2	3MHz	16QAM	18900	1RB#0	30~1000	-58.68	PASS
Band2	3MHz	16QAM	18900	1RB#0	1000~3000	-40.83	PASS
Band2	3MHz	16QAM	18900	1RB#0	3000~20000	-43.24	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.009~0.15	-62.60	PASS
Band2	3MHz	16QAM	18900	1RB#14	0.15~30	-63.23	PASS
Band2	3MHz	16QAM	18900	1RB#14	30~1000	-58.67	PASS
Band2	3MHz	16QAM	18900	1RB#14	1000~3000	-39.76	PASS
Band2	3MHz	16QAM	18900	1RB#14	3000~20000	-43.23	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.009~0.15	-62.18	PASS
Band2	3MHz	16QAM	18900	15RB#0	0.15~30	-63.37	PASS
Band2	3MHz	16QAM	18900	15RB#0	30~1000	-58.60	PASS
Band2	3MHz	16QAM	18900	15RB#0	1000~3000	-40.75	PASS
Band2	3MHz	16QAM	18900	15RB#0	3000~20000	-43.24	PASS

Band2	3MHz	QPSK	19185	1RB#0	0.009~0.15	-62.69	PASS
Band2	3MHz	QPSK	19185	1RB#0	0.15~30	-63.23	PASS
Band2	3MHz	QPSK	19185	1RB#0	30~1000	-58.63	PASS
Band2	3MHz	QPSK	19185	1RB#0	1000~3000	-23.22	PASS
Band2	3MHz	QPSK	19185	1RB#0	3000~20000	-43.27	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.009~0.15	-63.19	PASS
Band2	3MHz	QPSK	19185	1RB#14	0.15~30	-63.24	PASS
Band2	3MHz	QPSK	19185	1RB#14	30~1000	-58.68	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-42.52	PASS
Band2	3MHz	QPSK	19185	1RB#14	1000~3000	-31.75	PASS
Band2	3MHz	QPSK	19185	1RB#14	3000~20000	-43.29	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.009~0.15	-62.58	PASS
Band2	3MHz	QPSK	19185	15RB#0	0.15~30	-63.16	PASS
Band2	3MHz	QPSK	19185	15RB#0	30~1000	-58.56	PASS
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-43.09	PASS
Band2	3MHz	QPSK	19185	15RB#0	1000~3000	-27.05	PASS
Band2	3MHz	QPSK	19185	15RB#0	3000~20000	-43.34	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.009~0.15	-63.49	PASS
Band2	3MHz	16QAM	19185	1RB#0	0.15~30	-62.86	PASS
Band2	3MHz	16QAM	19185	1RB#0	30~1000	-58.71	PASS
Band2	3MHz	16QAM	19185	1RB#0	1000~3000	-23.98	PASS
Band2	3MHz	16QAM	19185	1RB#0	3000~20000	-43.31	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.009~0.15	-63.20	PASS
Band2	3MHz	16QAM	19185	1RB#14	0.15~30	-62.99	PASS
Band2	3MHz	16QAM	19185	1RB#14	30~1000	-58.66	PASS
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	-42.11	PASS
Band2	3MHz	16QAM	19185	1RB#14	1000~3000	-32.39	PASS
Band2	3MHz	16QAM	19185	1RB#14	3000~20000	-43.25	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.009~0.15	-62.24	PASS
Band2	3MHz	16QAM	19185	15RB#0	0.15~30	-62.97	PASS
Band2	3MHz	16QAM	19185	15RB#0	30~1000	-58.69	PASS
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-42.21	PASS
Band2	3MHz	16QAM	19185	15RB#0	1000~3000	-25.92	PASS
Band2	3MHz	16QAM	19185	15RB#0	3000~20000	-43.26	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.009~0.15	-63.28	PASS
Band2	5MHz	QPSK	18625	1RB#0	0.15~30	-63.44	PASS
Band2	5MHz	QPSK	18625	1RB#0	30~1000	-58.64	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-42.64	PASS
Band2	5MHz	QPSK	18625	1RB#0	1000~3000	-32.40	PASS
Band2	5MHz	QPSK	18625	1RB#0	3000~20000	-43.29	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.009~0.15	-62.79	PASS
Band2	5MHz	QPSK	18625	1RB#24	0.15~30	-62.75	PASS
Band2	5MHz	QPSK	18625	1RB#24	30~1000	-58.67	PASS

Band2	5MHz	QPSK	18625	1RB#24	1000~3000	-27.47	PASS
Band2	5MHz	QPSK	18625	1RB#24	3000~20000	-43.22	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.009~0.15	-62.36	PASS
Band2	5MHz	QPSK	18625	25RB#0	0.15~30	-63.12	PASS
Band2	5MHz	QPSK	18625	25RB#0	30~1000	-58.72	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-42.57	PASS
Band2	5MHz	QPSK	18625	25RB#0	1000~3000	-28.36	PASS
Band2	5MHz	QPSK	18625	25RB#0	3000~20000	-43.25	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.009~0.15	-62.51	PASS
Band2	5MHz	16QAM	18625	1RB#0	0.15~30	-62.86	PASS
Band2	5MHz	16QAM	18625	1RB#0	30~1000	-58.64	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-41.58	PASS
Band2	5MHz	16QAM	18625	1RB#0	1000~3000	-33.42	PASS
Band2	5MHz	16QAM	18625	1RB#0	3000~20000	-43.26	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.009~0.15	-62.24	PASS
Band2	5MHz	16QAM	18625	1RB#24	0.15~30	-62.78	PASS
Band2	5MHz	16QAM	18625	1RB#24	30~1000	-58.52	PASS
Band2	5MHz	16QAM	18625	1RB#24	1000~3000	-28.40	PASS
Band2	5MHz	16QAM	18625	1RB#24	3000~20000	-43.21	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.009~0.15	-60.91	PASS
Band2	5MHz	16QAM	18625	25RB#0	0.15~30	-63.28	PASS
Band2	5MHz	16QAM	18625	25RB#0	30~1000	-58.49	PASS
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-41.60	PASS
Band2	5MHz	16QAM	18625	25RB#0	1000~3000	-26.47	PASS
Band2	5MHz	16QAM	18625	25RB#0	3000~20000	-43.24	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.009~0.15	-62.44	PASS
Band2	5MHz	QPSK	18900	1RB#0	0.15~30	-62.68	PASS
Band2	5MHz	QPSK	18900	1RB#0	30~1000	-58.71	PASS
Band2	5MHz	QPSK	18900	1RB#0	1000~3000	-40.08	PASS
Band2	5MHz	QPSK	18900	1RB#0	3000~20000	-43.25	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.009~0.15	-62.78	PASS
Band2	5MHz	QPSK	18900	1RB#24	0.15~30	-62.78	PASS
Band2	5MHz	QPSK	18900	1RB#24	30~1000	-58.70	PASS
Band2	5MHz	QPSK	18900	1RB#24	1000~3000	-40.25	PASS
Band2	5MHz	QPSK	18900	1RB#24	3000~20000	-43.27	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.009~0.15	-61.51	PASS
Band2	5MHz	QPSK	18900	25RB#0	0.15~30	-63.81	PASS
Band2	5MHz	QPSK	18900	25RB#0	30~1000	-58.59	PASS
Band2	5MHz	QPSK	18900	25RB#0	1000~3000	-39.75	PASS
Band2	5MHz	QPSK	18900	25RB#0	3000~20000	-43.25	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.009~0.15	-62.83	PASS
Band2	5MHz	16QAM	18900	1RB#0	0.15~30	-63.84	PASS
Band2	5MHz	16QAM	18900	1RB#0	30~1000	-58.58	PASS

Band2	5MHz	16QAM	18900	1RB#0	1000~3000	-39.81	PASS
Band2	5MHz	16QAM	18900	1RB#0	3000~20000	-43.25	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.009~0.15	-63.18	PASS
Band2	5MHz	16QAM	18900	1RB#24	0.15~30	-63.02	PASS
Band2	5MHz	16QAM	18900	1RB#24	30~1000	-58.65	PASS
Band2	5MHz	16QAM	18900	1RB#24	1000~3000	-39.30	PASS
Band2	5MHz	16QAM	18900	1RB#24	3000~20000	-43.22	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.009~0.15	-62.76	PASS
Band2	5MHz	16QAM	18900	25RB#0	0.15~30	-63.34	PASS
Band2	5MHz	16QAM	18900	25RB#0	30~1000	-58.63	PASS
Band2	5MHz	16QAM	18900	25RB#0	1000~3000	-39.30	PASS
Band2	5MHz	16QAM	18900	25RB#0	3000~20000	-43.22	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.009~0.15	-62.12	PASS
Band2	5MHz	QPSK	19175	1RB#0	0.15~30	-63.22	PASS
Band2	5MHz	QPSK	19175	1RB#0	30~1000	-58.62	PASS
Band2	5MHz	QPSK	19175	1RB#0	1000~3000	-29.79	PASS
Band2	5MHz	QPSK	19175	1RB#0	3000~20000	-43.23	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.009~0.15	-63.12	PASS
Band2	5MHz	QPSK	19175	1RB#24	0.15~30	-62.94	PASS
Band2	5MHz	QPSK	19175	1RB#24	30~1000	-58.68	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-42.91	PASS
Band2	5MHz	QPSK	19175	1RB#24	1000~3000	-31.61	PASS
Band2	5MHz	QPSK	19175	1RB#24	3000~20000	-43.25	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.009~0.15	-61.72	PASS
Band2	5MHz	QPSK	19175	25RB#0	0.15~30	-63.59	PASS
Band2	5MHz	QPSK	19175	25RB#0	30~1000	-58.66	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-41.63	PASS
Band2	5MHz	QPSK	19175	25RB#0	1000~3000	-27.09	PASS
Band2	5MHz	QPSK	19175	25RB#0	3000~20000	-43.25	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.009~0.15	-61.57	PASS
Band2	5MHz	16QAM	19175	1RB#0	0.15~30	-63.13	PASS
Band2	5MHz	16QAM	19175	1RB#0	30~1000	-58.67	PASS
Band2	5MHz	16QAM	19175	1RB#0	1000~3000	-27.82	PASS
Band2	5MHz	16QAM	19175	1RB#0	3000~20000	-43.28	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.009~0.15	-63.13	PASS
Band2	5MHz	16QAM	19175	1RB#24	0.15~30	-63.31	PASS
Band2	5MHz	16QAM	19175	1RB#24	30~1000	-58.58	PASS
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	-41.04	PASS
Band2	5MHz	16QAM	19175	1RB#24	1000~3000	-32.71	PASS
Band2	5MHz	16QAM	19175	1RB#24	3000~20000	-43.27	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.009~0.15	-62.66	PASS
Band2	5MHz	16QAM	19175	25RB#0	0.15~30	-63.25	PASS
Band2	5MHz	16QAM	19175	25RB#0	30~1000	-58.60	PASS

Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-41.44	PASS
Band2	5MHz	16QAM	19175	25RB#0	1000~3000	-26.29	PASS
Band2	5MHz	16QAM	19175	25RB#0	3000~20000	-43.22	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.009~0.15	-63.21	PASS
Band2	10MHz	QPSK	18650	1RB#0	0.15~30	-62.49	PASS
Band2	10MHz	QPSK	18650	1RB#0	30~1000	-58.69	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-41.32	PASS
Band2	10MHz	QPSK	18650	1RB#0	1000~3000	-32.48	PASS
Band2	10MHz	QPSK	18650	1RB#0	3000~20000	-43.19	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.009~0.15	-62.88	PASS
Band2	10MHz	QPSK	18650	1RB#49	0.15~30	-62.84	PASS
Band2	10MHz	QPSK	18650	1RB#49	30~1000	-58.68	PASS
Band2	10MHz	QPSK	18650	1RB#49	1000~3000	-30.83	PASS
Band2	10MHz	QPSK	18650	1RB#49	3000~20000	-43.29	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.009~0.15	-62.65	PASS
Band2	10MHz	QPSK	18650	50RB#0	0.15~30	-63.08	PASS
Band2	10MHz	QPSK	18650	50RB#0	30~1000	-58.70	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-41.85	PASS
Band2	10MHz	QPSK	18650	50RB#0	1000~3000	-30.66	PASS
Band2	10MHz	QPSK	18650	50RB#0	3000~20000	-43.32	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.009~0.15	-63.40	PASS
Band2	10MHz	16QAM	18650	1RB#0	0.15~30	-62.92	PASS
Band2	10MHz	16QAM	18650	1RB#0	30~1000	-58.60	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-42.42	PASS
Band2	10MHz	16QAM	18650	1RB#0	1000~3000	-33.18	PASS
Band2	10MHz	16QAM	18650	1RB#0	3000~20000	-43.28	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.009~0.15	-62.82	PASS
Band2	10MHz	16QAM	18650	1RB#49	0.15~30	-62.92	PASS
Band2	10MHz	16QAM	18650	1RB#49	30~1000	-58.72	PASS
Band2	10MHz	16QAM	18650	1RB#49	1000~3000	-32.11	PASS
Band2	10MHz	16QAM	18650	1RB#49	3000~20000	-43.28	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.009~0.15	-61.53	PASS
Band2	10MHz	16QAM	18650	50RB#0	0.15~30	-63.57	PASS
Band2	10MHz	16QAM	18650	50RB#0	30~1000	-58.73	PASS
Band2	10MHz	16QAM	18650	50RB#0	1000~3000	-42.81	PASS
Band2	10MHz	16QAM	18650	50RB#0	1000~3000	-28.80	PASS
Band2	10MHz	16QAM	18650	50RB#0	3000~20000	-43.31	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.009~0.15	-63.46	PASS
Band2	10MHz	QPSK	18900	1RB#0	0.15~30	-62.95	PASS
Band2	10MHz	QPSK	18900	1RB#0	30~1000	-58.70	PASS
Band2	10MHz	QPSK	18900	1RB#0	1000~3000	-41.12	PASS
Band2	10MHz	QPSK	18900	1RB#0	3000~20000	-43.33	PASS
Band2	10MHz	QPSK	18900	1RB#49	0.009~0.15	-60.70	PASS

Band2	10MHz	QPSK	18900	1RB#49	0.15~30	-62.77	PASS
Band2	10MHz	QPSK	18900	1RB#49	30~1000	-58.68	PASS
Band2	10MHz	QPSK	18900	1RB#49	1000~3000	-41.62	PASS
Band2	10MHz	QPSK	18900	1RB#49	3000~20000	-43.29	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.009~0.15	-62.92	PASS
Band2	10MHz	QPSK	18900	50RB#0	0.15~30	-62.91	PASS
Band2	10MHz	QPSK	18900	50RB#0	30~1000	-58.58	PASS
Band2	10MHz	QPSK	18900	50RB#0	1000~3000	-40.63	PASS
Band2	10MHz	QPSK	18900	50RB#0	3000~20000	-43.25	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.009~0.15	-62.80	PASS
Band2	10MHz	16QAM	18900	1RB#0	0.15~30	-62.30	PASS
Band2	10MHz	16QAM	18900	1RB#0	30~1000	-58.64	PASS
Band2	10MHz	16QAM	18900	1RB#0	1000~3000	-40.76	PASS
Band2	10MHz	16QAM	18900	1RB#0	3000~20000	-43.29	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.009~0.15	-63.26	PASS
Band2	10MHz	16QAM	18900	1RB#49	0.15~30	-63.36	PASS
Band2	10MHz	16QAM	18900	1RB#49	30~1000	-58.68	PASS
Band2	10MHz	16QAM	18900	1RB#49	1000~3000	-41.25	PASS
Band2	10MHz	16QAM	18900	1RB#49	3000~20000	-43.23	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.009~0.15	-62.24	PASS
Band2	10MHz	16QAM	18900	50RB#0	0.15~30	-63.65	PASS
Band2	10MHz	16QAM	18900	50RB#0	30~1000	-58.59	PASS
Band2	10MHz	16QAM	18900	50RB#0	1000~3000	-40.65	PASS
Band2	10MHz	16QAM	18900	50RB#0	3000~20000	-43.26	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.009~0.15	-62.85	PASS
Band2	10MHz	QPSK	19150	1RB#0	0.15~30	-63.17	PASS
Band2	10MHz	QPSK	19150	1RB#0	30~1000	-58.67	PASS
Band2	10MHz	QPSK	19150	1RB#0	1000~3000	-34.22	PASS
Band2	10MHz	QPSK	19150	1RB#0	3000~20000	-43.25	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.009~0.15	-61.97	PASS
Band2	10MHz	QPSK	19150	1RB#49	0.15~30	-62.84	PASS
Band2	10MHz	QPSK	19150	1RB#49	30~1000	-58.61	PASS
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-42.11	PASS
Band2	10MHz	QPSK	19150	1RB#49	1000~3000	-31.83	PASS
Band2	10MHz	QPSK	19150	1RB#49	3000~20000	-43.29	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.009~0.15	-61.45	PASS
Band2	10MHz	QPSK	19150	50RB#0	0.15~30	-63.52	PASS
Band2	10MHz	QPSK	19150	50RB#0	30~1000	-58.65	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-41.84	PASS
Band2	10MHz	QPSK	19150	50RB#0	1000~3000	-29.43	PASS
Band2	10MHz	QPSK	19150	50RB#0	3000~20000	-43.24	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.009~0.15	-62.75	PASS
Band2	10MHz	16QAM	19150	1RB#0	0.15~30	-62.32	PASS

Band2	10MHz	16QAM	19150	1RB#0	30~1000	-58.67	PASS
Band2	10MHz	16QAM	19150	1RB#0	1000~3000	-35.09	PASS
Band2	10MHz	16QAM	19150	1RB#0	3000~20000	-43.25	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.009~0.15	-61.81	PASS
Band2	10MHz	16QAM	19150	1RB#49	0.15~30	-62.56	PASS
Band2	10MHz	16QAM	19150	1RB#49	30~1000	-58.72	PASS
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	-42.56	PASS
Band2	10MHz	16QAM	19150	1RB#49	1000~3000	-32.55	PASS
Band2	10MHz	16QAM	19150	1RB#49	3000~20000	-43.26	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.009~0.15	-62.22	PASS
Band2	10MHz	16QAM	19150	50RB#0	0.15~30	-63.38	PASS
Band2	10MHz	16QAM	19150	50RB#0	30~1000	-58.67	PASS
Band2	10MHz	16QAM	19150	50RB#0	1000~3000	-42.14	PASS
Band2	10MHz	16QAM	19150	50RB#0	1000~3000	-28.80	PASS
Band2	10MHz	16QAM	19150	50RB#0	3000~20000	-43.30	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.009~0.15	-61.13	PASS
Band2	15MHz	QPSK	18675	1RB#0	0.15~30	-62.62	PASS
Band2	15MHz	QPSK	18675	1RB#0	30~1000	-58.65	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-42.75	PASS
Band2	15MHz	QPSK	18675	1RB#0	1000~3000	-32.55	PASS
Band2	15MHz	QPSK	18675	1RB#0	3000~20000	-43.21	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.009~0.15	-62.33	PASS
Band2	15MHz	QPSK	18675	1RB#74	0.15~30	-63.13	PASS
Band2	15MHz	QPSK	18675	1RB#74	30~1000	-58.69	PASS
Band2	15MHz	QPSK	18675	1RB#74	1000~3000	-34.66	PASS
Band2	15MHz	QPSK	18675	1RB#74	3000~20000	-43.27	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.009~0.15	-61.47	PASS
Band2	15MHz	QPSK	18675	75RB#0	0.15~30	-63.51	PASS
Band2	15MHz	QPSK	18675	75RB#0	30~1000	-58.61	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-42.84	PASS
Band2	15MHz	QPSK	18675	75RB#0	1000~3000	-30.16	PASS
Band2	15MHz	QPSK	18675	75RB#0	3000~20000	-43.20	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.009~0.15	-63.00	PASS
Band2	15MHz	16QAM	18675	1RB#0	0.15~30	-63.24	PASS
Band2	15MHz	16QAM	18675	1RB#0	30~1000	-58.66	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-42.76	PASS
Band2	15MHz	16QAM	18675	1RB#0	1000~3000	-33.25	PASS
Band2	15MHz	16QAM	18675	1RB#0	3000~20000	-43.27	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.009~0.15	-63.37	PASS
Band2	15MHz	16QAM	18675	1RB#74	0.15~30	-63.15	PASS
Band2	15MHz	16QAM	18675	1RB#74	30~1000	-58.57	PASS
Band2	15MHz	16QAM	18675	1RB#74	1000~3000	-35.67	PASS
Band2	15MHz	16QAM	18675	1RB#74	3000~20000	-43.18	PASS


Band2	15MHz	16QAM	18675	75RB#0	0.009~0.15	-62.11	PASS
Band2	15MHz	16QAM	18675	75RB#0	0.15~30	-63.28	PASS
Band2	15MHz	16QAM	18675	75RB#0	30~1000	-58.58	PASS
Band2	15MHz	16QAM	18675	75RB#0	1000~3000	-13.98	PASS
Band2	15MHz	16QAM	18675	75RB#0	3000~20000	-43.21	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.009~0.15	-62.07	PASS
Band2	15MHz	QPSK	18900	1RB#0	0.15~30	-62.41	PASS
Band2	15MHz	QPSK	18900	1RB#0	30~1000	-58.65	PASS
Band2	15MHz	QPSK	18900	1RB#0	1000~3000	-42.79	PASS
Band2	15MHz	QPSK	18900	1RB#0	3000~20000	-43.24	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.009~0.15	-62.59	PASS
Band2	15MHz	QPSK	18900	1RB#74	0.15~30	-63.23	PASS
Band2	15MHz	QPSK	18900	1RB#74	30~1000	-58.59	PASS
Band2	15MHz	QPSK	18900	1RB#74	1000~3000	-42.30	PASS
Band2	15MHz	QPSK	18900	1RB#74	3000~20000	-43.18	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.009~0.15	-61.28	PASS
Band2	15MHz	QPSK	18900	75RB#0	0.15~30	-63.78	PASS
Band2	15MHz	QPSK	18900	75RB#0	30~1000	-58.69	PASS
Band2	15MHz	QPSK	18900	75RB#0	1000~3000	-37.56	PASS
Band2	15MHz	QPSK	18900	75RB#0	3000~20000	-43.21	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.009~0.15	-62.67	PASS
Band2	15MHz	16QAM	18900	1RB#0	0.15~30	-63.39	PASS
Band2	15MHz	16QAM	18900	1RB#0	30~1000	-58.49	PASS
Band2	15MHz	16QAM	18900	1RB#0	1000~3000	-40.60	PASS
Band2	15MHz	16QAM	18900	1RB#0	3000~20000	-43.23	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.009~0.15	-62.67	PASS
Band2	15MHz	16QAM	18900	1RB#74	0.15~30	-63.12	PASS
Band2	15MHz	16QAM	18900	1RB#74	30~1000	-58.69	PASS
Band2	15MHz	16QAM	18900	1RB#74	1000~3000	-41.98	PASS
Band2	15MHz	16QAM	18900	1RB#74	3000~20000	-43.26	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.009~0.15	-63.22	PASS
Band2	15MHz	16QAM	18900	75RB#0	0.15~30	-63.54	PASS
Band2	15MHz	16QAM	18900	75RB#0	30~1000	-58.67	PASS
Band2	15MHz	16QAM	18900	75RB#0	1000~3000	-40.36	PASS
Band2	15MHz	16QAM	18900	75RB#0	3000~20000	-43.24	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.009~0.15	-62.42	PASS
Band2	15MHz	QPSK	19125	1RB#0	0.15~30	-62.63	PASS
Band2	15MHz	QPSK	19125	1RB#0	30~1000	-58.64	PASS
Band2	15MHz	QPSK	19125	1RB#0	1000~3000	-38.45	PASS
Band2	15MHz	QPSK	19125	1RB#0	3000~20000	-43.22	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.009~0.15	-62.82	PASS
Band2	15MHz	QPSK	19125	1RB#74	0.15~30	-62.80	PASS
Band2	15MHz	QPSK	19125	1RB#74	30~1000	-58.57	PASS


Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-42.99	PASS
Band2	15MHz	QPSK	19125	1RB#74	1000~3000	-33.18	PASS
Band2	15MHz	QPSK	19125	1RB#74	3000~20000	-43.24	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.009~0.15	-62.75	PASS
Band2	15MHz	QPSK	19125	75RB#0	0.15~30	-63.32	PASS
Band2	15MHz	QPSK	19125	75RB#0	30~1000	-58.69	PASS
Band2	15MHz	QPSK	19125	75RB#0	1000~3000	-13.87	PASS
Band2	15MHz	QPSK	19125	75RB#0	3000~20000	-43.31	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.009~0.15	-62.14	PASS
Band2	15MHz	16QAM	19125	1RB#0	0.15~30	-62.88	PASS
Band2	15MHz	16QAM	19125	1RB#0	30~1000	-58.69	PASS
Band2	15MHz	16QAM	19125	1RB#0	1000~3000	-39.17	PASS
Band2	15MHz	16QAM	19125	1RB#0	3000~20000	-43.27	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.009~0.15	-63.67	PASS
Band2	15MHz	16QAM	19125	1RB#74	0.15~30	-63.61	PASS
Band2	15MHz	16QAM	19125	1RB#74	30~1000	-58.58	PASS
Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-42.37	PASS
Band2	15MHz	16QAM	19125	1RB#74	1000~3000	-34.02	PASS
Band2	15MHz	16QAM	19125	1RB#74	3000~20000	-43.21	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.009~0.15	-61.87	PASS
Band2	15MHz	16QAM	19125	75RB#0	0.15~30	-63.69	PASS
Band2	15MHz	16QAM	19125	75RB#0	30~1000	-58.61	PASS
Band2	15MHz	16QAM	19125	75RB#0	1000~3000	-14.91	PASS
Band2	15MHz	16QAM	19125	75RB#0	3000~20000	-43.19	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.009~0.15	-62.58	PASS
Band2	20MHz	QPSK	18700	1RB#0	0.15~30	-62.66	PASS
Band2	20MHz	QPSK	18700	1RB#0	30~1000	-58.65	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-40.56	PASS
Band2	20MHz	QPSK	18700	1RB#0	1000~3000	-33.58	PASS
Band2	20MHz	QPSK	18700	1RB#0	3000~20000	-43.31	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.009~0.15	-62.41	PASS
Band2	20MHz	QPSK	18700	1RB#99	0.15~30	-63.11	PASS
Band2	20MHz	QPSK	18700	1RB#99	30~1000	-58.69	PASS
Band2	20MHz	QPSK	18700	1RB#99	1000~3000	-36.52	PASS
Band2	20MHz	QPSK	18700	1RB#99	3000~20000	-43.21	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.009~0.15	-61.80	PASS
Band2	20MHz	QPSK	18700	100RB#0	0.15~30	-63.34	PASS
Band2	20MHz	QPSK	18700	100RB#0	30~1000	-58.63	PASS
Band2	20MHz	QPSK	18700	100RB#0	1000~3000	-18.40	PASS
Band2	20MHz	QPSK	18700	100RB#0	3000~20000	-43.28	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.009~0.15	-62.39	PASS
Band2	20MHz	16QAM	18700	1RB#0	0.15~30	-62.15	PASS
Band2	20MHz	16QAM	18700	1RB#0	30~1000	-58.72	PASS


Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-41.52	PASS
Band2	20MHz	16QAM	18700	1RB#0	1000~3000	-34.17	PASS
Band2	20MHz	16QAM	18700	1RB#0	3000~20000	-43.30	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.009~0.15	-63.56	PASS
Band2	20MHz	16QAM	18700	1RB#99	0.15~30	-62.44	PASS
Band2	20MHz	16QAM	18700	1RB#99	30~1000	-58.62	PASS
Band2	20MHz	16QAM	18700	1RB#99	1000~3000	-36.37	PASS
Band2	20MHz	16QAM	18700	1RB#99	3000~20000	-43.23	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.009~0.15	-63.82	PASS
Band2	20MHz	16QAM	18700	100RB#0	0.15~30	-63.32	PASS
Band2	20MHz	16QAM	18700	100RB#0	30~1000	-58.67	PASS
Band2	20MHz	16QAM	18700	100RB#0	1000~3000	-19.15	PASS
Band2	20MHz	16QAM	18700	100RB#0	3000~20000	-43.27	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.009~0.15	-61.79	PASS
Band2	20MHz	QPSK	18900	1RB#0	0.15~30	-63.54	PASS
Band2	20MHz	QPSK	18900	1RB#0	30~1000	-58.43	PASS
Band2	20MHz	QPSK	18900	1RB#0	1000~3000	-42.50	PASS
Band2	20MHz	QPSK	18900	1RB#0	3000~20000	-43.24	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.009~0.15	-63.29	PASS
Band2	20MHz	QPSK	18900	1RB#99	0.15~30	-62.90	PASS
Band2	20MHz	QPSK	18900	1RB#99	30~1000	-58.61	PASS
Band2	20MHz	QPSK	18900	1RB#99	1000~3000	-41.22	PASS
Band2	20MHz	QPSK	18900	1RB#99	3000~20000	-43.25	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.009~0.15	-60.78	PASS
Band2	20MHz	QPSK	18900	100RB#0	0.15~30	-63.38	PASS
Band2	20MHz	QPSK	18900	100RB#0	30~1000	-58.62	PASS
Band2	20MHz	QPSK	18900	100RB#0	1000~3000	-38.48	PASS
Band2	20MHz	QPSK	18900	100RB#0	3000~20000	-43.27	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.009~0.15	-64.03	PASS
Band2	20MHz	16QAM	18900	1RB#0	0.15~30	-62.82	PASS
Band2	20MHz	16QAM	18900	1RB#0	30~1000	-58.67	PASS
Band2	20MHz	16QAM	18900	1RB#0	1000~3000	-42.45	PASS
Band2	20MHz	16QAM	18900	1RB#0	3000~20000	-43.21	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.009~0.15	-62.76	PASS
Band2	20MHz	16QAM	18900	1RB#99	0.15~30	-62.64	PASS
Band2	20MHz	16QAM	18900	1RB#99	30~1000	-58.71	PASS
Band2	20MHz	16QAM	18900	1RB#99	1000~3000	-41.95	PASS
Band2	20MHz	16QAM	18900	1RB#99	3000~20000	-43.27	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.009~0.15	-62.10	PASS
Band2	20MHz	16QAM	18900	100RB#0	0.15~30	-63.32	PASS
Band2	20MHz	16QAM	18900	100RB#0	30~1000	-58.67	PASS
Band2	20MHz	16QAM	18900	100RB#0	1000~3000	-38.19	PASS
Band2	20MHz	16QAM	18900	100RB#0	3000~20000	-43.25	PASS

Band2	20MHz	QPSK	19100	1RB#0	0.009~0.15	-62.93	PASS
Band2	20MHz	QPSK	19100	1RB#0	0.15~30	-63.04	PASS
Band2	20MHz	QPSK	19100	1RB#0	30~1000	-58.67	PASS
Band2	20MHz	QPSK	19100	1RB#0	1000~3000	-42.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	3000~20000	-43.24	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.009~0.15	-62.14	PASS
Band2	20MHz	QPSK	19100	1RB#99	0.15~30	-63.20	PASS
Band2	20MHz	QPSK	19100	1RB#99	30~1000	-58.65	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-41.02	PASS
Band2	20MHz	QPSK	19100	1RB#99	1000~3000	-33.22	PASS
Band2	20MHz	QPSK	19100	1RB#99	3000~20000	-43.21	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.009~0.15	-62.71	PASS
Band2	20MHz	QPSK	19100	100RB#0	0.15~30	-63.35	PASS
Band2	20MHz	QPSK	19100	100RB#0	30~1000	-58.54	PASS
Band2	20MHz	QPSK	19100	100RB#0	1000~3000	-19.40	PASS
Band2	20MHz	QPSK	19100	100RB#0	3000~20000	-43.26	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.009~0.15	-62.77	PASS
Band2	20MHz	16QAM	19100	1RB#0	0.15~30	-62.59	PASS
Band2	20MHz	16QAM	19100	1RB#0	30~1000	-58.70	PASS
Band2	20MHz	16QAM	19100	1RB#0	1000~3000	-40.72	PASS
Band2	20MHz	16QAM	19100	1RB#0	3000~20000	-43.24	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.009~0.15	-62.23	PASS
Band2	20MHz	16QAM	19100	1RB#99	0.15~30	-62.55	PASS
Band2	20MHz	16QAM	19100	1RB#99	30~1000	-58.71	PASS
Band2	20MHz	16QAM	19100	1RB#99	1000~3000	-41.89	PASS
Band2	20MHz	16QAM	19100	1RB#99	1000~3000	-34.04	PASS
Band2	20MHz	16QAM	19100	1RB#99	3000~20000	-43.27	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.009~0.15	-63.00	PASS
Band2	20MHz	16QAM	19100	100RB#0	0.15~30	-63.41	PASS
Band2	20MHz	16QAM	19100	100RB#0	30~1000	-58.64	PASS
Band2	20MHz	16QAM	19100	100RB#0	1000~3000	-20.29	PASS
Band2	20MHz	16QAM	19100	100RB#0	3000~20000	-43.27	PASS


Test Graphs









Band2-1.4MHz-QPSK-18607-1RB#5-30~1000-PASS




Band2-1.4MHz-QPSK-18607-1RB#5-1000~3000-PASS


Band2-1.4MHz-QPSK-18607-1RB#5-3000~20000-PASS









Band2-1.4MHz-16QAM-18607-1RB#0-1000~3000-PASS




Band2-1.4MHz-16QAM-18607-1RB#0-3000~200
00-PASS

Band2-1.4MHz-16QAM-18607-1RB#5-0.009~0.15-
PASS







Band2-1.4MHz-16QAM-18607-6RB#0-1000~3000-PASS





Band2-1.4MHz-16QAM-18607-6RB#0-3000~2000-PASS


Band2-1.4MHz-QPSK-18900-1RB#0-0.009~0.15-PASS


























Band2-1.4MHz-QPSK-19193-1RB#0-1000~3000-PASS





Band2-1.4MHz-QPSK-19193-1RB#0-3000~20000
-PASS




Band2-1.4MHz-QPSK-19193-1RB#5-0.009~0.15-P
ASS









Band2-1.4MHz-QPSK-19193-6RB#0-1000~3000-PASS





Band2-1.4MHz-QPSK-19193-6RB#0-3000~20000 -PASS	Band2-1.4MHz-16QAM-19193-1RB#0-0.009~0.15- PASS
---	--







Band2-1.4MHz-16QAM-19193-1RB#5-1000~3000-PASS




Band2-1.4MHz-16QAM-19193-1RB#5-3000~2000-PASS

Band2-1.4MHz-16QAM-19193-6RB#0-0.009~0.15-PASS





Band2-3MHz-QPSK-18615-1RB#0-1000~3000-PASS



Band2-3MHz-QPSK-18615-1RB#0-3000~20000-PASS

Band2-3MHz-QPSK-18615-1RB#14-0.009~0.15-PASS

