

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	conducted Power (dBm)	Max Ant Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	18.24	3.05	21.29	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#12	18.11	3.05	21.16	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	19.23	3.05	22.28	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#0	18.61	3.05	21.66	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#6	19.60	3.05	22.65	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	12RB#13	18.59	3.05	21.64	33	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	17.64	3.05	20.69	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	19.50	3.05	22.55	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#12	18.39	3.05	21.44	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	19.51	3.05	22.56	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#0	19.83	3.05	22.88	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#6	19.76	3.05	22.81	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	12RB#13	19.83	3.05	22.88	33	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	19.89	3.05	22.94	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	19.05	3.05	22.10	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#12	19.22	3.05	22.27	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	19.22	3.05	22.27	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#0	18.43	3.05	21.48	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#6	18.45	3.05	21.50	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	12RB#13	18.51	3.05	21.56	33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	18.53	3.05	21.58	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	18.63	3.05	21.68	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#12	18.78	3.05	21.83	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	18.78	3.05	21.83	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#0	17.66	3.05	20.71	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#6	17.70	3.05	20.75	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	12RB#13	17.77	3.05	20.82	33	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	17.83	3.05	20.88	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	21.92	3.05	24.97	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#12	21.69	3.05	24.74	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	21.81	3.05	24.86	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#0	21.42	3.05	24.47	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#6	21.36	3.05	24.41	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	12RB#13	21.33	3.05	24.38	33	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	21.38	3.05	24.43	33	PASS

Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	21.31	3.05	24.36	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#12	21.06	3.05	24.11	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	21.28	3.05	24.33	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#0	19.03	3.05	22.08	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#6	18.97	3.05	22.02	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	12RB#13	18.91	3.05	21.96	33	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	18.96	3.05	22.01	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20.32	3.05	23.37	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#24	19.26	3.05	22.31	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	19.38	3.05	22.43	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#0	20.60	3.05	23.65	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#12	20.66	3.05	23.71	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	25RB#25	20.70	3.05	23.75	33	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	20.72	3.05	23.77	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20.74	3.05	23.79	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#24	19.63	3.05	22.68	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	19.81	3.05	22.86	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#0	19.96	3.05	23.01	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#12	19.95	3.05	23.00	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	25RB#25	20.05	3.05	23.10	33	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	19.97	3.05	23.02	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	19.15	3.05	22.20	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#24	19.18	3.05	22.23	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	19.41	3.05	22.46	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#0	18.47	3.05	21.52	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#12	18.53	3.05	21.58	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	25RB#25	18.63	3.05	21.68	33	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	18.64	3.05	21.69	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	18.01	3.05	21.06	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#24	18.00	3.05	21.05	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	18.24	3.05	21.29	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#0	17.72	3.05	20.77	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#12	17.78	3.05	20.83	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	25RB#25	17.89	3.05	20.94	33	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	17.90	3.05	20.95	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	22.04	3.05	25.09	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#24	21.96	3.05	25.01	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	21.97	3.05	25.02	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#0	21.48	3.05	24.53	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#12	21.42	3.05	24.47	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	25RB#25	21.36	3.05	24.41	33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	21.49	3.05	24.54	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	21.30	3.05	24.35	33	PASS

Band41(2535-2655)	10MHz	16QAM	41190	1RB#24	21.06	3.05	24.11	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	21.15	3.05	24.20	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#0	19.09	3.05	22.14	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#12	19.03	3.05	22.08	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	25RB#25	18.94	3.05	21.99	33	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	19.05	3.05	22.10	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	19.38	3.05	22.43	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#38	19.35	3.05	22.40	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	19.47	3.05	22.52	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#0	19.56	3.05	22.61	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#18	19.54	3.05	22.59	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	38RB#37	19.57	3.05	22.62	33	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	19.57	3.05	22.62	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	19.84	3.05	22.89	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#38	19.69	3.05	22.74	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	19.95	3.05	23.00	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#0	19.57	3.05	22.62	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#18	19.83	3.05	22.88	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	38RB#37	20.58	3.05	23.63	33	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	19.83	3.05	22.88	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	19.15	3.05	22.20	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#38	19.26	3.05	22.31	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	19.52	3.05	22.57	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#0	18.50	3.05	21.55	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#18	18.42	3.05	21.47	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	38RB#37	18.53	3.05	21.58	33	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	18.49	3.05	21.54	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	18.17	3.05	21.22	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#38	18.30	3.05	21.35	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	18.55	3.05	21.60	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#0	18.48	3.05	21.53	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#18	17.63	3.05	20.68	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	38RB#37	18.48	3.05	21.53	33	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	17.78	3.05	20.83	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	22.09	3.05	25.14	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#38	22.05	3.05	25.10	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	22.08	3.05	25.13	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#0	21.40	3.05	24.45	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#18	21.40	3.05	24.45	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	38RB#37	21.38	3.05	24.43	33	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	21.41	3.05	24.46	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	21.32	3.05	24.37	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#38	21.16	3.05	24.21	33	PASS

Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	21.30	3.05	24.35	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#0	21.41	3.05	24.46	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#18	19.12	3.05	22.17	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	38RB#37	21.38	3.05	24.43	33	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	19.00	3.05	22.05	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	19.29	3.05	22.34	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#49	19.53	3.05	22.58	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	19.64	3.05	22.69	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#0	19.75	3.05	22.80	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#25	19.89	3.05	22.94	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	50RB#50	19.97	3.05	23.02	33	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	19.82	3.05	22.87	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	19.59	3.05	22.64	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#49	19.81	3.05	22.86	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	19.91	3.05	22.96	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#0	19.04	3.05	22.09	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#25	18.22	3.05	21.27	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	50RB#50	19.26	3.05	22.31	33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	19.08	3.05	22.13	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	18.95	3.05	22.00	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#49	19.27	3.05	22.32	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	21.07	3.05	24.12	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#0	18.45	3.05	21.50	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#25	18.66	3.05	21.71	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	50RB#50	18.80	3.05	21.85	33	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.60	3.05	21.65	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	17.76	3.05	20.81	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#49	18.41	3.05	21.46	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	18.31	3.05	21.36	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#0	17.76	3.05	20.81	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#25	17.94	3.05	20.99	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	50RB#50	18.12	3.05	21.17	33	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	17.88	3.05	20.93	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	21.94	3.05	24.99	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#49	22.02	3.05	25.07	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	21.98	3.05	25.03	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#0	19.90	3.05	22.95	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#25	21.57	3.05	24.62	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	50RB#50	21.46	3.05	24.51	33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	21.54	3.05	24.59	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	19.29	3.05	22.34	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#49	21.26	3.05	24.31	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	20.89	3.05	23.94	33	PASS

Band41(2535-2655)	20MHz	16QAM	41140	50RB#0	19.12	3.05	22.17	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#25	19.11	3.05	22.16	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	50RB#50	18.97	3.05	22.02	33	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	19.10	3.05	22.15	33	PASS


Appendix B: Peak-to-Average Ratio(CCDF)


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	9.26	13	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	8.97	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	10.26	13	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	9.87	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	9.20	13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	9.01	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	10.13	13	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	9.74	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	9.01	13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	8.85	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	9.49	13	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	9.55	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	9.62	13	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9.29	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	9.84	13	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	10.06	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	9.39	13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9.29	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	9.68	13	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	10.00	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9.20	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	9.29	13	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9.87	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	7.12	13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	9.58	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	6.51	13	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	10.45	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	6.73	13	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	9.55	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	5.99	13	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	10.45	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	6.89	13	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	9.55	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	6.38	13	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	10.42	13	PASS


Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	5.06	13	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	10.06	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	3.81	13	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	10.71	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	4.55	13	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	10.10	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	3.40	13	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	10.64	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	4.42	13	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	10.06	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	3.37	13	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	10.67	13	PASS


Test Graphs


































Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	4.5	4.92	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	4.5	4.95	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	4.5	4.94	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	4.5	4.97	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	4.5	5.10	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	4.49	4.92	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	9	9.87	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	9	9.87	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	9	9.90	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	8.967	9.80	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	9	9.80	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	9	9.80	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	13.55	14.90	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	13.5	14.85	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	13.55	14.85	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	13.55	15.15	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	13.5	14.75	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	13.5	14.90	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	18	19.80	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	18	19.80	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	18.067	19.60	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	18	19.80	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	18.067	19.73	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	18	19.80	PASS


Test Graphs






Date: 15.DEC.2025 17:08:30

Band41(2535-2655)-5MHz-QPSK-41215-25RB#0
-PASS




Date: 15.DEC.2025 17:08:49

Band41(2535-2655)-5MHz-16QAM-41215-25RB#0
-PASS




Date: 15.DEC.2025 18:55:23


Band41(2535-2655)-10MHz-QPSK-40090-50RB#0
0-PASS





Date: 15.DEC.2025 18:55:35

Band41(2535-2655)-10MHz-16QAM-40090-50RB#0
0-PASS










Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	-37.58	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	-37.68	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	-37.65	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	-37.59	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	-37.51	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	-37.64	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	-38.00	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	-20.13	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	-36.97	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	-37.81	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	-37.76	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	-37.76	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	-37.52	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	-37.63	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	-37.69	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	-37.61	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	-37.58	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	-37.58	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	-37.83	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	-37.84	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	-37.32	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	-37.85	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	-37.83	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	-37.81	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	-37.65	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	-37.56	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	-37.52	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	-37.67	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	-37.62	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	-37.65	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	-37.77	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	-37.74	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	-37.40	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	-37.92	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	-37.91	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	-37.82	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	-37.68	PASS


Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	-37.65	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	-37.62	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	-37.67	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	-37.59	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	-37.60	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	-37.77	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	-37.93	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	-37.79	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	-37.92	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	-37.91	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	-37.79	PASS


Test Graphs












Date: 15.DEC.2025 20:49:13

Band41(2535-2655)-15MHz-QPSK-40115-75RB#


0-PASS



Date: 15.DEC.2025 20:47:35

Band41(2535-2655)-15MHz-16QAM-40115-1RB#0


-PASS



Date: 15.DEC.2025 20:48:40

Band41(2535-2655)-15MHz-16QAM-40115-1RB#


74-PASS



Date: 15.DEC.2025 20:49:46

Band41(2535-2655)-15MHz-16QAM-40115-75RB#


0-PASS



Date: 15.DEC.2025 20:50:27

Band41(2535-2655)-15MHz-QPSK-41165-1RB#0


-PASS



Date: 15.DEC.2025 20:51:47

Band41(2535-2655)-15MHz-QPSK-41165-1RB#74


-PASS



Date: 15.DEC.2025 20:53:05

Band41(2535-2655)-15MHz-QPSK-41165-75RB#0

0-PASS




Date: 15.DEC.2025 20:51:08

Band41(2535-2655)-15MHz-16QAM-41165-1RB#0


-PASS






Band41(2535-2655)-20MHz-QPSK-40140-100RB

#0-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#0

-PASS




Band41(2535-2655)-20MHz-16QAM-40140-1RB#

99-PASS



Band41(2535-2655)-20MHz-16QAM-40140-100RB


#0-PASS



Date: 15.DEC.2025 22:39:10

Band41(2535-2655)-20MHz-QPSK-41140-1RB#0


-PASS



Date: 15.DEC.2025 22:40:29

Band41(2535-2655)-20MHz-QPSK-41140-1RB#99


-PASS



Date: 15.DEC.2025 22:41:47

Band41(2535-2655)-20MHz-QPSK-41140-100RB

#0-PASS



Date: 15.DEC.2025 22:39:50

Band41(2535-2655)-20MHz-16QAM-41140-1RB#0

-PASS

Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.009~0.15	-63.30	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	0.15~30	-69.70	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	30~1000	-57.32	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	1000~20000	-38.52	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#0	20000~27000	-43.34	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	0.009~0.15	-62.90	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	0.15~30	-68.54	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	30~1000	-57.37	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	1000~20000	-36.86	PASS
Band41(2535-2655)	5MHz	QPSK	40065	1RB#24	20000~27000	-43.38	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	0.009~0.15	-62.74	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	0.15~30	-69.64	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	30~1000	-57.46	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	1000~20000	-37.85	PASS
Band41(2535-2655)	5MHz	QPSK	40065	25RB#0	20000~27000	-43.42	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.009~0.15	-63.16	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	0.15~30	-68.96	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	30~1000	-57.6	PASS

5)						3	
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	1000~20000	-37.47	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#0	20000~27000	-43.45	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	0.009~0.15	-63.23	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	0.15~30	-70.17	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	30~1000	-57.43	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	1000~20000	-36.84	PASS
Band41(2535-2655)	5MHz	16QAM	40065	1RB#24	20000~27000	-43.52	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	0.009~0.15	-63.03	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	0.15~30	-69.63	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	30~1000	-57.57	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	1000~20000	-37.02	PASS
Band41(2535-2655)	5MHz	16QAM	40065	25RB#0	20000~27000	-43.24	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.009~0.15	-63.27	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	0.15~30	-66.85	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	30~1000	-50.69	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	1000~20000	-37.48	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#0	20000~27000	-43.43	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	0.009~0.15	-63.36	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	0.15~30	-69.04	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	30~1000	-50.13	PASS
Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	1000~20000	-37.66	PASS

Band41(2535-2655)	5MHz	QPSK	40590	1RB#24	20000~27000	-43.45	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	0.009~0.15	-63.44	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	0.15~30	-69.96	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	30~1000	-56.33	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	1000~20000	-37.09	PASS
Band41(2535-2655)	5MHz	QPSK	40590	25RB#0	20000~27000	-43.45	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.009~0.15	-63.39	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	0.15~30	-69.09	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	30~1000	-52.17	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	1000~20000	-37.39	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#0	20000~27000	-43.42	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	0.009~0.15	-63.32	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	0.15~30	-68.39	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	30~1000	-51.43	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	1000~20000	-36.75	PASS
Band41(2535-2655)	5MHz	16QAM	40590	1RB#24	20000~27000	-43.37	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	0.009~0.15	-63.87	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	0.15~30	-69.03	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	30~1000	-56.69	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	1000~20000	-37.36	PASS
Band41(2535-2655)	5MHz	16QAM	40590	25RB#0	20000~27000	-43.38	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.009~0.15	-63.51	PASS

Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	0.15~30	-65.7 0	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	30~1000	-45.8 3	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	1000~20000	-37.6 0	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#0	20000~27000	-43.4 9	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	0.009~0.15	-63.6 3	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	0.15~30	-65.5 9	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	30~1000	-46.1 8	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	1000~20000	-36.3 4	PASS
Band41(2535-2655)	5MHz	QPSK	41215	1RB#24	20000~27000	-43.3 9	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	0.009~0.15	-62.8 2	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	0.15~30	-69.3 9	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	30~1000	-53.5 5	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	1000~20000	-36.7 0	PASS
Band41(2535-2655)	5MHz	QPSK	41215	25RB#0	20000~27000	-43.1 9	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.009~0.15	-63.3 5	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	0.15~30	-65.8 0	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	30~1000	-45.5 0	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	1000~20000	-35.9 9	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#0	20000~27000	-43.3 8	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	0.009~0.15	-63.3 8	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	0.15~30	-66.3 7	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	30~1000	-46.8 0	PASS

Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	1000~20000	-37.6 0	PASS
Band41(2535-2655)	5MHz	16QAM	41215	1RB#24	20000~27000	-43.2 3	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	0.009~0.15	-63.1 0	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	0.15~30	-68.9 2	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	30~1000	-56.5 1	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	1000~20000	-36.2 1	PASS
Band41(2535-2655)	5MHz	16QAM	41215	25RB#0	20000~27000	-43.4 2	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.009~0.15	-63.5 0	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	0.15~30	-69.7 0	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	30~1000	-57.3 5	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	1000~20000	-38.1 6	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#0	20000~27000	-43.2 3	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	0.009~0.15	-63.3 3	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	0.15~30	-69.8 5	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	30~1000	-57.7 5	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	1000~20000	-39.4 6	PASS
Band41(2535-2655)	10MHz	QPSK	40090	1RB#49	20000~27000	-43.5 1	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	0.009~0.15	-62.9 1	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	0.15~30	-69.3 9	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	30~1000	-57.7 9	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	1000~20000	-37.7 8	PASS
Band41(2535-2655)	10MHz	QPSK	40090	50RB#0	20000~27000	-43.4 0	PASS

Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.009~0.15	-63.17	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	0.15~30	-69.46	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	30~1000	-57.54	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	1000~20000	-38.84	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#0	20000~27000	-43.57	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	0.009~0.15	-63.06	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	0.15~30	-68.50	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	30~1000	-57.77	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	1000~20000	-38.14	PASS
Band41(2535-2655)	10MHz	16QAM	40090	1RB#49	20000~27000	-43.35	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	0.009~0.15	-63.16	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	0.15~30	-69.39	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	30~1000	-57.45	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	1000~20000	-37.25	PASS
Band41(2535-2655)	10MHz	16QAM	40090	50RB#0	20000~27000	-43.55	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.009~0.15	-63.04	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	0.15~30	-67.00	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	30~1000	-51.16	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	1000~20000	-37.36	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#0	20000~27000	-43.43	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	0.009~0.15	-63.20	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	0.15~30	-69.02	PASS

Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	30~1000	-51.55	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	1000~20000	-37.59	PASS
Band41(2535-2655)	10MHz	QPSK	40590	1RB#49	20000~27000	-43.56	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	0.009~0.15	-63.14	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	0.15~30	-69.13	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	30~1000	-57.03	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	1000~20000	-36.94	PASS
Band41(2535-2655)	10MHz	QPSK	40590	50RB#0	20000~27000	-43.53	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.009~0.15	-63.31	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	0.15~30	-67.56	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	30~1000	-50.89	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	1000~20000	-37.20	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#0	20000~27000	-43.47	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	0.009~0.15	-63.01	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	0.15~30	-68.99	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	30~1000	-48.67	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	1000~20000	-37.46	PASS
Band41(2535-2655)	10MHz	16QAM	40590	1RB#49	20000~27000	-43.53	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	0.009~0.15	-62.82	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	0.15~30	-70.27	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	30~1000	-57.07	PASS
Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	1000~20000	-37.57	PASS

Band41(2535-2655)	10MHz	16QAM	40590	50RB#0	20000~27000	-43.41	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.009~0.15	-62.64	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	0.15~30	-64.82	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	30~1000	-48.03	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	1000~20000	-37.53	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#0	20000~27000	-43.69	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	0.009~0.15	-63.41	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	0.15~30	-65.33	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	30~1000	-47.67	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	1000~20000	-37.73	PASS
Band41(2535-2655)	10MHz	QPSK	41190	1RB#49	20000~27000	-43.31	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	0.009~0.15	-62.75	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	0.15~30	-69.04	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	30~1000	-54.84	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	1000~20000	-37.03	PASS
Band41(2535-2655)	10MHz	QPSK	41190	50RB#0	20000~27000	-43.50	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.009~0.15	-63.15	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	0.15~30	-65.44	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	30~1000	-44.06	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	1000~20000	-37.23	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#0	20000~27000	-43.43	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	0.009~0.15	-63.12	PASS

Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	0.15~30	-65.85	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	30~1000	-50.07	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	1000~20000	-36.37	PASS
Band41(2535-2655)	10MHz	16QAM	41190	1RB#49	20000~27000	-43.53	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	0.009~0.15	-63.11	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	0.15~30	-70.27	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	30~1000	-56.85	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	1000~20000	-37.10	PASS
Band41(2535-2655)	10MHz	16QAM	41190	50RB#0	20000~27000	-43.38	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.009~0.15	-62.73	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	0.15~30	-70.13	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	30~1000	-57.55	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	1000~20000	-39.60	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#0	20000~27000	-43.44	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	0.009~0.15	-62.86	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	0.15~30	-70.14	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	30~1000	-57.64	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	1000~20000	-38.39	PASS
Band41(2535-2655)	15MHz	QPSK	40115	1RB#74	20000~27000	-43.31	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	0.009~0.15	-62.98	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	0.15~30	-70.15	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	30~1000	-57.71	PASS

Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	1000~20000	-38.30	PASS
Band41(2535-2655)	15MHz	QPSK	40115	75RB#0	20000~27000	-43.27	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.009~0.15	-63.00	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	0.15~30	-69.10	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	30~1000	-57.53	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	1000~20000	-40.27	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#0	20000~27000	-43.39	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	0.009~0.15	-62.94	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	0.15~30	-69.81	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	30~1000	-57.50	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	1000~20000	-38.38	PASS
Band41(2535-2655)	15MHz	16QAM	40115	1RB#74	20000~27000	-43.57	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	0.009~0.15	-63.04	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	0.15~30	-69.34	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	30~1000	-57.46	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	1000~20000	-37.82	PASS
Band41(2535-2655)	15MHz	16QAM	40115	75RB#0	20000~27000	-43.25	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.009~0.15	-63.12	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	0.15~30	-68.18	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	30~1000	-49.60	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	1000~20000	-37.61	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#0	20000~27000	-43.63	PASS

Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	0.009~0.15	-63.34	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	0.15~30	-68.62	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	30~1000	-50.42	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	1000~20000	-37.19	PASS
Band41(2535-2655)	15MHz	QPSK	40590	1RB#74	20000~27000	-43.41	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	0.009~0.15	-62.72	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	0.15~30	-68.75	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	30~1000	-57.28	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	1000~20000	-37.54	PASS
Band41(2535-2655)	15MHz	QPSK	40590	75RB#0	20000~27000	-43.22	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.009~0.15	-63.30	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	0.15~30	-67.71	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	30~1000	-51.03	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	1000~20000	-38.40	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#0	20000~27000	-43.54	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	0.009~0.15	-63.15	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	0.15~30	-68.90	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	30~1000	-51.64	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	1000~20000	-37.40	PASS
Band41(2535-2655)	15MHz	16QAM	40590	1RB#74	20000~27000	-43.56	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	0.009~0.15	-62.90	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	0.15~30	-69.68	PASS

Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	30~1000	-57.35	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	1000~20000	-37.37	PASS
Band41(2535-2655)	15MHz	16QAM	40590	75RB#0	20000~27000	-43.54	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.009~0.15	-63.02	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	0.15~30	-65.21	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	30~1000	-45.20	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	1000~20000	-36.79	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#0	20000~27000	-43.45	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	0.009~0.15	-63.21	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	0.15~30	-65.21	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	30~1000	-46.36	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	1000~20000	-36.57	PASS
Band41(2535-2655)	15MHz	QPSK	41165	1RB#74	20000~27000	-43.49	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	0.009~0.15	-63.19	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	0.15~30	-68.27	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	30~1000	-55.76	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	1000~20000	-36.88	PASS
Band41(2535-2655)	15MHz	QPSK	41165	75RB#0	20000~27000	-43.49	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.009~0.15	-63.16	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	0.15~30	-64.85	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	30~1000	-48.48	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	1000~20000	-36.87	PASS

Band41(2535-2655)	15MHz	16QAM	41165	1RB#0	20000~27000	-43.27	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	0.009~0.15	-63.45	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	0.15~30	-65.54	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	30~1000	-43.94	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	1000~20000	-36.55	PASS
Band41(2535-2655)	15MHz	16QAM	41165	1RB#74	20000~27000	-43.46	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	0.009~0.15	-63.26	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	0.15~30	-70.59	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	30~1000	-56.72	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	1000~20000	-35.32	PASS
Band41(2535-2655)	15MHz	16QAM	41165	75RB#0	20000~27000	-43.53	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.009~0.15	-63.37	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	0.15~30	-69.72	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	30~1000	-57.85	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	1000~20000	-40.61	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#0	20000~27000	-43.57	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	0.009~0.15	-63.54	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	0.15~30	-69.30	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	30~1000	-57.64	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	1000~20000	-37.79	PASS
Band41(2535-2655)	20MHz	QPSK	40140	1RB#99	20000~27000	-43.47	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	0.009~0.15	-63.60	PASS


Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	0.15~30	-69.47	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	30~1000	-57.67	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	1000~20000	-36.71	PASS
Band41(2535-2655)	20MHz	QPSK	40140	100RB#0	20000~27000	-43.58	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.009~0.15	-63.84	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	0.15~30	-69.07	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	30~1000	-57.39	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	1000~20000	-39.33	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#0	20000~27000	-43.39	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	0.009~0.15	-63.46	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	0.15~30	-68.99	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	30~1000	-57.64	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	1000~20000	-39.12	PASS
Band41(2535-2655)	20MHz	16QAM	40140	1RB#99	20000~27000	-43.62	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	0.009~0.15	-63.55	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	0.15~30	-68.75	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	30~1000	-57.72	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	1000~20000	-38.34	PASS
Band41(2535-2655)	20MHz	16QAM	40140	100RB#0	20000~27000	-43.30	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.009~0.15	-63.73	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	0.15~30	-68.91	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	30~1000	-49.21	PASS


Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	1000~20000	-38.3 1	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#0	20000~27000	-43.5 0	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	0.009~0.15	-63.9 0	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	0.15~30	-66.7 3	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	30~1000	-47.3 0	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	1000~20000	-38.0 9	PASS
Band41(2535-2655)	20MHz	QPSK	40590	1RB#99	20000~27000	-43.4 3	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	0.009~0.15	-63.9 1	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	0.15~30	-68.6 0	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	30~1000	-57.2 1	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	1000~20000	-36.8 0	PASS
Band41(2535-2655)	20MHz	QPSK	40590	100RB#0	20000~27000	-43.3 1	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.009~0.15	-63.4 3	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	0.15~30	-69.7 2	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	30~1000	-49.6 5	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	1000~20000	-37.7 7	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#0	20000~27000	-43.3 5	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	0.009~0.15	-63.7 7	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	0.15~30	-68.2 7	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	30~1000	-50.3 2	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	1000~20000	-37.6 3	PASS
Band41(2535-2655)	20MHz	16QAM	40590	1RB#99	20000~27000	-43.2 8	PASS


Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	0.009~0.15	-63.57	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	0.15~30	-69.60	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	30~1000	-57.40	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	1000~20000	-37.95	PASS
Band41(2535-2655)	20MHz	16QAM	40590	100RB#0	20000~27000	-43.39	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.009~0.15	-64.04	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	0.15~30	-67.75	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	30~1000	-46.88	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	1000~20000	-37.76	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#0	20000~27000	-43.19	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	0.009~0.15	-64.07	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	0.15~30	-66.21	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	30~1000	-47.56	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	1000~20000	-36.78	PASS
Band41(2535-2655)	20MHz	QPSK	41140	1RB#99	20000~27000	-43.62	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	0.009~0.15	-63.85	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	0.15~30	-70.97	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	30~1000	-56.33	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	1000~20000	-36.38	PASS
Band41(2535-2655)	20MHz	QPSK	41140	100RB#0	20000~27000	-43.47	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.009~0.15	-63.79	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	0.15~30	-66.80	PASS


Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	30~1000	-50.21	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	1000~20000	-37.85	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#0	20000~27000	-43.55	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	0.009~0.15	-64.10	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	0.15~30	-66.41	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	30~1000	-49.79	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	1000~20000	-37.01	PASS
Band41(2535-2655)	20MHz	16QAM	41140	1RB#99	20000~27000	-43.36	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	0.009~0.15	-64.04	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	0.15~30	-68.86	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	30~1000	-57.28	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	1000~20000	-37.66	PASS
Band41(2535-2655)	20MHz	16QAM	41140	100RB#0	20000~27000	-43.40	PASS


Test Graphs




















Band41(2535-2655)-5MHz-16QAM-40065-1RB#2
4-30~1000-PASS




Band41(2535-2655)-5MHz-16QAM-40065-1RB#24
-1000~20000-PASS





Band41(2535-2655)-5MHz-16QAM-40065-1RB#2
4-20000~27000-PASS





Band41(2535-2655)-5MHz-16QAM-40065-25RB#0
-0.009~0.15-PASS





























Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-30~1000-PASS



Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-1000~20000-PASS



Band41(2535-2655)-5MHz-QPSK-41215-1RB#0-20000~27000-PASS



Band41(2535-2655)-5MHz-QPSK-41215-1RB#24-0.009~0.15-PASS

