Appendix Test Data for LTE Band 26(824-849) (Conducted Measurement)

Product Name: 4G Mobile Phone

Trade Mark: AGM

Test Model: M10

FCC ID: 2A3DR-M10

Environmental Conditions

Temperature:	23.5℃
Relative Humidity:	58%
ATM Pressure:	100.0 kPa
Test Engineer:	Allen Lai
Supervised by:	Max Zhang
NOTE	N/A

Appendix A:RF output power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	22.70	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	22.01	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	22.63	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	21.88	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	22.64	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	22.06	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#0	22.73	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#0	22.25	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#1	22.71	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#1	22.25	PASS
Band26(824-849)	1.4MHz	QPSK	26797	3RB#3	22.70	PASS
Band26(824-849)	1.4MHz	16QAM	26797	3RB#3	22.22	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	22.21	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	21.92	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	22.58	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	22.76	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	22.65	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	22.81	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	22.66	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	22.67	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#0	22.75	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#0	21.87	PASS

Band26(824-849)	1.4MHz	QPSK	26915	3RB#1	22.75	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#1	21.87	PASS
Band26(824-849)	1.4MHz	QPSK	26915	3RB#3	22.71	PASS
Band26(824-849)	1.4MHz	16QAM	26915	3RB#3	21.82	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	22.22	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	21.77	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	22.60	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	22.68	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	22.51	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	22.72	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	22.47	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	22.67	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#0	22.65	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#0	21.90	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#1	22.64	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#1	21.92	PASS
Band26(824-849)	1.4MHz	QPSK	27033	3RB#3	22.60	PASS
Band26(824-849)	1.4MHz	16QAM	27033	3RB#3	21.94	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.10	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.40	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	22.61	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	22.29	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	22.67	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	22.23	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	22.65	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	22.35	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#0	22.23	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#0	21.95	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#4	22.24	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#4	21.95	PASS
Band26(824-849)	3MHz	QPSK	26805	8RB#7	22.24	PASS
Band26(824-849)	3MHz	16QAM	26805	8RB#7	21.52	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	22.24	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	21.60	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	22.68	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	21.99	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	22.65	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	21.99	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	22.69	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	21.94	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#0	22.15	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#0	21.78	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#4	22.10	PASS

Band26(824-849)	3MHz	16QAM	26915	8RB#4	21.79	PASS
Band26(824-849)	3MHz	QPSK	26915	8RB#7	22.15	PASS
Band26(824-849)	3MHz	16QAM	26915	8RB#7	21.65	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	22.22	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	21.53	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	22.65	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	22.77	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	22.68	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	22.69	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	22.59	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	22.75	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#0	22.10	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#0	21.29	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#4	22.12	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#4	21.37	PASS
Band26(824-849)	3MHz	QPSK	27025	8RB#7	22.15	PASS
Band26(824-849)	3MHz	16QAM	27025	8RB#7	21.39	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.02	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	21.30	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	22.87	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	21.59	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	22.88	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	21.60	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	22.90	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	21.54	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#0	22.30	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#0	21.74	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#6	22.30	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#6	21.65	PASS
Band26(824-849)	5MHz	QPSK	26815	12RB#13	22.33	PASS
Band26(824-849)	5MHz	16QAM	26815	12RB#13	21.28	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	22.33	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	21.49	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	22.68	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	21.87	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	22.75	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	21.86	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	22.81	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	21.97	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#0	22.19	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#0	21.66	PASS
Band26(824-849)	5MHz	QPSK	26915	12RB#6	22.24	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#6	21.64	PASS

Band26(824-849)	5MHz	QPSK	26915	12RB#13	22.15	PASS
Band26(824-849)	5MHz	16QAM	26915	12RB#13	21.57	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	22.25	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	21.46	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	22.83	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	21.98	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	22.74	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	22.01	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	22.70	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	22.04	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#0	21.99	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#0	21.16	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#6	22.05	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#6	21.16	PASS
Band26(824-849)	5MHz	QPSK	27015	12RB#13	22.16	PASS
Band26(824-849)	5MHz	16QAM	27015	12RB#13	21.23	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.21	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	21.33	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	22.75	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	21.87	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	22.74	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	21.94	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	22.72	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	21.91	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#0	22.24	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#0	21.25	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#12	22.24	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#12	21.25	PASS
Band26(824-849)	10MHz	QPSK	26840	25RB#25	22.24	PASS
Band26(824-849)	10MHz	16QAM	26840	25RB#25	21.54	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	22.17	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	21.69	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	22.68	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	21.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	22.66	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	21.57	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	22.67	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	21.62	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#0	22.26	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#0	21.73	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#12	22.14	PASS
Band26(824-849)	10MHz	16QAM	26915	25RB#12	21.74	PASS
Band26(824-849)	10MHz	QPSK	26915	25RB#25	22.29	PASS

Band26(824-849)	10MHz	16QAM	26915	25RB#25	21.44	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	22.22	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	21.62	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	22.81	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	22.06	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	22.91	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	22.20	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	22.75	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	21.99	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#0	22.10	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#0	21.75	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#12	22.11	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#12	21.72	PASS
Band26(824-849)	10MHz	QPSK	26990	25RB#25	22.16	PASS
Band26(824-849)	10MHz	16QAM	26990	25RB#25	21.40	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	22.33	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	21.40	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	22.73	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	22.01	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	22.66	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	22.02	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	22.63	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#74	21.92	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#0	22.10	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#0	22.11	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#18	22.11	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#18	22.11	PASS
Band26(824-849)	15MHz	QPSK	26865	38RB#37	22.11	PASS
Band26(824-849)	15MHz	16QAM	26865	38RB#37	22.11	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	22.11	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	21.74	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	22.73	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	22.27	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	22.75	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	22.19	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	22.84	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	22.31	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#0	22.22	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#0	22.23	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#18	22.23	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#18	22.23	PASS
Band26(824-849)	15MHz	QPSK	26915	38RB#37	22.23	PASS
Band26(824-849)	15MHz	16QAM	26915	38RB#37	22.24	PASS

Band26(824-849)	15MHz	QPSK	26915	75RB#0	22.24	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	21.75	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	22.78	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	22.06	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	22.92	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	22.05	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	22.77	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	22.09	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#0	22.21	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#0	22.22	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#18	22.22	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#18	22.20	PASS
Band26(824-849)	15MHz	QPSK	26965	38RB#37	22.20	PASS
Band26(824-849)	15MHz	16QAM	26965	38RB#37	22.20	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	22.20	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	21.68	PASS

Appendix B:Peak-to-Average Ratio (CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	5.49	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	6.15	13	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.75	13	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	6.42	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	5.42	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	6.06	13	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.73	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	6.40	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	4.97	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	5.36	13	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	5.54	13	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	6.32	13	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#0	5.49	13	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	6.07	13	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	5.69	13	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	6.52	13	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	5.44	13	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	6.10	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	5.74	13	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	6.45	13	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	5.18	13	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	5.89	13	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	5.68	13	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	6.48	13	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	5.31	13	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	5.90	13	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	5.79	13	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	6.45	13	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#0	5.41	13	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	6.06	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	5.74	13	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	6.38	13	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	5.42	13	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	6.16	13	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	5.69	13	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	6.44	13	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	5.38	13	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	6.40	13	PASS

Band26(824-849)	10MHz	QPSK	26840	50RB#0	5.79	13	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	6.49	13	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	5.39	13	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	6.05	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	5.77	13	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	6.44	13	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#0	5.38	13	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	6.17	13	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	5.77	13	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	6.55	13	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	5.37	13	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	6.33	13	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	6.05	13	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	6.48	13	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	5.42	13	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	6.26	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	6.04	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	6.45	13	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	5.26	13	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	6.00	13	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	6.11	13	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	6.50	13	PASS

Test Graphs



Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-PASS

Band26(824-849)-1.4MHz-16QAM-26797-1RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26915-1RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-27033-1RB#0-PASS



Band26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS



Band26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS



Band26(824-849)-3MHz-QPSK-26805-1RB#0-PASS



Band26(824-849)-3MHz-16QAM-26805-1RB#0-PASS



Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-26805-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-1RB#0-PASS

Band26(824-849)-3MHz-16QAM-26915-1RB#0-PASS



Band26(824-849)-3MHz-QPSK-26915-15RB#0-PASS

Band26(824-849)-3MHz-16QAM-26915-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-1RB#0-PASS



Band26(824-849)-3MHz-16QAM-27025-1RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS



Band26(824-849)-3MHz-16QAM-27025-15RB#0-PASS



Band26(824-849)-5MHz-QPSK-26815-1RB#0-PASS



Band26(824-849)-5MHz-16QAM-26815-1RB#0-PASS



Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-26815-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-26915-1RB#0-PASS

Band26(824-849)-5MHz-16QAM-26915-1RB#0-PASS



Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS

Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-1RB#0-PASS



Band26(824-849)-5MHz-16QAM-27015-1RB#0-PASS



Band26(824-849)-5MHz-QPSK-27015-25RB#0-PASS



Band26(824-849)-5MHz-16QAM-27015-25RB#0-PASS



Band26(824-849)-10MHz-QPSK-26840-1RB#0-PASS

Band26(824-849)-10MHz-16QAM-26840-1RB#0-PASS



Band26(824-849)-10MHz-QPSK-26840-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26840-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-1RB#0-PASS



Band26(824-849)-10MHz-16QAM-26915-1RB#0-PASS



Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS



Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-1RB#0-PASS



Band26(824-849)-10MHz-16QAM-26990-1RB#0-PASS



Band26(824-849)-10MHz-QPSK-26990-50RB#0-PASS

Band26(824-849)-10MHz-16QAM-26990-50RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-1RB#0-PASS

Band26(824-849)-15MHz-16QAM-26865-1RB#0-PASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



Band26(824-849)-15MHz-16QAM-26865-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26915-1RB#0-PASS

Band26(824-849)-15MHz-16QAM-26915-1RB#0-PASS



Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS

Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-PASS



Band26(824-849)-15MHz-16QAM-26965-1RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS

Band26(824-849)-15MHz-16QAM-26965-75RB#0-PASS

Appendix C:Occupied bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.0961	1.242	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.0974	1.256	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0964	1.243	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.0887	1.243	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.0899	1.244	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.1060	1.244	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	2.7078	3.020	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	2.6994	3.013	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.7040	3.017	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.7073	3.027	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	2.7142	3.032	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	2.7008	3.016	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	4.5096	4.977	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	4.5014	4.955	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5048	4.976	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5116	4.997	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	4.5080	4.998	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	4.5280	4.992	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	8.9986	9.897	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	8.9973	9.954	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	9.0028	9.935	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	8.9901	9.958	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	8.9815	9.888	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	9.0002	9.939	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	13.482	14.95	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	13.495	14.89	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.482	15.00	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.475	14.85	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	13.459	14.87	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	13.520	14.91	PASS