
































Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	5.24	5.24	---	PASS
			30~1000	5.24	-44.91	≤-14.76	PASS
			1000~26500	5.24	-35.55	≤-14.76	PASS
	Ant2	2402	Reference	5.40	5.40	---	PASS
			30~1000	5.40	-45.37	≤-14.6	PASS
			1000~26500	5.40	-35.6	≤-14.6	PASS
	Ant1	2441	Reference	5.54	5.54	---	PASS
			30~1000	5.54	-44.84	≤-14.46	PASS
			1000~26500	5.54	-36.23	≤-14.46	PASS
	Ant2	2441	Reference	5.62	5.62	---	PASS
			30~1000	5.62	-45.01	≤-14.38	PASS
			1000~26500	5.62	-35.85	≤-14.38	PASS
	Ant1	2480	Reference	5.56	5.56	---	PASS
			30~1000	5.56	-44.8	≤-14.44	PASS
			1000~26500	5.56	-35.72	≤-14.44	PASS
	Ant2	2480	Reference	5.48	5.48	---	PASS
			30~1000	5.48	-44.22	≤-14.52	PASS
			1000~26500	5.48	-36.4	≤-14.52	PASS
2DH1	Ant1	2402	Reference	4.71	4.71	---	PASS
			30~1000	4.71	-45.1	≤-15.29	PASS
			1000~26500	4.71	-35.28	≤-15.29	PASS
	Ant2	2402	Reference	4.76	4.76	---	PASS
			30~1000	4.76	-44.84	≤-15.24	PASS
			1000~26500	4.76	-35.51	≤-15.24	PASS
	Ant1	2441	Reference	5.00	5.00	---	PASS
			30~1000	5.00	-44.51	≤-15	PASS
			1000~26500	5.00	-36.71	≤-15	PASS
	Ant2	2441	Reference	5.07	5.07	---	PASS
			30~1000	5.07	-44.63	≤-14.93	PASS
			1000~26500	5.07	-36.39	≤-14.93	PASS
	Ant1	2480	Reference	5.00	5.00	---	PASS
			30~1000	5.00	-43.86	≤-15	PASS
			1000~26500	5.00	-35.79	≤-15	PASS
	Ant2	2480	Reference	5.00	5.00	---	PASS
			30~1000	5.00	-45.2	≤-15	PASS
			1000~26500	5.00	-35.51	≤-15	PASS
3DH1	Ant1	2402	Reference	4.70	4.70	---	PASS





			30~1000	4.70	-44.6	≤ -15.3	PASS
			1000~26500	4.70	-34.93	≤ -15.3	PASS
	Ant2	2402	Reference	4.84	4.84	---	PASS
			30~1000	4.84	-44.57	≤ -15.16	PASS
			1000~26500	4.84	-36.55	≤ -15.16	PASS
	Ant1	2441	Reference	5.01	5.01	---	PASS
			30~1000	5.01	-44.39	≤ -14.99	PASS
			1000~26500	5.01	-36.34	≤ -14.99	PASS
	Ant2	2441	Reference	5.17	5.17	---	PASS
			30~1000	5.17	-44.9	≤ -14.83	PASS
			1000~26500	5.17	-35.83	≤ -14.83	PASS
	Ant1	2480	Reference	5.03	5.03	---	PASS
			30~1000	5.03	-44.68	≤ -14.97	PASS
			1000~26500	5.03	-35.72	≤ -14.97	PASS
	Ant2	2480	Reference	5.09	5.09	---	PASS
			30~1000	5.09	-43.49	≤ -14.91	PASS
			1000~26500	5.09	-35.94	≤ -14.91	PASS





Test Graphs














































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	32.45	55.60	23.15	L1	OFF	10.5
0.156750	47.79	---	65.61	17.81	L1	OFF	10.5
0.211238	---	25.91	52.95	27.04	L1	OFF	10.4
0.211238	42.42	---	62.99	20.56	L1	OFF	10.4
0.263475	---	19.64	51.08	31.44	L1	OFF	10.4
0.263475	36.70	---	61.12	24.42	L1	OFF	10.4
0.329100	---	28.70	49.25	20.55	L1	OFF	10.3
0.329100	38.26	---	59.29	21.03	L1	OFF	10.3
0.408938	---	12.56	47.54	34.98	L1	OFF	10.3
0.408938	27.31	---	57.56	30.25	L1	OFF	10.3
0.495469	---	13.15	46.07	32.92	L1	OFF	10.3
0.495469	30.80	---	56.07	25.27	L1	OFF	10.3

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.156750	---	25.89	55.60	29.71	N	OFF	10.5
0.156750	47.19	---	65.61	18.41	N	OFF	10.5
0.270169	---	20.70	50.87	30.17	N	OFF	10.4
0.270169	46.44	---	60.91	14.47	N	OFF	10.4
0.328331	---	25.20	49.27	24.08	N	OFF	10.4
0.328331	44.93	---	59.31	14.38	N	OFF	10.4
0.453712	---	18.44	46.74	28.30	N	OFF	10.3
0.453712	43.70	---	56.75	13.04	N	OFF	10.3
0.551493	---	18.85	46.00	27.15	N	OFF	10.3
0.551493	41.51	---	56.00	14.49	N	OFF	10.3
0.812679	---	13.16	46.00	32.84	N	OFF	10.3
0.812679	41.47	---	56.00	14.53	N	OFF	10.3



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Koi Ji	Relative Humidity :	46~48%
		Temperature :	26.2~27.5°C



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	-	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2386.57	55.02	74.00	-18.98	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	39.98	74.00	-34.02	H	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	4882.00	41.56	74.00	-32.44	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.90	55.64	74.00	-18.36	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	4960.00	40.21	74.00	-33.79	V	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2319.10	55.34	74.00	-18.66	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	40.75	74.00	-33.25	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.96	74.00	-31.04	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2486.49	55.65	74.00	-18.35	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	43.08	74.00	-30.92	H	PEAK	Pass	Harmonic





Mode	1																																																																																																																			
	Band Edge																																																																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal										Fundamental																																																																																																									
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2358.62</td><td>54.61</td><td>74.00</td><td>-19.39</td><td>38.70</td><td>32.20</td><td>8.41</td><td>30.70</td><td>176 PEAK</td></tr><tr><td>2</td><td>2358.62</td><td>29.82</td><td>54.00</td><td>-24.18</td><td>13.91</td><td>32.20</td><td>8.41</td><td>30.70</td><td>176 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2358.62	54.61	74.00	-19.39	38.70	32.20	8.41	30.70	176 PEAK	2	2358.62	29.82	54.00	-24.18	13.91	32.20	8.41	30.70	176 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.78</td><td>-----</td><td>84.78</td><td>32.20</td><td>8.48</td><td>30.68</td><td>6.00</td><td>176 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>75.99</td><td>-----</td><td>59.99</td><td>32.20</td><td>8.48</td><td>30.68</td><td>6.00</td><td>176 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1	2402.00	100.78	-----	84.78	32.20	8.48	30.68	6.00	176 PEAK	2	2402.00	75.99	-----	59.99	32.20	8.48	30.68	6.00	176 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	2358.62	54.61	74.00	-19.39	38.70	32.20	8.41	30.70	176 PEAK																																																																																																											
2	2358.62	29.82	54.00	-24.18	13.91	32.20	8.41	30.70	176 AVERAGE																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																												
1	2402.00	100.78	-----	84.78	32.20	8.48	30.68	6.00	176 PEAK																																																																																																											
2	2402.00	75.99	-----	59.99	32.20	8.48	30.68	6.00	176 AVERAGE																																																																																																											



Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical								Fundamental																																																																																																	
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2386.57</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>39.05</td><td>32.20</td><td>8.46</td><td>30.69</td></tr><tr><td>2</td><td>2386.57</td><td>30.23</td><td>54.00</td><td>-23.77</td><td>14.26</td><td>32.20</td><td>8.46</td><td>30.69</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2386.57	55.02	74.00	-18.98	39.05	32.20	8.46	30.69	2	2386.57	30.23	54.00	-23.77	14.26	32.20	8.46	30.69	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>91.04</td><td>-----</td><td>-----</td><td>75.04</td><td>32.20</td><td>8.48</td><td>30.68</td></tr><tr><td>2</td><td>2402.00</td><td>66.25</td><td>-----</td><td>-----</td><td>50.25</td><td>32.20</td><td>8.48</td><td>30.68</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	91.04	-----	-----	75.04	32.20	8.48	30.68	2	2402.00	66.25	-----	-----	50.25	32.20	8.48	30.68
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2386.57	55.02	74.00	-18.98	39.05	32.20	8.46	30.69																																																																																																		
2	2386.57	30.23	54.00	-23.77	14.26	32.20	8.46	30.69																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2402.00	91.04	-----	-----	75.04	32.20	8.48	30.68																																																																																																		
2	2402.00	66.25	-----	-----	50.25	32.20	8.48	30.68																																																																																																		





Mode	1																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>39.98</td><td>74.00</td><td>-34.02</td><td>57.75</td><td>34.12</td><td>12.16</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	39.98	74.00	-34.02	57.75	34.12	12.16	64.05	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4004.00</td><td>39.82</td><td>74.00</td><td>-34.18</td><td>57.59</td><td>34.12</td><td>12.16</td><td>64.05</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4004.00	39.82	74.00	-34.18	57.59	34.12	12.16	64.05	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4004.00	39.98	74.00	-34.02	57.75	34.12	12.16	64.05	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4004.00	39.82	74.00	-34.18	57.59	34.12	12.16	64.05	0.00	--	PEAK																																																																																							





Mode	2																																																																																																	
	Harmonic																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)						Level (dBuV/m) Frequency (MHz) FCC PART 15C FCC PART 15C (AVG)																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>40.59</td><td>74.00</td><td>-33.41</td><td>58.42</td><td>34.24</td><td>12.25</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	40.59	74.00	-33.41	58.42	34.24	12.25	64.32	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>41.56</td><td>74.00</td><td>-32.44</td><td>59.39</td><td>34.24</td><td>12.25</td><td>64.32</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	41.56	74.00	-32.44	59.39	34.24	12.25	64.32	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4882.00	40.59	74.00	-33.41	58.42	34.24	12.25	64.32	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4882.00	41.56	74.00	-32.44	59.39	34.24	12.25	64.32	0.00	--	PEAK																																																																																							





Mode	3																																																																					
	Band Edge																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																					
ANT	1																																																																					
Pol.	Horizontal																																																																					
Peak																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.90</td><td>55.64</td><td>74.00</td><td>-18.36</td><td>39.56</td><td>32.09</td><td>8.64</td><td>30.65</td><td>6.00</td><td>129</td><td>230 PEAK</td></tr><tr><td>2</td><td>2484.90</td><td>30.85</td><td>54.00</td><td>-23.15</td><td>14.77</td><td>32.09</td><td>8.64</td><td>30.65</td><td>6.00</td><td>129</td><td>230 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2484.90	55.64	74.00	-18.36	39.56	32.09	8.64	30.65	6.00	129	230 PEAK	2	2484.90	30.85	54.00	-23.15	14.77	32.09	8.64	30.65	6.00	129	230 AVERAGE
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2484.90	55.64	74.00	-18.36	39.56	32.09	8.64	30.65	6.00	129	230 PEAK																																																											
2	2484.90	30.85	54.00	-23.15	14.77	32.09	8.64	30.65	6.00	129	230 AVERAGE																																																											
Fundamental																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>103.87</td><td>-----</td><td>87.78</td><td>32.12</td><td>8.63</td><td>30.66</td><td>6.00</td><td>129</td><td>230 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>79.00</td><td>-----</td><td>62.99</td><td>32.12</td><td>8.63</td><td>30.66</td><td>6.00</td><td>129</td><td>230 AVERAGE</td></tr></table>													Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	103.87	-----	87.78	32.12	8.63	30.66	6.00	129	230 PEAK	2	2480.00	79.00	-----	62.99	32.12	8.63	30.66	6.00	129	230 AVERAGE		
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																												
1	2480.00	103.87	-----	87.78	32.12	8.63	30.66	6.00	129	230 PEAK																																																												
2	2480.00	79.00	-----	62.99	32.12	8.63	30.66	6.00	129	230 AVERAGE																																																												



Mode	3																																																																		
	Band Edge																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																		
ANT	1																																																																		
Pol.	Vertical						Fundamental																																																												
Peak																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.21</td><td>54.60</td><td>74.00</td><td>-19.40</td><td>38.54</td><td>32.06</td><td>8.65</td><td>30.65</td><td>6.00</td><td>311</td><td>267 PEAK</td></tr><tr><td>2</td><td>2490.21</td><td>29.81</td><td>54.00</td><td>-24.19</td><td>13.75</td><td>32.06</td><td>8.65</td><td>30.65</td><td>6.00</td><td>311</td><td>267 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2490.21	54.60	74.00	-19.40	38.54	32.06	8.65	30.65	6.00	311	267 PEAK	2	2490.21	29.81	54.00	-24.19	13.75	32.06	8.65	30.65	6.00	311	267 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2490.21	54.60	74.00	-19.40	38.54	32.06	8.65	30.65	6.00	311	267 PEAK																																																								
2	2490.21	29.81	54.00	-24.19	13.75	32.06	8.65	30.65	6.00	311	267 AVERAGE																																																								
																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.32</td><td>-----</td><td>-----</td><td>75.23</td><td>32.12</td><td>8.63</td><td>30.66</td><td>6.00</td><td>311</td><td>267 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>66.53</td><td>-----</td><td>-----</td><td>50.44</td><td>32.12</td><td>8.63</td><td>30.66</td><td>6.00</td><td>311</td><td>267 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	91.32	-----	-----	75.23	32.12	8.63	30.66	6.00	311	267 PEAK	2	2480.00	66.53	-----	-----	50.44	32.12	8.63	30.66	6.00	311	267 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																									
1	2480.00	91.32	-----	-----	75.23	32.12	8.63	30.66	6.00	311	267 PEAK																																																								
2	2480.00	66.53	-----	-----	50.44	32.12	8.63	30.66	6.00	311	267 AVERAGE																																																								



Mode	3																																																																																																
	Harmonic																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.78</td><td>74.00</td><td>-34.22</td><td>57.33</td><td>34.44</td><td>12.34</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.78	74.00	-34.22	57.33	34.44	12.34	64.33	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.21</td><td>74.00</td><td>-33.79</td><td>57.76</td><td>34.44</td><td>12.34</td><td>64.33</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.21	74.00	-33.79	57.76	34.44	12.34	64.33	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4960.00	39.78	74.00	-34.22	57.33	34.44	12.34	64.33	0.00	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4960.00	40.21	74.00	-33.79	57.76	34.44	12.34	64.33	0.00	--	PEAK																																																																																						



Mode	4																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal								Fundamental																																																																																																	
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2319.10</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>39.89</td><td>31.83</td><td>8.34</td><td>30.72</td></tr><tr><td>2</td><td>2319.10</td><td>30.55</td><td>54.00</td><td>-23.45</td><td>15.10</td><td>31.83</td><td>8.34</td><td>30.72</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2319.10	55.34	74.00	-18.66	39.89	31.83	8.34	30.72	2	2319.10	30.55	54.00	-23.45	15.10	31.83	8.34	30.72	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>98.73</td><td>-----</td><td>-----</td><td>82.73</td><td>32.20</td><td>8.48</td><td>30.68</td></tr><tr><td>2</td><td>2402.00</td><td>73.94</td><td>-----</td><td>-----</td><td>57.94</td><td>32.20</td><td>8.48</td><td>30.68</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2402.00	98.73	-----	-----	82.73	32.20	8.48	30.68	2	2402.00	73.94	-----	-----	57.94	32.20	8.48	30.68
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2319.10	55.34	74.00	-18.66	39.89	31.83	8.34	30.72																																																																																																		
2	2319.10	30.55	54.00	-23.45	15.10	31.83	8.34	30.72																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																		
1	2402.00	98.73	-----	-----	82.73	32.20	8.48	30.68																																																																																																		
2	2402.00	73.94	-----	-----	57.94	32.20	8.48	30.68																																																																																																		



Mode	4																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Vertical										Fundamental																																																																																															
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2332.75</td><td>55.31</td><td>74.00</td><td>-18.69</td><td>39.66</td><td>31.99</td><td>8.37</td><td>30.71</td></tr><tr><td>2</td><td>2332.75</td><td>30.52</td><td>54.00</td><td>-23.48</td><td>14.87</td><td>31.99</td><td>8.37</td><td>30.71</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2332.75	55.31	74.00	-18.69	39.66	31.99	8.37	30.71	2	2332.75	30.52	54.00	-23.48	14.87	31.99	8.37	30.71	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>2402.00</td><td>90.33</td><td>-----</td><td>-----</td><td>74.33</td><td>32.20</td><td>8.48</td><td>30.68</td></tr><tr><td>2</td><td>2402.00</td><td>65.54</td><td>-----</td><td>-----</td><td>49.54</td><td>32.20</td><td>8.48</td><td>30.68</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	2402.00	90.33	-----	-----	74.33	32.20	8.48	30.68	2	2402.00	65.54	-----	-----	49.54	32.20	8.48	30.68
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	2332.75	55.31	74.00	-18.69	39.66	31.99	8.37	30.71																																																																																																		
2	2332.75	30.52	54.00	-23.48	14.87	31.99	8.37	30.71																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																		
1	2402.00	90.33	-----	-----	74.33	32.20	8.48	30.68																																																																																																		
2	2402.00	65.54	-----	-----	49.54	32.20	8.48	30.68																																																																																																		