












Partial RU


Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	RuSize	RuIndex	Result [dBm/3kHz]	Limit [dBm/3kHz]	Verdict
11AX20MIMO	Ant1	2412	26Tone	RU0	-11.28	≤8.00	PASS
			52Tone	RU37	-10.45	≤8.00	PASS
			106Tone	RU53	-11	≤8.00	PASS
	Ant3	2412	26Tone	RU0	-10.71	≤8.00	PASS
			52Tone	RU37	-10.92	≤8.00	PASS
			106Tone	RU53	-10.92	≤8.00	PASS
	total	2412	26Tone	RU0	-7.98	≤8.00	PASS
			52Tone	RU37	-7.67	≤8.00	PASS
			106Tone	RU53	-7.95	≤8.00	PASS
	Ant1	2437	26Tone	RU0	-8.4	≤8.00	PASS
			52Tone	RU37	-9.25	≤8.00	PASS
			106Tone	RU53	-9.27	≤8.00	PASS
	Ant3	2437	26Tone	RU0	-10.29	≤8.00	PASS
			52Tone	RU37	-8.64	≤8.00	PASS
			106Tone	RU53	-9.57	≤8.00	PASS
	total	2437	26Tone	RU0	-6.23	≤8.00	PASS
			52Tone	RU37	-5.92	≤8.00	PASS
			106Tone	RU53	-6.41	≤8.00	PASS
	Ant1	2462	26Tone	RU8	-9.52	≤8.00	PASS
			52Tone	RU40	-9.53	≤8.00	PASS
			106Tone	RU54	-9.93	≤8.00	PASS
	Ant3	2462	26Tone	RU8	-10.06	≤8.00	PASS
			52Tone	RU40	-10.41	≤8.00	PASS
			106Tone	RU54	-10.05	≤8.00	PASS
	total	2462	26Tone	RU8	-6.77	≤8.00	PASS
			52Tone	RU40	-6.94	≤8.00	PASS
			106Tone	RU54	-6.98	≤8.00	PASS
	Ant1	2467	26Tone	RU8	-9.62	≤8.00	PASS
			52Tone	RU40	-9.66	≤8.00	PASS
			106Tone	RU54	-9.74	≤8.00	PASS
	Ant3	2467	26Tone	RU8	-10.01	≤8.00	PASS
			52Tone	RU40	-9.62	≤8.00	PASS
			106Tone	RU54	-9.69	≤8.00	PASS
	total	2467	26Tone	RU8	-6.80	≤8.00	PASS
			52Tone	RU40	-6.63	≤8.00	PASS
			106Tone	RU54	-6.70	≤8.00	PASS
	Ant1	2472	26Tone	RU8	-17.67	≤8.00	PASS
			52Tone	RU40	-17.27	≤8.00	PASS
			106Tone	RU54	-18.54	≤8.00	PASS
	Ant3	2472	26Tone	RU8	-17.3	≤8.00	PASS
			52Tone	RU40	-18.08	≤8.00	PASS
			106Tone	RU54	-19.15	≤8.00	PASS
	total	2472	26Tone	RU8	-14.47	≤8.00	PASS
			52Tone	RU40	-14.65	≤8.00	PASS
			106Tone	RU54	-15.82	≤8.00	PASS




Test Graphs






11AX20MIMO_Ant1_2412_106Tone_RU53




11AX20MIMO_Ant3_2412_26Tone_RU0








11AX20MIMO_Ant3_2412_52Tone_RU37



11AX20MIMO_Ant3_2412_106Tone_RU53













11AX20MIMO_Ant3_2437_52Tone_RU37





11AX20MIMO_Ant3_2437_106Tone_RU53

























11AX20MIMO_Ant1_2472_106Tone_RU54



11AX20MIMO_Ant3_2472_26Tone_RU8








Reference level measurement


Test Result


TestMode	Antenna	Freq(MHz)	Max.Point[MHz]	Result[dBm/100KHZ]
11AX20MIMO	Ant1	2412	2403.75	3.15
			2403.75	3.62
			2404.49	4.27
	Ant3	2412	2403.10	3.09
			2403.40	2.56
			2405.44	3.15
	Ant1	2462	2470.94	3.66
			2470.81	2.91
			2471.03	2.52
	Ant3	2462	2469.82	3.89
			2471.38	2.44
			2469.51	3.22
	Ant1	2467	2476.12	3.23
			2473.21	4.00
			2472.73	3.48
	Ant3	2467	2475.60	3.55
			2474.60	3.01
			2473.99	3.91
	Ant1	2472	2480.03	-1.34
			2480.08	-1.38
			2480.25	-2.27
	Ant3	2472	2479.99	-1.28
			2480.29	-1.31
			2479.82	-2.81





Test Graphs



































Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	Ru Size	Ru Index	RefLevel (dBm/100KHZ)	Result (dBm/100KHZ)	Limit (dBm/100KHZ)	Verdict
11AX20MIMO	Ant1	Low	2412	26Tone	RU0	3.15	-39.42	≤-16.85	PASS
				52Tone	RU37	3.62	-37.91	≤-16.38	PASS
				106Tone	RU53	4.27	-39.22	≤-15.73	PASS
	Ant3	Low	2412	26Tone	RU0	3.09	-41.83	≤-16.91	PASS
				52Tone	RU37	2.56	-40.43	≤-17.44	PASS
				106Tone	RU53	3.15	-40.99	≤-16.85	PASS
	Ant1	High	2462	26Tone	RU0	3.66	-43.04	≤-16.34	PASS
				52Tone	RU40	2.91	-43.22	≤-17.09	PASS
				106Tone	RU54	2.52	-42.96	≤-17.48	PASS
	Ant3	High	2462	26Tone	RU8	3.89	-43.22	≤-16.11	PASS
				52Tone	RU40	2.44	-43.25	≤-17.56	PASS
				106Tone	RU54	3.22	-42.99	≤-16.78	PASS
	Ant1	High	2467	26Tone	RU8	3.23	-42.63	≤-16.77	PASS
				52Tone	RU40	4.00	-43.22	≤-16	PASS
				106Tone	RU54	3.48	-38.43	≤-16.52	PASS
	Ant3	High	2467	26Tone	RU8	3.55	-43.22	≤-16.45	PASS
				52Tone	RU40	3.01	-43.54	≤-16.99	PASS
				106Tone	RU54	3.91	-36.99	≤-16.09	PASS
	Ant1	High	2472	26Tone	RU8	-1.34	-38.96	≤-21.34	PASS
				52Tone	RU40	-1.38	-36.04	≤-21.38	PASS
				106Tone	RU54	-2.27	-33.47	≤-22.27	PASS
	Ant3	High	2472	26Tone	RU8	-1.28	-38.19	≤-21.28	PASS
				52Tone	RU40	-1.31	-37.05	≤-21.31	PASS
				106Tone	RU54	-2.81	-36.31	≤-22.81	PASS





Test Graphs

































11AX20MIMO_Ant3_High_2472_52Tone_RU40




11AX20MIMO_Ant3_High_2472_106Tone_RU54



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.170138	---	35.30	54.86	19.56	L1	OFF	10.5
0.170138	55.27	---	64.88	9.60	L1	OFF	10.5
0.255188	---	28.46	51.34	22.89	L1	OFF	10.4
0.255188	49.45	---	61.38	11.94	L1	OFF	10.4
0.352256	---	27.50	48.71	21.21	L1	OFF	10.3
0.352256	46.06	---	58.74	12.68	L1	OFF	10.3
0.441038	---	26.68	46.95	20.28	L1	OFF	10.3
0.441038	45.19	---	56.97	11.77	L1	OFF	10.3
0.529106	---	26.79	46.00	19.21	L1	OFF	10.3
0.529106	45.33	---	56.00	10.67	L1	OFF	10.3
0.764175	---	22.65	46.00	23.35	L1	OFF	10.3
0.764175	43.46	---	56.00	12.54	L1	OFF	10.3
1.188056	---	25.71	46.00	20.29	L1	OFF	10.3
1.188056	42.47	---	56.00	13.53	L1	OFF	10.3
1.446281	---	26.29	46.00	19.71	L1	OFF	10.3
1.446281	42.68	---	56.00	13.32	L1	OFF	10.3
1.703738	---	26.38	46.00	19.62	L1	OFF	10.3
1.703738	42.52	---	56.00	13.48	L1	OFF	10.3
2.197688	---	27.44	46.00	18.56	L1	OFF	10.3
2.197688	43.11	---	56.00	12.89	L1	OFF	10.3



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.408225	---	21.98	47.55	25.57	N	OFF	10.3
0.408225	44.25	---	57.57	13.32	N	OFF	10.3
0.443287	---	27.72	46.91	19.19	N	OFF	10.3
0.443287	45.27	---	56.93	11.66	N	OFF	10.3
0.532838	---	27.42	46.00	18.58	N	OFF	10.3
0.532838	45.57	---	56.00	10.43	N	OFF	10.3
0.620138	---	25.84	46.00	20.16	N	OFF	10.3
0.620138	44.78	---	56.00	11.22	N	OFF	10.3
0.797756	---	25.62	46.00	20.38	N	OFF	10.3
0.797756	44.37	---	56.00	11.63	N	OFF	10.3
1.064123	---	26.10	46.00	19.90	N	OFF	10.3
1.064123	44.10	---	56.00	11.90	N	OFF	10.3
1.545715	---	25.97	46.00	20.03	N	OFF	10.4
1.545715	43.16	---	56.00	12.84	N	OFF	10.4
1.864581	---	27.08	46.00	18.92	N	OFF	10.4
1.864581	43.38	---	56.00	12.62	N	OFF	10.4
2.356218	---	27.34	46.00	18.66	N	OFF	10.4
2.356218	43.04	---	56.00	12.96	N	OFF	10.4



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	802.11b	01	2412	1Mbps	-	-
Mode 2	2400-2483.5	1	802.11b	06	2437	1Mbps	-	-
Mode 3	2400-2483.5	1	802.11b	11	2462	1Mbps	-	-
Mode 4	2400-2483.5	1	802.11b	12	2467	1Mbps	-	-
Mode 5	2400-2483.5	1	802.11b	13	2472	1Mbps	-	-
Mode 6	2400-2483.5	1	802.11g	01	2412	6Mbps	-	-
Mode 7	2400-2483.5	1	802.11g	06	2437	6Mbps	-	-
Mode 8	2400-2483.5	1	802.11g	11	2462	6Mbps	-	-
Mode 9	2400-2483.5	1	802.11g	12	2467	6Mbps	-	-
Mode 10	2400-2483.5	1	802.11g	13	2472	6Mbps	-	-
Mode 11	2400-2483.5	3	802.11b	01	2412	1Mbps	-	-
Mode 12	2400-2483.5	3	802.11b	06	2437	1Mbps	-	-
Mode 13	2400-2483.5	3	802.11b	11	2462	1Mbps	-	-
Mode 14	2400-2483.5	3	802.11b	12	2467	1Mbps	-	-
Mode 15	2400-2483.5	3	802.11b	13	2472	1Mbps	-	-
Mode 16	2400-2483.5	3	802.11g	01	2412	6Mbps	-	-
Mode 17	2400-2483.5	3	802.11g	06	2437	6Mbps	-	-
Mode18	2400-2483.5	3	802.11g	11	2462	6Mbps	-	-
Mode 19	2400-2483.5	3	802.11g	12	2467	6Mbps	-	-
Mode 20	2400-2483.5	3	802.11g	13	2472	6Mbps	-	-
Mode 21	2400-2483.5	STBC 1+3	802.11ax HE20	01	2412	MCS0	Full RU	-
Mode 22	2400-2483.5	STBC 1+3	802.11ax HE20	06	2437	MCS0	Full RU	-
Mode 23	2400-2483.5	STBC 1+3	802.11ax HE20	11	2462	MCS0	Full RU	-
Mode 24	2400-2483.5	STBC 1+3	802.11ax HE20	12	2467	MCS0	Full RU	-
Mode 25	2400-2483.5	STBC 1+3	802.11ax HE20	13	2472	MCS0	Full RU	-
Mode 26	2400-2483.5	STBC 1+3	802.11ax HE20	01	2412	MCS0	RU26/0	-
Mode 27	2400-2483.5	STBC 1+3	802.11ax HE20	01	2412	MCS0	RU52/37	-
Mode 28	2400-2483.5	STBC 1+3	802.11ax HE20	01	2412	MCS0	RU106/53	-
Mode 29	2400-2483.5	STBC 1+3	802.11ax HE20	11	2462	MCS0	RU26/8	-
Mode 30	2400-2483.5	STBC 1+3	802.11ax HE20	11	2462	MCS0	RU52/40	-
Mode 31	2400-2483.5	STBC 1+3	802.11ax HE20	11	2462	MCS0	RU106/54	-
Mode 32	2400-2483.5	STBC 1+3	802.11ax HE20	12	2467	MCS0	RU26/8	-
Mode 33	2400-2483.5	STBC 1+3	802.11ax HE20	12	2467	MCS0	RU52/40	-
Mode 34	2400-2483.5	STBC 1+3	802.11ax HE20	12	2467	MCS0	RU106/54	-
Mode 35	2400-2483.5	STBC 1+3	802.11ax HE20	13	2472	MCS0	RU26/8	-
Mode 36	2400-2483.5	STBC 1+3	802.11ax HE20	13	2472	MCS0	RU52/40	-
Mode 37	2400-2483.5	STBC 1+3	802.11ax HE20	13	2472	MCS0	RU106/54	-







Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11b	01	2386.05	46.03	54.00	-7.97	H	AVERAGE	Pass	Band Edge
1	802.11b	01	4824.00	43.63	74.00	-30.37	H	Peak	Pass	Harmonic
2	802.11b	06	-	-	-	-	-	-	-	Band Edge
2	802.11b	06	7311.00	40.82	74.00	-33.18	H	PEAK	Pass	Harmonic
3	802.11b	11	2490.58	43.99	54.00	-10.01	H	AVERAGE	Pass	Band Edge
3	802.11b	11	4924.50	43.54	74.00	-30.46	H	Peak	Pass	Harmonic
4	802.11b	12	2484.00	46.37	54.00	-7.63	H	AVERAGE	Pass	Band Edge
4	802.11b	12	4933.50	42.60	74.00	-31.40	H	Peak	Pass	Harmonic
5	802.11b	13	2483.75	49.57	54.00	-4.43	H	AVERAGE	Pass	Band Edge
5	802.11b	13	7416.00	41.18	74.00	-32.82	V	PEAK	Pass	Harmonic
6	802.11g	01	2389.43	45.68	54.00	-8.32	H	AVERAGE	Pass	Band Edge
6	802.11g	01	4824.00	42.10	74.00	-31.90	H	Peak	Pass	Harmonic
7	802.11g	06	-	-	-	-	-	-	-	Band Edge
7	802.11g	06	7311.00	41.86	74.00	-32.14	V	PEAK	Pass	Harmonic
8	802.11g	11	2483.50	45.50	54.00	-8.50	H	AVERAGE	Pass	Band Edge
8	802.11g	11	7386.00	41.58	74.00	-32.42	H	PEAK	Pass	Harmonic
9	802.11g	12	2483.50	46.51	54.00	-7.49	H	AVERAGE	Pass	Band Edge
9	802.11g	12	7401.00	40.79	74.00	-33.21	H	PEAK	Pass	Harmonic
10	802.11g	13	2484.20	48.19	54.00	-5.81	H	AVERAGE	Pass	Band Edge
10	802.11g	13	7416.00	41.11	74.00	-32.89	V	PEAK	Pass	Harmonic
11	802.11b	01	2383.84	43.65	54.00	-10.35	H	AVERAGE	Pass	Band Edge
11	802.11b	01	4824.00	38.77	74.00	-35.23	H	PEAK	Pass	Harmonic
12	802.11b	06	-	-	-	-	-	-	-	Band Edge
12	802.11b	06	7311.00	41.03	74.00	-32.97	H	PEAK	Pass	Harmonic
13	802.11b	11	2486.74	44.79	54.00	-9.21	H	AVERAGE	Pass	Band Edge
13	802.11b	11	4924.50	45.11	74.00	-28.89	V	Peak	Pass	Harmonic
14	802.11b	12	2483.55	47.22	54.00	-6.78	H	AVERAGE	Pass	Band Edge
14	802.11b	12	4934.00	41.22	74.00	-32.78	H	PEAK	Pass	Harmonic
15	802.11b	13	2485.60	50.99	54.00	-3.01	H	AVERAGE	Pass	Band Edge
15	802.11b	13	4944.00	44.09	74.00	-29.91	V	Peak	Pass	Harmonic
16	802.11g	01	2389.95	46.65	54.00	-7.35	H	AVERAGE	Pass	Band Edge
16	802.11g	01	4824.00	38.90	74.00	-35.10	V	PEAK	Pass	Harmonic
17	802.11g	06	-	-	-	-	-	-	-	Band Edge
17	802.11g	06	7311.00	42.42	74.00	-31.58	H	Peak	Pass	Harmonic
18	802.11g	11	2483.56	45.62	54.00	-8.38	H	AVERAGE	Pass	Band Edge
18	802.11g	11	7386.00	41.52	74.00	-32.48	V	PEAK	Pass	Harmonic
19	802.11g	12	2483.50	47.37	54.00	-6.63	H	AVERAGE	Pass	Band Edge
19	802.11g	12	7401.00	42.50	74.00	-31.50	H	PEAK	Pass	Harmonic
20	802.11g	13	2484.15	50.91	54.00	-3.09	H	AVERAGE	Pass	Band Edge
20	802.11g	13	4944.00	41.53	74.00	-32.47	V	PEAK	Pass	Harmonic
21	802.11ax HE20	01	2387.48	48.08	54.00	-5.92	V	AVERAGE	Pass	Band Edge
21	802.11ax HE20	01	4824.00	39.61	74.00	-34.39	V	PEAK	Pass	Harmonic
22	802.11ax HE20	06	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	06	7311.00	41.59	74.00	-32.41	H	PEAK	Pass	Harmonic







23	802.11ax HE20	11	2483.50	49.57	54.00	-4.43	V	AVERAGE	Pass	Band Edge
23	802.11ax HE20	11	7386.00	41.52	74.00	-32.48	V	PEAK	Pass	Harmonic
24	802.11ax HE20	12	2486.30	50.24	54.00	-3.76	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	12	7401.00	41.35	74.00	-32.65	H	PEAK	Pass	Harmonic
25	802.11ax HE20	13	2483.50	50.53	54.00	-3.47	V	AVERAGE	Pass	Band Edge
25	802.11ax HE20	13	7416.00	41.54	74.00	-32.46	V	PEAK	Pass	Harmonic
26	802.11ax HE20	01	2384.23	43.84	54.00	-10.16	V	AVERAGE	Pass	Band Edge
26	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
27	802.11ax HE20	01	2388.26	43.96	54.00	-10.04	V	AVERAGE	Pass	Band Edge
27	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
28	802.11ax HE20	01	2389.69	44.29	54.00	-9.71	V	AVERAGE	Pass	Band Edge
28	802.11ax HE20	01	-	-	-	-	-	-	-	Harmonic
29	802.11ax HE20	11	2486.74	44.58	54.00	-9.42	V	AVERAGE	Pass	Band Edge
29	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
30	802.11ax HE20	11	2484.88	45.55	54.00	-8.45	V	AVERAGE	Pass	Band Edge
30	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
31	802.11ax HE20	11	2483.62	45.83	54.00	-8.17	V	AVERAGE	Pass	Band Edge
31	802.11ax HE20	11	-	-	-	-	-	-	-	Harmonic
32	802.11ax HE20	12	2491.50	44.52	54.00	-9.48	V	AVERAGE	Pass	Band Edge
32	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
33	802.11ax HE20	12	2483.90	45.66	54.00	-8.34	V	AVERAGE	Pass	Band Edge
33	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
34	802.11ax HE20	12	2483.65	47.45	54.00	-6.55	V	AVERAGE	Pass	Band Edge
34	802.11ax HE20	12	-	-	-	-	-	-	-	Harmonic
35	802.11ax HE20	13	2483.50	50.91	54.00	-3.09	V	AVERAGE	Pass	Band Edge
35	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
36	802.11ax HE20	13	2483.50	50.49	54.00	-3.51	V	AVERAGE	Pass	Band Edge
36	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic
37	802.11ax HE20	13	2483.50	50.63	54.00	-3.37	V	AVERAGE	Pass	Band Edge
37	802.11ax HE20	13	-	-	-	-	-	-	-	Harmonic





Mode	1																																																																																																
	Band Edge																																																																																																
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.18</td><td>57.54</td><td>74.00</td><td>-16.46</td><td>45.05</td><td>32.24</td><td>6.68</td><td>32.43</td><td>6.00</td><td>171 235 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.18	57.54	74.00	-16.46	45.05	32.24	6.68	32.43	6.00	171 235 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>109.89</td><td>-----</td><td>-----</td><td>97.24</td><td>32.35</td><td>6.72</td><td>32.42</td><td>6.00</td><td>171 235 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	109.89	-----	-----	97.24	32.35	6.72	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2386.18	57.54	74.00	-16.46	45.05	32.24	6.68	32.43	6.00	171 235 PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	109.89	-----	-----	97.24	32.35	6.72	32.42	6.00	171 235 PEAK																																																																																							
Avg																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.05</td><td>46.03</td><td>54.00</td><td>-7.97</td><td>33.54</td><td>32.24</td><td>6.68</td><td>32.43</td><td>6.00</td><td>171 235 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.05	46.03	54.00	-7.97	33.54	32.24	6.68	32.43	6.00	171 235 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>105.36</td><td>-----</td><td>-----</td><td>92.71</td><td>32.35</td><td>6.72</td><td>32.42</td><td>6.00</td><td>171 235 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	105.36	-----	-----	92.71	32.35	6.72	32.42	6.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2386.05	46.03	54.00	-7.97	33.54	32.24	6.68	32.43	6.00	171 235 AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2412.00	105.36	-----	-----	92.71	32.35	6.72	32.42	6.00	171 235 AVERAGE																																																																																							



Mode	1																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>55.75</td><td>74.00</td><td>-18.25</td><td>43.25</td><td>32.25</td><td>6.68</td><td>32.43</td><td>6.00</td><td>237 232 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	55.75	74.00	-18.25	43.25	32.25	6.68	32.43	6.00	237 232 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>101.62</td><td>-----</td><td>-----</td><td>88.97</td><td>32.35</td><td>6.72</td><td>32.42</td><td>6.00</td><td>237 232 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	101.62	-----	-----	88.97	32.35	6.72	32.42	6.00	237 232 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2386.96	55.75	74.00	-18.25	43.25	32.25	6.68	32.43	6.00	237 232 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	101.62	-----	-----	88.97	32.35	6.72	32.42	6.00	237 232 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.92</td><td>43.56</td><td>54.00</td><td>-10.44</td><td>31.07</td><td>32.24</td><td>6.68</td><td>32.43</td><td>6.00</td><td>237 232 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.92	43.56	54.00	-10.44	31.07	32.24	6.68	32.43	6.00	237 232 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2412.00</td><td>97.15</td><td>-----</td><td>-----</td><td>84.50</td><td>32.35</td><td>6.72</td><td>32.42</td><td>6.00</td><td>237 232 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2412.00	97.15	-----	-----	84.50	32.35	6.72	32.42	6.00	237 232 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2385.92	43.56	54.00	-10.44	31.07	32.24	6.68	32.43	6.00	237 232 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2412.00	97.15	-----	-----	84.50	32.35	6.72	32.42	6.00	237 232 AVERAGE																																																																																									







Mode	1																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_802.11b_CH01_2412MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>66.05</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	43.63	74.00	-30.37	66.05	34.10	9.64	66.16	0.00	---	Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>38.55</td><td>74.00</td><td>-35.45</td><td>60.97</td><td>34.10</td><td>9.64</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	38.55	74.00	-35.45	60.97	34.10	9.64	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	43.63	74.00	-30.37	66.05	34.10	9.64	66.16	0.00	---	Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4824.00	38.55	74.00	-35.45	60.97	34.10	9.64	66.16	0.00	---	PEAK																																																																																										



Mode	2																																																																																																																								
	Harmonic																																																																																																																								
	2400-2483.5_802.11b_CH06_2437MHz																																																																																																																								
ANT	1																																																																																																																								
Pol.	Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>39.48</td><td>74.00</td><td>-34.52</td><td>61.87</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>40.82</td><td>74.00</td><td>-33.18</td><td>59.95</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	39.48	74.00	-34.52	61.87	34.10	9.68	66.17	0.00	---	--- PEAK	2	7311.00	40.82	74.00	-33.18	59.95	35.62	11.94	66.69	0.00	---	--- PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4874.00</td><td>39.26</td><td>74.00</td><td>-34.74</td><td>61.65</td><td>34.10</td><td>9.68</td><td>66.17</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr><tr><td>2</td><td>7311.00</td><td>40.55</td><td>74.00</td><td>-33.45</td><td>59.68</td><td>35.62</td><td>11.94</td><td>66.69</td><td>0.00</td><td>---</td><td>--- PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4874.00	39.26	74.00	-34.74	61.65	34.10	9.68	66.17	0.00	---	--- PEAK	2	7311.00	40.55	74.00	-33.45	59.68	35.62	11.94	66.69	0.00	---	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4874.00	39.48	74.00	-34.52	61.87	34.10	9.68	66.17	0.00	---	--- PEAK																																																																																																														
2	7311.00	40.82	74.00	-33.18	59.95	35.62	11.94	66.69	0.00	---	--- PEAK																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																															
1	4874.00	39.26	74.00	-34.74	61.65	34.10	9.68	66.17	0.00	---	--- PEAK																																																																																																														
2	7311.00	40.55	74.00	-33.45	59.68	35.62	11.94	66.69	0.00	---	--- PEAK																																																																																																														



Mode	3																																																							
	Band Edge																																																							
	2400-2483.5_802.11b_CH11_2462MHz																																																							
ANT	1																																																							
Pol.	Horizontal																																																							
Peak																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.58</td><td>55.82</td><td>74.00</td><td>-18.18</td><td>42.89</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>104</td><td>237 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.58	55.82	74.00	-18.18	42.89	32.50	6.84	32.41	6.00	104	237 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.58	55.82	74.00	-18.18	42.89	32.50	6.84	32.41	6.00	104	237 PEAK																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>107.21</td><td>-----</td><td>-----</td><td>94.33</td><td>32.50</td><td>6.79</td><td>32.41</td><td>6.00</td><td>104</td><td>237 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	107.21	-----	-----	94.33	32.50	6.79	32.41	6.00	104	237 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	107.21	-----	-----	94.33	32.50	6.79	32.41	6.00	104	237 PEAK																																													
Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.58</td><td>43.99</td><td>54.00</td><td>-10.01</td><td>31.07</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>104</td><td>237 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.58	43.99	54.00	-10.01	31.07	32.50	6.83	32.41	6.00	104	237 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2499.58	43.99	54.00	-10.01	31.07	32.50	6.83	32.41	6.00	104	237 AVERAGE																																													
Fundamental																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>102.69</td><td>-----</td><td>-----</td><td>89.81</td><td>32.50</td><td>6.79</td><td>32.41</td><td>6.00</td><td>104</td><td>237 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	102.69	-----	-----	89.81	32.50	6.79	32.41	6.00	104	237 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	2462.00	102.69	-----	-----	89.81	32.50	6.79	32.41	6.00	104	237 AVERAGE																																													