






Conducted Spurious Emission

Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.07	4.07	---	PASS
			30~1000	4.07	-44.73	≤-15.93	PASS
			1000~26500	4.07	-35.91	≤-15.93	PASS
	Ant2	2402	Reference	3.47	3.47	---	PASS
			30~1000	3.47	-43.75	≤-16.53	PASS
			1000~26500	3.47	-36.24	≤-16.53	PASS
	Ant1	2441	Reference	4.84	4.84	---	PASS
			30~1000	4.84	-44.95	≤-15.16	PASS
			1000~26500	4.84	-36.05	≤-15.16	PASS
	Ant2	2441	Reference	4.16	4.16	---	PASS
			30~1000	4.16	-44.44	≤-15.84	PASS
			1000~26500	4.16	-36.2	≤-15.84	PASS
	Ant1	2480	Reference	5.19	5.19	---	PASS
			30~1000	5.19	-44.65	≤-14.81	PASS
			1000~26500	5.19	-35.68	≤-14.81	PASS
	Ant2	2480	Reference	4.47	4.47	---	PASS
			30~1000	4.47	-44.8	≤-15.53	PASS
			1000~26500	4.47	-36.1	≤-15.53	PASS
2DH1	Ant1	2402	Reference	3.40	3.40	---	PASS
			30~1000	3.40	-44.78	≤-16.6	PASS
			1000~26500	3.40	-36.46	≤-16.6	PASS
	Ant2	2402	Reference	2.88	2.88	---	PASS
			30~1000	2.88	-43.91	≤-17.12	PASS
			1000~26500	2.88	-35.44	≤-17.12	PASS
	Ant1	2441	Reference	4.22	4.22	---	PASS
			30~1000	4.22	-44.65	≤-15.78	PASS
			1000~26500	4.22	-35.49	≤-15.78	PASS
	Ant2	2441	Reference	3.56	3.56	---	PASS
			30~1000	3.56	-44.87	≤-16.44	PASS
			1000~26500	3.56	-35.7	≤-16.44	PASS
	Ant1	2480	Reference	4.58	4.58	---	PASS
			30~1000	4.58	-44.99	≤-15.42	PASS
			1000~26500	4.58	-35.71	≤-15.42	PASS
	Ant2	2480	Reference	3.84	3.84	---	PASS
			30~1000	3.84	-44.69	≤-16.16	PASS
			1000~26500	3.84	-35.62	≤-16.16	PASS
3DH1	Ant1	2402	Reference	3.60	3.60	---	PASS





			30~1000	3.60	-44.44	≤ -16.4	PASS
			1000~26500	3.60	-36.1	≤ -16.4	PASS
	Ant2	2402	Reference	2.99	2.99	---	PASS
			30~1000	2.99	-44.81	≤ -17.01	PASS
			1000~26500	2.99	-34.88	≤ -17.01	PASS
	Ant1	2441	Reference	4.36	4.36	---	PASS
			30~1000	4.36	-44.57	≤ -15.64	PASS
			1000~26500	4.36	-35.72	≤ -15.64	PASS
	Ant2	2441	Reference	3.72	3.72	---	PASS
			30~1000	3.72	-44.82	≤ -16.28	PASS
			1000~26500	3.72	-36.14	≤ -16.28	PASS
	Ant1	2480	Reference	4.78	4.78	---	PASS
			30~1000	4.78	-43.29	≤ -15.22	PASS
			1000~26500	4.78	-35.57	≤ -15.22	PASS
	Ant2	2480	Reference	4.01	4.01	---	PASS
			30~1000	4.01	-44.11	≤ -15.99	PASS
			1000~26500	4.01	-34.99	≤ -15.99	PASS





Test Graphs














































































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum




Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	38.03	56.00	17.97	L1	OFF	10.5
0.150000	52.37	---	66.00	13.63	L1	OFF	10.5
0.175350	---	27.06	54.59	27.53	L1	OFF	10.5
0.175350	43.86	---	64.61	20.75	L1	OFF	10.5
0.223144	---	27.58	52.48	24.90	L1	OFF	10.4
0.223144	42.22	---	62.52	20.30	L1	OFF	10.4
0.249262	---	23.83	51.54	27.71	L1	OFF	10.4
0.249262	43.61	---	61.58	17.98	L1	OFF	10.4
0.341831	---	19.90	48.95	29.05	L1	OFF	10.3
0.341831	35.06	---	58.98	23.92	L1	OFF	10.3
0.525319	---	27.37	46.00	18.63	L1	OFF	10.3
0.525319	36.13	---	56.00	19.87	L1	OFF	10.3



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	Filter	Corr. (dB)
0.150000	---	29.63	56.00	26.37	N	OFF	10.6
0.150000	47.65	---	66.00	18.35	N	OFF	10.6
0.175350	---	19.24	54.59	35.35	N	OFF	10.5
0.175350	36.28	---	64.61	28.33	N	OFF	10.5
0.207450	---	16.94	53.11	36.17	N	OFF	10.4
0.207450	42.11	---	63.14	21.04	N	OFF	10.4
0.299250	---	21.64	50.02	28.39	N	OFF	10.4
0.299250	42.58	---	60.06	17.48	N	OFF	10.4
0.387319	---	15.00	47.96	32.96	N	OFF	10.4
0.387319	41.08	---	57.99	16.91	N	OFF	10.4
0.485044	---	17.77	46.23	28.46	N	OFF	10.3
0.485044	39.68	---	56.23	16.55	N	OFF	10.3



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Jerry Xu	Relative Humidity :	41~42%
		Temperature :	22~23℃



Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	-	-	-
Mode 4	2400-2483.5	2	Bluetooth BR_GFSK	0	2402	-	-	-
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	-	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	-	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	0	2342.63	55.32	74.00	-18.68	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	0	4804.00	39.58	74.00	-34.42	V	PEAK	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	40.51	74.00	-33.49	V	PEAK	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2484.25	55.87	74.00	-18.13	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	40.72	74.00	-33.28	H	PEAK	Pass	Harmonic
4	Bluetooth BR_GFSK	0	2357.45	55.84	74.00	-18.16	H	PEAK	Pass	Band Edge
4	Bluetooth BR_GFSK	0	4804.00	39.02	74.00	-34.98	H	PEAK	Pass	Harmonic
5	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
5	Bluetooth BR_GFSK	39	7323.00	42.66	74.00	-31.34	V	PEAK	Pass	Harmonic
6	Bluetooth BR_GFSK	78	2485.13	56.08	74.00	-17.92	H	PEAK	Pass	Band Edge
6	Bluetooth BR_GFSK	78	7440.00	42.99	74.00	-31.01	V	PEAK	Pass	Harmonic



Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2375.00</td><td>55.08</td><td>74.00</td><td>-18.92</td><td>42.63</td><td>32.20</td><td>6.68</td><td>32.43</td><td>6.00</td><td>132</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>2375.00</td><td>30.29</td><td>54.00</td><td>-23.71</td><td>17.84</td><td>32.20</td><td>6.68</td><td>32.43</td><td>6.00</td><td>132</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2375.00	55.08	74.00	-18.92	42.63	32.20	6.68	32.43	6.00	132	227	PEAK	2	2375.00	30.29	54.00	-23.71	17.84	32.20	6.68	32.43	6.00	132	227	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.31</td><td>76.52</td><td>24.79</td><td>88.70</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>132</td><td>227</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.52</td><td>76.52</td><td>0.00</td><td>63.91</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>132</td><td>227</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.31	76.52	24.79	88.70	32.31	6.72	32.42	6.00	132	227	PEAK	2	2402.00	76.52	76.52	0.00	63.91	32.31	6.72	32.42	6.00	132	227	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2375.00	55.08	74.00	-18.92	42.63	32.20	6.68	32.43	6.00	132	227	PEAK																																																																																																																		
2	2375.00	30.29	54.00	-23.71	17.84	32.20	6.68	32.43	6.00	132	227	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	2402.00	101.31	76.52	24.79	88.70	32.31	6.72	32.42	6.00	132	227	PEAK																																																																																																																		
2	2402.00	76.52	76.52	0.00	63.91	32.31	6.72	32.42	6.00	132	227	AVERAGE																																																																																																																		




Mode	1																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																													
ANT	1																																																																																																																													
Pol.	Vertical										Fundamental																																																																																																																			
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2342.63</td><td>55.32</td><td>74.00</td><td>-18.68</td><td>43.11</td><td>32.01</td><td>6.64</td><td>32.44</td><td>6.00</td><td>216</td><td>236 PEAK</td></tr><tr><td>2</td><td>2342.63</td><td>30.53</td><td>54.00</td><td>-23.47</td><td>18.32</td><td>32.01</td><td>6.64</td><td>32.44</td><td>6.00</td><td>216</td><td>236 AVERAGE</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2342.63	55.32	74.00	-18.68	43.11	32.01	6.64	32.44	6.00	216	236 PEAK	2	2342.63	30.53	54.00	-23.47	18.32	32.01	6.64	32.44	6.00	216	236 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>2402.00</td><td>96.75</td><td>-----</td><td>84.14</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>216</td><td>236 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>71.96</td><td>-----</td><td>59.35</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>216</td><td>236 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2402.00	96.75	-----	84.14	32.31	6.72	32.42	6.00	216	236 PEAK	2	2402.00	71.96	-----	59.35	32.31	6.72	32.42	6.00	216	236 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2342.63	55.32	74.00	-18.68	43.11	32.01	6.64	32.44	6.00	216	236 PEAK																																																																																																																			
2	2342.63	30.53	54.00	-23.47	18.32	32.01	6.64	32.44	6.00	216	236 AVERAGE																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	2402.00	96.75	-----	84.14	32.31	6.72	32.42	6.00	216	236 PEAK																																																																																																																				
2	2402.00	71.96	-----	59.35	32.31	6.72	32.42	6.00	216	236 AVERAGE																																																																																																																				





Mode	1																																																																																																				
	Harmonic																																																																																																				
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																				
ANT	1																																																																																																				
Pol.	Horizontal										Vertical																																																																																										
Peak Avg																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.80</td><td>74.00</td><td>-35.20</td><td>61.33</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	38.80	74.00	-35.20	61.33	34.10	9.53	66.16	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.58</td><td>74.00</td><td>-34.42</td><td>62.11</td><td>34.10</td><td>9.53</td><td>66.16</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.58	74.00	-34.42	62.11	34.10	9.53	66.16	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	38.80	74.00	-35.20	61.33	34.10	9.53	66.16	0.00	---	PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	4804.00	39.58	74.00	-34.42	62.11	34.10	9.53	66.16	0.00	---	PEAK																																																																																										





Mode	2																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																			
ANT	1																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>38.86</td><td>74.00</td><td>-35.14</td><td>61.32</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.36</td><td>74.00</td><td>-33.64</td><td>59.52</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	38.86	74.00	-35.14	61.32	34.10	9.62	66.18	0.00	---	PEAK	2	7323.00	40.36	74.00	-33.64	59.52	35.65	11.88	66.69	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4882.00	38.86	74.00	-35.14	61.32	34.10	9.62	66.18	0.00	---	PEAK																																																									
2	7323.00	40.36	74.00	-33.64	59.52	35.65	11.88	66.69	0.00	---	PEAK																																																									
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.25</td><td>74.00</td><td>-34.75</td><td>61.71</td><td>34.10</td><td>9.62</td><td>66.18</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>40.51</td><td>74.00</td><td>-33.49</td><td>59.67</td><td>35.65</td><td>11.88</td><td>66.69</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4882.00	39.25	74.00	-34.75	61.71	34.10	9.62	66.18	0.00	---	PEAK	2	7323.00	40.51	74.00	-33.49	59.67	35.65	11.88	66.69	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4882.00	39.25	74.00	-34.75	61.71	34.10	9.62	66.18	0.00	---	PEAK																																																									
2	7323.00	40.51	74.00	-33.49	59.67	35.65	11.88	66.69	0.00	---	PEAK																																																									





Mode	3																																																																							
	Band Edge																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal											Fundamental																																																												
Peak																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.25</td><td>55.87</td><td>74.00</td><td>-18.13</td><td>42.95</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>115</td><td>228 PEAK</td></tr><tr><td>2</td><td>2484.25</td><td>31.00</td><td>54.00</td><td>-22.92</td><td>18.16</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>115</td><td>228 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2484.25	55.87	74.00	-18.13	42.95	32.50	6.83	32.41	6.00	115	228 PEAK	2	2484.25	31.00	54.00	-22.92	18.16	32.50	6.83	32.41	6.00	115	228 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	2484.25	55.87	74.00	-18.13	42.95	32.50	6.83	32.41	6.00	115	228 PEAK																																																													
2	2484.25	31.00	54.00	-22.92	18.16	32.50	6.83	32.41	6.00	115	228 AVERAGE																																																													
																																																																								
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>101.47</td><td>-----</td><td>-----</td><td>88.55</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>115</td><td>228 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.60</td><td>-----</td><td>-----</td><td>63.76</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>115</td><td>228 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	2480.00	101.47	-----	-----	88.55	32.50	6.83	32.41	6.00	115	228 PEAK	2	2480.00	76.60	-----	-----	63.76	32.50	6.83	32.41	6.00	115	228 AVERAGE	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																														
1	2480.00	101.47	-----	-----	88.55	32.50	6.83	32.41	6.00	115	228 PEAK																																																													
2	2480.00	76.60	-----	-----	63.76	32.50	6.83	32.41	6.00	115	228 AVERAGE																																																													





Mode	3																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	1																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2489.44</td><td>55.85</td><td>74.00</td><td>-18.15</td><td>42.92</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>291</td><td>229 PEAK</td></tr><tr><td>2</td><td>2489.44</td><td>31.06</td><td>54.00</td><td>-22.94</td><td>18.13</td><td>32.50</td><td>6.84</td><td>32.41</td><td>6.00</td><td>291</td><td>229 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.44	55.85	74.00	-18.15	42.92	32.50	6.84	32.41	6.00	291	229 PEAK	2	2489.44	31.06	54.00	-22.94	18.13	32.50	6.84	32.41	6.00	291	229 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2489.44	55.85	74.00	-18.15	42.92	32.50	6.84	32.41	6.00	291	229 PEAK																																																									
2	2489.44	31.06	54.00	-22.94	18.13	32.50	6.84	32.41	6.00	291	229 AVERAGE																																																									
Fundamental																																																																				
																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>96.24</td><td>-----</td><td>-----</td><td>83.32</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>291</td><td>229 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>71.45</td><td>-----</td><td>-----</td><td>58.53</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>291</td><td>229 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.24	-----	-----	83.32	32.50	6.83	32.41	6.00	291	229 PEAK	2	2480.00	71.45	-----	-----	58.53	32.50	6.83	32.41	6.00	291	229 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	96.24	-----	-----	83.32	32.50	6.83	32.41	6.00	291	229 PEAK																																																									
2	2480.00	71.45	-----	-----	58.53	32.50	6.83	32.41	6.00	291	229 AVERAGE																																																									



Mode	3																																																																																																																														
	Harmonic																																																																																																																														
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																														
ANT	1																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																								
Peak Avg																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.90</td><td>74.00</td><td>-34.10</td><td>62.35</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.72</td><td>74.00</td><td>-33.28</td><td>59.68</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	39.90	74.00	-34.10	62.35	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	40.72	74.00	-33.28	59.68	35.78	11.96	66.70	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>39.47</td><td>74.00</td><td>-34.53</td><td>61.92</td><td>34.04</td><td>9.70</td><td>66.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>40.64</td><td>74.00</td><td>-33.36</td><td>59.60</td><td>35.78</td><td>11.96</td><td>66.70</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	39.47	74.00	-34.53	61.92	34.04	9.70	66.19	0.00	---	---	PEAK	2	7440.00	40.64	74.00	-33.36	59.60	35.78	11.96	66.70	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	4960.00	39.90	74.00	-34.10	62.35	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																			
2	7440.00	40.72	74.00	-33.28	59.68	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	4960.00	39.47	74.00	-34.53	61.92	34.04	9.70	66.19	0.00	---	---	PEAK																																																																																																																			
2	7440.00	40.64	74.00	-33.36	59.60	35.78	11.96	66.70	0.00	---	---	PEAK																																																																																																																			





Mode	4																																																																																																																											
	Band Edge																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																																											
ANT	2																																																																																																																											
Pol.	Horizontal						Fundamental																																																																																																																					
Peak																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2357.45</td><td>55.84</td><td>74.00</td><td>-18.16</td><td>43.49</td><td>32.13</td><td>6.66</td><td>32.44</td><td>6.00</td><td>100</td><td>214 PEAK</td></tr><tr><td>2</td><td>2357.45</td><td>31.05</td><td>54.00</td><td>-22.95</td><td>18.70</td><td>32.13</td><td>6.66</td><td>32.44</td><td>6.00</td><td>100</td><td>214 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2357.45	55.84	74.00	-18.16	43.49	32.13	6.66	32.44	6.00	100	214 PEAK	2	2357.45	31.05	54.00	-22.95	18.70	32.13	6.66	32.44	6.00	100	214 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>101.20</td><td>-----</td><td>88.59</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>214 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.41</td><td>-----</td><td>63.80</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>100</td><td>214 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.20	-----	88.59	32.31	6.72	32.42	6.00	100	214 PEAK	2	2402.00	76.41	-----	63.80	32.31	6.72	32.42	6.00	100	214 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2357.45	55.84	74.00	-18.16	43.49	32.13	6.66	32.44	6.00	100	214 PEAK																																																																																																																	
2	2357.45	31.05	54.00	-22.95	18.70	32.13	6.66	32.44	6.00	100	214 AVERAGE																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	2402.00	101.20	-----	88.59	32.31	6.72	32.42	6.00	100	214 PEAK																																																																																																																		
2	2402.00	76.41	-----	63.80	32.31	6.72	32.42	6.00	100	214 AVERAGE																																																																																																																		



Mode	4																																																															
	Band Edge																																																															
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																															
ANT	2																																																															
Pol.	Vertical						Fundamental																																																									
Peak																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2321.96</td><td>55.13</td><td>74.00</td><td>-18.87</td><td>43.21</td><td>31.76</td><td>6.61</td><td>32.45</td><td>6.00</td><td>121</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>2321.96</td><td>30.34</td><td>54.00</td><td>-23.66</td><td>18.42</td><td>31.76</td><td>6.61</td><td>32.45</td><td>6.00</td><td>121</td><td>145</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2321.96	55.13	74.00	-18.87	43.21	31.76	6.61	32.45	6.00	121	145	PEAK	2	2321.96	30.34	54.00	-23.66	18.42	31.76	6.61	32.45	6.00	121	145	AVERAGE
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	2321.96	55.13	74.00	-18.87	43.21	31.76	6.61	32.45	6.00	121	145	PEAK																																																				
2	2321.96	30.34	54.00	-23.66	18.42	31.76	6.61	32.45	6.00	121	145	AVERAGE																																																				
<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>95.15</td><td>-----</td><td>-----</td><td>82.54</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>121</td><td>145</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>70.36</td><td>-----</td><td>-----</td><td>57.75</td><td>32.31</td><td>6.72</td><td>32.42</td><td>6.00</td><td>121</td><td>145</td><td>AVERAGE</td></tr></tbody></table>													Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2402.00	95.15	-----	-----	82.54	32.31	6.72	32.42	6.00	121	145	PEAK	2	2402.00	70.36	-----	-----	57.75	32.31	6.72	32.42	6.00	121	145	AVERAGE	
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																					
1	2402.00	95.15	-----	-----	82.54	32.31	6.72	32.42	6.00	121	145	PEAK																																																				
2	2402.00	70.36	-----	-----	57.75	32.31	6.72	32.42	6.00	121	145	AVERAGE																																																				





Mode	4																																																																																																						
	Harmonic																																																																																																						
	2400-2483.5_Bluetooth BR_GFSK_CH0_2402MHz																																																																																																						
ANT	2																																																																																																						
Pol.	Horizontal						Vertical																																																																																																
Peak Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>39.02</td><td>74.00</td><td>-34.98</td><td>61.36</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	39.02	74.00	-34.98	61.36	34.10	9.53	65.97	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>38.95</td><td>74.00</td><td>-35.05</td><td>61.29</td><td>34.10</td><td>9.53</td><td>65.97</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	38.95	74.00	-35.05	61.29	34.10	9.53	65.97	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	4804.00	39.02	74.00	-34.98	61.36	34.10	9.53	65.97	0.00	---	PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	4804.00	38.95	74.00	-35.05	61.29	34.10	9.53	65.97	0.00	---	PEAK																																																																																												




Mode	5																																																																	
	Harmonic																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																	
ANT	2																																																																	
Pol.	Horizontal																																																																	
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.32</td><td>74.00</td><td>-34.68</td><td>61.46</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.49</td><td>74.00</td><td>-31.51</td><td>60.17</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.32	74.00	-34.68	61.46	34.10	9.62	65.86	0.00	--- PEAK	2	7323.00	42.49	74.00	-31.51	60.17	35.65	11.88	65.21	0.00	--- PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	39.32	74.00	-34.68	61.46	34.10	9.62	65.86	0.00	--- PEAK																																																								
2	7323.00	42.49	74.00	-31.51	60.17	35.65	11.88	65.21	0.00	--- PEAK																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>39.93</td><td>74.00</td><td>-34.07</td><td>62.07</td><td>34.10</td><td>9.62</td><td>65.86</td><td>0.00</td><td>--- PEAK</td></tr><tr><td>2</td><td>7323.00</td><td>42.66</td><td>74.00</td><td>-31.34</td><td>60.34</td><td>35.65</td><td>11.88</td><td>65.21</td><td>0.00</td><td>--- PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	39.93	74.00	-34.07	62.07	34.10	9.62	65.86	0.00	--- PEAK	2	7323.00	42.66	74.00	-31.34	60.34	35.65	11.88	65.21	0.00	--- PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	4882.00	39.93	74.00	-34.07	62.07	34.10	9.62	65.86	0.00	--- PEAK																																																								
2	7323.00	42.66	74.00	-31.34	60.34	35.65	11.88	65.21	0.00	--- PEAK																																																								




Mode	6																																																																																																																													
	Band Edge																																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																													
ANT	2																																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																																							
Peak																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.13</td><td>56.08</td><td>74.00</td><td>-17.92</td><td>43.16</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>2485.13</td><td>31.29</td><td>54.00</td><td>-22.71</td><td>18.37</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>150</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2485.13	56.08	74.00	-17.92	43.16	32.50	6.83	32.41	6.00	100	150	PEAK	2	2485.13	31.29	54.00	-22.71	18.37	32.50	6.83	32.41	6.00	100	150	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.34</td><td>-----</td><td>-----</td><td>88.42</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>76.55</td><td>-----</td><td>-----</td><td>63.63</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>100</td><td>150</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2480.00	101.34	-----	-----	88.42	32.50	6.83	32.41	6.00	100	150	PEAK	2	2480.00	76.55	-----	-----	63.63	32.50	6.83	32.41	6.00	100	150	AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2485.13	56.08	74.00	-17.92	43.16	32.50	6.83	32.41	6.00	100	150	PEAK																																																																																																																		
2	2485.13	31.29	54.00	-22.71	18.37	32.50	6.83	32.41	6.00	100	150	AVERAGE																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	2480.00	101.34	-----	-----	88.42	32.50	6.83	32.41	6.00	100	150	PEAK																																																																																																																		
2	2480.00	76.55	-----	-----	63.63	32.50	6.83	32.41	6.00	100	150	AVERAGE																																																																																																																		





Mode	6																																																																			
	Band Edge																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Vertical																																																																			
Peak																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.82</td><td>55.98</td><td>74.00</td><td>-18.02</td><td>43.04</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>300</td><td>212 PEAK</td></tr><tr><td>2</td><td>2499.82</td><td>31.19</td><td>54.00</td><td>-22.81</td><td>18.25</td><td>32.50</td><td>6.85</td><td>32.41</td><td>6.00</td><td>300</td><td>212 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.82	55.98	74.00	-18.02	43.04	32.50	6.85	32.41	6.00	300	212 PEAK	2	2499.82	31.19	54.00	-22.81	18.25	32.50	6.85	32.41	6.00	300	212 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2499.82	55.98	74.00	-18.02	43.04	32.50	6.85	32.41	6.00	300	212 PEAK																																																									
2	2499.82	31.19	54.00	-22.81	18.25	32.50	6.85	32.41	6.00	300	212 AVERAGE																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>93.63</td><td>-----</td><td>-----</td><td>80.71</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>300</td><td>212 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>68.84</td><td>-----</td><td>-----</td><td>55.92</td><td>32.50</td><td>6.83</td><td>32.41</td><td>6.00</td><td>300</td><td>212 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	93.63	-----	-----	80.71	32.50	6.83	32.41	6.00	300	212 PEAK	2	2480.00	68.84	-----	-----	55.92	32.50	6.83	32.41	6.00	300	212 AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	2480.00	93.63	-----	-----	80.71	32.50	6.83	32.41	6.00	300	212 PEAK																																																									
2	2480.00	68.84	-----	-----	55.92	32.50	6.83	32.41	6.00	300	212 AVERAGE																																																									





Mode	6																																																																			
	Harmonic																																																																			
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																			
ANT	2																																																																			
Pol.	Horizontal																																																																			
Peak Avg																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>40.49</td><td>74.00</td><td>-33.51</td><td>62.50</td><td>34.04</td><td>9.70</td><td>65.75</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>7440.00</td><td>42.23</td><td>74.00</td><td>-31.77</td><td>60.06</td><td>35.78</td><td>11.96</td><td>65.57</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	40.49	74.00	-33.51	62.50	34.04	9.70	65.75	0.00	---	PEAK	2	7440.00	42.23	74.00	-31.77	60.06	35.78	11.96	65.57	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	4960.00	40.49	74.00	-33.51	62.50	34.04	9.70	65.75	0.00	---	PEAK																																																									
2	7440.00	42.23	74.00	-31.77	60.06	35.78	11.96	65.57	0.00	---	PEAK																																																									




Mode	6	
	18G-25G	
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz	
ANT	2	
Pol.	Horizontal	Vertical
Peak Avg		




Mode	6																																																																																																																																																																																																																
	30-1G																																																																																																																																																																																																																
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																
ANT	2																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak																																																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>21.11</td><td>40.00</td><td>-18.89</td><td>27.81</td><td>24.67</td><td>0.84</td><td>32.21</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>130.64</td><td>22.44</td><td>43.50</td><td>-21.06</td><td>35.23</td><td>17.54</td><td>1.73</td><td>32.06</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>211.75</td><td>22.94</td><td>43.50</td><td>-20.56</td><td>37.81</td><td>14.95</td><td>2.21</td><td>32.03</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>326.70</td><td>20.59</td><td>46.00</td><td>-25.41</td><td>30.41</td><td>19.55</td><td>2.76</td><td>32.13</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>592.00</td><td>25.25</td><td>46.00</td><td>-20.75</td><td>27.95</td><td>25.59</td><td>3.71</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>754.71</td><td>27.93</td><td>46.00</td><td>-18.07</td><td>27.44</td><td>28.05</td><td>4.18</td><td>31.74</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	30.97	21.11	40.00	-18.89	27.81	24.67	0.84	32.21	0.00	--- Peak	2	130.64	22.44	43.50	-21.06	35.23	17.54	1.73	32.06	0.00	--- Peak	3	211.75	22.94	43.50	-20.56	37.81	14.95	2.21	32.03	0.00	--- Peak	4	326.70	20.59	46.00	-25.41	30.41	19.55	2.76	32.13	0.00	--- Peak	5	592.00	25.25	46.00	-20.75	27.95	25.59	3.71	32.00	0.00	--- Peak	6	754.71	27.93	46.00	-18.07	27.44	28.05	4.18	31.74	0.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>36.79</td><td>25.64</td><td>40.00</td><td>-14.36</td><td>35.46</td><td>21.45</td><td>0.93</td><td>32.20</td><td>0.00</td><td>--- Peak</td></tr><tr><td>2</td><td>55.83</td><td>20.88</td><td>40.00</td><td>-19.12</td><td>39.54</td><td>12.27</td><td>1.14</td><td>32.07</td><td>0.00</td><td>--- Peak</td></tr><tr><td>3</td><td>84.81</td><td>20.09</td><td>40.00</td><td>-19.91</td><td>36.73</td><td>13.93</td><td>1.41</td><td>31.90</td><td>0.00</td><td>--- Peak</td></tr><tr><td>4</td><td>184.47</td><td>20.09</td><td>43.50</td><td>-23.41</td><td>35.34</td><td>14.77</td><td>2.06</td><td>32.00</td><td>0.00</td><td>--- Peak</td></tr><tr><td>5</td><td>548.83</td><td>23.88</td><td>46.00</td><td>-22.12</td><td>27.47</td><td>25.31</td><td>3.57</td><td>32.47</td><td>0.00</td><td>--- Peak</td></tr><tr><td>6</td><td>744.65</td><td>27.80</td><td>46.00</td><td>-18.20</td><td>27.38</td><td>28.08</td><td>4.15</td><td>31.81</td><td>0.00</td><td>--- Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	36.79	25.64	40.00	-14.36	35.46	21.45	0.93	32.20	0.00	--- Peak	2	55.83	20.88	40.00	-19.12	39.54	12.27	1.14	32.07	0.00	--- Peak	3	84.81	20.09	40.00	-19.91	36.73	13.93	1.41	31.90	0.00	--- Peak	4	184.47	20.09	43.50	-23.41	35.34	14.77	2.06	32.00	0.00	--- Peak	5	548.83	23.88	46.00	-22.12	27.47	25.31	3.57	32.47	0.00	--- Peak	6	744.65	27.80	46.00	-18.20	27.38	28.08	4.15	31.81	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	30.97	21.11	40.00	-18.89	27.81	24.67	0.84	32.21	0.00	--- Peak																																																																																																																																																																																																							
2	130.64	22.44	43.50	-21.06	35.23	17.54	1.73	32.06	0.00	--- Peak																																																																																																																																																																																																							
3	211.75	22.94	43.50	-20.56	37.81	14.95	2.21	32.03	0.00	--- Peak																																																																																																																																																																																																							
4	326.70	20.59	46.00	-25.41	30.41	19.55	2.76	32.13	0.00	--- Peak																																																																																																																																																																																																							
5	592.00	25.25	46.00	-20.75	27.95	25.59	3.71	32.00	0.00	--- Peak																																																																																																																																																																																																							
6	754.71	27.93	46.00	-18.07	27.44	28.05	4.18	31.74	0.00	--- Peak																																																																																																																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	36.79	25.64	40.00	-14.36	35.46	21.45	0.93	32.20	0.00	--- Peak																																																																																																																																																																																																							
2	55.83	20.88	40.00	-19.12	39.54	12.27	1.14	32.07	0.00	--- Peak																																																																																																																																																																																																							
3	84.81	20.09	40.00	-19.91	36.73	13.93	1.41	31.90	0.00	--- Peak																																																																																																																																																																																																							
4	184.47	20.09	43.50	-23.41	35.34	14.77	2.06	32.00	0.00	--- Peak																																																																																																																																																																																																							
5	548.83	23.88	46.00	-22.12	27.47	25.31	3.57	32.47	0.00	--- Peak																																																																																																																																																																																																							
6	744.65	27.80	46.00	-18.20	27.38	28.08	4.15	31.81	0.00	--- Peak																																																																																																																																																																																																							

Appendix D. Duty Cycle Plots

DH5 on time (One Pulse) Plot on Channel 78_Ant.1/2



DH5 on time (Count Pulses) Plot on Channel 78



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.