

SA n77 UL MIMO

System	Band	Channel	TestItem	Measured Value	EIRP
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;1;CP-OFDM QPSK Inner_FullPC3_SUM	21.48	27.13
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.96	26.61
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	21.04	26.69
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;4;CP-OFDM QPSK Outer_FullPC3_SUM	20.33	25.98
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;5;CP-OFDM 16QAM Inner_FullPC3_SUM	21.48	27.13
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	20.97	26.62
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	21.1	26.78
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;8;CP-OFDM 16QAM Outer_FullPC3_SUM	20.33	25.95
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	19.51	25.16
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	19.59	25.24
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;11;CP-OFDM 64QAM Outer_FullPC3_SUM	18.87	24.52
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	16.98	22.63
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	17.05	22.7
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 647000;14;CP-OFDM 256QAM Outer_FullPC3_SUM	16.71	22.36
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;1;CP-OFDM QPSK Inner_FullPC3_SUM	20.92	26.57
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.55	26.2
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	20.52	26.17
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;4;CP-OFDM QPSK Outer_FullPC3_SUM	19.71	25.36
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;5;CP-OFDM 16QAM Inner_FullPC3_SUM	20.93	26.58
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	20.51	26.16
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	20.54	26.19
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;8;CP-OFDM 16QAM Outer_FullPC3_SUM	19.81	25.46
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	18.89	24.54
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	18.72	24.37
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;11;CP-OFDM 64QAM Outer_FullPC3_SUM	18.23	23.88
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	16.56	22.21
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	16.54	22.19
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 656000;14;CP-OFDM 256QAM Outer_FullPC3_SUM	16.19	21.84
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;1;CP-OFDM QPSK Inner_FullPC3_SUM	20.36	26.01
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	19.94	25.59
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	19.94	25.59
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;4;CP-OFDM QPSK Outer_FullPC3_SUM	19.2	24.85
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;5;CP-OFDM 16QAM Inner_FullPC3_SUM	20.36	26.01
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	19.88	25.53
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	20.02	25.67
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;8;CP-OFDM 16QAM Outer_FullPC3_SUM	19.41	25.06
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	18.41	24.06
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	18.59	24.24
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;11;CP-OFDM 64QAM Outer_FullPC3_SUM	17.83	23.48
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	16.06	21.71
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	16.09	21.74
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction:n77 10MHz 30KHz 665000;14;CP-OFDM 256QAM Outer_FullPC3_SUM	15.82	21.47
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;1;CP-OFDM QPSK Inner_FullPC3_SUM	21.82	27.47
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.99	26.64
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	21.04	26.69
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;4;CP-OFDM QPSK Outer_FullPC3_SUM	20.55	26.2
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;5;CP-OFDM 16QAM Inner_FullPC3_SUM	21.8	27.45
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	21.02	26.67
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	21	26.65
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;8;CP-OFDM 16QAM Outer_FullPC3_SUM	20.56	26.21
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	19.36	25.01
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	19.43	25.08
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;11;CP-OFDM 64QAM Outer_FullPC3_SUM	19.04	24.69
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	17.04	22.69
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	17.05	22.7
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 647168;14;CP-OFDM 256QAM Outer_FullPC3_SUM	17.06	22.71
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;1;CP-OFDM QPSK Inner_FullPC3_SUM	21.27	26.92
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.54	26.19
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	20.52	26.17
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;4;CP-OFDM QPSK Outer_FullPC3_SUM	20.02	25.67
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;5;CP-OFDM 16QAM Inner_FullPC3_SUM	21.27	26.92
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	20.63	26.28
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	20.58	26.23
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;8;CP-OFDM 16QAM Outer_FullPC3_SUM	20.05	25.7
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	19.07	24.72
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	18.94	24.59
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;11;CP-OFDM 64QAM Outer_FullPC3_SUM	18.56	24.21
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	16.51	22.16
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	16.44	22.09
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 656000;14;CP-OFDM 256QAM Outer_FullPC3_SUM	16.47	22.12
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;1;CP-OFDM QPSK Inner_FullPC3_SUM	20.84	26.49
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.43	26.08
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	20.01	25.66
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;4;CP-OFDM QPSK Outer_FullPC3_SUM	19.73	25.38
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;5;CP-OFDM 16QAM Inner_FullPC3_SUM	20.84	26.49
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	20.38	26.03
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	20.08	25.73
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;8;CP-OFDM 16QAM Outer_FullPC3_SUM	19.69	25.34
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	18.86	24.51
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;10;CP-OFDM 64QAM Edge_1RB_RightPC3_SUM	18.43	24.08
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;11;CP-OFDM 64QAM Outer_FullPC3_SUM	18.24	23.89
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;12;CP-OFDM 256QAM Edge_1RB_LeftPC3_SUM	16.51	22.16
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;13;CP-OFDM 256QAM Edge_1RB_RightPC3_SUM	16.11	21.76
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction:n77 15MHz 30KHz 664832;14;CP-OFDM 256QAM Outer_FullPC3_SUM	16.2	21.85
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;1;CP-OFDM QPSK Inner_FullPC3_SUM	21.8	27.45
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;2;CP-OFDM QPSK Edge_1RB_LeftPC3_SUM	20.72	26.37
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;3;CP-OFDM QPSK Edge_1RB_RightPC3_SUM	20.68	26.33
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;4;CP-OFDM QPSK Outer_FullPC3_SUM	20.6	26.25
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;5;CP-OFDM 16QAM Inner_FullPC3_SUM	21.8	27.45
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;6;CP-OFDM 16QAM Edge_1RB_LeftPC3_SUM	20.84	26.49
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;7;CP-OFDM 16QAM Edge_1RB_RightPC3_SUM	20.69	26.34
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;8;CP-OFDM 16QAM Outer_FullPC3_SUM	20.58	26.23
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction:n77 20MHz 30KHz 647332;9;CP-OFDM 64QAM Edge_1RB_LeftPC3_SUM	19.25	24.4

Page 62 of 143

Page 63 of 143

System	Band	Channel	TestItem	Measured Value	EIRP
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;9;CP-OFDM 64QAM Edge 1RB Left;PC3 SUM	20.42	26.07
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;10;CP-OFDM 64QAM Edge 1RB Right;PC3 SUM	19.59	25.24
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;11;CP-OFDM 64QAM Outer Full;PC3 SUM	19.01	24.66
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;12;CP-OFDM 256QAM Edge 1RB Left;PC3 SUM	18.14	23.79
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;13;CP-OFDM 256QAM Edge 1RB Right;PC3 SUM	17.27	22.92
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77 90MHz 30kHz 662332;14;CP-OFDM 256QAM Outer Full;PC3 SUM	17.06	22.71
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;1;CP-OFDM QPSK Inner Full;PC3 SUM	21.89	27.54
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;2;CP-OFDM QPSK Edge 1RB Left;PC3 SUM	21.22	26.87
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;3;CP-OFDM QPSK Edge 1RB Right;PC3 SUM	21.1	26.75
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;4;CP-OFDM QPSK Outer Full;PC3 SUM	21.04	26.69
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;5;CP-OFDM 16QAM Inner Full;PC3 SUM	21.89	27.54
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;6;CP-OFDM 16QAM Edge 1RB Left;PC3 SUM	21.28	26.93
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;7;CP-OFDM 16QAM Edge 1RB Right;PC3 SUM	21.08	26.73
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;8;CP-OFDM 16QAM Outer Full;PC3 SUM	21.05	26.7
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;9;CP-OFDM 64QAM Edge 1RB Left;PC3 SUM	19.7	25.35
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;10;CP-OFDM 64QAM Edge 1RB Right;PC3 SUM	19.58	25.23
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;11;CP-OFDM 64QAM Outer Full;PC3 SUM	19.58	25.23
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;12;CP-OFDM 256QAM Edge 1RB Left;PC3 SUM	17.26	22.91
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;13;CP-OFDM 256QAM Edge 1RB Right;PC3 SUM	17.11	22.76
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 650000;14;CP-OFDM 256QAM Outer Full;PC3 SUM	17.57	23.22
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;1;CP-OFDM QPSK Inner Full;PC3 SUM	21.42	27.07
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;2;CP-OFDM QPSK Edge 1RB Left;PC3 SUM	21.2	26.85
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;3;CP-OFDM QPSK Edge 1RB Right;PC3 SUM	20.35	26
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;4;CP-OFDM QPSK Outer Full;PC3 SUM	20.7	26.35
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;5;CP-OFDM 16QAM Inner Full;PC3 SUM	21.41	27.06
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;6;CP-OFDM 16QAM Edge 1RB Left;PC3 SUM	21.27	26.92
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;7;CP-OFDM 16QAM Edge 1RB Right;PC3 SUM	20.34	25.99
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;8;CP-OFDM 16QAM Outer Full;PC3 SUM	20.69	26.34
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;9;CP-OFDM 64QAM Edge 1RB Left;PC3 SUM	19.53	25.18
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;10;CP-OFDM 64QAM Edge 1RB Right;PC3 SUM	18.91	24.56
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;11;CP-OFDM 64QAM Outer Full;PC3 SUM	19.16	24.81
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;12;CP-OFDM 256QAM Edge 1RB Left;PC3 SUM	17.24	22.89
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;13;CP-OFDM 256QAM Edge 1RB Right;PC3 SUM	16.5	22.15
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 656000;14;CP-OFDM 256QAM Outer Full;PC3 SUM	17.09	22.74
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;1;CP-OFDM QPSK Inner Full;PC3 SUM	21.05	26.7
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;2;CP-OFDM QPSK Edge 1RB Left;PC3 SUM	20.64	26.29
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;3;CP-OFDM QPSK Edge 1RB Right;PC3 SUM	19.86	25.51
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;4;CP-OFDM QPSK Outer Full;PC3 SUM	20.16	25.81
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;5;CP-OFDM 16QAM Inner Full;PC3 SUM	21.03	26.68
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;6;CP-OFDM 16QAM Edge 1RB Left;PC3 SUM	20.61	26.26
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;7;CP-OFDM 16QAM Edge 1RB Right;PC3 SUM	19.81	25.46
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;8;CP-OFDM 16QAM Outer Full;PC3 SUM	20.17	25.82
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;9;CP-OFDM 64QAM Edge 1RB Left;PC3 SUM	18.85	24.5
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;10;CP-OFDM 64QAM Edge 1RB Right;PC3 SUM	18.14	23.79
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;11;CP-OFDM 64QAM Outer Full;PC3 SUM	18.66	24.31
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;12;CP-OFDM 256QAM Edge 1RB Left;PC3 SUM	16.78	22.43
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;13;CP-OFDM 256QAM Edge 1RB Right;PC3 SUM	16.06	21.71
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77 100MHz 30kHz 662000;14;CP-OFDM 256QAM Outer Full;PC3 SUM	16.74	22.39

SA n77 HPUE UL MIMO

System	Band	Channel	TestItem	Measured Value	EIRP
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.03	28.68
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	21.01	26.66
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	21.08	26.73
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.29	25.94
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.35	26
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	21.07	26.72
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	21.14	26.79
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.31	25.96
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.42	25.07
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	19.51	25.16
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.83	24.48
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.96	22.61
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	17.03	22.68
NR UL MIMO	n77	647000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_647000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.68	22.33
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.47	28.12
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.59	26.24
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.57	26.22
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	19.77	25.42
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	21.9	27.55
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.72	26.37
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.63	26.28
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	19.78	25.43
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.04	24.69
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.9	24.55
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.29	23.94
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.57	22.22
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.54	22.19
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.2	21.85
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	21.79	27.44
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	19.97	25.62
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.01	25.66
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	19.22	24.87
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	21.21	26.86
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	19.98	25.63
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.11	25.76
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	19.24	24.89
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	18.53	24.18
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.55	24.2
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	17.72	23.37
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	15.96	21.61
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16	21.65
NR UL MIMO	n77	665000	6.2D 2 UE maximum output power reduction;n77_10MHz_30kHz_665000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	15.75	21.4
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.33	28.98
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.87	26.52
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.9	26.55
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.5	26.15
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.54	28.19
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.84	26.49
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.85	26.5
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.48	26.13
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.3	24.95
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	19.27	24.92
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.13	24.78
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.99	22.64
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.99	22.64
NR UL MIMO	n77	647168	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_647168;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.03	22.68
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.76	28.41
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.5	26.15
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.47	26.12
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.01	25.66
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.19	27.84
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.63	26.28
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.52	26.17
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.04	25.69
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	18.77	24.42
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.79	24.44
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.68	24.33
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.57	22.22
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.41	22.06
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.39	22.04
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.4	28.05
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.41	26.06
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.01	25.66
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	19.71	25.36
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	21.72	27.37
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.5	26.15
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	19.97	25.62
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	19.83	25.48
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	18.91	24.56
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.68	24.33
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.22	23.87
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.47	22.12
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.05	21.7
NR UL MIMO	n77	664832	6.2D 2 UE maximum output power reduction;n77_15MHz_30kHz_664832;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.11	21.76
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.43	29.08
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.65	26.3
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.64	26.29
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.59	26.24
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.82	28.47
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.74	26.39
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.67	26.32
NR UL MIMO	n77	647332	6.2D 2 UE maximum output power reduction;n77_20MHz_30kHz_647332;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.57	26.22

Page 66 of 143

Page 67 of 143

System	Band	Channel	TestItem	Measured Value	EIRP
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.14	24.79
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.36	22.01
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	15.75	21.4
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.97	22.62
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;11;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.74	28.39
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;7;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	19.95	25.6
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	19.36	25.01
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.17	25.82
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.04	27.69
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	19.98	25.63
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	19.36	25.01
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.18	25.83
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;9;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	18.44	24.09
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	17.83	23.48
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.67	24.32
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	15.97	21.62
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	15.37	21.02
NR UL MIMO	n77	663332	6.2D 2 UE maximum output power reduction:n77 60MHz 30kHz 663332;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.64	22.29
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.68	29.33
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.89	26.54
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.81	26.46
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	21.14	26.79
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	23.12	28.77
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.94	26.59
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.9	26.55
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	21.14	26.79
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.21	24.86
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	19.1	24.75
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.6	25.25
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.76	22.41
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.66	22.31
NR UL MIMO	n77	649334	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 649334;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.65	23.3
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.18	28.83
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.7	26.35
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.05	25.7
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.66	26.31
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.69	28.34
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.75	26.4
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.08	25.73
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.66	26.31
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.15	24.8
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.46	24.11
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.22	24.87
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.6	22.25
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	15.95	21.6
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.11	22.76
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.82	28.47
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	19.92	25.57
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	19.34	24.99
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.29	25.94
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.25	27.9
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	19.91	25.56
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	19.35	25
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.29	25.94
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	18.47	24.12
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	17.96	23.61
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.8	24.45
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.12	21.77
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	15.55	21.2
NR UL MIMO	n77	662666	6.2D 2 UE maximum output power reduction:n77 80MHz 30kHz 662666;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.81	22.46
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.7	29.35
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	22.6	28.25
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	22.74	28.39
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	21.41	27.06
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	23.13	28.78
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	22.74	28.39
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	22.71	28.36
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	21.4	27.05
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	21.05	26.7
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	21.23	26.88
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.98	25.63
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	18.76	24.41
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	18.9	24.55
NR UL MIMO	n77	649668	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 649668;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	18	23.65
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.04	28.69
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	22.35	28
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	21.63	27.28
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.9	26.55
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.53	28.18
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	22.42	28.07
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	21.59	27.24
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.91	26.56
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	20.94	26.59
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	20.22	25.87
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.38	25.03
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	18.54	24.19
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	17.86	23.51
NR UL MIMO	n77	656000	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.38	23.03
NR UL MIMO	n77	662332	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 662332;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.76	28.41
NR UL MIMO	n77	662332	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 662332;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	21.95	27.6
NR UL MIMO	n77	662332	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 662332;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	21.05	26.7
NR UL MIMO	n77	662332	6.2D 2 UE maximum output power reduction:n77 90MHz 30kHz 662332;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.5	26.15

System	Band	Channel	TestItem	Measured Value	EIRP
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.02	27.67
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	21.93	27.58
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	21.02	26.67
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.5	26.15
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	20.36	26.01
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	19.51	25.16
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.99	24.64
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	18.11	23.76
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	17.22	22.87
NR UL MIMO	n77	662332	6.2D.2 UE maximum output power reduction:n77_90MHz_30kHz_662332;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.05	22.7
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.42	29.07
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	21.16	26.81
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	21.04	26.69
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.97	26.62
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.94	28.59
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	21.25	26.9
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	21.07	26.72
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.98	26.63
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.63	25.28
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	19.53	25.18
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.5	25.15
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	17.26	22.91
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	17.09	22.74
NR UL MIMO	n77	650000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_650000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.56	23.21
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	23.01	28.66
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	21.18	26.83
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	20.36	26.01
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.68	26.33
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	22.48	28.13
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	21.24	26.89
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	20.38	26.03
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.69	26.34
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.64	25.29
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.75	24.4
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	19.15	24.8
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	17.26	22.91
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.49	22.14
NR UL MIMO	n77	656000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_656000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	17.15	22.8
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;1;CP-OFDM QPSK_Inner_Full;PC2_SUM	22.55	28.2
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;2;CP-OFDM QPSK_Edge_1RB_Left;PC2_SUM	20.62	26.27
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;3;CP-OFDM QPSK_Edge_1RB_Right;PC2_SUM	19.81	25.46
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;4;CP-OFDM QPSK_Outer_Full;PC2_SUM	20.15	25.8
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;5;CP-OFDM 16QAM_Inner_Full;PC2_SUM	21.88	27.53
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;6;CP-OFDM 16QAM_Edge_1RB_Left;PC2_SUM	20.65	26.3
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;7;CP-OFDM 16QAM_Edge_1RB_Right;PC2_SUM	19.91	25.56
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;8;CP-OFDM 16QAM_Outer_Full;PC2_SUM	20.15	25.8
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;9;CP-OFDM 64QAM_Edge_1RB_Left;PC2_SUM	19.11	24.76
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;10;CP-OFDM 64QAM_Edge_1RB_Right;PC2_SUM	18.37	24.02
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;11;CP-OFDM 64QAM_Outer_Full;PC2_SUM	18.65	24.3
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;12;CP-OFDM 256QAM_Edge_1RB_Left;PC2_SUM	16.81	22.46
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;13;CP-OFDM 256QAM_Edge_1RB_Right;PC2_SUM	16.03	21.68
NR UL MIMO	n77	662000	6.2D.2 UE maximum output power reduction:n77_100MHz_30kHz_662000;14;CP-OFDM 256QAM_Outer_Full;PC2_SUM	16.67	22.32

SA_n78 (SISO)

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	22.86	24.68
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.74	24.56
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.15	24.97
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.83	24.65
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.81	24.63
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	23.04	24.86
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	22.92	24.74
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.86	24.68
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	23.12	24.94
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.9	24.72
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.83	24.65
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	23.02	24.84
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	22.93	24.75
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.86	24.68
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	23.05	24.87
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.86	24.68
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.79	24.61
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	23.04	24.86
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.78	24.6
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.86	24.68
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	23.13	24.95
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.75	24.57
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.83	24.65
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	21.36	23.18
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.39	23.21
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.31	23.13
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.42	23.24
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.99	22.81
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.92	22.74
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20.46	22.28
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	22.81	24.63
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.69	24.51
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;33:CP-OFDM QPSK_Inner_Full;PC3	23	24.82
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	22.8	24.62
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.73	24.55
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;36:CP-OFDM QPSK_Outer_Full;PC3	21.8	23.62
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.97	24.79
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.78	24.6
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;39:CP-OFDM 16QAM_Inner_Full;PC3	22.93	24.75
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.99	24.81
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.88	24.7
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;42:CP-OFDM 16QAM_Outer_Full;PC3	21.8	23.62
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.32	24.14
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.79	23.61
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;45:CP-OFDM 64QAM_Inner_Full;PC3	22.52	24.34
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.75	22.57
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.64	22.46
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;48:CP-OFDM 64QAM_Outer_Full;PC3	20.42	22.24
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.18	21
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.07	20.89
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;51:CP-OFDM 256QAM_Inner_Full;PC3	19.12	20.94
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.67	20.49
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.61	20.43
NR	n78	647000	2.1046 RF power output:n78_10MHz_30kHz_647000;54:CP-OFDM 256QAM_Outer_Full;PC3	18.08	19.9
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	22.25	24.07
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.24	24.06
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	22.54	24.36
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.26	24.08
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.24	24.06
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	22.44	24.26
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	22.34	24.16
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.31	24.13
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	22.53	24.35
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.3	24.12
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.28	24.1
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	22.44	24.26
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	22.32	24.14
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.38	24.2
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	22.46	24.28
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.28	24.1
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.33	24.15
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	22.48	24.3
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.37	24.19
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.33	24.15
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	22.59	24.41
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.34	24.16
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	21.81	23.63
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	20.76	22.58
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	20.82	22.64
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	20.87	22.69
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	20.95	22.77

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.58	22.4
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.44	22.26
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20	21.82
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	22.38	24.2
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.32	24.14
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;33:CP-OFDM QPSK_Inner_Full;PC3	22.55	24.37
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	22.31	24.13
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.23	24.05
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;36:CP-OFDM QPSK_Outer_Full;PC3	21.33	23.15
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.44	24.26
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.39	24.21
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;39:CP-OFDM 16QAM_Inner_Full;PC3	22.52	24.34
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.43	24.25
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.49	24.31
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;42:CP-OFDM 16QAM_Outer_Full;PC3	21.35	23.17
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	21.38	23.2
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.75	23.57
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;45:CP-OFDM 64QAM_Inner_Full;PC3	22.02	23.84
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.88	22.5
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.16	21.98
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;48:CP-OFDM 64QAM_Outer_Full;PC3	19.95	21.77
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	18.92	20.74
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	18.9	20.72
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;51:CP-OFDM 256QAM_Inner_Full;PC3	18.98	20.8
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.54	20.36
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.41	20.23
NR	n78	650000	2.1046 RF power output:n78_10MHz_30kHz_650000;54:CP-OFDM 256QAM_Outer_Full;PC3	17.86	19.68
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	21.79	23.61
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	21.58	23.4
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	21.95	23.77
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	21.76	23.58
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	21.56	23.38
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	21.84	23.66
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	21.81	23.63
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	21.62	23.44
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	21.94	23.76
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	21.77	23.59
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	21.62	23.44
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	21.84	23.66
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	21.73	23.55
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	21.54	23.36
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	21.86	23.68
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	21.71	23.53
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	21.38	23.2
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	21.86	23.68
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	21.79	23.61
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	21.61	23.43
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	21.97	23.79
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	21.73	23.55
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	21.59	23.41
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	20.15	21.97
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	19.94	21.76
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	19.75	21.57
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	20.08	21.9
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	19.57	21.39
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	19.3	21.12
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	18.99	20.81
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	21.81	23.63
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	21.58	23.4
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;33:CP-OFDM QPSK_Inner_Full;PC3	21.93	23.75
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	21.78	23.6
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	21.53	23.35
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;36:CP-OFDM QPSK_Outer_Full;PC3	20.71	22.53
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	21.89	23.71
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	21.43	23.25
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;39:CP-OFDM 16QAM_Inner_Full;PC3	21.92	23.74
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	21.88	23.7
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	21.41	23.23
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;42:CP-OFDM 16QAM_Outer_Full;PC3	20.71	22.53
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	21.24	23.06
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.09	22.91
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;45:CP-OFDM 64QAM_Inner_Full;PC3	21.4	23.22
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.12	21.94
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	19.87	21.69
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;48:CP-OFDM 64QAM_Outer_Full;PC3	19.35	21.17
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	18.39	20.21
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	18.12	19.94
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;51:CP-OFDM 256QAM_Inner_Full;PC3	18.28	20.1
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	17.96	19.78
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	17.73	19.55
NR	n78	653000	2.1046 RF power output:n78_10MHz_30kHz_653000;54:CP-OFDM 256QAM_Outer_Full;PC3	17.19	19.01

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;1,DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	22.99	24.81
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;2,DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.85	24.67
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;3,DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.34	25.16
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;4,DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.81	24.63
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;5,DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.64	24.46
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;6,DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	23.18	25
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;7,DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	22.99	24.81
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;8,DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.86	24.68
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;9,DFT-s-OFDM QPSK_Inner_Full;PC3	23.32	25.14
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;10,DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.85	24.67
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;11,DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.69	24.51
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;12,DFT-s-OFDM QPSK_Outer_Full;PC3	23.17	24.99
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;13,DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.02	24.84
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;14,DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.87	24.69
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;15,DFT-s-OFDM 16QAM_Inner_Full;PC3	23.32	25.14
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;16,DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.87	24.69
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;17,DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.72	24.54
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;18,DFT-s-OFDM 16QAM_Outer_Full;PC3	23.19	25.01
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;19,DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.47	24.29
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;20,DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.32	24.14
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;21,DFT-s-OFDM 64QAM_Inner_Full;PC3	23.27	25.09
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;22,DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.33	24.15
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;23,DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.18	24
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;24,DFT-s-OFDM 64QAM_Outer_Full;PC3	21.47	23.29
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;25,DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.48	23.3
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;26,DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.32	23.14
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;27,DFT-s-OFDM 256QAM_Inner_Full;PC3	21.61	23.43
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;28,DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.9	22.72
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;29,DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.83	22.65
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;30,DFT-s-OFDM 256QAM_Outer_Full;PC3	20.67	22.49
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;31,CP-OFDM QPSK_Inner_1RB_Left;PC3	22.94	24.76
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;32,CP-OFDM QPSK_Inner_1RB_Right;PC3	22.77	24.59
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;33,CP-OFDM QPSK_Inner_Full;PC3	23.23	25.05
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;34,CP-OFDM QPSK_Edge_1RB_Left;PC3	22.81	24.63
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;35,CP-OFDM QPSK_Edge_1RB_Right;PC3	22.64	24.46
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;36,CP-OFDM QPSK_Outer_Full;PC3	21.97	23.79
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;37,CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.14	24.96
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;38,CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.82	24.64
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;39,CP-OFDM 16QAM_Inner_Full;PC3	23.24	25.06
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;40,CP-OFDM 16QAM_Edge_1RB_Left;PC3	23.01	24.83
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;41,CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.69	24.51
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;42,CP-OFDM 16QAM_Outer_Full;PC3	22	23.82
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;43,CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.32	24.14
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;44,CP-OFDM 64QAM_Inner_1RB_Right;PC3	22.13	23.95
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;45,CP-OFDM 64QAM_Inner_Full;PC3	22.76	24.58
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;46,CP-OFDM 64QAM_Edge_1RB_Left;PC3	21.16	22.98
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;47,CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.53	22.35
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;48,CP-OFDM 64QAM_Outer_Full;PC3	20.59	22.41
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;49,CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.62	21.44
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;50,CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.39	21.21
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;51,CP-OFDM 256QAM_Inner_Full;PC3	19.67	21.49
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;52,CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.98	20.8
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;53,CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.81	20.63
NR	n78	647168	2.1046 RF power output:n78_15MHz_30kHz_647168;54,CP-OFDM 256QAM_Outer_Full;PC3	18.49	20.31
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;1,DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	22.59	24.41
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;2,DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.49	24.31
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;3,DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	22.96	24.78
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;4,DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.41	24.23
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;5,DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.3	24.12
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;6,DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	22.81	24.63
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;7,DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	22.6	24.42
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;8,DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.53	24.35
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;9,DFT-s-OFDM QPSK_Inner_Full;PC3	22.94	24.76
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;10,DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.45	24.27
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;11,DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.34	24.16
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;12,DFT-s-OFDM QPSK_Outer_Full;PC3	22.77	24.59
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;13,DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	22.58	24.4
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;14,DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.55	24.37
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;15,DFT-s-OFDM 16QAM_Inner_Full;PC3	22.97	24.79
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;16,DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.43	24.25
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;17,DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.34	24.16
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;18,DFT-s-OFDM 16QAM_Outer_Full;PC3	22.86	24.68
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;19,DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.62	24.44
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;20,DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.4	24.22
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;21,DFT-s-OFDM 64QAM_Inner_Full;PC3	22.98	24.8
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;22,DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.35	24.17
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;23,DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.27	24.09
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;24,DFT-s-OFDM 64QAM_Outer_Full;PC3	21.08	22.9
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;25,DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	20.89	22.71
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;26,DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	20.81	22.63
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;27,DFT-s-OFDM 256QAM_Inner_Full;PC3	21.14	22.96

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.43	22.25
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.28	22.1
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20.2	22.02
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	22.51	24.33
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.36	24.18
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;33:CP-OFDM QPSK_Inner_Full;PC3	22.87	24.69
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	22.35	24.17
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.26	24.08
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;36:CP-OFDM QPSK_Outer_Full;PC3	21.61	23.43
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.38	24.2
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.51	24.33
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;39:CP-OFDM 16QAM_Inner_Full;PC3	22.82	24.64
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.26	24.08
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.14	23.96
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;42:CP-OFDM 16QAM_Outer_Full;PC3	21.63	23.45
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.01	23.83
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.96	23.78
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;45:CP-OFDM 64QAM_Inner_Full;PC3	22.4	24.22
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.87	22.69
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.68	22.5
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;48:CP-OFDM 64QAM_Outer_Full;PC3	20.27	22.09
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.14	20.96
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.05	20.87
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;51:CP-OFDM 256QAM_Inner_Full;PC3	19.27	21.09
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.61	20.43
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.44	20.26
NR	n78	650000	2.1046 RF power output:n78_15MHz_30kHz_650000;54:CP-OFDM 256QAM_Outer_Full;PC3	18.16	19.98
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	21.95	23.77
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	21.54	23.36
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	22.18	24
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	21.81	23.63
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	21.45	23.27
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	22.11	23.93
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	21.99	23.81
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	21.67	23.49
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;9:DFT-s-OFDM QPSK_Inner_Full;PC3	22.24	24.06
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	21.8	23.62
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	21.55	23.37
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;12:DFT-s-OFDM QPSK_Outer_Full;PC3	22.05	23.87
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	21.81	23.63
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	21.61	23.43
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	22.3	24.12
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	21.64	23.46
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	21.3	23.12
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	22.17	23.99
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	21.92	23.74
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	21.65	23.47
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	22.31	24.13
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	21.76	23.58
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	21.51	23.33
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	20.43	22.25
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	20.37	22.19
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	20.18	22
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	20.62	22.44
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	19.85	21.67
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	19.7	21.52
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	19.75	21.57
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	21.97	23.79
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	21.56	23.38
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;33:CP-OFDM QPSK_Inner_Full;PC3	22.2	24.02
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	21.84	23.66
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	21.4	23.22
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;36:CP-OFDM QPSK_Outer_Full;PC3	20.9	22.72
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	21.96	23.78
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	21.73	23.55
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;39:CP-OFDM 16QAM_Inner_Full;PC3	22.2	24.02
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	21.91	23.73
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	21.54	23.36
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;42:CP-OFDM 16QAM_Outer_Full;PC3	20.92	22.74
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	21.42	23.24
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.11	22.93
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;45:CP-OFDM 64QAM_Inner_Full;PC3	21.73	23.55
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.17	21.99
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	19.85	21.67
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;48:CP-OFDM 64QAM_Outer_Full;PC3	19.55	21.37
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	18.64	20.46
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	18.21	20.03
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;51:CP-OFDM 256QAM_Inner_Full;PC3	18.68	20.5
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18	19.82
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	17.67	19.49
NR	n78	652832	2.1046 RF power output:n78_15MHz_30kHz_652832;54:CP-OFDM 256QAM_Outer_Full;PC3	17.49	19.31

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	23.04	24.86
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.81	24.63
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.48	25.3
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.75	24.57
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.63	24.45
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	23.36	25.18
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.1	24.92
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.92	24.74
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;9:DFT-s-OFDM QPSK_Inner_Full;PC3	23.5	25.32
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.83	24.65
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.67	24.49
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;12:DFT-s-OFDM QPSK_Outer_Full;PC3	23.36	25.18
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.12	24.94
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.94	24.76
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	23.5	25.32
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.89	24.71
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.69	24.51
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	23.35	25.17
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.58	24.4
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.85	24.67
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	23.47	25.29
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.78	24.6
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.2	24.02
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	21.81	23.63
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.6	23.42
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.41	23.23
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.8	23.62
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.97	22.79
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.7	22.52
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20.86	22.68
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	22.89	24.71
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.89	24.51
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;33:CP-OFDM QPSK_Inner_Full;PC3	23.31	25.13
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	22.73	24.55
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.53	24.35
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;36:CP-OFDM QPSK_Outer_Full;PC3	22.06	23.88
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.06	24.88
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.81	24.63
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;39:CP-OFDM 16QAM_Inner_Full;PC3	23.35	25.17
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.77	24.59
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.56	24.38
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;42:CP-OFDM 16QAM_Outer_Full;PC3	22.04	23.86
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	21.96	23.78
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.78	23.6
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;45:CP-OFDM 64QAM_Inner_Full;PC3	22.82	24.64
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.83	22.45
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.77	22.59
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;48:CP-OFDM 64QAM_Outer_Full;PC3	20.75	22.57
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.56	21.38
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.36	21.18
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;51:CP-OFDM 256QAM_Inner_Full;PC3	19.72	21.54
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.86	20.68
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.66	20.48
NR	n78	647334	2.1046 RF power output:n78_20MHz_30kHz_647334;54:CP-OFDM 256QAM_Outer_Full;PC3	18.65	20.47
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	22.51	24.33
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	22.37	24.19
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.03	24.85
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	22.23	24.05
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	22.11	23.93
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	22.91	24.73
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	22.52	24.34
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.41	24.23
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	23.01	24.83
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.34	24.16
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.18	24
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	22.87	24.69
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	22.56	24.38
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.48	24.3
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	23.05	24.87
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.4	24.22
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.25	24.07
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	22.88	24.7
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.51	24.33
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.38	24.2
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	23.04	24.86
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	21.85	23.67
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.15	23.97
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	21.26	23.08
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.2	23.02
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.05	22.87
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.45	23.27

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;28,DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	20.59	22.41
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;29,DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.42	22.24
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;30,DFT-s-OFDM 256QAM_Outer_Full;PC3	20.49	22.31
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;31,CP-OFDM QPSK_Inner_1RB_Left;PC3	22.61	24.43
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;32,CP-OFDM QPSK_Inner_1RB_Right;PC3	22.45	24.27
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;33,CP-OFDM QPSK_Inner_Full;PC3	22.98	24.8
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;34,CP-OFDM QPSK_Edge_1RB_Left;PC3	22.36	24.18
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;35,CP-OFDM QPSK_Edge_1RB_Right;PC3	22.2	24.02
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;36,CP-OFDM QPSK_Outer_Full;PC3	21.78	23.6
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;37,CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.74	24.56
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;38,CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.48	24.3
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;39,CP-OFDM 16QAM_Inner_Full;PC3	23	24.82
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;40,CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.59	24.41
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;41,CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.32	24.14
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;42,CP-OFDM 16QAM_Outer_Full;PC3	21.78	23.6
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;43,CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.23	24.05
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;44,CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.79	23.61
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;45,CP-OFDM 64QAM_Inner_Full;PC3	22.49	24.31
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;46,CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.92	22.74
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;47,CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.72	22.54
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;48,CP-OFDM 64QAM_Outer_Full;PC3	20.45	22.27
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;49,CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.24	21.06
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;50,CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.08	20.88
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;51,CP-OFDM 256QAM_Inner_Full;PC3	19.39	21.21
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;52,CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.58	20.4
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;53,CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.35	20.17
NR	n78	650000	2.1046 RF power output:n78_20MHz_30kHz_650000;54,CP-OFDM 256QAM_Outer_Full;PC3	18.31	20.13
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;1,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Left;PC3	21.85	23.67
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;2,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Right;PC3	21.59	23.41
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;3,DFT-s-OFDM Pi/2 BPSK_Inner_Full;PC3	22.36	24.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;4,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Left;PC3	21.56	23.38
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;5,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Right;PC3	21.32	23.14
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;6,DFT-s-OFDM Pi/2 BPSK_Outer_Full;PC3	22.22	24.04
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;7,DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	21.86	23.68
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;8,DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	21.62	23.44
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;9,DFT-s-OFDM QPSK_Inner_Full;PC3	22.36	24.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;10,DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	21.65	23.47
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;11,DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	21.33	23.15
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;12,DFT-s-OFDM QPSK_Outer_Full;PC3	22.22	24.04
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;13,DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	21.81	23.63
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;14,DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	21.55	23.37
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;15,DFT-s-OFDM 16QAM_Inner_Full;PC3	22.37	24.19
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;16,DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	21.41	23.23
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;17,DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	21.29	23.11
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;18,DFT-s-OFDM 16QAM_Outer_Full;PC3	22.23	24.05
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;19,DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	21.87	23.69
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;20,DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	21.57	23.39
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;21,DFT-s-OFDM 64QAM_Inner_Full;PC3	22.36	24.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;22,DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	21.61	23.43
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;23,DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	21.3	23.12
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;24,DFT-s-OFDM 64QAM_Outer_Full;PC3	20.57	22.39
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;25,DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	20.31	22.13
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;26,DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	20.06	21.88
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;27,DFT-s-OFDM 256QAM_Inner_Full;PC3	20.62	22.44
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;28,DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	19.73	21.55
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;29,DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	19.47	21.29
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;30,DFT-s-OFDM 256QAM_Outer_Full;PC3	19.61	21.43
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;31,CP-OFDM QPSK_Inner_1RB_Left;PC3	21.92	23.74
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;32,CP-OFDM QPSK_Inner_1RB_Right;PC3	21.55	23.37
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;33,CP-OFDM QPSK_Inner_Full;PC3	22.33	24.15
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;34,CP-OFDM QPSK_Edge_1RB_Left;PC3	21.65	23.47
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;35,CP-OFDM QPSK_Edge_1RB_Right;PC3	21.38	23.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;36,CP-OFDM QPSK_Outer_Full;PC3	21.11	22.93
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;37,CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.12	23.94
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;38,CP-OFDM 16QAM_Inner_1RB_Right;PC3	21.54	23.36
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;39,CP-OFDM 16QAM_Inner_Full;PC3	22.36	24.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;40,CP-OFDM 16QAM_Edge_1RB_Left;PC3	21.81	23.63
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;41,CP-OFDM 16QAM_Edge_1RB_Right;PC3	21.58	23.38
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;42,CP-OFDM 16QAM_Outer_Full;PC3	21.08	22.9
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;43,CP-OFDM 64QAM_Inner_1RB_Left;PC3	21.24	23.06
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;44,CP-OFDM 64QAM_Inner_1RB_Right;PC3	20.8	22.62
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;45,CP-OFDM 64QAM_Inner_Full;PC3	21.83	23.65
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;46,CP-OFDM 64QAM_Edge_1RB_Left;PC3	19.99	21.81
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;47,CP-OFDM 64QAM_Edge_1RB_Right;PC3	19.25	21.07
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;48,CP-OFDM 64QAM_Outer_Full;PC3	19.71	21.53
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;49,CP-OFDM 256QAM_Inner_1RB_Left;PC3	18.36	20.18
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;50,CP-OFDM 256QAM_Inner_1RB_Right;PC3	18.12	19.94
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;51,CP-OFDM 256QAM_Inner_Full;PC3	18.64	20.46
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;52,CP-OFDM 256QAM_Edge_1RB_Left;PC3	17.75	19.57
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;53,CP-OFDM 256QAM_Edge_1RB_Right;PC3	17.49	19.31
NR	n78	652666	2.1046 RF power output:n78_20MHz_30kHz_652666;54,CP-OFDM 256QAM_Outer_Full;PC3	17.54	19.36

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	24.1	25.92
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	24.03	25.85
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.62	25.44
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	23.9	25.72
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	23.8	25.62
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	24.18	26
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	24.13	25.95
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	24.08	25.9
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;9:DFT-s-OFDM QPSK_Inner_Full;PC3	23.61	25.43
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	23.93	25.75
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	23.83	25.65
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;12:DFT-s-OFDM QPSK_Outer_Full;PC3	24.17	25.99
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	24.13	25.95
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	24.09	25.91
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	23.67	25.49
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	23.94	25.76
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	23.81	25.63
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	24.17	25.99
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	23.9	25.72
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	24.02	25.84
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	23.62	25.44
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	23.69	25.51
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	23.61	25.43
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	22.59	24.41
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	22.81	24.63
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	22.76	24.58
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	22.13	23.95
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	22.25	24.07
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	22.12	23.94
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	21.82	23.64
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	24.21	26.03
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	24.19	26.01
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;33:CP-OFDM QPSK_Inner_Full;PC3	23.72	25.54
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	24.09	25.91
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	23.9	25.72
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;36:CP-OFDM QPSK_Outer_Full;PC3	23.19	25.01
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	24.23	26.05
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	24.35	26.17
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;39:CP-OFDM 16QAM_Inner_Full;PC3	23.77	25.59
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	24.19	26.01
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	23.91	25.73
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;42:CP-OFDM 16QAM_Outer_Full;PC3	23.11	24.93
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	23.61	25.43
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	23.6	25.42
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;45:CP-OFDM 64QAM_Inner_Full;PC3	23.23	25.05
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	21.92	23.74
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	22.21	24.03
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;48:CP-OFDM 64QAM_Outer_Full;PC3	21.78	23.6
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	20.63	22.45
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	20.61	22.43
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;51:CP-OFDM 256QAM_Inner_Full;PC3	19.93	21.75
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	20	21.82
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	19.88	21.7
NR	n78	647668	2.1046 RF power output:n78_30MHz_30kHz_647668;54:CP-OFDM 256QAM_Outer_Full;PC3	19.49	21.31
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;1:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Left;PC3	23.82	25.64
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;2:DFT-s-OFDM PI/2 BPSK_Inner_1RB_Right;PC3	23.45	25.27
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;3:DFT-s-OFDM PI/2 BPSK_Inner_Full;PC3	23.38	25.2
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;4:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Left;PC3	23.68	25.5
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;5:DFT-s-OFDM PI/2 BPSK_Edge_1RB_Right;PC3	23.23	25.05
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;6:DFT-s-OFDM PI/2 BPSK_Outer_Full;PC3	23.88	25.7
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.91	25.73
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	23.54	25.36
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	23.36	25.18
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	23.72	25.54
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	23.29	25.11
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	23.87	25.69
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.7	25.52
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	23.46	25.28
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	23.4	25.22
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	23.52	25.34
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	23.36	25.18
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	23.85	25.67
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	23.85	25.67
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	23.07	24.89
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	23.35	25.17
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	23.7	25.52
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	23.21	25.03
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	22.28	24.1
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	22.35	24.17
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.94	23.76
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.72	23.54

System	Band	Channel	Testitem	Measured Value	EIRP
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	21.8	23.62
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	21.39	23.21
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	21.36	23.18
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	23.82	25.64
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	23.47	25.29
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;33:CP-OFDM QPSK_Inner_Full;PC3	23.32	25.14
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	23.65	25.47
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	23.19	25.01
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;36:CP-OFDM QPSK_Outer_Full;PC3	22.71	24.53
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.74	25.56
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	23.62	25.44
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;39:CP-OFDM 16QAM_Inner_Full;PC3	23.35	25.17
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	23.79	25.61
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	23.33	25.15
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;42:CP-OFDM 16QAM_Outer_Full;PC3	22.7	24.52
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	23.38	25.2
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	23.04	24.86
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;45:CP-OFDM 64QAM_Inner_Full;PC3	22.83	24.65
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	22.18	24
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	21.63	23.45
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;48:CP-OFDM 64QAM_Outer_Full;PC3	21.37	23.19
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	20.82	22.44
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	20.17	21.99
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;51:CP-OFDM 256QAM_Inner_Full;PC3	19.85	21.67
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	19.9	21.72
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	19.4	21.22
NR	n78	650000	2.1046 RF power output:n78_30MHz_30kHz_650000;54:CP-OFDM 256QAM_Outer_Full;PC3	19.38	21.2
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;1:DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Left;PC3	23.13	24.95
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;2:DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Right;PC3	22.71	24.53
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;3:DFT-s-OFDM Pi/2 BPSK_Inner_Full;PC3	22.77	24.59
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;4:DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Left;PC3	22.91	24.73
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;5:DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Right;PC3	22.42	24.24
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;6:DFT-s-OFDM Pi/2 BPSK_Outer_Full;PC3	23.26	25.08
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.16	24.98
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.76	24.58
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;9:DFT-s-OFDM QPSK_Inner_Full;PC3	22.76	24.58
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.97	24.79
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.48	24.3
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;12:DFT-s-OFDM QPSK_Outer_Full;PC3	23.22	25.04
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.14	24.96
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.9	24.72
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	22.79	24.61
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	23.09	24.91
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.64	24.46
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	23.21	25.03
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.74	24.56
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.36	24.18
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	22.74	24.56
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	23	24.82
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.54	24.36
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	21.63	23.45
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.85	23.67
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.6	23.42
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.28	23.1
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	21.34	23.16
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.99	22.81
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20.88	22.7
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	23.26	25.08
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.9	24.72
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;33:CP-OFDM QPSK_Inner_Full;PC3	22.75	24.57
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	23.04	24.86
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.55	24.37
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;36:CP-OFDM QPSK_Outer_Full;PC3	22.11	23.93
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.46	25.28
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	23.1	24.92
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;39:CP-OFDM 16QAM_Inner_Full;PC3	22.78	24.6
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	23.3	25.12
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.81	24.63
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;42:CP-OFDM 16QAM_Outer_Full;PC3	22.1	23.92
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.31	24.13
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	22.37	24.19
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;45:CP-OFDM 64QAM_Inner_Full;PC3	22.28	24.1
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	21.46	23.28
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.95	22.77
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;48:CP-OFDM 64QAM_Outer_Full;PC3	20.75	22.57
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.92	21.74
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.57	21.39
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;51:CP-OFDM 256QAM_Inner_Full;PC3	19.33	21.15
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	19.34	21.16
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.82	20.64
NR	n78	652332	2.1046 RF power output:n78_30MHz_30kHz_652332;54:CP-OFDM 256QAM_Outer_Full;PC3	18.81	20.63

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;1,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Left;PC3	23.34	25.16
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;2,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Right;PC3	22.99	24.81
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;3,DFT-s-OFDM Pi/2 BPSK_Inner_Full;PC3	23.58	25.4
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;4,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Left;PC3	23.11	24.93
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;5,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Right;PC3	22.73	24.55
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;6,DFT-s-OFDM Pi/2 BPSK_Outer_Full;PC3	23.91	25.73
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;7,DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.49	25.31
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;8,DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	23.17	24.99
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;9,DFT-s-OFDM QPSK_Inner_Full;PC3	23.55	25.37
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;10,DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	23.28	25.1
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;11,DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.92	24.74
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;12,DFT-s-OFDM QPSK_Outer_Full;PC3	23.87	25.69
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;13,DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.57	25.39
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;14,DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	23.22	25.04
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;15,DFT-s-OFDM 16QAM_Inner_Full;PC3	23.55	25.37
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;16,DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	23.37	25.19
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;17,DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	23.01	24.83
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;18,DFT-s-OFDM 16QAM_Outer_Full;PC3	23.86	25.68
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;19,DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	23.46	25.28
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;20,DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.69	24.51
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;21,DFT-s-OFDM 64QAM_Inner_Full;PC3	23.56	25.38
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;22,DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	23.24	25.06
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;23,DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.47	24.29
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;24,DFT-s-OFDM 64QAM_Outer_Full;PC3	22.25	24.07
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;25,DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	22.21	24.03
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;26,DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.85	23.67
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;27,DFT-s-OFDM 256QAM_Inner_Full;PC3	22.07	23.89
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;28,DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	21.63	23.45
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;29,DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	21.26	23.08
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;30,DFT-s-OFDM 256QAM_Outer_Full;PC3	21.51	23.33
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;31,CP-OFDM QPSK_Inner_1RB_Left;PC3	23.5	25.32
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;32,CP-OFDM QPSK_Inner_1RB_Right;PC3	23.14	24.96
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;33,CP-OFDM QPSK_Inner_Full;PC3	23.55	25.37
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;34,CP-OFDM QPSK_Edge_1RB_Left;PC3	23.31	25.13
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;35,CP-OFDM QPSK_Edge_1RB_Right;PC3	23	24.82
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;36,CP-OFDM QPSK_Outer_Full;PC3	22.71	24.53
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;37,CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.75	25.57
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;38,CP-OFDM 16QAM_Inner_1RB_Right;PC3	23.24	25.06
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;39,CP-OFDM 16QAM_Inner_Full;PC3	23.52	25.34
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;40,CP-OFDM 16QAM_Edge_1RB_Left;PC3	23.43	25.25
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;41,CP-OFDM 16QAM_Edge_1RB_Right;PC3	23.05	24.87
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;42,CP-OFDM 16QAM_Outer_Full;PC3	22.72	24.54
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;43,CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.59	24.41
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;44,CP-OFDM 64QAM_Inner_1RB_Right;PC3	22.23	24.05
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;45,CP-OFDM 64QAM_Inner_Full;PC3	23.06	24.88
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;46,CP-OFDM 64QAM_Edge_1RB_Left;PC3	21.72	23.54
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;47,CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.91	22.73
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;48,CP-OFDM 64QAM_Outer_Full;PC3	21.41	23.23
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;49,CP-OFDM 256QAM_Inner_1RB_Left;PC3	20.13	21.95
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;50,CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.71	21.53
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;51,CP-OFDM 256QAM_Inner_Full;PC3	20.06	21.88
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;52,CP-OFDM 256QAM_Edge_1RB_Left;PC3	19.62	21.44
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;53,CP-OFDM 256QAM_Edge_1RB_Right;PC3	19.18	21
NR	n78	648000	2.1046 RF power output:n78_40MHz_30kHz_648000;54,CP-OFDM 256QAM_Outer_Full;PC3	19.36	21.18
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;1,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Left;PC3	23.37	25.19
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;2,DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Right;PC3	22.67	24.49
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;3,DFT-s-OFDM Pi/2 BPSK_Inner_Full;PC3	23.31	25.13
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;4,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Left;PC3	23.16	24.98
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;5,DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Right;PC3	22.42	24.24
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;6,DFT-s-OFDM Pi/2 BPSK_Outer_Full;PC3	23.61	25.43
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;7,DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.3	25.12
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;8,DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.54	24.36
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;9,DFT-s-OFDM QPSK_Inner_Full;PC3	23.32	25.14
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;10,DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	23.08	24.9
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;11,DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22.3	24.12
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;12,DFT-s-OFDM QPSK_Outer_Full;PC3	23.64	25.46
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;13,DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	23.06	24.88
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;14,DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.5	24.32
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;15,DFT-s-OFDM 16QAM_Inner_Full;PC3	23.32	25.14
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;16,DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.84	24.66
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;17,DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.11	23.93
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;18,DFT-s-OFDM 16QAM_Outer_Full;PC3	23.62	25.44
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;19,DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	23.19	25.01
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;20,DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	22.56	24.38
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;21,DFT-s-OFDM 64QAM_Inner_Full;PC3	23.34	25.16
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;22,DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	23.02	24.84
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;23,DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	22.25	24.07
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;24,DFT-s-OFDM 64QAM_Outer_Full;PC3	22.02	23.84
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;25,DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.88	23.7
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;26,DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	21.16	22.98
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;27,DFT-s-OFDM 256QAM_Inner_Full;PC3	21.65	23.47

System	Band	Channel	TestItem	Measured Value	EIRP
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	21.44	23.26
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.59	22.41
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	21.07	22.89
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	23.64	25.46
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.86	24.68
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;33:CP-OFDM QPSK_Inner_Full;PC3	23.47	25.29
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	23.39	25.21
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	22.71	24.53
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;36:CP-OFDM QPSK_Outer_Full;PC3	22.62	24.44
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	23.82	25.64
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.74	24.56
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;39:CP-OFDM 16QAM_Inner_Full;PC3	23.44	25.26
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	23.29	25.11
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.91	24.73
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;42:CP-OFDM 16QAM_Outer_Full;PC3	22.62	24.44
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	22.67	24.49
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	22.37	24.19
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;45:CP-OFDM 64QAM_Inner_Full;PC3	23	24.82
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	21.39	23.21
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.62	22.44
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;48:CP-OFDM 64QAM_Outer_Full;PC3	21.32	23.14
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.99	21.81
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	19.18	21
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;51:CP-OFDM 256QAM_Inner_Full;PC3	19.6	21.42
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	19.33	21.15
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.55	20.37
NR	n78	650000	2.1046 RF power output:n78_40MHz_30kHz_650000;54:CP-OFDM 256QAM_Outer_Full;PC3	18.93	20.75
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;1:DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Left;PC3	23.1	24.92
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;2:DFT-s-OFDM Pi/2 BPSK_Inner_1RB_Right;PC3	22.37	24.19
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;3:DFT-s-OFDM Pi/2 BPSK_Inner_Full;PC3	22.89	24.71
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;4:DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Left;PC3	22.86	24.68
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;5:DFT-s-OFDM Pi/2 BPSK_Edge_1RB_Right;PC3	22.13	23.95
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;6:DFT-s-OFDM Pi/2 BPSK_Outer_Full;PC3	23.22	25.04
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;7:DFT-s-OFDM QPSK_Inner_1RB_Left;PC3	23.09	24.91
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;8:DFT-s-OFDM QPSK_Inner_1RB_Right;PC3	22.38	24.2
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;9:DFT-s-OFDM QPSK_Inner_Full;PC3	22.88	24.7
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;10:DFT-s-OFDM QPSK_Edge_1RB_Left;PC3	22.73	24.55
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;11:DFT-s-OFDM QPSK_Edge_1RB_Right;PC3	22	23.82
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;12:DFT-s-OFDM QPSK_Outer_Full;PC3	23.25	25.07
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;13:DFT-s-OFDM 16QAM_Inner_1RB_Left;PC3	22.94	24.76
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;14:DFT-s-OFDM 16QAM_Inner_1RB_Right;PC3	22.28	24.1
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;15:DFT-s-OFDM 16QAM_Inner_Full;PC3	22.91	24.73
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;16:DFT-s-OFDM 16QAM_Edge_1RB_Left;PC3	22.65	24.47
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;17:DFT-s-OFDM 16QAM_Edge_1RB_Right;PC3	22.08	23.9
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;18:DFT-s-OFDM 16QAM_Outer_Full;PC3	23.24	25.06
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;19:DFT-s-OFDM 64QAM_Inner_1RB_Left;PC3	22.61	24.43
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;20:DFT-s-OFDM 64QAM_Inner_1RB_Right;PC3	21.93	23.75
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;21:DFT-s-OFDM 64QAM_Inner_Full;PC3	22.9	24.72
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;22:DFT-s-OFDM 64QAM_Edge_1RB_Left;PC3	22.25	24.07
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;23:DFT-s-OFDM 64QAM_Edge_1RB_Right;PC3	21.55	23.37
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;24:DFT-s-OFDM 64QAM_Outer_Full;PC3	21.65	23.47
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;25:DFT-s-OFDM 256QAM_Inner_1RB_Left;PC3	21.52	23.34
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;26:DFT-s-OFDM 256QAM_Inner_1RB_Right;PC3	20.9	22.72
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;27:DFT-s-OFDM 256QAM_Inner_Full;PC3	21.22	23.04
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;28:DFT-s-OFDM 256QAM_Edge_1RB_Left;PC3	21.03	22.85
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;29:DFT-s-OFDM 256QAM_Edge_1RB_Right;PC3	20.24	22.06
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;30:DFT-s-OFDM 256QAM_Outer_Full;PC3	20.71	22.53
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;31:CP-OFDM QPSK_Inner_1RB_Left;PC3	22.97	24.79
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;32:CP-OFDM QPSK_Inner_1RB_Right;PC3	22.27	24.09
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;33:CP-OFDM QPSK_Inner_Full;PC3	22.71	24.53
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;34:CP-OFDM QPSK_Edge_1RB_Left;PC3	22.79	24.61
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;35:CP-OFDM QPSK_Edge_1RB_Right;PC3	21.98	23.8
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;36:CP-OFDM QPSK_Outer_Full;PC3	21.9	23.72
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;37:CP-OFDM 16QAM_Inner_1RB_Left;PC3	22.8	24.62
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;38:CP-OFDM 16QAM_Inner_1RB_Right;PC3	22.32	24.14
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;39:CP-OFDM 16QAM_Inner_Full;PC3	22.68	24.5
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;40:CP-OFDM 16QAM_Edge_1RB_Left;PC3	22.99	24.81
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;41:CP-OFDM 16QAM_Edge_1RB_Right;PC3	22.13	23.95
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;42:CP-OFDM 16QAM_Outer_Full;PC3	21.89	23.71
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;43:CP-OFDM 64QAM_Inner_1RB_Left;PC3	22	23.82
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;44:CP-OFDM 64QAM_Inner_1RB_Right;PC3	21.29	23.11
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;45:CP-OFDM 64QAM_Inner_Full;PC3	22.25	24.07
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;46:CP-OFDM 64QAM_Edge_1RB_Left;PC3	20.55	22.37
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;47:CP-OFDM 64QAM_Edge_1RB_Right;PC3	20.23	22.05
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;48:CP-OFDM 64QAM_Outer_Full;PC3	20.62	22.44
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;49:CP-OFDM 256QAM_Inner_1RB_Left;PC3	19.54	21.36
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;50:CP-OFDM 256QAM_Inner_1RB_Right;PC3	18.87	20.69
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;51:CP-OFDM 256QAM_Inner_Full;PC3	19.26	21.08
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;52:CP-OFDM 256QAM_Edge_1RB_Left;PC3	18.93	20.75
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;53:CP-OFDM 256QAM_Edge_1RB_Right;PC3	18.15	19.97
NR	n78	652000	2.1046 RF power output:n78_40MHz_30kHz_652000;54:CP-OFDM 256QAM_Outer_Full;PC3	18.62	20.44