

Appendix Test Data

Report No:	1812C50133012506	Test Sample NO:	1-2-2
Start Test Date:	2025-04-02	Finish Test Date:	2025-04-24
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	24.3°C	Relative Humidity:	56%
Pressure:	101 kPa		

Appendix A:Conducted Output Power

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Power(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	21.94	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	21.95	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	22.00	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	21.87	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	21.82	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	21.83	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	20.78	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	20.98	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	21.14	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	20.81	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	20.61	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	20.56	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	20.62	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	19.93	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	21.84	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	21.98	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	21.96	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	21.85	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	21.83	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	21.77	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	20.81	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	20.82	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Band5	1.4MHz	16QAM	20525	1RB#2	21.11	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	20.87	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	20.72	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	20.69	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	20.55	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	19.70	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	21.39	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	21.89	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	21.69	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	21.61	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	21.59	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	21.51	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	20.54	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	20.39	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	20.71	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	20.72	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	20.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	20.42	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	20.65	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	19.49	PASS
Band5	3MHz	QPSK	20415	1RB#0	22.89	PASS
Band5	3MHz	QPSK	20415	1RB#8	22.90	PASS
Band5	3MHz	QPSK	20415	1RB#14	22.90	PASS
Band5	3MHz	QPSK	20415	8RB#0	21.84	PASS
Band5	3MHz	QPSK	20415	8RB#4	21.86	PASS
Band5	3MHz	QPSK	20415	8RB#7	21.73	PASS
Band5	3MHz	QPSK	20415	15RB#0	21.65	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.18	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.14	PASS
Band5	3MHz	16QAM	20415	1RB#14	21.71	PASS
Band5	3MHz	16QAM	20415	8RB#0	20.80	PASS
Band5	3MHz	16QAM	20415	8RB#4	20.82	PASS
Band5	3MHz	16QAM	20415	8RB#7	20.79	PASS
Band5	3MHz	16QAM	20415	15RB#0	20.51	PASS
Band5	3MHz	QPSK	20525	1RB#0	22.61	PASS
Band5	3MHz	QPSK	20525	1RB#8	22.52	PASS
Band5	3MHz	QPSK	20525	1RB#14	22.38	PASS
Band5	3MHz	QPSK	20525	8RB#0	21.37	PASS
Band5	3MHz	QPSK	20525	8RB#4	21.35	PASS
Band5	3MHz	QPSK	20525	8RB#7	21.18	PASS
Band5	3MHz	QPSK	20525	15RB#0	21.15	PASS
Band5	3MHz	16QAM	20525	1RB#0	21.62	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	3MHz	16QAM	20525	1RB#8	21.25	PASS
Band5	3MHz	16QAM	20525	1RB#14	21.51	PASS
Band5	3MHz	16QAM	20525	8RB#0	20.46	PASS
Band5	3MHz	16QAM	20525	8RB#4	20.33	PASS
Band5	3MHz	16QAM	20525	8RB#7	20.25	PASS
Band5	3MHz	16QAM	20525	15RB#0	20.14	PASS
Band5	3MHz	QPSK	20635	1RB#0	22.10	PASS
Band5	3MHz	QPSK	20635	1RB#8	21.86	PASS
Band5	3MHz	QPSK	20635	1RB#14	21.69	PASS
Band5	3MHz	QPSK	20635	8RB#0	20.88	PASS
Band5	3MHz	QPSK	20635	8RB#4	20.88	PASS
Band5	3MHz	QPSK	20635	8RB#7	20.87	PASS
Band5	3MHz	QPSK	20635	15RB#0	20.90	PASS
Band5	3MHz	16QAM	20635	1RB#0	21.01	PASS
Band5	3MHz	16QAM	20635	1RB#8	20.47	PASS
Band5	3MHz	16QAM	20635	1RB#14	20.54	PASS
Band5	3MHz	16QAM	20635	8RB#0	19.75	PASS
Band5	3MHz	16QAM	20635	8RB#4	19.82	PASS
Band5	3MHz	16QAM	20635	8RB#7	19.83	PASS
Band5	3MHz	16QAM	20635	15RB#0	19.67	PASS
Band5	5MHz	QPSK	20425	1RB#0	22.14	PASS
Band5	5MHz	QPSK	20425	1RB#12	22.00	PASS
Band5	5MHz	QPSK	20425	1RB#24	22.02	PASS
Band5	5MHz	QPSK	20425	12RB#0	20.92	PASS
Band5	5MHz	QPSK	20425	12RB#6	20.94	PASS
Band5	5MHz	QPSK	20425	12RB#13	20.88	PASS
Band5	5MHz	QPSK	20425	25RB#0	20.95	PASS
Band5	5MHz	16QAM	20425	1RB#0	20.70	PASS
Band5	5MHz	16QAM	20425	1RB#12	20.77	PASS
Band5	5MHz	16QAM	20425	1RB#24	20.69	PASS
Band5	5MHz	16QAM	20425	12RB#0	19.88	PASS
Band5	5MHz	16QAM	20425	12RB#6	19.89	PASS
Band5	5MHz	16QAM	20425	12RB#13	19.83	PASS
Band5	5MHz	16QAM	20425	25RB#0	19.92	PASS
Band5	5MHz	QPSK	20525	1RB#0	22.02	PASS
Band5	5MHz	QPSK	20525	1RB#12	21.92	PASS
Band5	5MHz	QPSK	20525	1RB#24	21.88	PASS
Band5	5MHz	QPSK	20525	12RB#0	20.92	PASS
Band5	5MHz	QPSK	20525	12RB#6	20.84	PASS
Band5	5MHz	QPSK	20525	12RB#13	20.79	PASS
Band5	5MHz	QPSK	20525	25RB#0	20.80	PASS
Band5	5MHz	16QAM	20525	1RB#0	20.41	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	5MHz	16QAM	20525	1RB#12	20.78	PASS
Band5	5MHz	16QAM	20525	1RB#24	20.84	PASS
Band5	5MHz	16QAM	20525	12RB#0	19.79	PASS
Band5	5MHz	16QAM	20525	12RB#6	19.80	PASS
Band5	5MHz	16QAM	20525	12RB#13	19.85	PASS
Band5	5MHz	16QAM	20525	25RB#0	19.88	PASS
Band5	5MHz	QPSK	20625	1RB#0	21.73	PASS
Band5	5MHz	QPSK	20625	1RB#12	21.68	PASS
Band5	5MHz	QPSK	20625	1RB#24	21.72	PASS
Band5	5MHz	QPSK	20625	12RB#0	20.71	PASS
Band5	5MHz	QPSK	20625	12RB#6	20.74	PASS
Band5	5MHz	QPSK	20625	12RB#13	20.69	PASS
Band5	5MHz	QPSK	20625	25RB#0	20.76	PASS
Band5	5MHz	16QAM	20625	1RB#0	20.89	PASS
Band5	5MHz	16QAM	20625	1RB#12	20.80	PASS
Band5	5MHz	16QAM	20625	1RB#24	20.53	PASS
Band5	5MHz	16QAM	20625	12RB#0	19.77	PASS
Band5	5MHz	16QAM	20625	12RB#6	19.87	PASS
Band5	5MHz	16QAM	20625	12RB#13	19.83	PASS
Band5	5MHz	16QAM	20625	25RB#0	19.75	PASS
Band5	10MHz	QPSK	20450	1RB#0	21.85	PASS
Band5	10MHz	QPSK	20450	1RB#24	21.80	PASS
Band5	10MHz	QPSK	20450	1RB#49	21.75	PASS
Band5	10MHz	QPSK	20450	25RB#0	20.93	PASS
Band5	10MHz	QPSK	20450	25RB#12	20.95	PASS
Band5	10MHz	QPSK	20450	25RB#25	20.76	PASS
Band5	10MHz	QPSK	20450	50RB#0	20.89	PASS
Band5	10MHz	16QAM	20450	1RB#0	20.83	PASS
Band5	10MHz	16QAM	20450	1RB#24	21.08	PASS
Band5	10MHz	16QAM	20450	1RB#49	20.83	PASS
Band5	10MHz	16QAM	20450	25RB#0	19.76	PASS
Band5	10MHz	16QAM	20450	25RB#12	19.76	PASS
Band5	10MHz	16QAM	20450	25RB#25	19.80	PASS
Band5	10MHz	16QAM	20450	50RB#0	19.88	PASS
Band5	10MHz	QPSK	20525	1RB#0	21.65	PASS
Band5	10MHz	QPSK	20525	1RB#24	21.79	PASS
Band5	10MHz	QPSK	20525	1RB#49	21.57	PASS
Band5	10MHz	QPSK	20525	25RB#0	20.86	PASS
Band5	10MHz	QPSK	20525	25RB#12	20.88	PASS
Band5	10MHz	QPSK	20525	25RB#25	20.73	PASS
Band5	10MHz	QPSK	20525	50RB#0	20.81	PASS
Band5	10MHz	16QAM	20525	1RB#0	20.64	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	10MHz	16QAM	20525	1RB#24	21.27	PASS
Band5	10MHz	16QAM	20525	1RB#49	20.84	PASS
Band5	10MHz	16QAM	20525	25RB#0	19.91	PASS
Band5	10MHz	16QAM	20525	25RB#12	19.92	PASS
Band5	10MHz	16QAM	20525	25RB#25	19.78	PASS
Band5	10MHz	16QAM	20525	50RB#0	19.87	PASS
Band5	10MHz	QPSK	20600	1RB#0	21.64	PASS
Band5	10MHz	QPSK	20600	1RB#24	21.99	PASS
Band5	10MHz	QPSK	20600	1RB#49	21.52	PASS
Band5	10MHz	QPSK	20600	25RB#0	20.68	PASS
Band5	10MHz	QPSK	20600	25RB#12	20.70	PASS
Band5	10MHz	QPSK	20600	25RB#25	20.77	PASS
Band5	10MHz	QPSK	20600	50RB#0	20.69	PASS
Band5	10MHz	16QAM	20600	1RB#0	20.70	PASS
Band5	10MHz	16QAM	20600	1RB#24	21.08	PASS
Band5	10MHz	16QAM	20600	1RB#49	20.40	PASS
Band5	10MHz	16QAM	20600	25RB#0	19.78	PASS
Band5	10MHz	16QAM	20600	25RB#12	19.79	PASS
Band5	10MHz	16QAM	20600	25RB#25	19.77	PASS
Band5	10MHz	16QAM	20600	50RB#0	19.77	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	4.61	13	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	5.27	13	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	5.76	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	6.17	13	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	4.64	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	8.82	13	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	5.75	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	8.39	13	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	8.41	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.93	13	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	5.10	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.83	13	PASS
Band5	3MHz	QPSK	20415	1RB#0	4.70	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	5.31	13	PASS
Band5	3MHz	16QAM	20415	1RB#0	5.60	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	6.17	13	PASS
Band5	3MHz	QPSK	20525	1RB#0	4.73	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	5.32	13	PASS
Band5	3MHz	16QAM	20525	1RB#0	5.62	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	6.18	13	PASS
Band5	3MHz	QPSK	20635	1RB#0	4.51	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	5.20	13	PASS
Band5	3MHz	16QAM	20635	1RB#0	5.51	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	6.04	13	PASS
Band5	5MHz	QPSK	20425	1RB#0	4.64	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	5.27	13	PASS
Band5	5MHz	16QAM	20425	1RB#0	5.63	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	6.11	13	PASS
Band5	5MHz	QPSK	20525	1RB#0	4.69	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.30	13	PASS
Band5	5MHz	16QAM	20525	1RB#0	5.64	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	6.13	13	PASS
Band5	5MHz	QPSK	20625	1RB#0	4.49	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	5.16	13	PASS
Band5	5MHz	16QAM	20625	1RB#0	5.46	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.98	13	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Band5	10MHz	QPSK	20450	1RB#0	4.61	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	5.22	13	PASS
Band5	10MHz	16QAM	20450	1RB#0	5.72	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	6.08	13	PASS
Band5	10MHz	QPSK	20525	1RB#0	4.64	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.24	13	PASS
Band5	10MHz	16QAM	20525	1RB#0	5.54	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	6.08	13	PASS
Band5	10MHz	QPSK	20600	1RB#0	4.72	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	5.15	13	PASS
Band5	10MHz	16QAM	20600	1RB#0	5.67	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	6.04	13	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com





Hotline
400-003-0500
www.anbotek.com

Test Graphs











Band5-5MHz-16QAM-20425-1RB#0-PASS




Band5-5MHz-16QAM-20425-25RB#0-PASS




Band5-5MHz-QPSK-20525-1RB#0-PASS



Band5-5MHz-QPSK-20525-25RB#0-PASS



Band5-5MHz-16QAM-20525-1RB#0-PASS




Band5-5MHz-16QAM-20525-25RB#0-PASS




Band5-5MHz-QPSK-20625-1RB#0-PASS


Band5-5MHz-QPSK-20625-25RB#0-PASS




Band5-10MHz-QPSK-20525-1RB#0-PASS



Band5-10MHz-QPSK-20525-50RB#0-PASS




Band5-10MHz-16QAM-20525-1RB#0-PASS



Band5-10MHz-16QAM-20525-50RB#0-PASS



Band5-10MHz-QPSK-20600-1RB#0-PASS



Band5-10MHz-QPSK-20600-50RB#0-PASS



Band5-10MHz-16QAM-20600-1RB#0-PASS


Band5-10MHz-16QAM-20600-50RB#0-PASS


Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.0955	1.297	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.0984	1.307	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.0970	1.292	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.0991	1.287	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.0981	1.305	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.0880	1.270	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.6976	2.958	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.6935	2.977	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.7004	2.985	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.6862	2.966	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.6955	2.977	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.6946	2.970	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.5062	5.022	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.5023	4.969	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.5060	4.992	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.5024	4.975	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.4981	4.960	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.5085	5.000	PASS
Band5	10MHz	QPSK	20450	50RB#0	8.9679	9.895	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.9763	9.831	PASS
Band5	10MHz	QPSK	20525	50RB#0	8.9769	9.897	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.9701	9.812	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.9705	9.884	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.9601	9.878	PASS

Test Graphs






Band5-5MHz-QPSK-20425-25RB#0-PASS



Band5-5MHz-16QAM-20425-25RB#0-PASS



Band5-5MHz-QPSK-20525-25RB#0-PASS



Band5-5MHz-16QAM-20525-25RB#0-PASS



Band5-5MHz-QPSK-20625-25RB#0-PASS



Band5-5MHz-16QAM-20625-25RB#0-PASS



Band5-10MHz-QPSK-20450-50RB#0-PASS

Band5-10MHz-16QAM-20450-50RB#0-PASS



Appendix D: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Margin (dB)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	-29.69	16.69	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	-49.67	36.67	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	-32.80	19.80	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	-36.12	23.12	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	-49.30	36.30	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-32.59	19.59	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	-50.07	37.07	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	-32.43	19.43	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-38.01	25.01	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	-52.58	39.58	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	-30.85	17.85	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-35.34	22.34	PASS
Band5	3MHz	QPSK	20415	1RB#0	-31.21	18.21	PASS
Band5	3MHz	QPSK	20415	1RB#14	-51.14	38.14	PASS
Band5	3MHz	QPSK	20415	15RB#0	-35.37	22.37	PASS
Band5	3MHz	16QAM	20415	1RB#0	-31.95	18.95	PASS
Band5	3MHz	16QAM	20415	1RB#14	-51.94	38.94	PASS
Band5	3MHz	16QAM	20415	15RB#0	-37.48	24.48	PASS
Band5	3MHz	QPSK	20635	1RB#0	-52.13	39.13	PASS
Band5	3MHz	QPSK	20635	1RB#14	-30.95	17.95	PASS
Band5	3MHz	QPSK	20635	15RB#0	-39.41	26.41	PASS
Band5	3MHz	16QAM	20635	1RB#0	-52.67	39.67	PASS
Band5	3MHz	16QAM	20635	1RB#14	-33.37	20.37	PASS
Band5	3MHz	16QAM	20635	15RB#0	-40.57	27.57	PASS
Band5	5MHz	QPSK	20425	1RB#0	-35.06	22.06	PASS
Band5	5MHz	QPSK	20425	1RB#24	-58.89	45.89	PASS
Band5	5MHz	QPSK	20425	25RB#0	-36.37	23.37	PASS
Band5	5MHz	16QAM	20425	1RB#0	-35.93	22.93	PASS
Band5	5MHz	16QAM	20425	1RB#24	-59.37	46.37	PASS
Band5	5MHz	16QAM	20425	25RB#0	-37.60	24.60	PASS
Band5	5MHz	QPSK	20625	1RB#0	-59.17	46.17	PASS
Band5	5MHz	QPSK	20625	1RB#24	-34.59	21.59	PASS
Band5	5MHz	QPSK	20625	25RB#0	-40.80	27.80	PASS
Band5	5MHz	16QAM	20625	1RB#0	-59.17	46.17	PASS
Band5	5MHz	16QAM	20625	1RB#24	-36.19	23.19	PASS
Band5	5MHz	16QAM	20625	25RB#0	-41.25	28.25	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Band5	10MHz	QPSK	20450	1RB#0	-44.62	31.62	PASS
Band5	10MHz	QPSK	20450	1RB#49	-55.85	42.85	PASS
Band5	10MHz	QPSK	20450	50RB#0	-38.82	25.82	PASS
Band5	10MHz	16QAM	20450	1RB#0	-45.67	32.67	PASS
Band5	10MHz	16QAM	20450	1RB#49	-56.49	43.49	PASS
Band5	10MHz	16QAM	20450	50RB#0	-40.54	27.54	PASS
Band5	10MHz	QPSK	20600	1RB#0	-56.51	43.51	PASS
Band5	10MHz	QPSK	20600	1RB#49	-45.45	32.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	-42.63	29.63	PASS
Band5	10MHz	16QAM	20600	1RB#0	-56.63	43.63	PASS
Band5	10MHz	16QAM	20600	1RB#49	-46.15	33.15	PASS
Band5	10MHz	16QAM	20600	50RB#0	-43.22	30.22	PASS


Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com





Hotline
400-003-0500
www.anbotek.com


Test Graphs

















Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Limit (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	0.009~0.15	-49.10	-33.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	0.15~30	-56.76	-23.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	30~1000	-54.80	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	1000~3000	-46.90	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	3000~10000	-44.80	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.009~0.15	-48.53	-33.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	0.15~30	-56.93	-23.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	30~1000	-54.64	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	1000~3000	-45.59	-13.0	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	3000~10000	-44.63	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.009~0.15	-49.31	-33.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	0.15~30	-56.70	-23.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	30~1000	-51.01	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	1000~3000	-46.93	-13.0	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	3000~10000	-44.53	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.009~0.15	-48.30	-33.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	0.15~30	-56.08	-23.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	30~1000	-56.50	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	1000~3000	-46.59	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	3000~10000	-44.30	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	0.009~0.15	-47.87	-33.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	0.15~30	-55.55	-23.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	30~1000	-55.93	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	1000~3000	-46.47	-13.0	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	3000~10000	-44.83	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	0.009~0.15	-48.70	-33.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	0.15~30	-56.73	-23.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	30~1000	-51.98	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1000~3000	-42.97	-13.0	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	3000~10000	-44.68	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.009~0.15	-49.28	-33.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	0.15~30	-55.95	-23.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	30~1000	-55.63	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	1000~3000	-46.83	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	3000~10000	-45.05	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Band5	1.4MHz	QPSK	20525	1RB#5	0.009~0.15	-50.39	-33.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	0.15~30	-57.10	-23.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	30~1000	-55.59	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	1000~3000	-47.02	-13.0	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	3000~10000	-44.95	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.009~0.15	-48.58	-33.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	0.15~30	-56.37	-23.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	30~1000	-52.45	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1000~3000	-44.45	-13.0	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	3000~10000	-45.21	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.009~0.15	-49.41	-33.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	0.15~30	-54.84	-23.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	30~1000	-56.61	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	1000~3000	-46.96	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	3000~10000	-44.41	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	0.009~0.15	-48.97	-33.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	0.15~30	-56.87	-23.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	30~1000	-56.80	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	1000~3000	-46.50	-13.0	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	3000~10000	-44.91	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	0.009~0.15	-48.80	-33.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	0.15~30	-56.06	-23.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	30~1000	-53.04	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1000~3000	-46.99	-13.0	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	3000~10000	-44.94	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.009~0.15	-47.22	-33.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	0.15~30	-56.04	-23.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	30~1000	-55.05	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	1000~3000	-40.70	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	3000~10000	-44.44	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.009~0.15	-47.03	-33.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	0.15~30	-54.87	-23.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	30~1000	-55.80	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	1000~3000	-45.98	-13.0	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	3000~10000	-44.79	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	0.009~0.15	-46.68	-33.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	0.15~30	-53.58	-23.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	30~1000	-50.41	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1000~3000	-46.90	-13.0	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	3000~10000	-45.12	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.009~0.15	-47.98	-33.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	0.15~30	-55.64	-23.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	1.4MHz	16QAM	20643	1RB#0	30~1000	-54.97	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	1000~3000	-46.82	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	3000~10000	-44.75	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	0.009~0.15	-50.01	-33.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	0.15~30	-57.64	-23.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	30~1000	-56.43	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	1000~3000	-46.88	-13.0	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	3000~10000	-45.19	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	0.009~0.15	-48.84	-33.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	0.15~30	-55.82	-23.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	30~1000	-52.44	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1000~3000	-46.98	-13.0	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	3000~10000	-45.07	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.009~0.15	-47.86	-33.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	0.15~30	-55.28	-23.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	30~1000	-60.92	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	1000~3000	-44.01	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#0	3000~10000	-44.99	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	0.009~0.15	-47.85	-33.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	0.15~30	-56.79	-23.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	30~1000	-60.69	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	1000~3000	-46.88	-13.0	PASS
Band5	3MHz	QPSK	20415	1RB#14	3000~10000	-44.98	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	0.009~0.15	-50.15	-33.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	0.15~30	-57.33	-23.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	30~1000	-53.24	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	1000~3000	-46.61	-13.0	PASS
Band5	3MHz	QPSK	20415	15RB#0	3000~10000	-44.79	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.009~0.15	-50.63	-33.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	0.15~30	-55.91	-23.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	30~1000	-60.84	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	1000~3000	-46.86	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#0	3000~10000	-44.95	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	0.009~0.15	-47.27	-33.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	0.15~30	-55.99	-23.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	30~1000	-59.21	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	1000~3000	-46.90	-13.0	PASS
Band5	3MHz	16QAM	20415	1RB#14	3000~10000	-45.24	-13.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	0.009~0.15	-47.89	-33.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	0.15~30	-58.18	-23.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	30~1000	-53.88	-13.0	PASS
Band5	3MHz	16QAM	20415	15RB#0	1000~3000	-46.64	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	3MHz	16QAM	20415	15RB#0	3000~10000	-44.98	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.009~0.15	-49.06	-33.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	0.15~30	-55.97	-23.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	30~1000	-60.45	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	1000~3000	-47.01	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#0	3000~10000	-44.78	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	0.009~0.15	-49.98	-33.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	0.15~30	-54.97	-23.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	30~1000	-60.86	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	1000~3000	-46.84	-13.0	PASS
Band5	3MHz	QPSK	20525	1RB#14	3000~10000	-44.92	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	0.009~0.15	-47.70	-33.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	0.15~30	-55.98	-23.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	30~1000	-51.64	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	1000~3000	-46.89	-13.0	PASS
Band5	3MHz	QPSK	20525	15RB#0	3000~10000	-44.95	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.009~0.15	-49.09	-33.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	0.15~30	-55.10	-23.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	30~1000	-60.60	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	1000~3000	-46.76	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#0	3000~10000	-45.02	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	0.009~0.15	-49.36	-33.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	0.15~30	-54.91	-23.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	30~1000	-60.74	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	1000~3000	-45.08	-13.0	PASS
Band5	3MHz	16QAM	20525	1RB#14	3000~10000	-44.87	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	0.009~0.15	-49.69	-33.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	0.15~30	-56.24	-23.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	30~1000	-54.22	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	1000~3000	-46.83	-13.0	PASS
Band5	3MHz	16QAM	20525	15RB#0	3000~10000	-44.81	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.009~0.15	-48.55	-33.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	0.15~30	-57.61	-23.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	30~1000	-60.26	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	1000~3000	-46.97	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#0	3000~10000	-44.92	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	0.009~0.15	-49.88	-33.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	0.15~30	-55.06	-23.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	30~1000	-60.96	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	1000~3000	-43.41	-13.0	PASS
Band5	3MHz	QPSK	20635	1RB#14	3000~10000	-44.16	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	0.009~0.15	-50.03	-33.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	3MHz	QPSK	20635	15RB#0	0.15~30	-55.89	-23.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	30~1000	-51.66	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	1000~3000	-46.96	-13.0	PASS
Band5	3MHz	QPSK	20635	15RB#0	3000~10000	-44.94	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.009~0.15	-48.94	-33.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	0.15~30	-56.06	-23.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	30~1000	-60.74	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	1000~3000	-47.00	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#0	3000~10000	-44.79	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	0.009~0.15	-49.57	-33.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	0.15~30	-55.83	-23.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	30~1000	-60.75	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	1000~3000	-46.90	-13.0	PASS
Band5	3MHz	16QAM	20635	1RB#14	3000~10000	-45.09	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	0.009~0.15	-48.37	-33.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	0.15~30	-55.55	-23.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	30~1000	-54.58	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	1000~3000	-46.88	-13.0	PASS
Band5	3MHz	16QAM	20635	15RB#0	3000~10000	-44.67	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.009~0.15	-48.12	-33.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	0.15~30	-56.45	-23.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	30~1000	-60.84	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	1000~3000	-47.01	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#0	3000~10000	-44.46	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	0.009~0.15	-47.50	-33.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	0.15~30	-55.50	-23.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	30~1000	-60.48	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	1000~3000	-46.67	-13.0	PASS
Band5	5MHz	QPSK	20425	1RB#24	3000~10000	-45.18	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	0.009~0.15	-47.57	-33.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	0.15~30	-54.22	-23.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	30~1000	-54.02	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	1000~3000	-46.87	-13.0	PASS
Band5	5MHz	QPSK	20425	25RB#0	3000~10000	-44.99	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.009~0.15	-48.70	-33.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	0.15~30	-55.59	-23.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	30~1000	-60.62	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	1000~3000	-46.89	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#0	3000~10000	-44.73	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	0.009~0.15	-47.68	-33.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	0.15~30	-55.26	-23.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	30~1000	-60.90	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	5MHz	16QAM	20425	1RB#24	1000~3000	-46.66	-13.0	PASS
Band5	5MHz	16QAM	20425	1RB#24	3000~10000	-44.27	-13.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	0.009~0.15	-47.70	-33.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	0.15~30	-55.49	-23.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	30~1000	-55.76	-13.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	1000~3000	-46.86	-13.0	PASS
Band5	5MHz	16QAM	20425	25RB#0	3000~10000	-44.78	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.009~0.15	-47.74	-33.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	0.15~30	-55.73	-23.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	30~1000	-60.74	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	1000~3000	-46.95	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#0	3000~10000	-44.53	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	0.009~0.15	-48.84	-33.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	0.15~30	-55.17	-23.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	30~1000	-60.84	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	1000~3000	-46.88	-13.0	PASS
Band5	5MHz	QPSK	20525	1RB#24	3000~10000	-44.74	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	0.009~0.15	-47.85	-33.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	0.15~30	-55.24	-23.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	30~1000	-53.17	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	1000~3000	-45.66	-13.0	PASS
Band5	5MHz	QPSK	20525	25RB#0	3000~10000	-44.16	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.009~0.15	-48.16	-33.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	0.15~30	-56.41	-23.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	30~1000	-60.56	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	1000~3000	-46.60	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#0	3000~10000	-44.70	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	0.009~0.15	-48.67	-33.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	0.15~30	-55.28	-23.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	30~1000	-60.65	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	1000~3000	-47.06	-13.0	PASS
Band5	5MHz	16QAM	20525	1RB#24	3000~10000	-45.10	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	0.009~0.15	-48.99	-33.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	0.15~30	-55.72	-23.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	30~1000	-55.14	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	1000~3000	-46.75	-13.0	PASS
Band5	5MHz	16QAM	20525	25RB#0	3000~10000	-44.97	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.009~0.15	-47.47	-33.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	0.15~30	-55.55	-23.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	30~1000	-60.49	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	1000~3000	-46.78	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#0	3000~10000	-45.08	-13.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	5MHz	QPSK	20625	1RB#24	0.009~0.15	-50.15	-33.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	0.15~30	-56.56	-23.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	30~1000	-60.50	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	1000~3000	-46.75	-13.0	PASS
Band5	5MHz	QPSK	20625	1RB#24	3000~10000	-44.65	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	0.009~0.15	-47.83	-33.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	0.15~30	-55.34	-23.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	30~1000	-53.30	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	1000~3000	-46.24	-13.0	PASS
Band5	5MHz	QPSK	20625	25RB#0	3000~10000	-44.92	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.009~0.15	-48.62	-33.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	0.15~30	-56.09	-23.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	30~1000	-60.74	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	1000~3000	-46.87	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#0	3000~10000	-44.68	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	0.009~0.15	-48.76	-33.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	0.15~30	-55.63	-23.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	30~1000	-60.67	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	1000~3000	-46.53	-13.0	PASS
Band5	5MHz	16QAM	20625	1RB#24	3000~10000	-44.69	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	0.009~0.15	-46.81	-33.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	0.15~30	-56.23	-23.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	30~1000	-55.00	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	1000~3000	-46.91	-13.0	PASS
Band5	5MHz	16QAM	20625	25RB#0	3000~10000	-45.03	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.009~0.15	-48.17	-33.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	0.15~30	-57.02	-23.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	30~1000	-60.56	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	1000~3000	-46.48	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#0	3000~10000	-44.96	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	0.009~0.15	-49.97	-33.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	0.15~30	-54.95	-23.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	30~1000	-60.92	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	1000~3000	-42.26	-13.0	PASS
Band5	10MHz	QPSK	20450	1RB#49	3000~10000	-44.98	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	0.009~0.15	-49.21	-33.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	0.15~30	-55.03	-23.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	30~1000	-60.76	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	1000~3000	-46.94	-13.0	PASS
Band5	10MHz	QPSK	20450	50RB#0	3000~10000	-44.86	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.009~0.15	-48.90	-33.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	0.15~30	-54.42	-23.0	PASS

Shenzhen Anbotech Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotech.com



Hotline
400-003-0500
www.anbotech.com

Band5	10MHz	16QAM	20450	1RB#0	30~1000	-60.40	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	1000~3000	-47.06	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#0	3000~10000	-44.63	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	0.009~0.15	-49.88	-33.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	0.15~30	-57.11	-23.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	30~1000	-60.88	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	1000~3000	-46.60	-13.0	PASS
Band5	10MHz	16QAM	20450	1RB#49	3000~10000	-44.83	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	0.009~0.15	-48.94	-33.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	0.15~30	-55.57	-23.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	30~1000	-60.83	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	1000~3000	-46.90	-13.0	PASS
Band5	10MHz	16QAM	20450	50RB#0	3000~10000	-45.11	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.009~0.15	-49.03	-33.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	0.15~30	-55.84	-23.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	30~1000	-60.38	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	1000~3000	-47.14	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#0	3000~10000	-44.95	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	0.009~0.15	-48.87	-33.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	0.15~30	-55.86	-23.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	30~1000	-60.83	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	1000~3000	-43.73	-13.0	PASS
Band5	10MHz	QPSK	20525	1RB#49	3000~10000	-45.11	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	0.009~0.15	-46.73	-33.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	0.15~30	-54.02	-23.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	30~1000	-56.83	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	1000~3000	-46.67	-13.0	PASS
Band5	10MHz	QPSK	20525	50RB#0	3000~10000	-45.10	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.009~0.15	-48.49	-33.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	0.15~30	-55.85	-23.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	30~1000	-60.52	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	1000~3000	-46.63	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#0	3000~10000	-45.20	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	0.009~0.15	-48.59	-33.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	0.15~30	-55.77	-23.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	30~1000	-60.61	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	1000~3000	-46.91	-13.0	PASS
Band5	10MHz	16QAM	20525	1RB#49	3000~10000	-45.07	-13.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	0.009~0.15	-48.14	-33.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	0.15~30	-54.50	-23.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	30~1000	-58.13	-13.0	PASS
Band5	10MHz	16QAM	20525	50RB#0	1000~3000	-46.72	-13.0	PASS

Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
400-003-0500
www.anbotek.com

Band5	10MHz	16QAM	20525	50RB#0	3000~10000	-45.00	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.009~0.15	-48.97	-33.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	0.15~30	-57.87	-23.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	30~1000	-60.80	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	1000~3000	-46.82	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#0	3000~10000	-44.88	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	0.009~0.15	-49.83	-33.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	0.15~30	-54.25	-23.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	30~1000	-60.46	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	1000~3000	-43.05	-13.0	PASS
Band5	10MHz	QPSK	20600	1RB#49	3000~10000	-45.12	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	0.009~0.15	-48.55	-33.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	0.15~30	-54.99	-23.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	30~1000	-56.20	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	1000~3000	-46.72	-13.0	PASS
Band5	10MHz	QPSK	20600	50RB#0	3000~10000	-44.96	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.009~0.15	-48.53	-33.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	0.15~30	-56.51	-23.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	30~1000	-60.74	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	1000~3000	-46.75	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#0	3000~10000	-44.85	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	0.009~0.15	-49.14	-33.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	0.15~30	-57.81	-23.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	30~1000	-60.59	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	1000~3000	-46.85	-13.0	PASS
Band5	10MHz	16QAM	20600	1RB#49	3000~10000	-44.60	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	0.009~0.15	-47.38	-33.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	0.15~30	-55.92	-23.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	30~1000	-57.64	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	1000~3000	-46.33	-13.0	PASS
Band5	10MHz	16QAM	20600	50RB#0	3000~10000	-44.95	-13.0	PASS

Test Graphs

