






Band4\_10MHz\_QPSK\_20000\_50RB#0




Band4\_10MHz\_QPSK\_20350\_1RB#0



Band4\_10MHz\_QPSK\_20350\_1RB#49




Band4\_10MHz\_QPSK\_20350\_50RB#0




Band4\_10MHz\_16QAM\_20000\_1RB#0




Band4\_10MHz\_16QAM\_20000\_1RB#49




Band4\_10MHz\_16QAM\_20350\_1RB#0




Band4\_10MHz\_16QAM\_20350\_1RB#49




Band4\_15MHz\_QPSK\_20025\_1RB#0




Band4\_15MHz\_QPSK\_20025\_1RB#74




Band4\_15MHz\_QPSK\_20025\_75RB#0




Band4\_15MHz\_QPSK\_20325\_1RB#0



Band4\_15MHz\_QPSK\_20325\_1RB#74




Band4\_15MHz\_QPSK\_20325\_75RB#0




Band4\_15MHz\_16QAM\_20025\_1RB#0




Band4\_15MHz\_16QAM\_20025\_1RB#74




Band4\_15MHz\_16QAM\_20325\_1RB#0




Band4\_15MHz\_16QAM\_20325\_1RB#74




Band4\_20MHz\_QPSK\_20050\_1RB#0



Band4\_20MHz\_QPSK\_20050\_1RB#99




Band4\_20MHz\_QPSK\_20050\_100RB#0




Band4\_20MHz\_QPSK\_20300\_1RB#0



Band4\_20MHz\_QPSK\_20300\_1RB#99




Band4\_20MHz\_QPSK\_20300\_100RB#0




Band4\_20MHz\_16QAM\_20050\_1RB#0





Band4\_20MHz\_16QAM\_20050\_1RB#99



Band4\_20MHz\_16QAM\_20300\_1RB#0



Band4\_20MHz\_16QAM\_20300\_1RB#99



## 5: Conducted Spurious Emission

### Test Result

| Band  | Bandwidth | Modulation | Channel | RB Configuration | Frequency Range | Frequency | Value(dBm) | Limit (dBm) | Verdict |
|-------|-----------|------------|---------|------------------|-----------------|-----------|------------|-------------|---------|
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#0            | 0.009~0.15      | 0.01      | -65.19     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#0            | 0.15~30         | 0.15      | -49.23     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#0            | 30~1000         | 825.40    | -30.48     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#0            | 1000~3000       | 1707.20   | -43.69     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#0            | 3000~20000      | 18213.30  | -21.07     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#5            | 0.009~0.15      | 0.01      | -61.43     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#5            | 0.15~30         | 0.15      | -49.23     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#5            | 30~1000         | 766.23    | -59.47     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#5            | 1000~3000       | 2652.55   | -43.49     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 1RB#5            | 3000~20000      | 19943.05  | -21.25     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 6RB#0            | 0.009~0.15      | 0.01      | -64.98     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 6RB#0            | 0.15~30         | 0.15      | -48.60     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 6RB#0            | 30~1000         | 771.57    | -57.42     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 6RB#0            | 1000~3000       | 1714.40   | -41.20     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 19957   | 6RB#0            | 3000~20000      | 19926.48  | -21.22     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#0            | 0.009~0.15      | 0.01      | -64.55     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#0            | 0.15~30         | 0.18      | -52.07     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#0            | 30~1000         | 760.41    | -59.32     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#0            | 1000~3000       | 2781.80   | -43.65     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#0            | 3000~20000      | 19985.55  | -20.56     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#5            | 0.009~0.15      | 0.01      | -66.20     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#5            | 0.15~30         | 0.15      | -49.29     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#5            | 30~1000         | 912.22    | -59.48     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#5            | 1000~3000       | 1736.05   | -43.23     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 1RB#5            | 3000~20000      | 19992.35  | -20.76     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 6RB#0            | 0.009~0.15      | 0.01      | -63.54     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 6RB#0            | 0.15~30         | 0.15      | -50.99     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 6RB#0            | 30~1000         | 863.23    | -59.66     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 6RB#0            | 1000~3000       | 1736.00   | -39.02     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20175   | 6RB#0            | 3000~20000      | 18224.78  | -21.33     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#0            | 0.009~0.15      | 0.01      | -65.81     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#0            | 0.15~30         | 0.15      | -50.44     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#0            | 30~1000         | 780.30    | -57.46     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#0            | 1000~3000       | 1750.75   | -42.72     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#0            | 3000~20000      | 19972.38  | -21.15     | -13.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#5            | 0.009~0.15      | 0.01      | -66.14     | -43.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#5            | 0.15~30         | 0.15      | -49.69     | -33.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#5            | 30~1000         | 914.64    | -59.47     | -23.0       | PASS    |
| Band4 | 1.4MHz    | QPSK       | 20393   | 1RB#5            | 1000~3000       | 1757.90   | -42.43     | -13.0       | PASS    |

|       |        |       |       |       |            |          |        |       |      |
|-------|--------|-------|-------|-------|------------|----------|--------|-------|------|
| Band4 | 1.4MHz | QPSK  | 20393 | 1RB#5 | 3000~20000 | 18160.18 | -21.21 | -13.0 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0 | 0.009~0.15 | 0.01     | -65.46 | -43.0 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0 | 0.15~30    | 0.15     | -49.63 | -33.0 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0 | 30~1000    | 934.04   | -59.68 | -23.0 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0 | 1000~3000  | 1757.90  | -38.87 | -13.0 | PASS |
| Band4 | 1.4MHz | QPSK  | 20393 | 6RB#0 | 3000~20000 | 18281.30 | -21.46 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0 | 0.009~0.15 | 0.01     | -63.58 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0 | 0.15~30    | 0.15     | -52.54 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0 | 30~1000    | 940.83   | -59.65 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0 | 1000~3000  | 2669.35  | -43.54 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#0 | 3000~20000 | 19977.05 | -20.89 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5 | 0.009~0.15 | 0.01     | -62.87 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5 | 0.15~30    | 0.15     | -48.09 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5 | 30~1000    | 869.05   | -59.37 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5 | 1000~3000  | 2639.95  | -43.59 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 1RB#5 | 3000~20000 | 19986.83 | -21.28 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0 | 0.009~0.15 | 0.01     | -65.80 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0 | 0.15~30    | 0.15     | -48.67 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0 | 30~1000    | 886.51   | -59.29 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0 | 1000~3000  | 1714.35  | -42.52 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 19957 | 6RB#0 | 3000~20000 | 19951.13 | -21.37 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0 | 0.009~0.15 | 0.01     | -63.84 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0 | 0.15~30    | 0.15     | -49.86 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0 | 30~1000    | 908.82   | -59.79 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0 | 1000~3000  | 2564.80  | -43.34 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#0 | 3000~20000 | 19880.58 | -21.29 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5 | 0.009~0.15 | 0.01     | -65.21 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5 | 0.15~30    | 0.15     | -49.88 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5 | 30~1000    | 763.32   | -59.59 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5 | 1000~3000  | 2621.10  | -43.50 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 1RB#5 | 3000~20000 | 19975.78 | -21.28 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0 | 0.009~0.15 | 0.01     | -65.09 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0 | 0.15~30    | 0.15     | -49.63 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0 | 30~1000    | 778.36   | -58.51 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0 | 1000~3000  | 1736.10  | -42.08 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20175 | 6RB#0 | 3000~20000 | 19977.90 | -20.86 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0 | 0.009~0.15 | 0.01     | -66.16 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0 | 0.15~30    | 0.15     | -49.44 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0 | 30~1000    | 764.29   | -59.66 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0 | 1000~3000  | 1750.70  | -42.80 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#0 | 3000~20000 | 18211.18 | -20.99 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5 | 0.009~0.15 | 0.01     | -64.13 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5 | 0.15~30    | 0.15     | -51.56 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5 | 30~1000    | 832.19   | -49.37 | -23.0 | PASS |

|       |        |       |       |        |            |          |        |       |      |
|-------|--------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5  | 1000~3000  | 1757.80  | -43.34 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 1RB#5  | 3000~20000 | 18656.15 | -21.11 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 0.009~0.15 | 0.01     | -65.73 | -43.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 0.15~30    | 0.15     | -50.31 | -33.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 30~1000    | 961.20   | -59.10 | -23.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 1000~3000  | 1750.70  | -39.72 | -13.0 | PASS |
| Band4 | 1.4MHz | 16QAM | 20393 | 6RB#0  | 3000~20000 | 19994.05 | -20.97 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 0.009~0.15 | 0.01     | -63.62 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 0.15~30    | 0.15     | -50.86 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 30~1000    | 785.15   | -58.92 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 1000~3000  | 2784.75  | -43.27 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#0  | 3000~20000 | 18151.68 | -21.42 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 0.009~0.15 | 0.01     | -63.30 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 0.15~30    | 0.15     | -48.86 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 30~1000    | 930.65   | -59.60 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 1000~3000  | 2770.05  | -43.85 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 1RB#14 | 3000~20000 | 18196.73 | -21.35 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 0.009~0.15 | 0.01     | -65.22 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 0.15~30    | 0.15     | -50.25 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 30~1000    | 886.03   | -59.55 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 1000~3000  | 1719.35  | -42.17 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 19965 | 15RB#0 | 3000~20000 | 18179.30 | -20.88 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -63.96 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 0.15~30    | 0.15     | -49.73 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 30~1000    | 780.78   | -59.12 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 1000~3000  | 2653.30  | -43.82 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#0  | 3000~20000 | 19941.78 | -20.63 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 0.009~0.15 | 0.01     | -65.98 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 0.15~30    | 0.15     | -48.77 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 30~1000    | 761.87   | -58.52 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 1000~3000  | 2499.05  | -43.71 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 1RB#14 | 3000~20000 | 19980.88 | -21.10 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 0.009~0.15 | 0.01     | -64.26 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 0.15~30    | 0.15     | -51.17 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 30~1000    | 774.96   | -59.65 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 1000~3000  | 1724.85  | -41.86 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20175 | 15RB#0 | 3000~20000 | 19940.08 | -21.54 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 0.009~0.15 | 0.01     | -65.43 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 0.15~30    | 0.15     | -50.93 | -33.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 30~1000    | 954.90   | -59.51 | -23.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 1000~3000  | 1746.00  | -42.72 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#0  | 3000~20000 | 19969.83 | -21.36 | -13.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#14 | 0.009~0.15 | 0.01     | -65.95 | -43.0 | PASS |
| Band4 | 3MHz   | QPSK  | 20385 | 1RB#14 | 0.15~30    | 0.15     | -52.93 | -33.0 | PASS |

|       |      |       |       |        |            |          |        |       |      |
|-------|------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 3MHz | QPSK  | 20385 | 1RB#14 | 30~1000    | 761.87   | -56.05 | -23.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 1RB#14 | 1000~3000  | 2688.40  | -43.77 | -13.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 1RB#14 | 3000~20000 | 19973.65 | -21.16 | -13.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 0.009~0.15 | 0.01     | -64.64 | -43.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 0.15~30    | 0.15     | -51.55 | -33.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 30~1000    | 787.09   | -58.72 | -23.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 1000~3000  | 1745.65  | -41.55 | -13.0 | PASS |
| Band4 | 3MHz | QPSK  | 20385 | 15RB#0 | 3000~20000 | 19954.53 | -21.42 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 0.009~0.15 | 0.01     | -64.07 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 0.15~30    | 0.15     | -50.58 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 30~1000    | 764.78   | -56.68 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 1000~3000  | 2533.60  | -43.51 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#0  | 3000~20000 | 19966.43 | -21.35 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 0.009~0.15 | 0.01     | -63.01 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 0.15~30    | 0.15     | -48.94 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 30~1000    | 919.49   | -59.80 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 1000~3000  | 2656.15  | -43.89 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 1RB#14 | 3000~20000 | 19965.15 | -21.30 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 0.009~0.15 | 0.01     | -66.06 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 0.15~30    | 0.15     | -48.89 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 30~1000    | 934.04   | -59.40 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 1000~3000  | 1719.05  | -42.38 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 19965 | 15RB#0 | 3000~20000 | 18166.55 | -21.33 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -65.21 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 0.15~30    | 0.15     | -49.75 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 30~1000    | 825.40   | -59.63 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 1000~3000  | 2668.75  | -43.59 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#0  | 3000~20000 | 18329.75 | -21.27 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 0.009~0.15 | 0.01     | -64.11 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 0.15~30    | 0.15     | -49.43 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 30~1000    | 770.60   | -59.08 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 1000~3000  | 2650.90  | -43.68 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 1RB#14 | 3000~20000 | 19960.48 | -21.29 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 0.009~0.15 | 0.01     | -66.19 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 0.15~30    | 0.15     | -49.74 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 30~1000    | 916.58   | -59.44 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 1000~3000  | 1740.00  | -42.82 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20175 | 15RB#0 | 3000~20000 | 19998.30 | -20.50 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 0.009~0.15 | 0.01     | -64.03 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 0.15~30    | 0.15     | -49.06 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 30~1000    | 911.25   | -59.59 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 1000~3000  | 2678.80  | -43.53 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#0  | 3000~20000 | 19977.48 | -21.09 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 0.009~0.15 | 0.01     | -64.65 | -43.0 | PASS |

|       |      |       |       |        |            |          |        |       |      |
|-------|------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 0.15~30    | 0.15     | -51.04 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 30~1000    | 786.60   | -59.00 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 1000~3000  | 2657.05  | -43.50 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 1RB#14 | 3000~20000 | 19988.95 | -20.91 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 0.009~0.15 | 0.01     | -64.23 | -43.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 0.15~30    | 0.15     | -48.67 | -33.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 30~1000    | 779.81   | -59.16 | -23.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 1000~3000  | 1762.15  | -42.73 | -13.0 | PASS |
| Band4 | 3MHz | 16QAM | 20385 | 15RB#0 | 3000~20000 | 18200.13 | -21.07 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0  | 0.009~0.15 | 0.01     | -61.27 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0  | 0.15~30    | 0.15     | -48.88 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0  | 30~1000    | 761.38   | -59.35 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0  | 1000~3000  | 2639.80  | -43.66 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#0  | 3000~20000 | 18345.48 | -21.36 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24 | 0.009~0.15 | 0.01     | -64.71 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24 | 0.15~30    | 0.15     | -48.87 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24 | 30~1000    | 786.60   | -58.90 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24 | 1000~3000  | 2702.70  | -43.55 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 1RB#24 | 3000~20000 | 18663.38 | -21.33 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | 0.009~0.15 | 0.01     | -62.60 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | 0.15~30    | 0.15     | -51.61 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | 30~1000    | 761.87   | -57.99 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | 1000~3000  | 2523.35  | -43.54 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 19975 | 25RB#0 | 3000~20000 | 19981.73 | -21.10 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -65.12 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0  | 0.15~30    | 0.15     | -48.47 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0  | 30~1000    | 788.54   | -59.77 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0  | 1000~3000  | 2674.25  | -43.55 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#0  | 3000~20000 | 18214.58 | -21.26 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24 | 0.009~0.15 | 0.01     | -62.80 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24 | 0.15~30    | 0.15     | -49.49 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24 | 30~1000    | 767.20   | -59.29 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24 | 1000~3000  | 2630.20  | -43.37 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 1RB#24 | 3000~20000 | 19957.93 | -21.35 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | 0.009~0.15 | 0.01     | -66.54 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | 0.15~30    | 0.15     | -48.93 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | 30~1000    | 772.05   | -58.91 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | 1000~3000  | 2660.45  | -43.40 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20175 | 25RB#0 | 3000~20000 | 19974.50 | -21.11 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0  | 0.009~0.15 | 0.01     | -64.52 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0  | 0.15~30    | 0.15     | -51.41 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0  | 30~1000    | 771.57   | -58.18 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0  | 1000~3000  | 1735.60  | -34.93 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#0  | 3000~20000 | 19964.73 | -20.85 | -13.0 | PASS |

|       |      |       |       |        |            |          |        |       |      |
|-------|------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24 | 0.009~0.15 | 0.01     | -65.43 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24 | 0.15~30    | 0.15     | -51.68 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24 | 30~1000    | 762.35   | -58.66 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24 | 1000~3000  | 2650.40  | -43.24 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 1RB#24 | 3000~20000 | 19935.83 | -21.05 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | 0.009~0.15 | 0.01     | -62.60 | -43.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | 0.15~30    | 0.15     | -50.81 | -33.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | 30~1000    | 958.78   | -59.70 | -23.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | 1000~3000  | 2640.65  | -43.24 | -13.0 | PASS |
| Band4 | 5MHz | QPSK  | 20375 | 25RB#0 | 3000~20000 | 19988.95 | -21.26 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0  | 0.009~0.15 | 0.01     | -66.25 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0  | 0.15~30    | 0.15     | -49.64 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0  | 30~1000    | 864.20   | -59.77 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0  | 1000~3000  | 2652.15  | -43.57 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#0  | 3000~20000 | 19985.98 | -21.10 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24 | 0.009~0.15 | 0.01     | -63.90 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24 | 0.15~30    | 0.15     | -48.78 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24 | 30~1000    | 762.35   | -56.22 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24 | 1000~3000  | 2689.10  | -43.38 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 1RB#24 | 3000~20000 | 18318.70 | -21.31 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | 0.009~0.15 | 0.01     | -64.91 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | 0.15~30    | 0.15     | -50.54 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | 30~1000    | 941.32   | -59.42 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | 1000~3000  | 2648.15  | -43.53 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 19975 | 25RB#0 | 3000~20000 | 19954.10 | -21.42 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -65.80 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0  | 0.15~30    | 0.15     | -50.85 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0  | 30~1000    | 946.17   | -59.62 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0  | 1000~3000  | 2654.25  | -43.78 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#0  | 3000~20000 | 19958.78 | -21.59 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24 | 0.009~0.15 | 0.01     | -66.13 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24 | 0.15~30    | 0.15     | -48.89 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24 | 30~1000    | 900.09   | -59.51 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24 | 1000~3000  | 2641.50  | -43.49 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 1RB#24 | 3000~20000 | 18258.78 | -21.48 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | 0.009~0.15 | 0.01     | -63.85 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | 0.15~30    | 0.15     | -50.56 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | 30~1000    | 888.45   | -59.43 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | 1000~3000  | 2735.35  | -43.60 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20175 | 25RB#0 | 3000~20000 | 19988.95 | -21.38 | -13.0 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0  | 0.009~0.15 | 0.01     | -65.84 | -43.0 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0  | 0.15~30    | 0.15     | -47.61 | -33.0 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0  | 30~1000    | 786.60   | -57.77 | -23.0 | PASS |
| Band4 | 5MHz | 16QAM | 20375 | 1RB#0  | 1000~3000  | 2746.60  | -43.70 | -13.0 | PASS |

|       |       |       |       |        |            |          |        |       |      |
|-------|-------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#0  | 3000~20000 | 19975.78 | -20.85 | -13.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24 | 0.009~0.15 | 0.01     | -64.35 | -43.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24 | 0.15~30    | 0.15     | -47.14 | -33.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24 | 30~1000    | 786.12   | -58.28 | -23.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24 | 1000~3000  | 2633.05  | -43.64 | -13.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 1RB#24 | 3000~20000 | 19948.15 | -21.05 | -13.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | 0.009~0.15 | 0.01     | -63.65 | -43.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | 0.15~30    | 0.15     | -49.37 | -33.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | 30~1000    | 915.13   | -59.31 | -23.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | 1000~3000  | 2634.20  | -43.52 | -13.0 | PASS |
| Band4 | 5MHz  | 16QAM | 20375 | 25RB#0 | 3000~20000 | 19946.45 | -21.22 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0  | 0.009~0.15 | 0.01     | -65.25 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0  | 0.15~30    | 0.15     | -51.80 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0  | 30~1000    | 932.59   | -59.66 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0  | 1000~3000  | 2655.30  | -43.73 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#0  | 3000~20000 | 19938.80 | -21.29 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49 | 0.009~0.15 | 0.01     | -64.55 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49 | 0.15~30    | 0.15     | -50.79 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49 | 30~1000    | 762.35   | -59.03 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49 | 1000~3000  | 2652.10  | -43.62 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 1RB#49 | 3000~20000 | 18229.45 | -21.48 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | 0.009~0.15 | 0.01     | -66.09 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | 0.15~30    | 0.15     | -50.26 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | 30~1000    | 942.29   | -59.61 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | 1000~3000  | 2647.15  | -43.89 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20000 | 50RB#0 | 3000~20000 | 19888.65 | -20.76 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -66.13 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0  | 0.15~30    | 0.15     | -51.35 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0  | 30~1000    | 776.90   | -59.03 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0  | 1000~3000  | 2742.45  | -43.80 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#0  | 3000~20000 | 18165.28 | -21.33 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49 | 0.009~0.15 | 0.01     | -62.83 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49 | 0.15~30    | 0.15     | -50.24 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49 | 30~1000    | 776.42   | -58.98 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49 | 1000~3000  | 2631.05  | -43.90 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 1RB#49 | 3000~20000 | 18315.73 | -21.33 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | 0.009~0.15 | 0.01     | -65.66 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | 0.15~30    | 0.15     | -48.86 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | 30~1000    | 939.38   | -59.38 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | 1000~3000  | 2631.00  | -43.76 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20175 | 50RB#0 | 3000~20000 | 19969.40 | -20.96 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0  | 0.009~0.15 | 0.01     | -64.15 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0  | 0.15~30    | 0.15     | -49.82 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0  | 30~1000    | 914.64   | -59.63 | -23.0 | PASS |

|       |       |       |       |        |            |          |        |       |      |
|-------|-------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0  | 1000~3000  | 2662.65  | -43.49 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#0  | 3000~20000 | 19940.50 | -20.88 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49 | 0.009~0.15 | 0.01     | -63.44 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49 | 0.15~30    | 0.15     | -51.13 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49 | 30~1000    | 946.17   | -59.89 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49 | 1000~3000  | 2667.35  | -43.35 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 1RB#49 | 3000~20000 | 18210.33 | -21.39 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | 0.009~0.15 | 0.01     | -64.37 | -43.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | 0.15~30    | 0.15     | -50.27 | -33.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | 30~1000    | 774.96   | -57.16 | -23.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | 1000~3000  | 2651.45  | -43.72 | -13.0 | PASS |
| Band4 | 10MHz | QPSK  | 20350 | 50RB#0 | 3000~20000 | 19940.93 | -21.25 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0  | 0.009~0.15 | 0.01     | -66.14 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0  | 0.15~30    | 0.15     | -49.05 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0  | 30~1000    | 906.40   | -59.68 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0  | 1000~3000  | 2743.45  | -43.53 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#0  | 3000~20000 | 19985.55 | -21.16 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49 | 0.009~0.15 | 0.01     | -64.50 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49 | 0.15~30    | 0.15     | -50.57 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49 | 30~1000    | 910.76   | -59.52 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49 | 1000~3000  | 2665.05  | -43.89 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20000 | 1RB#49 | 3000~20000 | 18251.55 | -21.19 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -63.96 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0  | 0.15~30    | 0.15     | -51.02 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0  | 30~1000    | 850.62   | -59.65 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0  | 1000~3000  | 2622.85  | -43.85 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#0  | 3000~20000 | 19972.38 | -21.36 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49 | 0.009~0.15 | 0.01     | -66.42 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49 | 0.15~30    | 0.15     | -48.88 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49 | 30~1000    | 903.00   | -59.36 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49 | 1000~3000  | 2679.10  | -43.64 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20175 | 1RB#49 | 3000~20000 | 19976.63 | -20.59 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0  | 0.009~0.15 | 0.01     | -63.83 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0  | 0.15~30    | 0.15     | -50.99 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0  | 30~1000    | 977.69   | -59.44 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0  | 1000~3000  | 2785.85  | -43.87 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#0  | 3000~20000 | 19990.23 | -20.87 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49 | 0.009~0.15 | 0.01     | -65.16 | -43.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49 | 0.15~30    | 0.15     | -51.88 | -33.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49 | 30~1000    | 950.05   | -59.56 | -23.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49 | 1000~3000  | 2658.40  | -43.34 | -13.0 | PASS |
| Band4 | 10MHz | 16QAM | 20350 | 1RB#49 | 3000~20000 | 19991.93 | -21.19 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0  | 0.009~0.15 | 0.01     | -64.15 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0  | 0.15~30    | 0.15     | -52.05 | -33.0 | PASS |


|       |       |       |       |        |            |          |        |       |      |
|-------|-------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0  | 30~1000    | 921.92   | -59.20 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0  | 1000~3000  | 2642.40  | -43.63 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#0  | 3000~20000 | 18172.08 | -21.21 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74 | 0.009~0.15 | 0.01     | -64.13 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74 | 0.15~30    | 0.15     | -48.97 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74 | 30~1000    | 909.31   | -59.57 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74 | 1000~3000  | 2676.05  | -43.48 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 1RB#74 | 3000~20000 | 19964.30 | -21.08 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | 0.009~0.15 | 0.01     | -64.17 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | 0.15~30    | 0.15     | -49.02 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | 30~1000    | 775.93   | -58.88 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | 1000~3000  | 1774.10  | -42.99 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20025 | 75RB#0 | 3000~20000 | 19954.53 | -20.96 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0  | 0.009~0.15 | 0.01     | -63.77 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0  | 0.15~30    | 0.18     | -52.20 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0  | 30~1000    | 958.29   | -59.40 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0  | 1000~3000  | 2640.65  | -43.28 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#0  | 3000~20000 | 17740.28 | -21.14 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74 | 0.009~0.15 | 0.01     | -63.46 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74 | 0.15~30    | 0.15     | -50.45 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74 | 30~1000    | 776.42   | -59.51 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74 | 1000~3000  | 2651.95  | -43.40 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 1RB#74 | 3000~20000 | 19978.33 | -21.20 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | 0.009~0.15 | 0.01     | -65.17 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | 0.15~30    | 0.15     | -50.53 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | 30~1000    | 938.89   | -59.77 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | 1000~3000  | 2655.70  | -43.71 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20175 | 75RB#0 | 3000~20000 | 19925.63 | -21.05 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0  | 0.009~0.15 | 0.01     | -64.83 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0  | 0.15~30    | 0.15     | -50.76 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0  | 30~1000    | 771.57   | -57.57 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0  | 1000~3000  | 2650.30  | -43.39 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#0  | 3000~20000 | 18181.43 | -21.40 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74 | 0.009~0.15 | 0.01     | -64.92 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74 | 0.15~30    | 0.15     | -49.44 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74 | 30~1000    | 775.45   | -59.48 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74 | 1000~3000  | 2647.05  | -43.55 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 1RB#74 | 3000~20000 | 19942.63 | -21.38 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | 0.009~0.15 | 0.01     | -62.08 | -43.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | 0.15~30    | 0.15     | -50.68 | -33.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | 30~1000    | 786.12   | -58.75 | -23.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | 1000~3000  | 2653.30  | -43.56 | -13.0 | PASS |
| Band4 | 15MHz | QPSK  | 20325 | 75RB#0 | 3000~20000 | 19951.13 | -21.26 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0  | 0.009~0.15 | 0.01     | -65.33 | -43.0 | PASS |


|       |       |       |       |         |            |          |        |       |      |
|-------|-------|-------|-------|---------|------------|----------|--------|-------|------|
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 0.15~30    | 0.15     | -48.86 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 30~1000    | 777.39   | -57.95 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 1000~3000  | 2668.00  | -43.79 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#0   | 3000~20000 | 19965.15 | -21.49 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 0.009~0.15 | 0.01     | -63.22 | -43.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 0.15~30    | 0.15     | -49.05 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 30~1000    | 945.20   | -59.63 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 1000~3000  | 2713.45  | -43.56 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20025 | 1RB#74  | 3000~20000 | 19960.48 | -21.14 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 0.009~0.15 | 0.01     | -64.36 | -43.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 0.15~30    | 0.15     | -49.87 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 30~1000    | 869.05   | -59.60 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 1000~3000  | 2657.25  | -43.37 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#0   | 3000~20000 | 18180.58 | -20.99 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 0.009~0.15 | 0.01     | -66.88 | -43.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 0.15~30    | 0.15     | -51.96 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 30~1000    | 778.84   | -58.42 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 1000~3000  | 2646.40  | -43.75 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20175 | 1RB#74  | 3000~20000 | 18221.38 | -20.44 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 0.009~0.15 | 0.01     | -65.28 | -43.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 0.15~30    | 0.15     | -47.76 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 30~1000    | 761.38   | -58.16 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 1000~3000  | 2749.30  | -43.41 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#0   | 3000~20000 | 18193.33 | -21.17 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 0.009~0.15 | 0.01     | -62.62 | -43.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 0.15~30    | 0.15     | -48.85 | -33.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 30~1000    | 819.58   | -59.61 | -23.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 1000~3000  | 2782.65  | -43.65 | -13.0 | PASS |
| Band4 | 15MHz | 16QAM | 20325 | 1RB#74  | 3000~20000 | 19862.30 | -21.51 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 0.009~0.15 | 0.01     | -64.83 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 0.15~30    | 0.15     | -49.15 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 30~1000    | 776.42   | -57.07 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 1000~3000  | 2779.35  | -43.81 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#0   | 3000~20000 | 19986.83 | -20.79 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 0.009~0.15 | 0.01     | -62.71 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 0.15~30    | 0.15     | -48.63 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 30~1000    | 762.35   | -58.98 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 1000~3000  | 2640.55  | -43.56 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 1RB#99  | 3000~20000 | 19964.30 | -21.54 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 0.009~0.15 | 0.01     | -64.43 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 0.15~30    | 0.15     | -48.77 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 30~1000    | 776.42   | -56.94 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 1000~3000  | 2521.40  | -43.50 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20050 | 100RB#0 | 3000~20000 | 19992.78 | -21.32 | -13.0 | PASS |

|       |       |       |       |         |            |          |        |       |      |
|-------|-------|-------|-------|---------|------------|----------|--------|-------|------|
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 0.009~0.15 | 0.01     | -65.77 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 0.15~30    | 0.15     | -49.63 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 30~1000    | 776.90   | -59.14 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 1000~3000  | 2665.55  | -43.42 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#0   | 3000~20000 | 17644.65 | -21.46 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 0.009~0.15 | 0.01     | -64.23 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 0.15~30    | 0.15     | -48.34 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 30~1000    | 778.36   | -58.97 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 1000~3000  | 2929.90  | -43.75 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 1RB#99  | 3000~20000 | 19927.33 | -21.21 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 0.009~0.15 | 0.01     | -62.69 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 0.15~30    | 0.15     | -48.25 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 30~1000    | 801.15   | -59.69 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 1000~3000  | 2645.70  | -43.38 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20175 | 100RB#0 | 3000~20000 | 19906.08 | -20.92 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 0.009~0.15 | 0.01     | -63.50 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 0.15~30    | 0.15     | -49.78 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 30~1000    | 978.66   | -59.77 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 1000~3000  | 2782.20  | -43.85 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#0   | 3000~20000 | 19944.75 | -21.01 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 0.009~0.15 | 0.01     | -64.63 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 0.15~30    | 0.15     | -50.20 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 30~1000    | 770.60   | -58.90 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 1000~3000  | 2663.90  | -43.65 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 1RB#99  | 3000~20000 | 19964.73 | -21.47 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 0.009~0.15 | 0.01     | -63.27 | -43.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 0.15~30    | 0.15     | -51.20 | -33.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 30~1000    | 922.40   | -59.57 | -23.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 1000~3000  | 2654.90  | -43.06 | -13.0 | PASS |
| Band4 | 20MHz | QPSK  | 20300 | 100RB#0 | 3000~20000 | 18145.73 | -20.96 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 0.009~0.15 | 0.01     | -62.25 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 0.15~30    | 0.15     | -51.72 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 30~1000    | 775.45   | -57.45 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 1000~3000  | 2673.75  | -43.45 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#0   | 3000~20000 | 19980.88 | -21.14 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 0.009~0.15 | 0.01     | -64.78 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 0.15~30    | 0.15     | -48.83 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 30~1000    | 927.25   | -59.45 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 1000~3000  | 1932.20  | -41.88 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20050 | 1RB#99  | 3000~20000 | 18678.68 | -21.47 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 0.009~0.15 | 0.01     | -63.10 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 0.15~30    | 0.15     | -49.95 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 30~1000    | 771.57   | -56.85 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0   | 1000~3000  | 2767.10  | -43.75 | -13.0 | PASS |


|       |       |       |       |        |            |          |        |       |      |
|-------|-------|-------|-------|--------|------------|----------|--------|-------|------|
| Band4 | 20MHz | 16QAM | 20175 | 1RB#0  | 3000~20000 | 18171.23 | -21.24 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99 | 0.009~0.15 | 0.01     | -65.51 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99 | 0.15~30    | 0.15     | -51.22 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99 | 30~1000    | 928.71   | -59.43 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99 | 1000~3000  | 2682.80  | -43.65 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20175 | 1RB#99 | 3000~20000 | 19930.73 | -21.21 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0  | 0.009~0.15 | 0.01     | -62.42 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0  | 0.15~30    | 0.15     | -48.32 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0  | 30~1000    | 846.74   | -59.79 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0  | 1000~3000  | 2635.05  | -43.95 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#0  | 3000~20000 | 17719.45 | -21.13 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99 | 0.009~0.15 | 0.01     | -63.17 | -43.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99 | 0.15~30    | 0.15     | -48.27 | -33.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99 | 30~1000    | 889.91   | -59.77 | -23.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99 | 1000~3000  | 2769.20  | -43.72 | -13.0 | PASS |
| Band4 | 20MHz | 16QAM | 20300 | 1RB#99 | 3000~20000 | 19992.78 | -21.33 | -13.0 | PASS |

## Test Graphs






Band4\_1.4MHz\_QPSK\_19957\_1RB#5\_1000-3000\_1000-3000




Band4\_1.4MHz\_QPSK\_19957\_1RB#5\_3000-20000\_3000-20000




Band4\_1.4MHz\_QPSK\_19957\_6RB#0\_0.009-0.15\_0.009-0.15




Band4\_1.4MHz\_QPSK\_19957\_6RB#0\_0.15-30\_0.15-30




Band4\_1.4MHz\_QPSK\_19957\_6RB#0\_30-1000\_30-1000




Band4\_1.4MHz\_QPSK\_19957\_6RB#0\_1000-3000\_1000-3000




Band4\_1.4MHz\_QPSK\_19957\_6RB#0\_3000~20000\_3000~20000




Band4\_1.4MHz\_QPSK\_20175\_1RB#0\_0.009~0.15\_0.009~0.15




Band4\_1.4MHz\_QPSK\_20175\_1RB#0\_0.15~30\_0.15~30



Band4\_1.4MHz\_QPSK\_20175\_1RB#0\_30~1000\_30~1000



Band4\_1.4MHz\_QPSK\_20175\_1RB#0\_1000~3000\_1000~3000



Band4\_1.4MHz\_QPSK\_20175\_1RB#0\_3000~20000\_3000~20000