

LTE Test Data

General Description of EUT	
Product Name:	Tablet
Test Model:	B10
Environmental Conditions	
Temperature:	22.0℃-25℃
Relative Humidity:	43%-55%
Test Voltage:	DC 3.85V
Test Engineer:	Lily zhang
Note: For a more detailed features description, please refer to the report TBR-C-202511-0314-194. The report only show the worst case data.	

Contents

LTE Test Data	1
1: Conducted Output Power Data	3
Test Result	3
2: Peak-to-Average Ratio(CCDF)	7
Test Result	7
Test Graphs	9
3: 26dB Bandwidth and Occupied Bandwidth	17
Test Result	17
Test Graphs	18
4: Band Edge	22
Test Result	22
Test Graphs	24
5: Conducted Spurious Emission	32
Test Result	32
Test Graphs	41
6: Frequency Stability	101
Test Result	101

1: Conducted Output Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Limit(dBm)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	22.22	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#2	22.15	34.8	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	22.26	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#0	22.28	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#1	22.30	34.8	PASS
Band12	1.4MHz	QPSK	23017	3RB#3	22.28	34.8	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	21.23	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	22.32	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#2	22.30	34.8	PASS
Band12	1.4MHz	QPSK	23095	1RB#5	22.30	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#0	22.34	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#1	22.29	34.8	PASS
Band12	1.4MHz	QPSK	23095	3RB#3	22.30	34.8	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	21.33	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	22.23	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#2	22.28	34.8	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	22.26	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#0	22.31	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#1	22.31	34.8	PASS
Band12	1.4MHz	QPSK	23173	3RB#3	22.32	34.8	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	21.31	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	21.08	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#2	21.34	34.8	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	21.16	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#0	21.03	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#1	21.18	34.8	PASS
Band12	1.4MHz	16QAM	23017	3RB#3	21.05	34.8	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	20.02	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	21.11	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#2	21.30	34.8	PASS
Band12	1.4MHz	16QAM	23095	1RB#5	21.07	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#0	21.14	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#1	21.20	34.8	PASS
Band12	1.4MHz	16QAM	23095	3RB#3	21.13	34.8	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	20.25	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	21.11	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#2	21.41	34.8	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	21.14	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#0	21.11	34.8	PASS
Band12	1.4MHz	16QAM	23173	3RB#1	21.23	34.8	PASS

Band12	1.4MHz	16QAM	23173	3RB#3	21.11	34.8	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	20.28	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#0	22.28	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#8	22.38	34.8	PASS
Band12	3MHz	QPSK	23025	1RB#14	22.35	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#0	21.24	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#4	21.26	34.8	PASS
Band12	3MHz	QPSK	23025	8RB#7	21.25	34.8	PASS
Band12	3MHz	QPSK	23025	15RB#0	21.25	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#0	22.37	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#8	22.31	34.8	PASS
Band12	3MHz	QPSK	23095	1RB#14	22.34	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#0	21.29	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#4	21.33	34.8	PASS
Band12	3MHz	QPSK	23095	8RB#7	21.32	34.8	PASS
Band12	3MHz	QPSK	23095	15RB#0	21.33	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#0	22.32	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#8	22.32	34.8	PASS
Band12	3MHz	QPSK	23165	1RB#14	22.31	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#0	21.31	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#4	21.28	34.8	PASS
Band12	3MHz	QPSK	23165	8RB#7	21.30	34.8	PASS
Band12	3MHz	QPSK	23165	15RB#0	21.32	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#0	21.28	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#8	21.19	34.8	PASS
Band12	3MHz	16QAM	23025	1RB#14	21.29	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#0	20.23	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#4	20.26	34.8	PASS
Band12	3MHz	16QAM	23025	8RB#7	20.27	34.8	PASS
Band12	3MHz	16QAM	23025	15RB#0	20.26	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#0	21.26	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#8	21.43	34.8	PASS
Band12	3MHz	16QAM	23095	1RB#14	21.18	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#0	20.29	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#4	20.22	34.8	PASS
Band12	3MHz	16QAM	23095	8RB#7	20.28	34.8	PASS
Band12	3MHz	16QAM	23095	15RB#0	20.24	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#0	21.10	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#8	21.29	34.8	PASS
Band12	3MHz	16QAM	23165	1RB#14	21.12	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#0	20.35	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#4	20.20	34.8	PASS
Band12	3MHz	16QAM	23165	8RB#7	20.29	34.8	PASS
Band12	3MHz	16QAM	23165	15RB#0	20.22	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#0	22.45	34.8	PASS

Band12	5MHz	QPSK	23035	1RB#12	22.35	34.8	PASS
Band12	5MHz	QPSK	23035	1RB#24	22.39	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#0	21.29	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#6	21.29	34.8	PASS
Band12	5MHz	QPSK	23035	12RB#13	21.27	34.8	PASS
Band12	5MHz	QPSK	23035	25RB#0	21.27	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#0	22.42	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#12	22.41	34.8	PASS
Band12	5MHz	QPSK	23095	1RB#24	22.45	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#0	21.33	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#6	21.34	34.8	PASS
Band12	5MHz	QPSK	23095	12RB#13	21.35	34.8	PASS
Band12	5MHz	QPSK	23095	25RB#0	21.37	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#0	22.48	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#12	22.32	34.8	PASS
Band12	5MHz	QPSK	23155	1RB#24	22.49	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#0	21.34	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#6	21.33	34.8	PASS
Band12	5MHz	QPSK	23155	12RB#13	21.26	34.8	PASS
Band12	5MHz	QPSK	23155	25RB#0	21.33	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#0	21.23	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#12	21.19	34.8	PASS
Band12	5MHz	16QAM	23035	1RB#24	21.29	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#0	20.22	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#6	20.20	34.8	PASS
Band12	5MHz	16QAM	23035	12RB#13	20.24	34.8	PASS
Band12	5MHz	16QAM	23035	25RB#0	20.27	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#0	21.40	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#12	21.42	34.8	PASS
Band12	5MHz	16QAM	23095	1RB#24	21.44	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#0	20.33	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#6	20.38	34.8	PASS
Band12	5MHz	16QAM	23095	12RB#13	20.38	34.8	PASS
Band12	5MHz	16QAM	23095	25RB#0	20.33	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#0	21.31	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#12	21.39	34.8	PASS
Band12	5MHz	16QAM	23155	1RB#24	21.36	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#0	20.36	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#6	20.25	34.8	PASS
Band12	5MHz	16QAM	23155	12RB#13	20.24	34.8	PASS
Band12	5MHz	16QAM	23155	25RB#0	20.32	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#0	22.31	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#24	22.38	34.8	PASS
Band12	10MHz	QPSK	23060	1RB#49	22.40	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#0	21.24	34.8	PASS

Band12	10MHz	QPSK	23060	25RB#12	21.30	34.8	PASS
Band12	10MHz	QPSK	23060	25RB#25	21.34	34.8	PASS
Band12	10MHz	QPSK	23060	50RB#0	21.34	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#0	22.29	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#24	22.38	34.8	PASS
Band12	10MHz	QPSK	23095	1RB#49	22.44	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#0	21.31	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#12	21.31	34.8	PASS
Band12	10MHz	QPSK	23095	25RB#25	21.42	34.8	PASS
Band12	10MHz	QPSK	23095	50RB#0	21.35	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#0	22.33	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#24	22.41	34.8	PASS
Band12	10MHz	QPSK	23130	1RB#49	22.35	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#0	21.32	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#12	21.35	34.8	PASS
Band12	10MHz	QPSK	23130	25RB#25	21.32	34.8	PASS
Band12	10MHz	QPSK	23130	50RB#0	21.35	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#0	21.30	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#24	21.22	34.8	PASS
Band12	10MHz	16QAM	23060	1RB#49	21.36	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#0	20.23	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#12	20.29	34.8	PASS
Band12	10MHz	16QAM	23060	25RB#25	20.34	34.8	PASS
Band12	10MHz	16QAM	23060	50RB#0	20.31	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#0	21.14	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#24	21.47	34.8	PASS
Band12	10MHz	16QAM	23095	1RB#49	21.25	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#0	20.32	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#12	20.32	34.8	PASS
Band12	10MHz	16QAM	23095	25RB#25	20.41	34.8	PASS
Band12	10MHz	16QAM	23095	50RB#0	20.32	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#0	21.10	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#24	21.36	34.8	PASS
Band12	10MHz	16QAM	23130	1RB#49	21.13	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#0	20.34	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#12	20.33	34.8	PASS
Band12	10MHz	16QAM	23130	25RB#25	20.34	34.8	PASS
Band12	10MHz	16QAM	23130	50RB#0	20.32	34.8	PASS

2: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	4.55	13	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	5.10	13	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	4.90	13	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	5.38	13	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	4.75	13	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	5.25	13	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	5.57	13	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	5.91	13	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	5.89	13	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	6.15	13	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	5.74	13	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	6.03	13	PASS
Band12	3MHz	QPSK	23025	1RB#0	4.59	13	PASS
Band12	3MHz	QPSK	23025	15RB#0	5.33	13	PASS
Band12	3MHz	QPSK	23095	1RB#0	4.88	13	PASS
Band12	3MHz	QPSK	23095	15RB#0	5.52	13	PASS
Band12	3MHz	QPSK	23165	1RB#0	4.86	13	PASS
Band12	3MHz	QPSK	23165	15RB#0	5.46	13	PASS
Band12	3MHz	16QAM	23025	1RB#0	5.49	13	PASS
Band12	3MHz	16QAM	23025	15RB#0	6.10	13	PASS
Band12	3MHz	16QAM	23095	1RB#0	5.74	13	PASS
Band12	3MHz	16QAM	23095	15RB#0	6.29	13	PASS
Band12	3MHz	16QAM	23165	1RB#0	5.75	13	PASS
Band12	3MHz	16QAM	23165	15RB#0	6.22	13	PASS
Band12	5MHz	QPSK	23035	1RB#0	4.55	13	PASS
Band12	5MHz	QPSK	23035	25RB#0	5.36	13	PASS
Band12	5MHz	QPSK	23095	1RB#0	4.83	13	PASS
Band12	5MHz	QPSK	23095	25RB#0	5.54	13	PASS
Band12	5MHz	QPSK	23155	1RB#0	5.02	13	PASS
Band12	5MHz	QPSK	23155	25RB#0	5.49	13	PASS
Band12	5MHz	16QAM	23035	1RB#0	5.26	13	PASS
Band12	5MHz	16QAM	23035	25RB#0	6.04	13	PASS
Band12	5MHz	16QAM	23095	1RB#0	5.45	13	PASS
Band12	5MHz	16QAM	23095	25RB#0	6.20	13	PASS
Band12	5MHz	16QAM	23155	1RB#0	5.58	13	PASS
Band12	5MHz	16QAM	23155	25RB#0	6.15	13	PASS
Band12	10MHz	QPSK	23060	1RB#0	4.47	13	PASS
Band12	10MHz	QPSK	23060	50RB#0	5.41	13	PASS
Band12	10MHz	QPSK	23095	1RB#0	4.58	13	PASS
Band12	10MHz	QPSK	23095	50RB#0	5.49	13	PASS


Band12	10MHz	QPSK	23130	1RB#0	4.88	13	PASS
Band12	10MHz	QPSK	23130	50RB#0	5.47	13	PASS
Band12	10MHz	16QAM	23060	1RB#0	5.38	13	PASS
Band12	10MHz	16QAM	23060	50RB#0	6.12	13	PASS
Band12	10MHz	16QAM	23095	1RB#0	5.49	13	PASS
Band12	10MHz	16QAM	23095	50RB#0	6.20	13	PASS
Band12	10MHz	16QAM	23130	1RB#0	5.75	13	PASS
Band12	10MHz	16QAM	23130	50RB#0	6.19	13	PASS

Test Graphs


Band12-1.4MHz-QPSK-23017-1RB#0-PASS




Band12-1.4MHz-QPSK-23017-6RB#0-PASS




Band12-1.4MHz-QPSK-23095-1RB#0-PASS




Band12-1.4MHz-QPSK-23095-6RB#0-PASS



Band12-1.4MHz-QPSK-23173-1RB#0-PASS



Band12-1.4MHz-QPSK-23173-6RB#0-PASS




Band12-1.4MHz-16QAM-23017-1RB#0-PASS

Band12-1.4MHz-16QAM-23017-6RB#0-PASS




Band12-1.4MHz-16QAM-23095-1RB#0-PASS



Band12-1.4MHz-16QAM-23095-6RB#0-PASS




Band12-1.4MHz-16QAM-23173-1RB#0-PASS



Band12-1.4MHz-16QAM-23173-6RB#0-PASS




Band12-3MHz-QPSK-23025-1RB#0-PASS




Band12-3MHz-QPSK-23025-15RB#0-PASS




Band12-3MHz-QPSK-23095-1RB#0-PASS



Band12-3MHz-QPSK-23095-15RB#0-PASS




Band12-3MHz-QPSK-23165-1RB#0-PASS



Band12-3MHz-QPSK-23165-15RB#0-PASS




Band12-3MHz-16QAM-23025-1RB#0-PASS




Band12-3MHz-16QAM-23025-15RB#0-PASS




Band12-3MHz-16QAM-23095-1RB#0-PASS




Band12-3MHz-16QAM-23095-15RB#0-PASS




Band12-3MHz-16QAM-23165-1RB#0-PASS



Band12-3MHz-16QAM-23165-15RB#0-PASS




Band12-5MHz-QPSK-23035-1RB#0-PASS



Band12-5MHz-QPSK-23035-25RB#0-PASS




Band12-5MHz-QPSK-23095-1RB#0-PASS



Band12-5MHz-QPSK-23095-25RB#0-PASS




Band12-5MHz-QPSK-23155-1RB#0-PASS



Band12-5MHz-QPSK-23155-25RB#0-PASS




Band12-5MHz-16QAM-23035-1RB#0-PASS




Band12-5MHz-16QAM-23035-25RB#0-PASS




Band12-5MHz-16QAM-23095-1RB#0-PASS




Band12-5MHz-16QAM-23095-25RB#0-PASS




Band12-5MHz-16QAM-23155-1RB#0-PASS




Band12-5MHz-16QAM-23155-25RB#0-PASS




Band12-10MHz-QPSK-23060-1RB#0-PASS




Band12-10MHz-QPSK-23060-50RB#0-PASS




Band12-10MHz-QPSK-23095-1RB#0-PASS




Band12-10MHz-QPSK-23095-50RB#0-PASS




Band12-10MHz-QPSK-23130-1RB#0-PASS



Band12-10MHz-QPSK-23130-50RB#0-PASS




Band12-10MHz-16QAM-23060-1RB#0-PASS




Band12-10MHz-16QAM-23060-50RB#0-PASS




Band12-10MHz-16QAM-23095-1RB#0-PASS





Band12-10MHz-16QAM-23095-50RB#0-PASS



Band12-10MHz-16QAM-23130-1RB#0-PASS



Band12-10MHz-16QAM-23130-50RB#0-PASS










3: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	1.0953	1.285	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	1.0896	1.269	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	1.0909	1.277	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	1.0983	1.294	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	1.0989	1.303	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	1.0980	1.300	PASS
Band12	3MHz	QPSK	23025	15RB#0	2.6948	2.916	PASS
Band12	3MHz	QPSK	23095	15RB#0	2.6944	2.932	PASS
Band12	3MHz	QPSK	23165	15RB#0	2.6946	2.909	PASS
Band12	3MHz	16QAM	23025	15RB#0	2.6845	2.925	PASS
Band12	3MHz	16QAM	23095	15RB#0	2.6863	2.914	PASS
Band12	3MHz	16QAM	23165	15RB#0	2.6830	2.911	PASS
Band12	5MHz	QPSK	23035	25RB#0	4.4975	4.982	PASS
Band12	5MHz	QPSK	23095	25RB#0	4.4908	4.935	PASS
Band12	5MHz	QPSK	23155	25RB#0	4.4923	4.916	PASS
Band12	5MHz	16QAM	23035	25RB#0	4.4966	4.938	PASS
Band12	5MHz	16QAM	23095	25RB#0	4.4930	4.947	PASS
Band12	5MHz	16QAM	23155	25RB#0	4.4940	4.970	PASS
Band12	10MHz	QPSK	23060	50RB#0	8.9749	9.846	PASS
Band12	10MHz	QPSK	23095	50RB#0	8.9806	9.809	PASS
Band12	10MHz	QPSK	23130	50RB#0	8.9618	9.870	PASS
Band12	10MHz	16QAM	23060	50RB#0	8.9783	9.758	PASS
Band12	10MHz	16QAM	23095	50RB#0	8.9726	9.802	PASS
Band12	10MHz	16QAM	23130	50RB#0	8.9655	9.746	PASS


Test Graphs









Band12-5MHz-QPSK-23155-25RB#0-PASS




Band12-5MHz-16QAM-23035-25RB#0-PASS




Band12-5MHz-16QAM-23095-25RB#0-PASS









Band12-5MHz-16QAM-23155-25RB#0-PASS



Band12-10MHz-QPSK-23060-50RB#0-PASS



Band12-10MHz-QPSK-23095-50RB#0-PASS



4: Band Edge

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Level_dBm	Margin	Verdict
Band12	1.4MHz	QPSK	23017	1RB#0	-25.38	12.38	PASS
Band12	1.4MHz	QPSK	23017	1RB#5	-47.42	34.42	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	-31.37	18.37	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	-48.21	35.21	PASS
Band12	1.4MHz	QPSK	23173	1RB#5	-26.11	13.11	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	-32.29	19.29	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	-26.25	13.25	PASS
Band12	1.4MHz	16QAM	23017	1RB#5	-48.23	35.23	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	-32.44	19.44	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	-48.83	35.83	PASS
Band12	1.4MHz	16QAM	23173	1RB#5	-27.37	14.37	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	-34.86	21.86	PASS
Band12	3MHz	QPSK	23025	1RB#0	-24.65	11.65	PASS
Band12	3MHz	QPSK	23025	1RB#14	-49.24	36.24	PASS
Band12	3MHz	QPSK	23025	15RB#0	-34.72	21.72	PASS
Band12	3MHz	QPSK	23165	1RB#0	-50.03	37.03	PASS
Band12	3MHz	QPSK	23165	1RB#14	-25.45	12.45	PASS
Band12	3MHz	QPSK	23165	15RB#0	-36.91	23.91	PASS
Band12	3MHz	16QAM	23025	1RB#0	-26.21	13.21	PASS
Band12	3MHz	16QAM	23025	1RB#14	-49.76	36.76	PASS
Band12	3MHz	16QAM	23025	15RB#0	-37.80	24.80	PASS
Band12	3MHz	16QAM	23165	1RB#0	-50.62	37.62	PASS
Band12	3MHz	16QAM	23165	1RB#14	-26.69	13.69	PASS
Band12	3MHz	16QAM	23165	15RB#0	-38.87	25.87	PASS
Band12	5MHz	QPSK	23035	1RB#0	-26.86	13.86	PASS
Band12	5MHz	QPSK	23035	1RB#24	-50.19	37.19	PASS
Band12	5MHz	QPSK	23035	25RB#0	-36.85	23.85	PASS
Band12	5MHz	QPSK	23155	1RB#0	-51.40	38.40	PASS
Band12	5MHz	QPSK	23155	1RB#24	-26.55	13.55	PASS
Band12	5MHz	QPSK	23155	25RB#0	-38.08	25.08	PASS
Band12	5MHz	16QAM	23035	1RB#0	-27.96	14.96	PASS
Band12	5MHz	16QAM	23035	1RB#24	-51.14	38.14	PASS
Band12	5MHz	16QAM	23035	25RB#0	-39.25	26.25	PASS
Band12	5MHz	16QAM	23155	1RB#0	-51.90	38.90	PASS
Band12	5MHz	16QAM	23155	1RB#24	-27.72	14.72	PASS
Band12	5MHz	16QAM	23155	25RB#0	-40.00	27.00	PASS
Band12	10MHz	QPSK	23060	1RB#0	-33.25	20.25	PASS
Band12	10MHz	QPSK	23060	1RB#49	-51.74	38.74	PASS
Band12	10MHz	QPSK	23060	50RB#0	-39.78	26.78	PASS
Band12	10MHz	QPSK	23130	1RB#0	-52.24	39.24	PASS

Band12	10MHz	QPSK	23130	1RB#49	-33.75	20.75	PASS
Band12	10MHz	QPSK	23130	50RB#0	-40.96	27.96	PASS
Band12	10MHz	16QAM	23060	1RB#0	-34.99	21.99	PASS
Band12	10MHz	16QAM	23060	1RB#49	-52.25	39.25	PASS
Band12	10MHz	16QAM	23060	50RB#0	-41.84	28.84	PASS
Band12	10MHz	16QAM	23130	1RB#0	-52.44	39.44	PASS
Band12	10MHz	16QAM	23130	1RB#49	-34.90	21.90	PASS
Band12	10MHz	16QAM	23130	50RB#0	-43.55	30.55	PASS