


Band Edge

7. n38_PC3


7.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2546.725	-52.15	-25	27.15	Pass	401
2550	2565	1	RMS	2564.775	-48.49	-13	35.49	Pass	401
2565	2569	1	RMS	2569	-25.22	-10	15.22	Pass	401
2569	2570	0.051	RMS	2570	-27.9	-10	17.9	Pass	401
2570	2590	1	RMS	2571	19.1	30	10.9	Pass	401




7.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.988	-45.47	-25	20.47	Pass	401
2550	2565	1	RMS	2565	-28.62	-13	15.62	Pass	401
2565	2569	1	RMS	2568.97	-26.71	-10	16.71	Pass	401
2569	2570	0.39	RMS	2569.993	-26.74	-10	16.74	Pass	401
2570	2590	1	RMS	2572.4	7.37	30	22.63	Pass	401




7.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2619.05	19.2	30	10.8	Pass	401
2620	2621	0.051	RMS	2620	-29.51	-10	19.51	Pass	401
2621	2625	1	RMS	2621.24	-25.17	-10	15.17	Pass	401
2625	2640	1	RMS	2625	-48.06	-13	35.06	Pass	401
2640	2645	1	RMS	2643.938	-51.89	-25	26.89	Pass	401




7.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2602.05	7.54	30	22.46	Pass	401
2620	2621	0.39	RMS	2620.008	-29.19	-10	19.19	Pass	401
2621	2625	1	RMS	2621.02	-28.65	-10	18.65	Pass	401
2625	2640	1	RMS	2626.088	-30.9	-13	17.9	Pass	401
2640	2645	1	RMS	2640.088	-45.79	-25	20.79	Pass	401




7.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2535	-52.24	-25	27.24	Pass	401
2540	2565	1	RMS	2564.625	-47.47	-13	34.47	Pass	401
2565	2569	1	RMS	2569	-23.32	-10	13.32	Pass	401
2569	2570	0.051	RMS	2570	-30.92	-10	20.92	Pass	401
2570	2600	1	RMS	2571.125	19.34	30	10.66	Pass	401




7.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2540	-46.14	-25	21.14	Pass	401
2540	2565	1	RMS	2564.938	-29.11	-13	16.11	Pass	401
2565	2569	1	RMS	2568.98	-26.7	-10	16.7	Pass	401
2569	2570	0.62	RMS	2570	-26.5	-10	16.5	Pass	401
2570	2600	1	RMS	2572.775	5.62	30	24.38	Pass	401




7.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	19.36	30	10.64	Pass	401
2620	2621	0.051	RMS	2620	-30.65	-10	20.65	Pass	401
2621	2625	1	RMS	2621.24	-25.2	-10	15.2	Pass	401
2625	2650	1	RMS	2625.188	-45.4	-13	32.4	Pass	401
2650	2655	1	RMS	2650	-52	-25	27	Pass	401




7.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2592.475	5.81	30	24.19	Pass	401
2620	2621	0.62	RMS	2620	-29.1	-10	19.1	Pass	401
2621	2625	1	RMS	2621.06	-29.93	-10	19.93	Pass	401
2625	2650	1	RMS	2625.125	-31.72	-13	18.72	Pass	401
2650	2655	1	RMS	2650.013	-46.87	-25	21.87	Pass	401




7.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2528.2	-52.2	-25	27.2	Pass	401
2530	2565	1	RMS	2564.65	-48.48	-13	35.48	Pass	401
2565	2569	1	RMS	2568.86	-24.28	-10	14.28	Pass	401
2569	2570	0.051	RMS	2569.988	-31.38	-10	21.38	Pass	401
2570	2610	1	RMS	2571.1	19.38	30	10.62	Pass	401




7.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2530	-46.34	-25	21.34	Pass	401
2530	2565	1	RMS	2565	-30.24	-13	17.24	Pass	401
2565	2569	1	RMS	2568.93	-28.78	-10	18.78	Pass	401
2569	2570	0.82	RMS	2570	-19.72	-10	9.72	Pass	401
2570	2610	1	RMS	2572.1	4.53	30	25.47	Pass	401




7.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	19.38	30	10.62	Pass	401
2620	2621	0.051	RMS	2620.003	-30.65	-10	20.65	Pass	401
2621	2625	1	RMS	2621.13	-27.26	-10	17.26	Pass	401
2625	2660	1	RMS	2656.675	-47.6	-13	34.6	Pass	401
2660	2665	1	RMS	2663.85	-52.1	-25	27.1	Pass	401



7.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2582.2	4.71	30	25.29	Pass	401
2620	2621	0.82	RMS	2620	-22.28	-10	12.28	Pass	401
2621	2625	1	RMS	2621.1	-31.1	-10	21.1	Pass	401
2625	2660	1	RMS	2625	-32.74	-13	19.74	Pass	401
2660	2665	1	RMS	2660	-46.86	-25	21.86	Pass	401



8. n41


8.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2478.995	-47.12	-25	22.12	Pass	401
2490.5	2495	1	RMS	2494.82	-22.53	-13	9.53	Pass	401
2495	2496	0.051	RMS	2496	-24.71	-13	11.71	Pass	401
2496	2516	1	RMS	2497	21.1	40	18.9	Pass	401



8.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689	21.06	40	18.94	Pass	401
2690	2691	0.051	RMS	2690.01	-26.03	-10	16.03	Pass	401
2691	2695	1	RMS	2691.07	-21.41	-10	11.41	Pass	401
2695	2710	1	RMS	2707	-39.05	-13	26.05	Pass	401
2710	2715	1	RMS	2710.3	-51.31	-25	26.31	Pass	401




8.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2688.15	9.78	40	30.22	Pass	401
2690	2691	0.39	RMS	2690.008	-19.34	-10	9.34	Pass	401
2691	2695	1	RMS	2691.03	-16.37	-10	6.37	Pass	401
2695	2710	1	RMS	2695.713	-18.37	-13	5.37	Pass*	401
2710	2715	1	RMS	2710.488	-40.19	-25	15.19	Pass	401




8.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2489.905	-49.4	-25	24.4	Pass	401
2490.5	2495	1	RMS	2494.944	-25.74	-13	12.74	Pass	401
2495	2496	0.051	RMS	2496	-27.92	-13	14.92	Pass	401
2496	2556	1	RMS	2497.05	20.95	40	19.05	Pass	401




8.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2431	2490.5	1	RMS	2489.31	-25.79	-25	0.79	Pass*	401
2490.5	2495	1	RMS	2495	-24.51	-13	11.51	Pass	401
2495	2495.4	1.2	RMS	2495.4	-19.1	-13	6.1	Pass	401
2496	2556	1	RMS	2498.1	4.53	40	35.47	Pass	401




8.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	20.93	40	19.07	Pass	401
2690	2691	0.051	RMS	2690.008	-26.74	-10	16.74	Pass	401
2691	2695	1	RMS	2691.02	-25.24	-10	15.24	Pass	401
2695	2750	1	RMS	2695.413	-45.18	-13	32.18	Pass	401
2750	2755	1	RMS	2754.913	-51.48	-25	26.48	Pass	401




8.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2630	2690	1	RMS	2688.05	4.8	40	35.2	Pass	401
2690.6	2691	1.2	RMS	2690.6	-18.82	-10	8.82	Pass	401
2691	2695	1	RMS	2691.12	-21.99	-10	11.99	Pass	401
2695	2750	1	RMS	2695.275	-23.06	-13	10.06	Pass	401
2750	2755	1	RMS	2750	-45.57	-25	20.57	Pass	401




8.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.003	-47.66	-25	22.66	Pass	401
2490.5	2495	1	RMS	2494.809	-23.99	-13	10.99	Pass	401
2495	2496	0.051	RMS	2496	-28.29	-13	15.29	Pass	401
2496	2596	1	RMS	2497	20.74	40	19.26	Pass	401




8.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.008	-27.6	-25	2.6	Pass*	401
2490.5	2495	1	RMS	2494.82	-26.95	-13	13.95	Pass	401
2495	2495.5	1	RMS	2495.49	-25.69	-13	12.69	Pass	401
2496	2596	1	RMS	2498.25	2.13	40	37.87	Pass	401




8.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.82	40	19.18	Pass	401
2690	2691	0.051	RMS	2690.005	-27.02	-10	17.02	Pass	401
2691	2695	1	RMS	2691.05	-23.12	-10	13.12	Pass	401
2695	2790	1	RMS	2695	-43.08	-13	30.08	Pass	401
2790	2795	1	RMS	2792.363	-51.33	-25	26.33	Pass	401




8.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2592.75	2.63	40	37.37	Pass	401
2690	2691	1	RMS	2690.003	-15.55	-10	5.55	Pass*	401
2691	2695	1	RMS	2691.17	-26.54	-10	16.54	Pass	401
2695	2790	1	RMS	2696.663	-26.9	-13	13.9	Pass	401
2790	2795	1	RMS	2791.925	-51.31	-25	26.31	Pass	401



8.13 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2490.5	-29.25	-25	4.25	Pass*	401
2490.5	2495	1	RMS	2494.246	-27.5	-13	14.5	Pass	401
2495	2496	0.39	RMS	2495.998	-29.92	-13	16.92	Pass	401
2496	2516	1	RMS	2497.95	2.33	40	37.67	Pass	401



9. n77 (3700-3980)


9.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-44.22	-13	31.22	Pass	401
3695	3699	0.62	RMS	3698.76	-31.55	-13	18.55	Pass	401
3699	3700	0.051	RMS	3699.998	-27.91	-13	14.91	Pass	401
3700	3720	1	RMS	3701	19.42	40	20.58	Pass	401




9.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-32.62	-13	19.62	Pass	401
3695	3699	0.62	RMS	3698.99	-29.9	-13	16.9	Pass	401
3699	3700	0.39	RMS	3699.998	-26.97	-13	13.97	Pass	401
3700	3720	1	RMS	3718.15	7.85	40	32.15	Pass	401




9.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3979	19.49	40	20.51	Pass	401
3980	3981	0.051	RMS	3980	-28.98	-13	15.98	Pass	401
3981	3985	0.62	RMS	3981.13	-30.26	-13	17.26	Pass	401
3985	4005	1	RMS	3985.1	-42.05	-13	29.05	Pass	401




9.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3977.15	7.95	40	32.05	Pass	401
3980	3981	0.39	RMS	3980	-25.95	-13	12.95	Pass	401
3981	3985	0.62	RMS	3981.07	-26.7	-13	13.7	Pass	401
3985	4005	1	RMS	3985.05	-28.52	-13	15.52	Pass	401




9.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-44.07	-13	31.07	Pass	401
3695	3699	0.62	RMS	3697.82	-30.98	-13	17.98	Pass	401
3699	3700	0.051	RMS	3699.998	-28.78	-13	15.78	Pass	401
3700	3760	1	RMS	3701.05	19.58	40	20.42	Pass	401




9.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-35.66	-13	22.66	Pass	401
3695	3699	0.62	RMS	3698.99	-35.5	-13	22.5	Pass	401
3699	3700	0.39	RMS	3699.99	-34.06	-13	21.06	Pass	401
3700	3760	1	RMS	3702.25	2.97	40	37.03	Pass	401




9.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3978.95	19.15	40	20.85	Pass	401
3980	3981	0.051	RMS	3980	-29.77	-13	16.77	Pass	401
3981	3985	0.62	RMS	3982.92	-31.97	-13	18.97	Pass	401
3985	4045	1	RMS	3985	-42.62	-13	29.62	Pass	401




9.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3920	3980	1	RMS	3974.9	2.96	40	37.04	Pass	401
3980	3981	0.39	RMS	3980.008	-32.19	-13	19.19	Pass	401
3981	3985	0.62	RMS	3981.01	-32.53	-13	19.53	Pass	401
3985	4045	1	RMS	3985	-31.75	-13	18.75	Pass	401




9.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-44.33	-13	31.33	Pass	401
3695	3699	0.62	RMS	3697.85	-30.89	-13	17.89	Pass	401
3699	3700	0.051	RMS	3700	-28.79	-13	15.79	Pass	401
3700	3800	1	RMS	3701	19.51	40	20.49	Pass	401




9.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-36.87	-13	23.87	Pass	401
3695	3699	0.62	RMS	3698.52	-37.18	-13	24.18	Pass	401
3699	3700	0.39	RMS	3700	-34.93	-13	21.93	Pass	401
3700	3800	1	RMS	3726.5	0.68	40	39.32	Pass	401




9.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3979	19.03	40	20.97	Pass	401
3980	3981	0.051	RMS	3980	-29.61	-13	16.61	Pass	401
3981	3985	0.62	RMS	3982.76	-31.83	-13	18.83	Pass	401
3985	4085	1	RMS	3985	-42.5	-13	29.5	Pass	401



9.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3880	3980	1	RMS	3975.25	0.57	40	39.43	Pass	401
3980	3981	0.39	RMS	3980.008	-34.25	-13	21.25	Pass	401
3981	3985	0.62	RMS	3981.18	-35.01	-13	22.01	Pass	401
3985	4085	1	RMS	3986	-33.62	-13	20.62	Pass	401



10. n77 (3450-3550)


10.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.65	-45.86	-13	32.86	Pass	401
3445	3449	0.62	RMS	3448.83	-32.99	-13	19.99	Pass	401
3449	3450	0.051	RMS	3449.99	-28.53	-13	15.53	Pass	401
3450	3470	1	RMS	3450.95	19.24	40	20.76	Pass	401




10.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.9	-32.76	-13	19.76	Pass	401
3445	3449	0.62	RMS	3448.97	-30.65	-13	17.65	Pass	401
3449	3450	0.2	RMS	3450	-30.75	-13	17.75	Pass	401
3450	3470	1	RMS	3467.7	7.9	40	32.1	Pass	401




10.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3548.95	19.18	40	20.82	Pass	401
3550	3551	0.051	RMS	3550.005	-28.66	-13	15.66	Pass	401
3551	3555	0.62	RMS	3551.46	-30.27	-13	17.27	Pass	401
3555	3575	1	RMS	3555.3	-41.7	-13	28.7	Pass	401




10.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3531.95	7.77	40	32.23	Pass	401
3550	3551	0.2	RMS	3550.003	-31.7	-13	18.7	Pass	401
3551	3555	0.62	RMS	3551.17	-30.46	-13	17.46	Pass	401
3555	3575	1	RMS	3555	-32.55	-13	19.55	Pass	401




10.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-44.54	-13	31.54	Pass	401
3445	3449	0.62	RMS	3447.93	-34.9	-13	21.9	Pass	401
3449	3450	0.2	RMS	3449.998	-22.49	-13	9.49	Pass	401
3450	3510	1	RMS	3451.05	18.85	40	21.15	Pass	401




10.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-35.66	-13	22.66	Pass	401
3445	3449	0.62	RMS	3448.46	-36.5	-13	23.5	Pass	401
3449	3450	0.2	RMS	3449.99	-37.73	-13	24.73	Pass	401
3450	3510	1	RMS	3502.35	2.69	40	37.31	Pass	401




10.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	19.16	40	20.84	Pass	401
3550	3551	0.2	RMS	3550.005	-24.81	-13	11.81	Pass	401
3551	3555	0.62	RMS	3552.37	-31.19	-13	18.19	Pass	401
3555	3615	1	RMS	3555.3	-43.27	-13	30.27	Pass	401




10.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3492.25	2.93	40	37.07	Pass	401
3550	3551	0.2	RMS	3550	-37.5	-13	24.5	Pass	401
3551	3555	0.62	RMS	3551.93	-36.84	-13	23.84	Pass	401
3555	3615	1	RMS	3555.15	-35.79	-13	22.79	Pass	401




10.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-47.16	-13	34.16	Pass	401
3445	3449	0.62	RMS	3448.8	-33.77	-13	20.77	Pass	401
3449	3450	0.051	RMS	3450	-29.18	-13	16.18	Pass	401
3450	3550	1	RMS	3451	18.77	40	21.23	Pass	401




10.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-37.05	-13	24.05	Pass	401
3445	3449	0.62	RMS	3448.55	-37.97	-13	24.97	Pass	401
3449	3450	0.2	RMS	3450	-39	-13	26	Pass	401
3450	3550	1	RMS	3461	0.36	40	39.64	Pass	401




10.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.09	40	20.91	Pass	401
3550	3551	0.2	RMS	3550	-24.61	-13	11.61	Pass	401
3551	3555	0.62	RMS	3551.8	-32.8	-13	19.8	Pass	401
3555	3655	1	RMS	3555.25	-44.96	-13	31.96	Pass	401



10.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3461.25	0.45	40	39.55	Pass	401
3550	3551	0.2	RMS	3550.003	-39.88	-13	26.88	Pass	401
3551	3555	0.62	RMS	3551.06	-39.03	-13	26.03	Pass	401
3555	3655	1	RMS	3555.75	-37.85	-13	24.85	Pass	401



11. n78 (3450-3550)

11.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.85	-42.64	-13	29.64	Pass	401
3445	3449	0.62	RMS	3447.61	-29.73	-13	16.73	Pass	401
3449	3450	0.051	RMS	3450	-27.14	-13	14.14	Pass	401
3450	3470	1	RMS	3451	19.41	40	20.59	Pass	401




11.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3444.95	-32.69	-13	19.69	Pass	401
3445	3449	0.62	RMS	3448.92	-30.81	-13	17.81	Pass	401
3449	3450	0.2	RMS	3449.995	-30.64	-13	17.64	Pass	401
3450	3470	1	RMS	3467.8	7.95	40	32.05	Pass	401




11.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	19.16	40	20.84	Pass	401
3550	3551	0.051	RMS	3550	-30.09	-13	17.09	Pass	401
3551	3555	0.62	RMS	3552.05	-30.66	-13	17.66	Pass	401
3555	3575	1	RMS	3555	-41.66	-13	28.66	Pass	401




11.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3532.7	7.7	40	32.3	Pass	401
3550	3551	0.2	RMS	3550	-32.2	-13	19.2	Pass	401
3551	3555	0.62	RMS	3551.24	-31.15	-13	18.15	Pass	401
3555	3575	1	RMS	3555.25	-32.87	-13	19.87	Pass	401




11.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3444.85	-43.79	-13	30.79	Pass	401
3445	3449	0.62	RMS	3447.95	-31.18	-13	18.18	Pass	401
3449	3450	0.2	RMS	3450	-23.73	-13	10.73	Pass	401
3450	3510	1	RMS	3451.05	18.99	40	21.01	Pass	401




11.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-36.16	-13	23.16	Pass	401
3445	3449	0.62	RMS	3448.8	-36.32	-13	23.32	Pass	401
3449	3450	0.2	RMS	3449.993	-37.37	-13	24.37	Pass	401
3450	3510	1	RMS	3458.55	2.78	40	37.22	Pass	401




11.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	19.07	40	20.93	Pass	401
3550	3551	0.2	RMS	3550	-23.54	-13	10.54	Pass	401
3551	3555	0.62	RMS	3552.27	-36.9	-13	23.9	Pass	401
3555	3615	1	RMS	3555.6	-47.78	-13	34.78	Pass	401




11.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3493.3	2.95	40	37.05	Pass	401
3550	3551	0.2	RMS	3550.005	-37.64	-13	24.64	Pass	401
3551	3555	0.62	RMS	3551.07	-37.03	-13	24.03	Pass	401
3555	3615	1	RMS	3555	-36.36	-13	23.36	Pass	401




11.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-47.38	-13	34.38	Pass	401
3445	3449	0.62	RMS	3448.98	-38.37	-13	25.37	Pass	401
3449	3450	0.051	RMS	3450	-29.74	-13	16.74	Pass	401
3450	3550	1	RMS	3451	18.76	40	21.24	Pass	401




11.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3444.5	-37.12	-13	24.12	Pass	401
3445	3449	0.62	RMS	3448.93	-37.87	-13	24.87	Pass	401
3449	3450	0.2	RMS	3449.998	-39.14	-13	26.14	Pass	401
3450	3550	1	RMS	3461.75	0.4	40	39.6	Pass	401




11.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.06	40	20.94	Pass	401
3550	3551	0.2	RMS	3550	-26.25	-13	13.25	Pass	401
3551	3555	0.62	RMS	3552.25	-35.54	-13	22.54	Pass	401
3555	3655	1	RMS	3555.5	-45.96	-13	32.96	Pass	401



11.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3461.25	0.37	40	39.63	Pass	401
3550	3551	0.2	RMS	3550.04	-39.73	-13	26.73	Pass	401
3551	3555	0.62	RMS	3551.09	-38.88	-13	25.88	Pass	401
3555	3655	1	RMS	3556	-37.98	-13	24.98	Pass	401



12. n78 (3700-3800)


12.1 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.45	-43.04	-13	30.04	Pass	401
3695	3699	0.62	RMS	3697.66	-29.16	-13	16.16	Pass	401
3699	3700	0.051	RMS	3700	-29.31	-13	16.31	Pass	401
3700	3720	1	RMS	3701	19.42	40	20.58	Pass	401




12.2 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.95	-31.22	-13	18.22	Pass	401
3695	3699	0.62	RMS	3699	-29.29	-13	16.29	Pass	401
3699	3700	0.2	RMS	3699.998	-29.83	-13	16.83	Pass	401
3700	3720	1	RMS	3717.15	7.96	40	32.04	Pass	401




12.3 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3799	19.9	40	20.1	Pass	401
3800	3801	0.051	RMS	3800.005	-29.15	-13	16.15	Pass	401
3801	3805	0.62	RMS	3802.44	-29.69	-13	16.69	Pass	401
3805	3825	1	RMS	3805.15	-41.3	-13	28.3	Pass	401




12.4 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3780	3800	1	RMS	3797.6	8.19	40	31.81	Pass	401
3800	3801	0.2	RMS	3800.003	-30.95	-13	17.95	Pass	401
3801	3805	0.62	RMS	3801.26	-29.24	-13	16.24	Pass	401
3805	3825	1	RMS	3805	-30.97	-13	17.97	Pass	401




12.5 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-43.66	-13	30.66	Pass	401
3695	3699	0.62	RMS	3697.72	-30.66	-13	17.66	Pass	401
3699	3700	0.2	RMS	3700	-21.41	-13	8.41	Pass	401
3700	3760	1	RMS	3701.05	19.61	40	20.39	Pass	401




12.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3635	3695	1	RMS	3695	-33.94	-13	20.94	Pass	401
3695	3699	0.62	RMS	3698.6	-34.91	-13	21.91	Pass	401
3699	3700	0.2	RMS	3699.995	-36.9	-13	23.9	Pass	401
3700	3760	1	RMS	3702.1	3.28	40	36.72	Pass	401




12.7 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3798.95	19.46	40	20.54	Pass	401
3800	3801	0.2	RMS	3800	-22.04	-13	9.04	Pass	401
3801	3805	0.62	RMS	3802.78	-31.65	-13	18.65	Pass	401
3805	3865	1	RMS	3805	-43.84	-13	30.84	Pass	401




12.8 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3740	3800	1	RMS	3741.95	3.22	40	36.78	Pass	401
3800	3801	0.2	RMS	3800.003	-36.67	-13	23.67	Pass	401
3801	3805	0.62	RMS	3801.02	-34.99	-13	21.99	Pass	401
3805	3865	1	RMS	3805.15	-34.19	-13	21.19	Pass	401




12.9 Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3695	-45.23	-13	32.23	Pass	401
3695	3699	0.62	RMS	3697.69	-28.08	-13	15.08	Pass	401
3699	3700	0.051	RMS	3699.985	-28.02	-13	15.02	Pass	401
3700	3800	1	RMS	3701	19.54	40	20.46	Pass	401




12.10 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3595	3695	1	RMS	3694.75	-35.38	-13	22.38	Pass	401
3695	3699	0.62	RMS	3698.63	-36.68	-13	23.68	Pass	401
3699	3700	0.2	RMS	3699.998	-37.43	-13	24.43	Pass	401
3700	3800	1	RMS	3722.75	0.83	40	39.17	Pass	401



12.11 Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3799	19.5	40	20.5	Pass	401
3800	3801	0.2	RMS	3800	-21.98	-13	8.98	Pass	401
3801	3805	0.62	RMS	3802.68	-33.05	-13	20.05	Pass	401
3805	3905	1	RMS	3805	-44.43	-13	31.43	Pass	401



12.12 Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3700	3800	1	RMS	3721.5	0.87	40	39.13	Pass	401
3800	3801	0.2	RMS	3800.008	-39.05	-13	26.05	Pass	401
3801	3805	0.62	RMS	3801.05	-37.54	-13	24.54	Pass	401
3805	3905	1	RMS	3806.25	-36.3	-13	23.3	Pass	401

