


Band Edge


4.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.35	-25	14.35	Pass	401
2494	2496	1	RMS	2496	-29.86	-13	16.86	Pass	401
2496	2499	1	RMS	2499	-28.66	-10	18.66	Pass	4
2499	2500	0.1	RMS	2499.993	-27.55	-10	17.55	Pass	401
2500	2505	0.1	RMS	2503.25	2.46	30	27.54	Pass	401




4.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2493.953	-53.96	-25	28.96	Pass	401
2494	2496	1	RMS	2495.83	-49.81	-13	36.81	Pass	401
2496	2499	1	RMS	2499	-32.53	-10	22.53	Pass	4
2499	2500	0.1	RMS	2500	-21.96	-10	11.96	Pass	401
2500	2505	0.1	RMS	2500.35	16.06	30	13.94	Pass	401




4.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.12	-25	14.12	Pass	401
2494	2496	1	RMS	2495.93	-32.36	-13	19.36	Pass	401
2496	2499	1	RMS	2499	-26.95	-10	16.95	Pass	4
2499	2500	0.1	RMS	2500	-27.55	-10	17.55	Pass	401
2500	2505	0.1	RMS	2504.3	1.42	30	28.58	Pass	401




4.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	17.02	30	12.98	Pass	401
2570	2571	0.051	RMS	2570	-25.55	-10	15.55	Pass	401
2571	2575	1	RMS	2571	-30.66	-10	20.66	Pass	5
2575	2576	1	RMS	2575.003	-53.25	-13	40.25	Pass	401
2576	2595	1	RMS	2576	-54.25	-25	29.25	Pass	401




4.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.8	2.51	30	27.49	Pass	401
2570	2571	0.1	RMS	2570.005	-27.69	-10	17.69	Pass	401
2571	2575	1	RMS	2571	-27.85	-10	17.85	Pass	5
2575	2576	1	RMS	2575.008	-36.01	-13	23.01	Pass	401
2576	2595	1	RMS	2576	-39.49	-25	14.49	Pass	401




4.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.763	1.56	30	28.44	Pass	401
2570	2571	0.1	RMS	2570.008	-27.79	-10	17.79	Pass	401
2571	2575	1	RMS	2571	-25.85	-10	15.85	Pass	5
2575	2576	1	RMS	2575.01	-35.98	-13	22.98	Pass	401
2576	2595	1	RMS	2576	-39.3	-25	14.3	Pass	401




4.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-54.41	-25	29.41	Pass	401
2490	2496	1	RMS	2495.79	-51.22	-13	38.22	Pass	401
2496	2499	1	RMS	2499	-35.17	-10	25.17	Pass	4
2499	2500	0.2	RMS	2499.998	-27.58	-10	17.58	Pass	401
2500	2510	0.1	RMS	2500.6	17	30	13	Pass	401




4.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.22	-25	15.22	Pass	401
2490	2496	1	RMS	2492.22	-32.67	-13	19.67	Pass	401
2496	2499	1	RMS	2499	-31.45	-10	21.45	Pass	4
2499	2500	0.2	RMS	2499.998	-31.7	-10	21.7	Pass	401
2500	2510	0.1	RMS	2509.275	-0.34	30	30.34	Pass	401




4.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-54.51	-25	29.51	Pass	401
2490	2496	1	RMS	2495.49	-49.95	-13	36.95	Pass	401
2496	2499	1	RMS	2499	-36.07	-10	26.07	Pass	4
2499	2500	0.2	RMS	2499.998	-28.23	-10	18.23	Pass	401
2500	2510	0.1	RMS	2500.6	16.06	30	13.94	Pass	401




4.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.02	-25	15.02	Pass	401
2490	2496	1	RMS	2496	-31.85	-13	18.85	Pass	401
2496	2499	1	RMS	2499	-29.71	-10	19.71	Pass	4
2499	2500	0.2	RMS	2499.993	-31.59	-10	21.59	Pass	401
2500	2510	0.1	RMS	2509.325	-1.46	30	31.46	Pass	401




4.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.425	16.86	30	13.14	Pass	401
2570	2571	0.2	RMS	2570.005	-27.75	-10	17.75	Pass	401
2571	2575	1	RMS	2571	-34.52	-10	24.52	Pass	5
2575	2580	1	RMS	2577.113	-53.36	-13	40.36	Pass	401
2580	2595	1	RMS	2580.038	-54.98	-25	29.98	Pass	401




4.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561	-0.46	30	30.46	Pass	401
2570	2571	0.2	RMS	2570.003	-31.2	-10	21.2	Pass	401
2571	2575	1	RMS	2571	-30.03	-10	20.03	Pass	5
2575	2580	1	RMS	2575.275	-32.48	-13	19.48	Pass	401
2580	2595	1	RMS	2580.038	-41.65	-25	16.65	Pass	401



4.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	15.97	30	14.03	Pass	401
2570	2571	0.2	RMS	2570.003	-28.28	-10	18.28	Pass	401
2571	2575	1	RMS	2571	-35.48	-10	25.48	Pass	5
2575	2580	1	RMS	2577.3	-53.33	-13	40.33	Pass	401
2580	2595	1	RMS	2581.8	-55.07	-25	30.07	Pass	401




4.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.275	-1.52	30	31.52	Pass	401
2570	2571	0.2	RMS	2570.01	-31.41	-10	21.41	Pass	401
2571	2575	1	RMS	2571	-28.35	-10	18.35	Pass	5
2575	2580	1	RMS	2575.013	-31.31	-13	18.31	Pass	401
2580	2595	1	RMS	2580.075	-40.58	-25	15.58	Pass	401




4.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-54.68	-25	29.68	Pass	401
2490	2496	1	RMS	2495.955	-53.08	-13	40.08	Pass	401
2496	2499	1	RMS	2499	-39.92	-10	29.92	Pass	4
2499	2500	0.3	RMS	2500	-25.2	-10	15.2	Pass	401
2500	2515	0.1	RMS	2500.825	16.59	30	13.41	Pass	401




4.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.238	-34.42	-25	9.42	Pass	401
2490	2496	1	RMS	2495.865	-34.16	-13	21.16	Pass	401
2496	2499	1	RMS	2498	-31.94	-10	21.94	Pass	4
2499	2500	0.3	RMS	2500	-33.67	-10	23.67	Pass	401
2500	2515	0.1	RMS	2514.025	-2.41	30	32.41	Pass	401




4.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-54.8	-25	29.8	Pass	401
2490	2496	1	RMS	2496	-53.38	-13	40.38	Pass	401
2496	2499	1	RMS	2499	-40.74	-10	30.74	Pass	4
2499	2500	0.3	RMS	2499.995	-25.79	-10	15.79	Pass	401
2500	2515	0.1	RMS	2500.825	15.63	30	14.37	Pass	401




4.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.4	-25	11.4	Pass	401
2490	2496	1	RMS	2496	-32.49	-13	19.49	Pass	401
2496	2499	1	RMS	2499	-30.73	-10	20.73	Pass	4
2499	2500	0.3	RMS	2500	-33.16	-10	23.16	Pass	401
2500	2515	0.1	RMS	2513.5	-3.4	30	33.4	Pass	401




4.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.138	16.52	30	13.48	Pass	401
2570	2571	0.3	RMS	2570	-25.3	-10	15.3	Pass	401
2571	2575	1	RMS	2571	-39.48	-10	29.48	Pass	5
2575	2585	1	RMS	2576.1	-54.08	-13	41.08	Pass	401
2585	2595	1	RMS	2585.875	-55.29	-25	30.29	Pass	401




4.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2556.013	-2.34	30	32.34	Pass	401
2570	2571	0.3	RMS	2570.005	-33.19	-10	23.19	Pass	401
2571	2575	1	RMS	2571	-30.71	-10	20.71	Pass	5
2575	2585	1	RMS	2575	-33.8	-13	20.8	Pass	401
2585	2595	1	RMS	2585.075	-44.46	-25	19.46	Pass	401




4.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	15.62	30	14.38	Pass	401
2570	2571	0.3	RMS	2570.003	-26.24	-10	16.24	Pass	401
2571	2575	1	RMS	2571	-40.91	-10	30.91	Pass	5
2575	2585	1	RMS	2575.575	-54.14	-13	41.14	Pass	401
2585	2595	1	RMS	2591.625	-55.3	-25	30.3	Pass	401




4.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2555	2570	0.1	RMS	2556.613	-3.26	30	33.26	Pass	401
2570	2571	0.3	RMS	2570.013	-32.6	-10	22.6	Pass	401
2571	2575	1	RMS	2571	-29.04	-10	19.04	Pass	5
2575	2585	1	RMS	2575.075	-31.9	-13	18.9	Pass	401
2585	2595	1	RMS	2585.025	-44.31	-25	19.31	Pass	401



4.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2485.688	-53.8	-25	28.8	Pass	401
2490	2496	1	RMS	2495.805	-49.18	-13	36.18	Pass	401
2496	2499	1	RMS	2499	-40.66	-10	30.66	Pass	4
2499	2500	0.51	RMS	2500	-22.92	-10	12.92	Pass	401
2500	2520	0.1	RMS	2501.1	16.8	30	13.2	Pass	401




4.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488	-36.67	-25	11.67	Pass	16
2490	2496	1	RMS	2496	-34.85	-13	21.85	Pass	401
2496	2499	1	RMS	2499	-32.73	-10	22.73	Pass	4
2499	2500	0.51	RMS	2499.985	-32.26	-10	22.26	Pass	401
2500	2520	0.1	RMS	2518.6	-3.68	30	33.68	Pass	401




4.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2482.95	-51.32	-25	26.32	Pass	401
2490	2496	1	RMS	2495.97	-50.62	-13	37.62	Pass	401
2496	2499	1	RMS	2499	-41.53	-10	31.53	Pass	4
2499	2500	0.51	RMS	2500	-23.46	-10	13.46	Pass	401
2500	2520	0.1	RMS	2501.1	15.63	30	14.37	Pass	401




4.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2488.613	-35.77	-25	10.77	Pass	401
2490	2496	1	RMS	2495.97	-33.39	-13	20.39	Pass	401
2496	2499	1	RMS	2499	-31.5	-10	21.5	Pass	4
2499	2500	0.51	RMS	2499.993	-31.77	-10	21.77	Pass	401
2500	2520	0.1	RMS	2517.9	-4.7	30	34.7	Pass	401




4.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	16.54	30	13.46	Pass	401
2570	2571	0.51	RMS	2570	-23.25	-10	13.25	Pass	401
2571	2575	1	RMS	2571	-40.4	-10	30.4	Pass	5
2575	2590	1	RMS	2578.788	-53.33	-13	40.33	Pass	401
2590	2595	1	RMS	2590.138	-55.27	-25	30.27	Pass	401




4.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2551.15	-3.51	30	33.51	Pass	401
2570	2571	0.51	RMS	2570	-32.01	-10	22.01	Pass	401
2571	2575	1	RMS	2571	-32.28	-10	22.28	Pass	5
2575	2590	1	RMS	2575	-34.49	-13	21.49	Pass	401
2590	2595	1	RMS	2590.013	-47.79	-25	22.79	Pass	401




4.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	15.52	30	14.48	Pass	401
2570	2571	0.51	RMS	2570	-23.6	-10	13.6	Pass	401
2571	2575	1	RMS	2571	-41.16	-10	31.16	Pass	5
2575	2590	1	RMS	2578.863	-51.21	-13	38.21	Pass	401
2590	2595	1	RMS	2590.113	-55.16	-25	30.16	Pass	401



4.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2550	2570	0.1	RMS	2551.8	-4.48	30	34.48	Pass	401
2570	2571	0.51	RMS	2570.003	-31.21	-10	21.21	Pass	401
2571	2575	1	RMS	2571	-30.52	-10	20.52	Pass	5
2575	2590	1	RMS	2575	-32.54	-13	19.54	Pass	401
2590	2595	1	RMS	2590.038	-46.96	-25	21.96	Pass	401



5. LTE_Band12


5.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.86	-13	13.86	Pass	401
698.9	699	0.03	RMS	698.996	-22.52	-13	9.52	Pass	401
699	701	0.1	RMS	699.255	15.85	30	14.15	Pass	401




5.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.07	-13	15.07	Pass	401
698.9	699	0.03	RMS	699	-27.8	-13	14.8	Pass	401
699	701	0.1	RMS	699.47	7.26	30	22.74	Pass	401




5.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.07	-13	15.07	Pass	401
698.9	699	0.03	RMS	699	-23.19	-13	10.19	Pass	401
699	701	0.1	RMS	699.24	14.83	30	15.17	Pass	401




5.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.57	-13	17.57	Pass	401
698.9	699	0.03	RMS	698.999	-29.13	-13	16.13	Pass	401
699	701	0.1	RMS	699.795	6.32	30	23.68	Pass	401



5.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	15.7	30	14.3	Pass	401
716	716.1	0.03	RMS	716	-23.17	-13	10.17	Pass	5
716.1	725	0.1	RMS	716.1	-26.09	-13	13.09	Pass	401




5.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.35	7.16	30	22.84	Pass	401
716	716.1	0.03	RMS	716	-28.43	-13	15.43	Pass	401
716.1	725	0.1	RMS	716.1	-28.67	-13	15.67	Pass	401




5.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.76	14.77	30	15.23	Pass	401
716	716.1	0.03	RMS	716.001	-23.45	-13	10.45	Pass	401
716.1	725	0.1	RMS	716.1	-27.61	-13	14.61	Pass	401




5.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
714	716	0.1	RMS	715.28	6.18	30	23.82	Pass	401
716	716.1	0.03	RMS	716	-30.22	-13	17.22	Pass	401
716.1	725	0.1	RMS	716.1	-31.33	-13	18.33	Pass	401




5.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.82	-13	16.82	Pass	401
698.9	698.985	0.03	RMS	698.985	-26.4	-13	13.4	Pass	401
699	702	0.1	RMS	699.24	15.69	30	14.31	Pass	401




5.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.79	-13	17.79	Pass	401
698.9	699	0.03	RMS	698.999	-30.24	-13	17.24	Pass	401
699	702	0.1	RMS	701.363	3.44	30	26.56	Pass	401




5.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.68	-13	17.68	Pass	401
698.9	699	0.03	RMS	699	-26.76	-13	13.76	Pass	401
699	702	0.1	RMS	699.233	14.87	30	15.13	Pass	401




5.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.49	-13	19.49	Pass	401
698.9	699	0.03	RMS	698.997	-31.21	-13	18.21	Pass	401
699	702	0.1	RMS	701.46	2.39	30	27.61	Pass	401



5.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.745	15.57	30	14.43	Pass	401
716.015	716.1	0.03	RMS	716.015	-26.91	-13	13.91	Pass	4
716.1	725	0.1	RMS	716.1	-29.22	-13	16.22	Pass	401




5.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.458	3.34	30	26.66	Pass	401
716	716.1	0.03	RMS	716.001	-31.37	-13	18.37	Pass	401
716.1	725	0.1	RMS	716.1	-32.09	-13	19.09	Pass	401



5.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	14.65	30	15.35	Pass	401
716.015	716.1	0.03	RMS	716.015	-28.25	-13	15.25	Pass	401
716.1	725	0.1	RMS	716.1	-31.05	-13	18.05	Pass	401




5.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
713	716	0.1	RMS	713.345	2.27	30	27.73	Pass	401
716	716.1	0.03	RMS	716.001	-32.24	-13	19.24	Pass	401
716.1	725	0.1	RMS	716.1	-33.43	-13	20.43	Pass	401




5.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.5	-13	20.5	Pass	401
698.9	699	0.03	RMS	698.999	-29.03	-13	16.03	Pass	401
699	704	0.1	RMS	699.35	15.69	30	14.31	Pass	401




5.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.02	-13	20.02	Pass	401
698.9	699	0.03	RMS	699	-33.86	-13	20.86	Pass	401
699	704	0.1	RMS	703.2	1.16	30	28.84	Pass	401




5.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.61	-13	21.61	Pass	401
698.9	699	0.03	RMS	699	-30.36	-13	17.36	Pass	401
699	704	0.1	RMS	699.338	14.53	30	15.47	Pass	401




5.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.61	-13	20.61	Pass	401
698.9	699	0.03	RMS	699	-34.83	-13	21.83	Pass	401
699	704	0.1	RMS	703.613	0.23	30	29.77	Pass	401




5.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	15.59	30	14.41	Pass	401
716	716.1	0.03	RMS	716	-29.27	-13	16.27	Pass	401
716.1	725	0.1	RMS	716.1	-33.56	-13	20.56	Pass	401




5.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	1.27	30	28.73	Pass	401
716	716.1	0.03	RMS	716.002	-34.55	-13	21.55	Pass	401
716.1	725	0.1	RMS	716.1	-32.73	-13	19.73	Pass	401




5.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	14.63	30	15.37	Pass	401
716	716.1	0.03	RMS	716.001	-30.54	-13	17.54	Pass	401
716.1	725	0.1	RMS	716.1	-34.8	-13	21.8	Pass	401




5.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	712.95	0.25	30	29.75	Pass	401
716	716.1	0.03	RMS	716.003	-35.21	-13	22.21	Pass	401
716.1	725	0.1	RMS	716.1	-34	-13	21	Pass	401




5.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-42.65	-13	29.65	Pass	401
698.9	699	0.03	RMS	699	-42.42	-13	29.42	Pass	401
699	709	0.1	RMS	699.575	15.59	30	14.41	Pass	401




5.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-39.12	-13	26.12	Pass	401
698.9	699	0.03	RMS	699	-42.13	-13	29.13	Pass	401
699	709	0.1	RMS	704.95	-1.59	30	31.59	Pass	401




5.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-43.2	-13	30.2	Pass	401
698.9	699	0.03	RMS	699	-42.3	-13	29.3	Pass	401
699	709	0.1	RMS	699.575	14.69	30	15.31	Pass	401




5.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-40.11	-13	27.11	Pass	401
698.9	699	0.03	RMS	699	-42.55	-13	29.55	Pass	401
699	709	0.1	RMS	705.7	-2.8	30	32.8	Pass	401




5.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	15.47	30	14.53	Pass	401
716	716.1	0.03	RMS	716.001	-41.73	-13	28.73	Pass	401
716.1	725	0.1	RMS	716.1	-42.71	-13	29.71	Pass	401




5.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.85	-1.76	30	31.76	Pass	401
716	716.1	0.03	RMS	716.002	-42.7	-13	29.7	Pass	401
716.1	725	0.1	RMS	716.1	-39.75	-13	26.75	Pass	401




5.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	14.56	30	15.44	Pass	401
716	716.1	0.03	RMS	716.003	-42.15	-13	29.15	Pass	401
716.1	725	0.1	RMS	716.1	-43.2	-13	30.2	Pass	401



5.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.225	-2.7	30	32.7	Pass	401
716	716.1	0.03	RMS	716.004	-43.14	-13	30.14	Pass	401
716.1	725	0.1	RMS	716.122	-41.32	-13	28.32	Pass	401



6. LTE_Band13


6.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.8	-79.18	-35	44.18	Pass	1201
775	775.9	0.1	RMS	775.896	-67.76	-13	54.76	Pass	401
775.9	776	0.03	RMS	775.999	-70.52	-13	57.52	Pass	401
776	788	0.1	RMS	777.35	15.81	30	14.19	Pass	401




6.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-70.91	-35	35.91	Pass	1201
775	775.9	0.1	RMS	775.9	-46.75	-13	33.75	Pass	401
775.9	776	0.03	RMS	775.995	-50.09	-13	37.09	Pass	401
776	788	0.1	RMS	781.34	1.54	30	28.46	Pass	401




6.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	766.67	-79.14	-35	44.14	Pass	1201
775	775.9	0.1	RMS	775.884	-67.85	-13	54.85	Pass	401
775.9	776	0.03	RMS	775.995	-70.46	-13	57.46	Pass	401
776	788	0.1	RMS	777.32	14.6	30	15.4	Pass	401




6.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	775	-71.31	-35	36.31	Pass	1201
775	775.9	0.1	RMS	775.9	-49.28	-13	36.28	Pass	401
775.9	776	0.03	RMS	775.99	-52.32	-13	39.32	Pass	401
776	788	0.1	RMS	781.49	0.52	30	29.48	Pass	401




6.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	15.71	30	14.29	Pass	401
788	788.1	0.03	RMS	788.002	-60.46	-13	47.46	Pass	401
788.1	793	0.1	RMS	789.031	-56.33	-13	43.33	Pass	401
793	805	0.01	RMS	793.27	-75.26	-35	40.26	Pass	1201




6.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	783.8	1.05	30	28.95	Pass	401
788	788.1	0.03	RMS	788.09	-45.59	-13	32.59	Pass	401
788.1	793	0.1	RMS	788.137	-40.8	-13	27.8	Pass	401
793	805	0.01	RMS	793.18	-62.03	-35	27.03	Pass	1201




6.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	14.65	30	15.35	Pass	401
788	788.1	0.03	RMS	788.071	-60.53	-13	47.53	Pass	401
788.1	793	0.1	RMS	789.117	-56.7	-13	43.7	Pass	401
793	805	0.01	RMS	793.3	-75.13	-35	40.13	Pass	1201




6.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	784.04	0.16	30	29.84	Pass	401
788	788.1	0.03	RMS	788.008	-46.92	-13	33.92	Pass	401
788.1	793	0.1	RMS	788.149	-42.64	-13	29.64	Pass	401
793	805	0.01	RMS	793.14	-62.93	-35	27.93	Pass	1201




6.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	764.67	-79.43	-35	44.43	Pass	1201
775	775.9	0.1	RMS	775.873	-68.52	-13	55.52	Pass	401
775.9	776	0.03	RMS	775.996	-72.1	-13	59.1	Pass	401
776	788	0.1	RMS	777.59	15.8	30	14.2	Pass	401




6.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-74.71	-35	39.71	Pass	1201
775	775.9	0.1	RMS	775.893	-51.5	-13	38.5	Pass	401
775.9	776	0.03	RMS	775.999	-55.01	-13	42.01	Pass	401
776	788	0.1	RMS	785.93	-1.5	30	31.5	Pass	401



6.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	768.62	-79.46	-35	44.46	Pass	1201
775	775.9	0.1	RMS	775.896	-68.53	-13	55.53	Pass	401
775.9	776	0.03	RMS	775.994	-72.06	-13	59.06	Pass	401
776	788	0.1	RMS	777.59	14.74	30	15.26	Pass	401



6.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
763	775	0.01	RMS	774.85	-76.21	-35	41.21	Pass	1201
775	775.9	0.1	RMS	775.9	-53.56	-13	40.56	Pass	401
775.9	776	0.03	RMS	775.994	-57.04	-13	44.04	Pass	401
776	788	0.1	RMS	784.13	-2.5	30	32.5	Pass	401

