


Band Edge

9.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.425	16.04	30	13.96	Pass	401
1915	1916	0.1	RMS	1915.008	-35.13	-13	22.13	Pass	401
1916	1917	1	RMS	1916	-44.19	-13	31.19	Pass	2
1917	1925	1	RMS	1917.04	-48.36	-13	35.36	Pass	401




9.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.775	-1.22	30	31.22	Pass	401
1915	1916	0.1	RMS	1915.008	-35.91	-13	22.91	Pass	401
1916	1917	1	RMS	1916	-31.57	-13	18.57	Pass	2
1917	1925	1	RMS	1917.3	-32.2	-13	19.2	Pass	401




9.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-50.37	-13	37.37	Pass	401
1848	1849	1	RMS	1849	-43.2	-13	30.2	Pass	2
1849	1850	0.15	RMS	1850	-30.58	-13	17.58	Pass	401
1850	1865	0.1	RMS	1850.863	16.59	30	13.41	Pass	401




9.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-31.06	-13	18.06	Pass	401
1848	1849	1	RMS	1848	-31.09	-13	18.09	Pass	2
1849	1850	0.15	RMS	1849.998	-36.08	-13	23.08	Pass	401
1850	1865	0.1	RMS	1851.8	-2.29	30	32.29	Pass	401




9.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.26	-49.47	-13	36.47	Pass	401
1848	1849	1	RMS	1849	-43.9	-13	30.9	Pass	2
1849	1850	0.15	RMS	1849.993	-31.5	-13	18.5	Pass	401
1850	1865	0.1	RMS	1850.825	15.71	30	14.29	Pass	401




9.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-32.82	-13	19.82	Pass	401
1848	1849	1	RMS	1848	-33.04	-13	20.04	Pass	2
1849	1850	0.15	RMS	1849.995	-37.21	-13	24.21	Pass	401
1850	1865	0.1	RMS	1851.163	-3.31	30	33.31	Pass	401




9.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	16.53	30	13.47	Pass	401
1915	1916	0.15	RMS	1915.008	-31.16	-13	18.16	Pass	401
1916	1917	1	RMS	1916	-43.71	-13	30.71	Pass	2
1917	1925	1	RMS	1917	-50.59	-13	37.59	Pass	401




9.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.275	-2.32	30	32.32	Pass	401
1915	1916	0.15	RMS	1915.003	-34.98	-13	21.98	Pass	401
1916	1917	1	RMS	1917	-30.12	-13	17.12	Pass	2
1917	1925	1	RMS	1917.02	-29.87	-13	16.87	Pass	401




9.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.138	15.55	30	14.45	Pass	401
1915	1916	0.15	RMS	1915	-31.52	-13	18.52	Pass	401
1916	1917	1	RMS	1916	-44.47	-13	31.47	Pass	2
1917	1925	1	RMS	1917.54	-50.32	-13	37.32	Pass	401




9.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1905.063	-3.36	30	33.36	Pass	401
1915	1916	0.15	RMS	1915.01	-37.67	-13	24.67	Pass	401
1916	1917	1	RMS	1917	-33.15	-13	20.15	Pass	2
1917	1925	1	RMS	1917.2	-32.76	-13	19.76	Pass	401




9.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.08	-45.92	-13	32.92	Pass	401
1848	1849	1	RMS	1849	-43.42	-13	30.42	Pass	2
1849	1850	0.2	RMS	1849.998	-31.39	-13	18.39	Pass	401
1850	1870	0.1	RMS	1851.1	16.52	30	13.48	Pass	401




9.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-33.26	-13	20.26	Pass	401
1848	1849	1	RMS	1849	-32.85	-13	19.85	Pass	2
1849	1850	0.2	RMS	1849.978	-36.8	-13	23.8	Pass	401
1850	1870	0.1	RMS	1851.4	-3.61	30	33.61	Pass	401




9.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.92	-49.01	-13	36.01	Pass	401
1848	1849	1	RMS	1849	-43.84	-13	30.84	Pass	2
1849	1850	0.2	RMS	1849.988	-31.77	-13	18.77	Pass	401
1850	1870	0.1	RMS	1851.1	15.47	30	14.53	Pass	401




9.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.9	-35.12	-13	22.12	Pass	401
1848	1849	1	RMS	1849	-34.74	-13	21.74	Pass	2
1849	1850	0.2	RMS	1849.998	-38.49	-13	25.49	Pass	401
1850	1870	0.1	RMS	1851.5	-4.54	30	34.54	Pass	401




9.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	16.43	30	13.57	Pass	401
1915	1916	0.2	RMS	1915.005	-31.33	-13	18.33	Pass	401
1916	1917	1	RMS	1916	-43.32	-13	30.32	Pass	2
1917	1925	1	RMS	1917	-50.79	-13	37.79	Pass	401




9.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1905.55	-3.7	30	33.7	Pass	401
1915	1916	0.2	RMS	1915.003	-36.84	-13	23.84	Pass	401
1916	1917	1	RMS	1916	-32.94	-13	19.94	Pass	2
1917	1925	1	RMS	1917.12	-33.22	-13	20.22	Pass	401




9.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	15.37	30	14.63	Pass	401
1915	1916	0.2	RMS	1915.013	-32.07	-13	19.07	Pass	401
1916	1917	1	RMS	1916	-44.06	-13	31.06	Pass	2
1917	1925	1	RMS	1919.36	-49.39	-13	36.39	Pass	401



9.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1897.1	-4.7	30	34.7	Pass	401
1915	1916	0.2	RMS	1915.018	-38.61	-13	25.61	Pass	401
1916	1917	1	RMS	1916	-35.23	-13	22.23	Pass	2
1917	1925	1	RMS	1917.02	-35.45	-13	22.45	Pass	401



10. LTE_Band26(part22)

10.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-54.74	-13	41.74	Pass	401
823	824	0.02	RMS	824	-25.14	-13	12.14	Pass	401
824	826	0.1	RMS	824.245	15.79	30	14.21	Pass	401




10.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.34	-13	29.34	Pass	401
823	824	0.02	RMS	824	-29.75	-13	16.75	Pass	401
824	826	0.1	RMS	824.56	7.55	30	22.45	Pass	401




10.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.45	-13	43.45	Pass	401
823	824	0.02	RMS	824	-25.92	-13	12.92	Pass	401
824	826	0.1	RMS	824.235	15	30	15	Pass	401




**10.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.85	-13	30.85	Pass	401
823	824	0.02	RMS	824	-30.93	-13	17.93	Pass	401
824	826	0.1	RMS	824.39	6.47	30	23.53	Pass	401




**10.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.76	15.64	30	14.36	Pass	401
849	850	0.02	RMS	849.003	-25.37	-13	12.37	Pass	401
850	860	0.1	RMS	850	-56.09	-13	43.09	Pass	401




**10.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.72	7.36	30	22.64	Pass	401
849	850	0.02	RMS	849.003	-30.57	-13	17.57	Pass	401
850	860	0.1	RMS	850	-41.22	-13	28.22	Pass	401




10.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	14.86	30	15.14	Pass	401
849	850	0.02	RMS	849	-26.37	-13	13.37	Pass	401
850	860	0.1	RMS	850.025	-56.84	-13	43.84	Pass	401




**10.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.075	6.33	30	23.67	Pass	401
849	850	0.02	RMS	849.003	-31.18	-13	18.18	Pass	401
850	860	0.1	RMS	850	-43.57	-13	30.57	Pass	401




10.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.12	-13	43.12	Pass	401
823	824	0.03	RMS	824	-28.22	-13	15.22	Pass	401
824	827	0.1	RMS	824.248	15.79	30	14.21	Pass	401




10.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-40.88	-13	27.88	Pass	401
823	824	0.03	RMS	823.998	-30.32	-13	17.32	Pass	401
824	827	0.1	RMS	825.02	3.66	30	26.34	Pass	401




10.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.61	-13	43.61	Pass	401
823	824	0.03	RMS	824	-28.71	-13	15.71	Pass	401
824	827	0.1	RMS	824.263	14.92	30	15.08	Pass	401




10.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-39.96	-13	26.96	Pass	401
823	824	0.03	RMS	823.998	-30.98	-13	17.98	Pass	401
824	827	0.1	RMS	824.675	2.63	30	27.37	Pass	401




10.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	15.72	30	14.28	Pass	401
849	850	0.03	RMS	849	-27.34	-13	14.34	Pass	401
850	860	0.1	RMS	850.025	-56.71	-13	43.71	Pass	401




10.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.43	3.49	30	26.51	Pass	401
849	850	0.03	RMS	849	-31	-13	18	Pass	401
850	860	0.1	RMS	850	-41.63	-13	28.63	Pass	401




10.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	14.76	30	15.24	Pass	401
849	850	0.03	RMS	849	-28.77	-13	15.77	Pass	401
850	860	0.1	RMS	850	-56.81	-13	43.81	Pass	401




10.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.61	2.52	30	27.48	Pass	401
849	850	0.03	RMS	849	-31.92	-13	18.92	Pass	401
850	860	0.1	RMS	850.05	-42.42	-13	29.42	Pass	401




10.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-56.8	-13	43.8	Pass	401
823	824	0.051	RMS	824	-27.31	-13	14.31	Pass	401
824	829	0.1	RMS	824.338	15.78	30	14.22	Pass	401




10.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-42.55	-13	29.55	Pass	401
823	824	0.051	RMS	824	-31.26	-13	18.26	Pass	401
824	829	0.1	RMS	824.4	1.49	30	28.51	Pass	401




10.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.34	-56.79	-13	43.79	Pass	401
823	824	0.051	RMS	824	-28.72	-13	15.72	Pass	401
824	829	0.1	RMS	824.363	14.83	30	15.17	Pass	401




10.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-41.56	-13	28.56	Pass	401
823	824	0.051	RMS	824	-32.18	-13	19.18	Pass	401
824	829	0.1	RMS	824.575	0.56	30	29.44	Pass	401




10.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	15.74	30	14.26	Pass	401
849	850	0.051	RMS	849	-27	-13	14	Pass	401
850	860	0.1	RMS	850.025	-57.67	-13	44.67	Pass	401




10.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	1.3	30	28.7	Pass	401
849	850	0.051	RMS	849	-31.75	-13	18.75	Pass	401
850	860	0.1	RMS	850.05	-43.55	-13	30.55	Pass	401




10.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	14.73	30	15.27	Pass	401
849	850	0.051	RMS	849.003	-28.78	-13	15.78	Pass	401
850	860	0.1	RMS	850	-57.6	-13	44.6	Pass	401




10.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	847.488	0.27	30	29.73	Pass	401
849	850	0.051	RMS	849	-32.36	-13	19.36	Pass	401
850	860	0.1	RMS	850	-43.45	-13	30.45	Pass	401




10.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-58.22	-13	45.22	Pass	401
823	824	0.1	RMS	824	-36.32	-13	23.32	Pass	401
824	834	0.1	RMS	824.6	15.63	30	14.37	Pass	401




10.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-45.17	-13	32.17	Pass	401
823	824	0.1	RMS	823.998	-36.39	-13	23.39	Pass	401
824	834	0.1	RMS	824.9	-1.51	30	31.51	Pass	401




10.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.64	-58.01	-13	45.01	Pass	401
823	824	0.1	RMS	824	-36.87	-13	23.87	Pass	401
824	834	0.1	RMS	824.575	14.72	30	15.28	Pass	401




10.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-44.69	-13	31.69	Pass	401
823	824	0.1	RMS	823.998	-37.09	-13	24.09	Pass	401
824	834	0.1	RMS	824.85	-2.52	30	32.52	Pass	401




10.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	15.57	30	14.43	Pass	401
849	850	0.1	RMS	849	-36.16	-13	23.16	Pass	401
850	860	0.1	RMS	850	-58.88	-13	45.88	Pass	401




10.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.875	-1.26	30	31.26	Pass	401
849	850	0.1	RMS	849.003	-37.01	-13	24.01	Pass	401
850	860	0.1	RMS	850	-45.62	-13	32.62	Pass	401




10.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	14.7	30	15.3	Pass	401
849	850	0.1	RMS	849	-36.46	-13	23.46	Pass	401
850	860	0.1	RMS	850.025	-59.32	-13	46.32	Pass	401




10.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	839.95	-2.21	30	32.21	Pass	401
849	850	0.1	RMS	849.01	-37.94	-13	24.94	Pass	401
850	860	0.1	RMS	850.075	-45.52	-13	32.52	Pass	401




10.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-57.03	-13	44.03	Pass	401
823	824	0.15	RMS	824	-32.49	-13	19.49	Pass	401
824	839	0.1	RMS	824.825	15.39	30	14.61	Pass	401




10.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-45.54	-13	32.54	Pass	401
823	824	0.15	RMS	823.995	-38.99	-13	25.99	Pass	401
824	839	0.1	RMS	837.538	-3.28	30	33.28	Pass	401




10.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.74	-57.82	-13	44.82	Pass	401
823	824	0.15	RMS	823.998	-33.11	-13	20.11	Pass	401
824	839	0.1	RMS	824.825	14.57	30	15.43	Pass	401




10.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.36	-46.53	-13	33.53	Pass	401
823	824	0.15	RMS	823.998	-39.53	-13	26.53	Pass	401
824	839	0.1	RMS	837.988	-4.3	30	34.3	Pass	401




10.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	15.23	30	14.77	Pass	401
849	850	0.15	RMS	849	-32.55	-13	19.55	Pass	401
850	860	0.1	RMS	850.175	-58.09	-13	45.09	Pass	401




10.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.025	-3.24	30	33.24	Pass	401
849	850	0.15	RMS	849.005	-39.09	-13	26.09	Pass	401
850	860	0.1	RMS	850.175	-46.86	-13	33.86	Pass	401




10.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	14.58	30	15.42	Pass	401
849	850	0.15	RMS	849	-33.16	-13	20.16	Pass	401
850	860	0.1	RMS	850.125	-59.17	-13	46.17	Pass	401



10.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	837.788	-4.21	30	34.21	Pass	401
849	850	0.15	RMS	849	-39.89	-13	26.89	Pass	401
850	860	0.1	RMS	850	-46.13	-13	33.13	Pass	401



1. LTE_Band26(part90)


1.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-19.33	-13	6.33	Pass	401
813.9625	814	0.002	RMS	813.993	-26.81	-20	6.81	Pass	401
814	819	0.1	RMS	814.25	21.37	30	8.63	Pass	401




1.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.25	-13	5.25	Pass	401
813.9625	814	0.02	RMS	813.999	-23.45	-20	3.45	Pass	401
814	819	0.1	RMS	814.5	12.91	30	17.09	Pass	401




1.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-14.62	-13	1.62	Pass*	401
813.9625	814	0.002	RMS	813.993	-27.65	-20	7.65	Pass	401
814	819	0.1	RMS	814.25	20.37	30	9.63	Pass	401




1.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.92	-13	6.92	Pass	401
813.9625	814	0.02	RMS	814	-24.34	-20	4.34	Pass	401
814	819	0.1	RMS	814.75	11.84	30	18.16	Pass	401




1.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	21.27	30	8.73	Pass	401
824	824.0375	0.002	RMS	824.005	-27.21	-20	7.21	Pass	401
824.0875	829	0.1	RMS	824.088	-19.76	-13	6.76	Pass	401




1.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.338	12.77	30	17.23	Pass	401
824	824.0375	0.02	RMS	824.001	-24.99	-20	4.99	Pass	401
824.0375	829	0.1	RMS	824.038	-20.64	-13	7.64	Pass	401




1.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.3	30	9.7	Pass	401
824	824.0375	0.002	RMS	824.008	-28.32	-20	8.32	Pass	401
824.0875	829	0.1	RMS	824.088	-20.64	-13	7.64	Pass	401




1.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.263	11.88	30	18.12	Pass	401
824	824.0375	0.02	RMS	824	-26.03	-20	6.03	Pass	401
824.0375	829	0.1	RMS	824.038	-21.42	-13	8.42	Pass	401




1.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.78	-13	3.78	Pass	401
813.9625	814	0.002	RMS	813.998	-30.83	-20	10.83	Pass	401
814	819	0.1	RMS	814.225	21.23	30	8.77	Pass	401




1.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.84	-13	7.84	Pass	401
813.9625	814	0.03	RMS	813.997	-24.13	-20	4.13	Pass	401
814	819	0.1	RMS	816.225	9.09	30	20.91	Pass	401




1.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.25	-13	5.25	Pass	401
813.9625	814	0.002	RMS	814	-32.48	-20	12.48	Pass	401
814	819	0.1	RMS	814.238	20.3	30	9.7	Pass	401




1.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.85	-13	8.85	Pass	401
813.9625	814	0.03	RMS	813.998	-25.15	-20	5.15	Pass	401
814	819	0.1	RMS	816.625	8.05	30	21.95	Pass	401




1.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.25	30	8.75	Pass	401
824	824.0375	0.002	RMS	824.002	-32.9	-20	12.9	Pass	401
824.0875	829	0.1	RMS	824.088	-24.09	-13	11.09	Pass	401



1.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.35	9.01	30	20.99	Pass	401
824	824.0375	0.03	RMS	824.001	-25.43	-20	5.43	Pass	401
824.0375	829	0.1	RMS	824.038	-23.1	-13	10.1	Pass	401



1.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	20.41	30	9.59	Pass	401
824	824.0375	0.002	RMS	824.002	-33.04	-20	13.04	Pass	401
824.0375	829	0.1	RMS	824.038	-21.38	-13	8.38	Pass	51

