


Band Edge


14.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-39.85	-25	14.85	Pass	401
2490	2495	1	RMS	2495	-29.13	-13	16.13	Pass	6
2495	2496	0.15	RMS	2496	-24.36	-13	11.36	Pass	401
2496	2511	0.1	RMS	2496.825	19.63	30	10.37	Pass	401




14.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-28.95	-25	3.95	Pass*	401
2490	2495	1	RMS	2494	-26.68	-13	13.68	Pass	6
2495	2496	0.15	RMS	2495.983	-31.78	-13	18.78	Pass	401
2496	2511	0.1	RMS	2509.425	0.86	30	29.14	Pass	401




14.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	20.47	30	9.53	Pass	401
2690	2691	0.3	RMS	2690.32	-15.09	-10	5.09	Pass*	401
2691	2695	1	RMS	2691	-27.78	-10	17.78	Pass	5
2695	2705	1	RMS	2695.525	-37.81	-13	24.81	Pass	401
2705	2715	1	RMS	2705.65	-45.54	-25	20.54	Pass	401




14.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.075	1.8	30	28.2	Pass	401
2690	2691	0.3	RMS	2690.02	-27.5	-10	17.5	Pass	401
2691	2695	1	RMS	2691	-25.03	-10	15.03	Pass	5
2695	2705	1	RMS	2701.875	-25.93	-13	12.93	Pass	401
2705	2715	1	RMS	2705.075	-32.82	-25	7.82	Pass	401




14.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	19.76	30	10.24	Pass	401
2690	2691	0.3	RMS	2690.278	-15.81	-10	5.81	Pass*	401
2691	2695	1	RMS	2691	-29.31	-10	19.31	Pass	5
2695	2705	1	RMS	2695	-38.01	-13	25.01	Pass	401
2705	2715	1	RMS	2705.95	-45.54	-25	20.54	Pass	401




14.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2677.063	0.28	30	29.72	Pass	401
2690	2691	0.3	RMS	2690	-28.68	-10	18.68	Pass	401
2691	2695	1	RMS	2691	-25.51	-10	15.51	Pass	5
2695	2705	1	RMS	2695.125	-26.85	-13	13.85	Pass	401
2705	2715	1	RMS	2705	-33.86	-25	8.86	Pass	401




14.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-39.41	-25	14.41	Pass	401
2490	2495	1	RMS	2495	-28.68	-13	15.68	Pass	6
2495	2496	0.2	RMS	2495.998	-24.88	-13	11.88	Pass	401
2496	2516	0.1	RMS	2497.1	20.2	30	9.8	Pass	401




14.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-27.5	-25	2.5	Pass*	401
2490	2495	1	RMS	2495	-26.3	-13	13.3	Pass	6
2495	2496	0.2	RMS	2495.848	-30.6	-13	17.6	Pass	401
2496	2516	0.1	RMS	2514.4	0.28	30	29.72	Pass	401




14.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-39.83	-25	14.83	Pass	401
2490	2495	1	RMS	2495	-30.21	-13	17.21	Pass	6
2495	2496	0.2	RMS	2495.998	-25.19	-13	12.19	Pass	401
2496	2516	0.1	RMS	2497.1	19.48	30	10.52	Pass	401




14.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-29.89	-25	4.89	Pass*	401
2490	2495	1	RMS	2495	-28.26	-13	15.26	Pass	6
2495	2496	0.2	RMS	2495.943	-31.82	-13	18.82	Pass	401
2496	2516	0.1	RMS	2514.3	-0.6	30	30.6	Pass	401




14.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.95	20.4	30	9.6	Pass	401
2690	2691	0.5	RMS	2690	-12.85	-10	2.85	Pass*	3
2691	2695	1	RMS	2691	-25.04	-10	15.04	Pass	401
2695	2710	1	RMS	2695.113	-38.83	-13	25.83	Pass	401
2710	2715	1	RMS	2710.163	-46.58	-25	21.58	Pass	401




14.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2671.8	0.18	30	29.82	Pass	401
2690	2691	0.51	RMS	2690.008	-28.07	-10	18.07	Pass	401
2691	2695	1	RMS	2691	-28.02	-10	18.02	Pass	5
2695	2710	1	RMS	2705.95	-28.22	-13	15.22	Pass	401
2710	2715	1	RMS	2710.3	-36.38	-25	11.38	Pass	401




14.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.12	30	10.88	Pass	401
2690	2691	0.51	RMS	2690.008	-13.1	-10	3.1	Pass*	401
2691	2695	1	RMS	2691	-29.99	-10	19.99	Pass	5
2695	2710	1	RMS	2695.075	-38.74	-13	25.74	Pass	401
2710	2715	1	RMS	2712.663	-46.66	-25	21.66	Pass	401



14.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2671.7	-0.54	30	30.54	Pass	401
2690	2691	0.51	RMS	2690.043	-27.58	-10	17.58	Pass	401
2691	2695	1	RMS	2691	-27.19	-10	17.19	Pass	5
2695	2710	1	RMS	2695.413	-27.58	-13	14.58	Pass	401
2710	2715	1	RMS	2710.013	-36.1	-25	11.1	Pass	401



15. LTE_Band42 3450-3550


15.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-36.42	-13	23.42	Pass	401
3445	3449	0.51	RMS	3448.98	-28.05	-13	15.05	Pass	401
3449	3450	0.01	RMS	3450	-25.03	-13	12.03	Pass	401
3450	3455	0.1	RMS	3450.325	21.92	30	8.08	Pass	401




15.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-33.69	-13	20.69	Pass	401
3445	3449	0.51	RMS	3448.95	-24.06	-13	11.06	Pass	401
3449	3450	0.1	RMS	3449.993	-20.75	-13	7.75	Pass	401
3450	3455	0.1	RMS	3452.488	7.9	30	22.1	Pass	401




15.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-36.55	-13	23.55	Pass	401
3445	3449	0.51	RMS	3449	-28.71	-13	15.71	Pass	401
3449	3450	0.01	RMS	3450	-26.34	-13	13.34	Pass	401
3450	3455	0.1	RMS	3450.35	21.51	30	8.49	Pass	401




15.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-35.7	-13	22.7	Pass	401
3445	3449	0.51	RMS	3448.99	-26.17	-13	13.17	Pass	401
3449	3450	0.1	RMS	3449.998	-22.09	-13	9.09	Pass	401
3450	3455	0.1	RMS	3451.35	6.56	30	23.44	Pass	401




15.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.663	24.13	30	5.87	Pass*	401
3550	3551	0.01	RMS	3550	-24.37	-13	11.37	Pass	401
3551	3555	0.51	RMS	3551.03	-26.53	-13	13.53	Pass	401
3555	3571	1	RMS	3555.04	-35.57	-13	22.57	Pass	401




15.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3547.863	9.44	30	20.56	Pass	401
3550	3551	0.1	RMS	3550.005	-19.73	-13	6.73	Pass	401
3551	3555	0.51	RMS	3551.01	-23.16	-13	10.16	Pass	401
3555	3571	1	RMS	3555	-33.01	-13	20.01	Pass	401




15.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	23.11	30	6.89	Pass	401
3550	3551	0.01	RMS	3550.013	-25.3	-13	12.3	Pass	401
3551	3555	0.51	RMS	3551.01	-27.4	-13	14.4	Pass	401
3555	3571	1	RMS	3555.12	-36.22	-13	23.22	Pass	401




15.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3545	3550	0.1	RMS	3548.525	8.54	30	21.46	Pass	401
3550	3551	0.1	RMS	3550.008	-21.13	-13	8.13	Pass	401
3551	3555	0.51	RMS	3551.02	-25.25	-13	12.25	Pass	401
3555	3571	1	RMS	3555.04	-34.55	-13	21.55	Pass	401




15.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.72	-36.05	-13	23.05	Pass	401
3445	3449	0.51	RMS	3448.94	-28.96	-13	15.96	Pass	401
3449	3450	0.01	RMS	3449.998	-34.95	-13	21.95	Pass	401
3450	3460	0.1	RMS	3450.575	22.38	30	7.62	Pass	401




15.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-26.7	-13	13.7	Pass	401
3445	3449	0.51	RMS	3448.87	-26	-13	13	Pass	401
3449	3450	0.1	RMS	3449.993	-27.23	-13	14.23	Pass	401
3450	3460	0.1	RMS	3458.55	4.89	30	25.11	Pass	401




**15.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.76	-36.55	-13	23.55	Pass	401
3445	3449	0.51	RMS	3449	-28.81	-13	15.81	Pass	401
3449	3450	0.01	RMS	3449.998	-33.98	-13	20.98	Pass	401
3450	3460	0.1	RMS	3450.575	20.98	30	9.02	Pass	401




15.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-29.97	-13	16.97	Pass	401
3445	3449	0.51	RMS	3449	-28.04	-13	15.04	Pass	401
3449	3450	0.1	RMS	3450	-29.67	-13	16.67	Pass	401
3450	3460	0.1	RMS	3459.075	3.7	30	26.3	Pass	401




15.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	24.29	30	5.71	Pass*	401
3550	3551	0.01	RMS	3550.003	-33.32	-13	20.32	Pass	401
3551	3555	0.51	RMS	3551.01	-24.48	-13	11.48	Pass	401
3555	3571	1	RMS	3555	-34.53	-13	21.53	Pass	401




15.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3548.675	6.94	30	23.06	Pass	401
3550	3551	0.1	RMS	3550.008	-25.8	-13	12.8	Pass	401
3551	3555	0.51	RMS	3551.01	-24.82	-13	11.82	Pass	401
3555	3571	1	RMS	3555.12	-25.79	-13	12.79	Pass	401




15.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	23.18	30	6.82	Pass	401
3550	3551	0.01	RMS	3550	-33.86	-13	20.86	Pass	401
3551	3555	0.51	RMS	3551.07	-25.47	-13	12.47	Pass	401
3555	3571	1	RMS	3555.08	-34.51	-13	21.51	Pass	401




15.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3540	3550	0.1	RMS	3548.85	5.79	30	24.21	Pass	401
3550	3551	0.1	RMS	3550.005	-28.57	-13	15.57	Pass	401
3551	3555	0.51	RMS	3551.23	-27.06	-13	14.06	Pass	401
3555	3571	1	RMS	3555.04	-28.47	-13	15.47	Pass	401




15.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.6	-36.53	-13	23.53	Pass	401
3445	3449	0.51	RMS	3449	-28.35	-13	15.35	Pass	401
3449	3450	0.01	RMS	3449.998	-35.18	-13	22.18	Pass	401
3450	3465	0.1	RMS	3450.863	21.88	30	8.12	Pass	401




15.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.64	-26.35	-13	13.35	Pass	401
3445	3449	0.51	RMS	3449	-26.44	-13	13.44	Pass	401
3449	3450	0.2	RMS	3449.993	-27.54	-13	14.54	Pass	401
3450	3465	0.1	RMS	3452.55	3.39	30	26.61	Pass	401




15.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-36.35	-13	23.35	Pass	401
3445	3449	0.51	RMS	3448.89	-29.66	-13	16.66	Pass	401
3449	3450	0.01	RMS	3449.995	-36.31	-13	23.31	Pass	401
3450	3465	0.1	RMS	3450.863	20.77	30	9.23	Pass	401




15.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.72	-29.49	-13	16.49	Pass	401
3445	3449	0.51	RMS	3448.16	-29.49	-13	16.49	Pass	401
3449	3450	0.2	RMS	3449.998	-29.47	-13	16.47	Pass	401
3450	3465	0.1	RMS	3461.325	2.34	30	27.66	Pass	401




15.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	23.32	30	6.68	Pass	401
3550	3551	0.01	RMS	3550.013	-33.68	-13	20.68	Pass	401
3551	3555	0.51	RMS	3551.01	-26.83	-13	13.83	Pass	401
3555	3571	1	RMS	3555.36	-34.57	-13	21.57	Pass	401




15.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3540.7	4.53	30	25.47	Pass	401
3550	3551	0.2	RMS	3550.018	-27.31	-13	14.31	Pass	401
3551	3555	0.51	RMS	3551.06	-25.88	-13	12.88	Pass	401
3555	3571	1	RMS	3555.4	-25.29	-13	12.29	Pass	401




15.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	22.75	30	7.25	Pass	401
3550	3551	0.01	RMS	3550.005	-34.57	-13	21.57	Pass	401
3551	3555	0.51	RMS	3551.13	-27.79	-13	14.79	Pass	401
3555	3571	1	RMS	3555.2	-35.42	-13	22.42	Pass	401




15.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3535	3550	0.1	RMS	3538.338	3.85	30	26.15	Pass	401
3550	3551	0.2	RMS	3550.01	-28.72	-13	15.72	Pass	401
3551	3555	0.51	RMS	3551.89	-29.09	-13	16.09	Pass	401
3555	3571	1	RMS	3555.08	-28.85	-13	15.85	Pass	401




15.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-36.02	-13	23.02	Pass	401
3445	3449	0.51	RMS	3449	-29.25	-13	16.25	Pass	401
3449	3450	0.01	RMS	3449.983	-37.97	-13	24.97	Pass	401
3450	3470	0.1	RMS	3451.1	21.52	30	8.48	Pass	401




**15.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190,
Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-28.08	-13	15.08	Pass	401
3445	3449	0.51	RMS	3448.8	-29.09	-13	16.09	Pass	401
3449	3450	0.2	RMS	3449.993	-31.25	-13	18.25	Pass	401
3450	3470	0.1	RMS	3455	2.08	30	27.92	Pass	401




**15.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.64	-36.54	-13	23.54	Pass	401
3445	3449	0.51	RMS	3448.99	-29.77	-13	16.77	Pass	401
3449	3450	0.01	RMS	3449.993	-36.91	-13	23.91	Pass	401
3450	3470	0.1	RMS	3451.1	21.26	30	8.74	Pass	401




15.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3429	3445	1	RMS	3444.88	-30.43	-13	17.43	Pass	401
3445	3449	0.51	RMS	3448.95	-31.08	-13	18.08	Pass	401
3449	3450	0.2	RMS	3449.993	-32.45	-13	19.45	Pass	401
3450	3470	0.1	RMS	3452.1	1.12	30	28.88	Pass	401




15.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	23.2	30	6.8	Pass	401
3550	3551	0.01	RMS	3550.008	-36.1	-13	23.1	Pass	401
3551	3555	0.51	RMS	3551.05	-28.44	-13	15.44	Pass	401
3555	3571	1	RMS	3555	-34.7	-13	21.7	Pass	401




15.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3546.85	3.69	30	26.31	Pass	401
3550	3551	0.2	RMS	3550	-29.87	-13	16.87	Pass	401
3551	3555	0.51	RMS	3551.15	-28.23	-13	15.23	Pass	401
3555	3571	1	RMS	3555.16	-27.87	-13	14.87	Pass	401




15.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	22.59	30	7.41	Pass	401
3550	3551	0.01	RMS	3550.018	-36.61	-13	23.61	Pass	401
3551	3555	0.51	RMS	3551.06	-28.69	-13	15.69	Pass	401
3555	3571	1	RMS	3555.56	-35.45	-13	22.45	Pass	401



15.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	0.1	RMS	3546.95	2.23	30	27.77	Pass	401
3550	3551	0.2	RMS	3550.008	-31.09	-13	18.09	Pass	401
3551	3555	0.51	RMS	3551.34	-30.14	-13	17.14	Pass	401
3555	3571	1	RMS	3555.12	-29.15	-13	16.15	Pass	401



16. LTE_Band43 3700-3800


16.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.96	-37.02	-13	24.02	Pass	401
3695	3699	0.51	RMS	3698.98	-29.04	-13	16.04	Pass	401
3699	3700	0.01	RMS	3700	-27.28	-13	14.28	Pass	401
3700	3705	0.1	RMS	3700.338	21.81	30	8.19	Pass	401




16.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-35.7	-13	22.7	Pass	401
3695	3699	0.51	RMS	3699	-25.98	-13	12.98	Pass	401
3699	3700	0.1	RMS	3700	-22.76	-13	9.76	Pass	401
3700	3705	0.1	RMS	3703.163	6.77	30	23.23	Pass	401




16.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.8	-37.62	-13	24.62	Pass	401
3695	3699	0.51	RMS	3698.94	-28.91	-13	15.91	Pass	401
3699	3700	0.01	RMS	3699.983	-29.67	-13	16.67	Pass	401
3700	3705	0.1	RMS	3700.35	21	30	9	Pass	401




16.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-37.01	-13	24.01	Pass	401
3695	3699	0.51	RMS	3698.99	-27.85	-13	14.85	Pass	401
3699	3700	0.1	RMS	3699.993	-23.1	-13	10.1	Pass	401
3700	3705	0.1	RMS	3703.013	5.92	30	24.08	Pass	401




16.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.638	22.62	30	7.38	Pass	401
3800	3801	0.01	RMS	3800.003	-25.02	-13	12.02	Pass	401
3801	3805	0.51	RMS	3801.08	-27.68	-13	14.68	Pass	401
3805	3821	1	RMS	3805.6	-36.41	-13	23.41	Pass	401




16.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3796.913	8.62	30	21.38	Pass	401
3800	3801	0.1	RMS	3800.008	-20.89	-13	7.89	Pass	401
3801	3805	0.51	RMS	3801.02	-22.65	-13	9.65	Pass	401
3805	3821	1	RMS	3805.04	-34.07	-13	21.07	Pass	401




16.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3799.663	21.93	30	8.07	Pass	401
3800	3801	0.01	RMS	3800.003	-25.58	-13	12.58	Pass	401
3801	3805	0.51	RMS	3801.07	-28.37	-13	15.37	Pass	401
3805	3821	1	RMS	3805.16	-36.34	-13	23.34	Pass	401




16.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3795	3800	0.1	RMS	3798.025	7.66	30	22.34	Pass	401
3800	3801	0.1	RMS	3800.01	-21.78	-13	8.78	Pass	401
3801	3805	0.51	RMS	3801.01	-24.96	-13	11.96	Pass	401
3805	3821	1	RMS	3805	-35.15	-13	22.15	Pass	401




16.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.92	-36.69	-13	23.69	Pass	401
3695	3699	0.51	RMS	3699	-29.34	-13	16.34	Pass	401
3699	3700	0.01	RMS	3699.993	-36.34	-13	23.34	Pass	401
3700	3710	0.1	RMS	3700.575	21.95	30	8.05	Pass	401




16.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.92	-28.14	-13	15.14	Pass	401
3695	3699	0.51	RMS	3699	-27.12	-13	14.12	Pass	401
3699	3700	0.1	RMS	3699.998	-28.7	-13	15.7	Pass	401
3700	3710	0.1	RMS	3709	4.87	30	25.13	Pass	401




**16.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44640,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3695	-37.58	-13	24.58	Pass	401
3695	3699	0.51	RMS	3698.97	-29.55	-13	16.55	Pass	401
3699	3700	0.01	RMS	3699.993	-36.62	-13	23.62	Pass	401
3700	3710	0.1	RMS	3700.575	20.94	30	9.06	Pass	401




16.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.96	-30.78	-13	17.78	Pass	401
3695	3699	0.51	RMS	3698.97	-30	-13	17	Pass	401
3699	3700	0.1	RMS	3700	-30.37	-13	17.37	Pass	401
3700	3710	0.1	RMS	3709.3	3.48	30	26.52	Pass	401




16.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.4	22.49	30	7.51	Pass	401
3800	3801	0.01	RMS	3800	-33.51	-13	20.51	Pass	401
3801	3805	0.51	RMS	3801.07	-26.79	-13	13.79	Pass	401
3805	3821	1	RMS	3805.04	-35.52	-13	22.52	Pass	401




16.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3792.65	5.81	30	24.19	Pass	401
3800	3801	0.1	RMS	3800.008	-27.69	-13	14.69	Pass	401
3801	3805	0.51	RMS	3801	-25.19	-13	12.19	Pass	401
3805	3821	1	RMS	3805	-26.17	-13	13.17	Pass	401




16.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3799.425	22.03	30	7.97	Pass	401
3800	3801	0.01	RMS	3800.003	-33.99	-13	20.99	Pass	401
3801	3805	0.51	RMS	3801.08	-28.59	-13	15.59	Pass	401
3805	3821	1	RMS	3805.2	-36.37	-13	23.37	Pass	401




16.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3790	3800	0.1	RMS	3791.3	4.61	30	25.39	Pass	401
3800	3801	0.1	RMS	3800.02	-28.58	-13	15.58	Pass	401
3801	3805	0.51	RMS	3801.2	-25.5	-13	12.5	Pass	401
3805	3821	1	RMS	3805	-27.48	-13	14.48	Pass	401




16.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.6	-36.91	-13	23.91	Pass	401
3695	3699	0.51	RMS	3698.92	-29.39	-13	16.39	Pass	401
3699	3700	0.01	RMS	3699.993	-36.84	-13	23.84	Pass	401
3700	3715	0.1	RMS	3700.863	21.55	30	8.45	Pass	401




16.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-27.22	-13	14.22	Pass	401
3695	3699	0.51	RMS	3698.03	-27.56	-13	14.56	Pass	401
3699	3700	0.2	RMS	3699.988	-29.03	-13	16.03	Pass	401
3700	3715	0.1	RMS	3713.65	2.64	30	27.36	Pass	401




16.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-36.74	-13	23.74	Pass	401
3695	3699	0.51	RMS	3698.96	-29.75	-13	16.75	Pass	401
3699	3700	0.01	RMS	3699.998	-37.12	-13	24.12	Pass	401
3700	3715	0.1	RMS	3700.825	20.54	30	9.46	Pass	401




16.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.88	-30.39	-13	17.39	Pass	401
3695	3699	0.51	RMS	3698.14	-30.54	-13	17.54	Pass	401
3699	3700	0.2	RMS	3700	-31.24	-13	18.24	Pass	401
3700	3715	0.1	RMS	3713.95	1.69	30	28.31	Pass	401




16.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.138	22.92	30	7.08	Pass	401
3800	3801	0.01	RMS	3800	-34.62	-13	21.62	Pass	401
3801	3805	0.51	RMS	3801.1	-27.74	-13	14.74	Pass	401
3805	3821	1	RMS	3805.04	-34.72	-13	21.72	Pass	401




16.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3786.575	3.68	30	26.32	Pass	401
3800	3801	0.2	RMS	3800.003	-26.09	-13	13.09	Pass	401
3801	3805	0.51	RMS	3801	-24.64	-13	11.64	Pass	401
3805	3821	1	RMS	3805.08	-23.86	-13	10.86	Pass	401




16.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3799.138	21.91	30	8.09	Pass	401
3800	3801	0.01	RMS	3800.005	-34.88	-13	21.88	Pass	401
3801	3805	0.51	RMS	3801.03	-28.45	-13	15.45	Pass	401
3805	3821	1	RMS	3805.04	-35.33	-13	22.33	Pass	401




16.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3785	3800	0.1	RMS	3798.163	2.78	30	27.22	Pass	401
3800	3801	0.2	RMS	3800.008	-28.82	-13	15.82	Pass	401
3801	3805	0.51	RMS	3801.02	-28.46	-13	15.46	Pass	401
3805	3821	1	RMS	3805.24	-28.7	-13	15.7	Pass	401




16.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.68	-36.75	-13	23.75	Pass	401
3695	3699	0.51	RMS	3699	-29.46	-13	16.46	Pass	401
3699	3700	0.01	RMS	3699.985	-38.77	-13	25.77	Pass	401
3700	3720	0.1	RMS	3701.1	21.31	30	8.69	Pass	401



16.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.92	-29.98	-13	16.98	Pass	401
3695	3699	0.51	RMS	3698.98	-30.65	-13	17.65	Pass	401
3699	3700	0.2	RMS	3699.993	-31.69	-13	18.69	Pass	401
3700	3720	0.1	RMS	3718.6	1.85	30	28.15	Pass	401



16.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3679	3695	1	RMS	3694.56	-36.75	-13	23.75	Pass	401
3695	3699	0.51	RMS	3698.95	-30.01	-13	17.01	Pass	401
3699	3700	0.01	RMS	3700	-38.77	-13	25.77	Pass	401
3700	3720	0.1	RMS	3701.05	20.08	30	9.92	Pass	401

