

Appendix test data for LTE Band 26

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26_1.4MHz_ERP

Band: 26 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	23.57	0.34	21.76	<=50	Pass
			2	23.36	0.34	21.55	<=50	Pass
			5	23.32	0.34	21.51	<=50	Pass
		3	0	23.98	0.34	22.17	<=50	Pass
			2	23.98	0.34	22.17	<=50	Pass
			3	23.97	0.34	22.16	<=50	Pass
		6	0	22.92	0.34	21.11	<=50	Pass
	831.5	1	0	23.46	0.34	21.65	/	Pass
			2	23.46	0.34	21.65	/	Pass
			5	23.47	0.34	21.66	/	Pass
		3	0	23.91	0.34	22.10	/	Pass
			2	23.92	0.34	22.11	/	Pass
			3	23.91	0.34	22.10	/	Pass
		6	0	22.98	0.34	21.17	/	Pass
	848.3	1	0	23.32	0.34	21.51	/	Pass
			2	23.30	0.34	21.49	/	Pass
			5	23.28	0.34	21.47	/	Pass
		3	0	23.85	0.34	22.04	/	Pass
			2	23.82	0.34	22.01	/	Pass
			3	23.86	0.34	22.05	/	Pass
		6	0	22.86	0.34	21.05	/	Pass
16QAM	814.7	1	0	22.56	0.34	20.75	<=50	Pass
			2	22.61	0.34	20.80	<=50	Pass
			5	22.56	0.34	20.75	<=50	Pass
		3	0	22.84	0.34	21.03	<=50	Pass
			2	22.88	0.34	21.07	<=50	Pass
			3	22.85	0.34	21.04	<=50	Pass
		6	0	21.81	0.34	20.00	<=50	Pass
	831.5	1	0	22.38	0.34	20.57	/	Pass
			2	22.40	0.34	20.59	/	Pass
			5	22.37	0.34	20.56	/	Pass
		3	0	22.89	0.34	21.08	/	Pass
			2	22.89	0.34	21.08	/	Pass
			3	22.88	0.34	21.07	/	Pass
		6	0	21.98	0.34	20.17	/	Pass
	848.3	1	0	22.47	0.34	20.66	/	Pass
			2	22.54	0.34	20.73	/	Pass
			5	22.47	0.34	20.66	/	Pass
		3	0	22.81	0.34	21.00	/	Pass
			2	22.78	0.34	20.97	/	Pass
			3	22.79	0.34	20.98	/	Pass
		6	0	21.92	0.34	20.11	/	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26_3MHz_ERP

Band: 26 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	23.32	0.34	21.51	<=50	Pass
			7	23.40	0.34	21.59	<=50	Pass
			14	23.33	0.34	21.52	<=50	Pass
		8	0	22.90	0.34	21.09	<=50	Pass
			4	22.88	0.34	21.07	<=50	Pass
			7	22.87	0.34	21.06	<=50	Pass
		15	0	22.86	0.34	21.05	<=50	Pass
	831.5	1	0	23.44	0.34	21.63	/	Pass
			7	23.48	0.34	21.67	/	Pass
			14	23.47	0.34	21.66	/	Pass
		8	0	22.97	0.34	21.16	/	Pass
			4	22.94	0.34	21.13	/	Pass
			7	23.00	0.34	21.19	/	Pass
		15	0	22.99	0.34	21.18	/	Pass
	847.5	1	0	23.32	0.34	21.51	/	Pass
			7	23.36	0.34	21.55	/	Pass
			14	23.40	0.34	21.59	/	Pass
		8	0	22.82	0.34	21.01	/	Pass
			4	22.85	0.34	21.04	/	Pass
			7	22.84	0.34	21.03	/	Pass
		15	0	22.87	0.34	21.06	/	Pass
16QAM	815.5	1	0	22.58	0.34	20.77	<=50	Pass
			7	22.59	0.34	20.78	<=50	Pass
			14	22.52	0.34	20.71	<=50	Pass
		8	0	21.93	0.34	20.12	<=50	Pass
			4	21.91	0.34	20.10	<=50	Pass
			7	21.90	0.34	20.09	<=50	Pass
		15	0	21.79	0.34	19.98	<=50	Pass
	831.5	1	0	22.36	0.34	20.55	/	Pass
			7	22.41	0.34	20.60	/	Pass
			14	22.40	0.34	20.59	/	Pass
		8	0	22.01	0.34	20.20	/	Pass
			4	22.01	0.34	20.20	/	Pass
			7	22.05	0.34	20.24	/	Pass
		15	0	21.93	0.34	20.12	/	Pass
	847.5	1	0	22.50	0.34	20.69	/	Pass
			7	22.56	0.34	20.75	/	Pass
			14	22.53	0.34	20.72	/	Pass
		8	0	21.89	0.34	20.08	/	Pass
			4	21.90	0.34	20.09	/	Pass
			7	21.94	0.34	20.13	/	Pass
		15	0	21.87	0.34	20.06	/	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26_5MHz_ERP

Band: 26 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	23.50	0.34	21.69	<=50	Pass
			13	23.43	0.34	21.62	<=50	Pass
			24	23.44	0.34	21.63	<=50	Pass
		12	0	22.87	0.34	21.06	<=50	Pass
			6	22.88	0.34	21.07	<=50	Pass

			13	22.90	0.34	21.09	<=50	Pass	
		25	0	22.91	0.34	21.10	<=50	Pass	
	831.5	1	0	23.60	0.34	21.79	/	Pass	
			13	23.62	0.34	21.81	/	Pass	
			24	23.66	0.34	21.85	/	Pass	
		12	0	23.06	0.34	21.25	/	Pass	
			6	22.99	0.34	21.18	/	Pass	
			13	22.96	0.34	21.15	/	Pass	
		25	0	23.01	0.34	21.20	/	Pass	
	846.5	1	0	23.53	0.34	21.72	/	Pass	
			13	23.46	0.34	21.65	/	Pass	
			24	23.54	0.34	21.73	/	Pass	
		12	0	22.95	0.34	21.14	/	Pass	
			6	22.86	0.34	21.05	/	Pass	
			13	22.85	0.34	21.04	/	Pass	
		25	0	22.96	0.34	21.15	/	Pass	
16QAM	816.5	1	0	22.56	0.34	20.75	<=50	Pass	
			13	22.55	0.34	20.74	<=50	Pass	
			24	22.61	0.34	20.80	<=50	Pass	
		12	0	21.89	0.34	20.08	<=50	Pass	
			6	21.91	0.34	20.10	<=50	Pass	
			13	21.95	0.34	20.14	<=50	Pass	
		25	0	21.88	0.34	20.07	<=50	Pass	
	831.5	1	0	22.64	0.34	20.83	/	Pass	
			13	22.65	0.34	20.84	/	Pass	
			24	22.72	0.34	20.91	/	Pass	
		12	0	22.07	0.34	20.26	/	Pass	
			6	21.99	0.34	20.18	/	Pass	
			13	22.01	0.34	20.20	/	Pass	
		25	0	22.06	0.34	20.25	/	Pass	
	846.5	1	0	22.46	0.34	20.65	/	Pass	
			13	22.40	0.34	20.59	/	Pass	
			24	22.42	0.34	20.61	/	Pass	
		12	0	21.98	0.34	20.17	/	Pass	
			6	21.84	0.34	20.03	/	Pass	
			13	21.85	0.34	20.04	/	Pass	
		25	0	21.95	0.34	20.14	/	Pass	
	Note1: ERP=Conducted Power+Antenna Gain-2.15								

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26_10MHz_ERP

Band: 26 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	23.33	0.34	21.52	<=50	Pass
			25	23.40	0.34	21.59	<=50	Pass
			49	23.33	0.34	21.52	<=50	Pass
		25	0	22.88	0.34	21.07	<=50	Pass
			13	22.92	0.34	21.11	<=50	Pass
			25	23.03	0.34	21.22	<=50	Pass
		50	0	22.96	0.34	21.15	<=50	Pass
	831.5	1	0	23.36	0.34	21.55	/	Pass
			25	23.53	0.34	21.72	/	Pass
			49	23.52	0.34	21.71	/	Pass
		25	0	23.06	0.34	21.25	/	Pass
			13	23.00	0.34	21.19	/	Pass
			25	23.00	0.34	21.19	/	Pass
		50	0	23.05	0.34	21.24	/	Pass
			0	23.05	0.34	21.24	/	Pass

16QAM	844	1	0	23.43	0.34	21.62	/	Pass
			25	23.41	0.34	21.60	/	Pass
			49	23.35	0.34	21.54	/	Pass
		25	0	23.03	0.34	21.22	/	Pass
			13	22.91	0.34	21.10	/	Pass
			25	22.81	0.34	21.00	/	Pass
		50	0	23.00	0.34	21.19	/	Pass
	819	1	0	22.54	0.34	20.73	<=50	Pass
			25	22.62	0.34	20.81	<=50	Pass
			49	22.54	0.34	20.73	<=50	Pass
		25	0	21.91	0.34	20.10	<=50	Pass
			13	21.92	0.34	20.11	<=50	Pass
			25	22.06	0.34	20.25	<=50	Pass
		50	0	21.98	0.34	20.17	<=50	Pass
	831.5	1	0	22.26	0.34	20.45	/	Pass
			25	22.40	0.34	20.59	/	Pass
			49	22.40	0.34	20.59	/	Pass
		25	0	22.07	0.34	20.26	/	Pass
			13	22.06	0.34	20.25	/	Pass
			25	22.04	0.34	20.23	/	Pass
		50	0	22.01	0.34	20.20	/	Pass
	844	1	0	22.59	0.34	20.78	/	Pass
			25	22.57	0.34	20.76	/	Pass
			49	22.49	0.34	20.68	/	Pass
		25	0	22.02	0.34	20.21	/	Pass
			13	21.91	0.34	20.10	/	Pass
			25	21.79	0.34	19.98	/	Pass
		50	0	21.95	0.34	20.14	/	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26_15MHz_ERP

Band: 26 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	821.5	1	0	23.26	0.34	21.45	<=50	Pass
			38	23.36	0.34	21.55	<=50	Pass
			74	23.33	0.34	21.52	<=50	Pass
		36	0	22.81	0.34	21.00	<=50	Pass
			18	22.84	0.34	21.03	<=50	Pass
			39	22.87	0.34	21.06	<=50	Pass
		75	0	22.87	0.34	21.06	<=50	Pass
	831.5	1	0	23.28	0.34	21.47	/	Pass
			38	23.51	0.34	21.70	/	Pass
			74	23.49	0.34	21.68	/	Pass
		36	0	22.94	0.34	21.13	/	Pass
			18	22.96	0.34	21.15	/	Pass
			39	22.97	0.34	21.16	/	Pass
		75	0	22.96	0.34	21.15	/	Pass
	841.5	1	0	23.45	0.34	21.64	/	Pass
			38	23.50	0.34	21.69	/	Pass
			74	23.27	0.34	21.46	/	Pass
		36	0	22.91	0.34	21.10	/	Pass
			18	22.90	0.34	21.09	/	Pass
			39	22.77	0.34	20.96	/	Pass
		75	0	22.89	0.34	21.08	/	Pass
16QAM	821.5	1	0	22.54	0.34	20.73	<=50	Pass
			38	22.66	0.34	20.85	<=50	Pass



			74	22.64	0.34	20.83	<=50	Pass
		36	0	21.85	0.34	20.04	<=50	Pass
			18	21.89	0.34	20.08	<=50	Pass
			39	21.94	0.34	20.13	<=50	Pass
		75	0	21.88	0.34	20.07	<=50	Pass
	831.5	1	0	22.23	0.34	20.42	/	Pass
			38	22.41	0.34	20.60	/	Pass
			74	22.36	0.34	20.55	/	Pass
		36	0	21.93	0.34	20.12	/	Pass
			18	21.97	0.34	20.16	/	Pass
			39	21.87	0.34	20.06	/	Pass
		75	0	21.95	0.34	20.14	/	Pass
	841.5	1	0	22.62	0.34	20.81	/	Pass
			38	22.62	0.34	20.81	/	Pass
			74	22.45	0.34	20.64	/	Pass
		36	0	21.91	0.34	20.10	/	Pass
			18	21.94	0.34	20.13	/	Pass
			39	21.76	0.34	19.95	/	Pass
		75	0	21.82	0.34	20.01	/	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Test Result

2.1.1 B26_1.4MHz

Band: 26 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	-0.615	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.860	-0.0023	-2.5 to 2.5	Pass
					4.43	-0.944	-0.0012	-2.5 to 2.5	Pass
				-30	3.85	5.322	0.0065	-2.5 to 2.5	Pass
				-20	3.85	-3.347	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-3.791	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-1.130	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				30	3.85	2.031	0.0025	-2.5 to 2.5	Pass
				40	3.85	-2.947	-0.0036	-2.5 to 2.5	Pass
				50	3.85	1.159	0.0014	-2.5 to 2.5	Pass
	831.5	6	0	20	3.27	3.719	0.0045	-2.5 to 2.5	Pass
					3.85	0.358	0.0004	-2.5 to 2.5	Pass
					4.43	-1.574	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	1.116	0.0013	-2.5 to 2.5	Pass
				-20	3.85	4.506	0.0054	-2.5 to 2.5	Pass
				-10	3.85	1.330	0.0016	-2.5 to 2.5	Pass
				0	3.85	0.629	0.0008	-2.5 to 2.5	Pass
				10	3.85	-0.629	-0.0008	-2.5 to 2.5	Pass
				30	3.85	1.445	0.0017	-2.5 to 2.5	Pass
				40	3.85	-1.388	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-4.020	-0.0048	-2.5 to 2.5	Pass
	848.3	6	0	20	3.27	4.392	0.0052	-2.5 to 2.5	Pass
					3.85	-2.103	-0.0025	-2.5 to 2.5	Pass
					4.43	0.043	0.0001	-2.5 to 2.5	Pass
				-30	3.85	-1.388	-0.0016	-2.5 to 2.5	Pass

16QAM	814.7	6	0	-20	3.85	5.193	0.0061	-2.5 to 2.5	Pass
				-10	3.85	3.204	0.0038	-2.5 to 2.5	Pass
				0	3.85	-6.437	-0.0076	-2.5 to 2.5	Pass
				10	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.273	0.0015	-2.5 to 2.5	Pass
				40	3.85	2.904	0.0034	-2.5 to 2.5	Pass
				50	3.85	-3.233	-0.0038	-2.5 to 2.5	Pass
	831.5	6	0	20	3.27	-1.473	-0.0018	-2.5 to 2.5	Pass
					3.85	0.257	0.0003	-2.5 to 2.5	Pass
					4.43	1.130	0.0014	-2.5 to 2.5	Pass
				-30	3.85	-2.060	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	5.164	0.0063	-2.5 to 2.5	Pass
				-10	3.85	-1.745	-0.0021	-2.5 to 2.5	Pass
				0	3.85	2.532	0.0031	-2.5 to 2.5	Pass
				10	3.85	-3.691	-0.0045	-2.5 to 2.5	Pass
				30	3.85	-2.446	-0.0030	-2.5 to 2.5	Pass
				40	3.85	2.317	0.0028	-2.5 to 2.5	Pass
				50	3.85	-4.692	-0.0058	-2.5 to 2.5	Pass
				20	3.27	0.315	0.0004	-2.5 to 2.5	Pass
					3.85	3.133	0.0038	-2.5 to 2.5	Pass
					4.43	3.948	0.0047	-2.5 to 2.5	Pass
	848.3	6	0	-30	3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	1.230	0.0015	-2.5 to 2.5	Pass
				0	3.85	-4.520	-0.0054	-2.5 to 2.5	Pass
				10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				30	3.85	1.202	0.0014	-2.5 to 2.5	Pass
				40	3.85	-2.732	-0.0033	-2.5 to 2.5	Pass
				50	3.85	1.302	0.0016	-2.5 to 2.5	Pass
				20	3.27	4.148	0.0049	-2.5 to 2.5	Pass
					3.85	0.014	0.0000	-2.5 to 2.5	Pass
					4.43	1.402	0.0017	-2.5 to 2.5	Pass
				-30	3.85	-3.476	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	3.648	0.0043	-2.5 to 2.5	Pass
				-10	3.85	3.762	0.0044	-2.5 to 2.5	Pass
				0	3.85	2.832	0.0033	-2.5 to 2.5	Pass
				10	3.85	-0.844	-0.0010	-2.5 to 2.5	Pass
				30	3.85	0.401	0.0005	-2.5 to 2.5	Pass
				40	3.85	-4.964	-0.0059	-2.5 to 2.5	Pass
				50	3.85	-0.715	-0.0008	-2.5 to 2.5	Pass

2.1.2 B26_3MHz

Band: 26 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	-1.187	-0.0015	-2.5 to 2.5	Pass
					3.85	1.631	0.0020	-2.5 to 2.5	Pass
					4.43	-0.072	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-1.302	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	0.815	0.0010	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				0	3.85	4.020	0.0049	-2.5 to 2.5	Pass
				10	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				30	3.85	-2.718	-0.0033	-2.5 to 2.5	Pass
				40	3.85	1.860	0.0023	-2.5 to 2.5	Pass
				50	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
	831.5	15	0	20	3.27	0.200	0.0002	-2.5 to 2.5	Pass

					3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
					4.43	2.503	0.0030	-2.5 to 2.5	Pass
				-30	3.85	5.121	0.0062	-2.5 to 2.5	Pass
				-20	3.85	-1.431	-0.0017	-2.5 to 2.5	Pass
				-10	3.85	-4.549	-0.0055	-2.5 to 2.5	Pass
				0	3.85	2.060	0.0025	-2.5 to 2.5	Pass
				10	3.85	4.735	0.0057	-2.5 to 2.5	Pass
				30	3.85	1.431	0.0017	-2.5 to 2.5	Pass
				40	3.85	1.960	0.0024	-2.5 to 2.5	Pass
				50	3.85	-2.518	-0.0030	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-5.894	-0.0070	-2.5 to 2.5	Pass
					3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
					4.43	0.644	0.0008	-2.5 to 2.5	Pass
				-30	3.85	1.044	0.0012	-2.5 to 2.5	Pass
				-20	3.85	1.345	0.0016	-2.5 to 2.5	Pass
				-10	3.85	-1.130	-0.0013	-2.5 to 2.5	Pass
				0	3.85	4.120	0.0049	-2.5 to 2.5	Pass
				10	3.85	-2.275	-0.0027	-2.5 to 2.5	Pass
				30	3.85	2.804	0.0033	-2.5 to 2.5	Pass
				40	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass
16QAM	815.5	15	0	20	3.27	0.386	0.0005	-2.5 to 2.5	Pass
					3.85	-1.044	-0.0013	-2.5 to 2.5	Pass
					4.43	7.868	0.0096	-2.5 to 2.5	Pass
				-30	3.85	1.702	0.0021	-2.5 to 2.5	Pass
				-20	3.85	-2.003	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	0.572	0.0007	-2.5 to 2.5	Pass
				0	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				10	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				30	3.85	1.731	0.0021	-2.5 to 2.5	Pass
				40	3.85	3.505	0.0043	-2.5 to 2.5	Pass
				50	3.85	0.443	0.0005	-2.5 to 2.5	Pass
	831.5	15	0	20	3.27	0.114	0.0001	-2.5 to 2.5	Pass
					3.85	-0.944	-0.0011	-2.5 to 2.5	Pass
					4.43	-1.402	-0.0017	-2.5 to 2.5	Pass
				-30	3.85	-1.559	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	1.516	0.0018	-2.5 to 2.5	Pass
				-10	3.85	0.143	0.0002	-2.5 to 2.5	Pass
				0	3.85	-1.144	-0.0014	-2.5 to 2.5	Pass
				10	3.85	0.372	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.930	0.0011	-2.5 to 2.5	Pass
				40	3.85	-2.160	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-6.008	-0.0072	-2.5 to 2.5	Pass
	847.5	15	0	20	3.27	-0.229	-0.0003	-2.5 to 2.5	Pass
					3.85	3.791	0.0045	-2.5 to 2.5	Pass
					4.43	-2.031	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	1.845	0.0022	-2.5 to 2.5	Pass
				-10	3.85	0.129	0.0002	-2.5 to 2.5	Pass
				0	3.85	-4.792	-0.0057	-2.5 to 2.5	Pass
				10	3.85	0.801	0.0009	-2.5 to 2.5	Pass
				30	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.815	0.0010	-2.5 to 2.5	Pass
				50	3.85	0.958	0.0011	-2.5 to 2.5	Pass

2.1.3 B26_5MHz

Band: 26 / Bandwidth: 5MHz

Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	2.089	0.0026	-2.5 to 2.5	Pass
					3.85	0.615	0.0008	-2.5 to 2.5	Pass
					4.43	-1.802	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	1.316	0.0016	-2.5 to 2.5	Pass
				-20	3.85	2.060	0.0025	-2.5 to 2.5	Pass
				-10	3.85	2.446	0.0030	-2.5 to 2.5	Pass
				0	3.85	-0.372	-0.0005	-2.5 to 2.5	Pass
				10	3.85	2.990	0.0037	-2.5 to 2.5	Pass
				30	3.85	7.410	0.0091	-2.5 to 2.5	Pass
				40	3.85	-2.174	-0.0027	-2.5 to 2.5	Pass
				50	3.85	3.519	0.0043	-2.5 to 2.5	Pass
	831.5	25	0	20	3.27	2.503	0.0030	-2.5 to 2.5	Pass
					3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
					4.43	1.416	0.0017	-2.5 to 2.5	Pass
				-30	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass
				-20	3.85	-4.077	-0.0049	-2.5 to 2.5	Pass
				-10	3.85	2.232	0.0027	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0009	-2.5 to 2.5	Pass
				10	3.85	-2.432	-0.0029	-2.5 to 2.5	Pass
				30	3.85	2.246	0.0027	-2.5 to 2.5	Pass
				40	3.85	-2.503	-0.0030	-2.5 to 2.5	Pass
				50	3.85	0.601	0.0007	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-2.189	-0.0026	-2.5 to 2.5	Pass
					3.85	0.029	0.0000	-2.5 to 2.5	Pass
					4.43	-1.202	-0.0014	-2.5 to 2.5	Pass
				-30	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				-20	3.85	0.086	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-1.273	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-1.817	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.758	-0.0009	-2.5 to 2.5	Pass
				40	3.85	2.289	0.0027	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	0.973	0.0012	-2.5 to 2.5	Pass
					3.85	1.717	0.0021	-2.5 to 2.5	Pass
					4.43	1.416	0.0017	-2.5 to 2.5	Pass
				-30	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	3.004	0.0037	-2.5 to 2.5	Pass
				-10	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				0	3.85	0.958	0.0012	-2.5 to 2.5	Pass
				10	3.85	1.631	0.0020	-2.5 to 2.5	Pass
				30	3.85	2.275	0.0028	-2.5 to 2.5	Pass
				40	3.85	-2.089	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
	831.5	25	0	20	3.27	1.302	0.0016	-2.5 to 2.5	Pass
					3.85	-2.947	-0.0035	-2.5 to 2.5	Pass
					4.43	1.717	0.0021	-2.5 to 2.5	Pass
				-30	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-2.131	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-0.200	-0.0002	-2.5 to 2.5	Pass
				0	3.85	-2.160	-0.0026	-2.5 to 2.5	Pass
				10	3.85	-2.403	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-2.089	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-1.774	-0.0021	-2.5 to 2.5	Pass
				50	3.85	3.419	0.0041	-2.5 to 2.5	Pass
	846.5	25	0	20	3.27	-1.588	-0.0019	-2.5 to 2.5	Pass
					3.85	1.831	0.0022	-2.5 to 2.5	Pass

					4.43	0.458	0.0005	-2.5 to 2.5	Pass
				-30	3.85	-1.802	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-1.359	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	1.817	0.0021	-2.5 to 2.5	Pass
				0	3.85	-1.917	-0.0023	-2.5 to 2.5	Pass
				10	3.85	0.229	0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.515	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-3.834	-0.0045	-2.5 to 2.5	Pass
				50	3.85	2.360	0.0028	-2.5 to 2.5	Pass

2.1.4 B26_10MHz

Band: 26 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	819	50	0	20	3.27	0.601	0.0007	-2.5 to 2.5	Pass
					3.85	-1.473	-0.0018	-2.5 to 2.5	Pass
					4.43	1.044	0.0013	-2.5 to 2.5	Pass
				-30	3.85	-0.787	-0.0010	-2.5 to 2.5	Pass
				-20	3.85	1.116	0.0014	-2.5 to 2.5	Pass
				-10	3.85	1.588	0.0019	-2.5 to 2.5	Pass
				0	3.85	0.916	0.0011	-2.5 to 2.5	Pass
				10	3.85	1.388	0.0017	-2.5 to 2.5	Pass
				30	3.85	-1.845	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-1.788	-0.0022	-2.5 to 2.5	Pass
				50	3.85	0.601	0.0007	-2.5 to 2.5	Pass
	831.5	50	0	20	3.27	-2.346	-0.0028	-2.5 to 2.5	Pass
					3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
					4.43	0.286	0.0003	-2.5 to 2.5	Pass
				-30	3.85	0.386	0.0005	-2.5 to 2.5	Pass
				-20	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-1.459	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-1.302	-0.0016	-2.5 to 2.5	Pass
				10	3.85	1.760	0.0021	-2.5 to 2.5	Pass
				30	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				40	3.85	-0.830	-0.0010	-2.5 to 2.5	Pass
				50	3.85	0.257	0.0003	-2.5 to 2.5	Pass
	844	50	0	20	3.27	-0.544	-0.0006	-2.5 to 2.5	Pass
					3.85	-4.148	-0.0049	-2.5 to 2.5	Pass
					4.43	2.289	0.0027	-2.5 to 2.5	Pass
				-30	3.85	-0.987	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-2.203	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-0.973	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-3.061	-0.0036	-2.5 to 2.5	Pass
				10	3.85	-0.687	-0.0008	-2.5 to 2.5	Pass
				30	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-1.445	-0.0017	-2.5 to 2.5	Pass
				50	3.85	-0.672	-0.0008	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.27	-1.473	-0.0018	-2.5 to 2.5	Pass
					3.85	1.860	0.0023	-2.5 to 2.5	Pass
					4.43	2.904	0.0035	-2.5 to 2.5	Pass
				-30	3.85	-1.116	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	-1.574	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.631	0.0020	-2.5 to 2.5	Pass
				0	3.85	1.101	0.0013	-2.5 to 2.5	Pass
				10	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				30	3.85	3.791	0.0046	-2.5 to 2.5	Pass
				40	3.85	-1.945	-0.0024	-2.5 to 2.5	Pass

	831.5	50	0	50	3.85	0.687	0.0008	-2.5 to 2.5	Pass
				20	3.27	0.830	0.0010	-2.5 to 2.5	Pass
					3.85	-0.715	-0.0009	-2.5 to 2.5	Pass
					4.43	2.532	0.0030	-2.5 to 2.5	Pass
				-30	3.85	1.144	0.0014	-2.5 to 2.5	Pass
				-20	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-1.073	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-1.273	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-0.272	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-0.544	-0.0007	-2.5 to 2.5	Pass
	844	50	0	40	3.85	-2.232	-0.0027	-2.5 to 2.5	Pass
				50	3.85	-2.189	-0.0026	-2.5 to 2.5	Pass
				20	3.27	0.401	0.0005	-2.5 to 2.5	Pass
					3.85	0.701	0.0008	-2.5 to 2.5	Pass
					4.43	-0.157	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	0.243	0.0003	-2.5 to 2.5	Pass
				-20	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-0.429	-0.0005	-2.5 to 2.5	Pass
				0	3.85	1.144	0.0014	-2.5 to 2.5	Pass
				10	3.85	-1.860	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-3.161	-0.0037	-2.5 to 2.5	Pass
				40	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass

2.1.5 B26_15MHz

Band: 26 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	821.5	75	0	20	3.27	-2.661	-0.0032	-2.5 to 2.5	Pass
					3.85	-2.446	-0.0030	-2.5 to 2.5	Pass
					4.43	-1.259	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-1.731	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-3.805	-0.0046	-2.5 to 2.5	Pass
				-10	3.85	-3.462	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-3.276	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-3.090	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-1.874	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-2.990	-0.0036	-2.5 to 2.5	Pass
	831.5	75	0	50	3.85	-2.661	-0.0032	-2.5 to 2.5	Pass
				20	3.27	-1.302	-0.0016	-2.5 to 2.5	Pass
					3.85	-1.559	-0.0019	-2.5 to 2.5	Pass
					4.43	-1.616	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-0.129	-0.0002	-2.5 to 2.5	Pass
				-20	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass
				-10	3.85	-0.973	-0.0012	-2.5 to 2.5	Pass
				0	3.85	1.030	0.0012	-2.5 to 2.5	Pass
				10	3.85	-1.445	-0.0017	-2.5 to 2.5	Pass
				30	3.85	0.615	0.0007	-2.5 to 2.5	Pass
	841.5	75	0	40	3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
				50	3.85	-1.616	-0.0019	-2.5 to 2.5	Pass
				20	3.27	-1.345	-0.0016	-2.5 to 2.5	Pass
					3.85	0.572	0.0007	-2.5 to 2.5	Pass
					4.43	-0.057	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	1.702	0.0020	-2.5 to 2.5	Pass
				-20	3.85	0.443	0.0005	-2.5 to 2.5	Pass
				-10	3.85	-0.114	-0.0001	-2.5 to 2.5	Pass
				0	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass

				10	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				30	3.85	0.472	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.415	0.0005	-2.5 to 2.5	Pass
				50	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
16QAM	821.5	75	0	20	3.27	-1.216	-0.0015	-2.5 to 2.5	Pass
					3.85	-1.345	-0.0016	-2.5 to 2.5	Pass
					4.43	-1.545	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-1.559	-0.0019	-2.5 to 2.5	Pass
				-20	3.85	-2.990	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	-2.203	-0.0027	-2.5 to 2.5	Pass
				0	3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
				10	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-1.788	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-1.616	-0.0020	-2.5 to 2.5	Pass
				50	3.85	-1.988	-0.0024	-2.5 to 2.5	Pass
	831.5	75	0	20	3.27	0.644	0.0008	-2.5 to 2.5	Pass
					3.85	-1.931	-0.0023	-2.5 to 2.5	Pass
					4.43	0.501	0.0006	-2.5 to 2.5	Pass
				-30	3.85	-2.947	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-1.903	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	0.958	0.0012	-2.5 to 2.5	Pass
				0	3.85	0.744	0.0009	-2.5 to 2.5	Pass
				10	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-0.486	-0.0006	-2.5 to 2.5	Pass
				40	3.85	0.658	0.0008	-2.5 to 2.5	Pass
				50	3.85	0.372	0.0004	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	0.458	0.0005	-2.5 to 2.5	Pass
					3.85	-0.629	-0.0007	-2.5 to 2.5	Pass
					4.43	-1.130	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-2.046	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	1.645	0.0020	-2.5 to 2.5	Pass
				0	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-0.958	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.916	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	3.85	1.001	0.0012	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26_1.4MHz

Band: 26 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	6	0	Refer To Test Graph		Pass
16QAM	831.5	6	0	Refer To Test Graph		Pass

3.1.2 B26_3MHz

Band: 26 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	

QPSK	831.5	15	0	Refer To Test Graph	Pass
16QAM	831.5	15	0	Refer To Test Graph	Pass

3.1.3 B26_5MHz

Band: 26 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	25	0	Refer To Test Graph		Pass
16QAM	831.5	25	0	Refer To Test Graph		Pass

3.1.4 B26_10MHz


Band: 26 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	50	0	Refer To Test Graph		Pass
16QAM	831.5	50	0	Refer To Test Graph		Pass

3.1.5 B26_15MHz


Band: 26 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	Refer To Test Graph		Pass
16QAM	831.5	75	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26_1.4MHz




3.2.2 B26_3MHz




3.2.3 B26_5MHz



3.2.4 B26_10MHz



3.2.5 B26_15MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26_OBW

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.108	/	Pass
		831.5	6	0	1.123	/	Pass
		848.3	6	0	1.115	/	Pass
	16QAM	814.7	6	0	1.117	/	Pass
		831.5	6	0	1.107	/	Pass
		848.3	6	0	1.108	/	Pass
3	QPSK	815.5	15	0	2.737	/	Pass
		831.5	15	0	2.734	/	Pass
		847.5	15	0	2.735	/	Pass
	16QAM	815.5	15	0	2.731	/	Pass
		831.5	15	0	2.725	/	Pass
		847.5	15	0	2.735	/	Pass
5	QPSK	816.5	25	0	4.545	/	Pass
		831.5	25	0	4.546	/	Pass
		846.5	25	0	4.564	/	Pass
	16QAM	816.5	25	0	4.561	/	Pass
		831.5	25	0	4.563	/	Pass
		846.5	25	0	4.541	/	Pass
10	QPSK	819	50	0	9.070	/	Pass
		831.5	50	0	9.050	/	Pass
		844	50	0	9.060	/	Pass
	16QAM	819	50	0	9.051	/	Pass
		831.5	50	0	9.062	/	Pass
		844	50	0	9.074	/	Pass
15	QPSK	821.5	75	0	13.575	/	Pass
		831.5	75	0	13.543	/	Pass
		841.5	75	0	13.558	/	Pass
	16QAM	821.5	75	0	13.567	/	Pass
		831.5	75	0	13.572	/	Pass
		841.5	75	0	13.591	/	Pass


4.1.2 Band26_XDB

Band: 26 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.336	/	Pass
		831.5	6	0	1.311	/	Pass
		848.3	6	0	1.327	/	Pass
	16QAM	814.7	6	0	1.339	/	Pass
		831.5	6	0	1.334	/	Pass
		848.3	6	0	1.309	/	Pass
3	QPSK	815.5	15	0	3.015	/	Pass
		831.5	15	0	3.021	/	Pass
		847.5	15	0	3.023	/	Pass


	16QAM	815.5	15	0	3.018	/	Pass
		831.5	15	0	3.023	/	Pass
		847.5	15	0	3.038	/	Pass
5	QPSK	816.5	25	0	5.029	/	Pass
		831.5	25	0	5.048	/	Pass
		846.5	25	0	5.070	/	Pass
	16QAM	816.5	25	0	5.081	/	Pass
		831.5	25	0	5.040	/	Pass
		846.5	25	0	5.038	/	Pass
10	QPSK	819	50	0	9.983	/	Pass
		831.5	50	0	9.958	/	Pass
		844	50	0	9.872	/	Pass
	16QAM	819	50	0	9.975	/	Pass
		831.5	50	0	9.922	/	Pass
		844	50	0	9.952	/	Pass
15	QPSK	821.5	75	0	15.019	/	Pass
		831.5	75	0	14.855	/	Pass
		841.5	75	0	14.883	/	Pass
	16QAM	821.5	75	0	15.025	/	Pass
		831.5	75	0	14.926	/	Pass
		841.5	75	0	14.959	/	Pass

4.2 Test Graph


4.2.1 Band26_OBW




Band26 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTV




Band26 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTV




Band26 1.4MHz 16QAM MCH 831.5MHz RB 6 0 NTN




Band26 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTN




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26 3MHz QPSK HCH 847.5MHz RB 15 0 NTV




Band26 3MHz 16QAM LCH 815.5MHz RB 15 0 NTV




Band26 3MHz 16QAM MCH 831.5MHz RB 15 0 NTNV




Band26 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26 5MHz 16QAM MCH 831.5MHz RB 25 0 NTNV




Band26 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band26 10MHz QPSK LCH 819MHz RB 50 0 NTNV




Band26 10MHz QPSK MCH 831.5MHz RB 50 0 NTNV




Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_MCH_831.5MHz_RB_50_0_NTNV




Band26_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26 15MHz QPSK LCH 821.5MHz RB 75 0 NTNV




Band26 15MHz QPSK MCH 831.5MHz RB 75 0 NTNV




Band26_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_LCH_821.5MHz_RB_75_0_NTNV



Band26_15MHz_16QAM_MCH_831.5MHz_RB_75_0_NTNV




Band26_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




4.2.2 Band26_XDB


Band26_1.4MHz_QPSK_LCH_814.7MHz_RB_6_0_NTNV




Band26_1.4MHz_QPSK_MCH_831.5MHz_RB_6_0_NTNV




Band26 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTV




Band26 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTV




Band26 1.4MHz 16QAM MCH 831.5MHz RB 6 0 NTN




Band26 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTN




Band26_3MHz_QPSK_LCH_815.5MHz_RB_15_0_NTNV




Band26_3MHz_QPSK_MCH_831.5MHz_RB_15_0_NTNV




Band26 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26 3MHz 16QAM MCH 831.5MHz RB 15 0 NTN




Band26 3MHz 16QAM HCH 847.5MHz RB 15 0 NTN




Band26_5MHz_QPSK_LCH_816.5MHz_RB_25_0_NTNV




Band26_5MHz_QPSK_MCH_831.5MHz_RB_25_0_NTNV




Band26 5MHz QPSK HCH 846.5MHz RB 25 0 NTV




Band26 5MHz 16QAM LCH 816.5MHz RB 25 0 NTV




Band26 5MHz 16QAM MCH 831.5MHz RB 25 0 NTNV




Band26 5MHz 16QAM HCH 846.5MHz RB 25 0 NTNV




Band26 10MHz QPSK LCH 819MHz RB 50 0 NTV



Band26 10MHz QPSK MCH 831.5MHz RB 50 0 NTV



Band26_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV



Band26_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV

