




Band25 16QAM BW=5MHz Channel=26665 RB Size=25 Position=#0



Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0



Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0



Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0



Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0



Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0



Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Band26(814-824) 16QAM BW=1.4MHz Channel=26697 RB Size=6 Position=#0



Band26(814-824) 16QAM BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Band26(814-824) 16QAM BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.942025	-19.16	-13
2	813.9625	814	0.3	814	-37.4	-20
3	817	817.0375	0.3	817.024	-41.68	-20
4	817.0375	818.5	100	817.05605	-19.69	-13

Band26(814-824) 16QAM BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9551875	-18.4	-13
2	820.9625	821	0.3	821	-39.57	-20
3	824	824.0375	0.3	824.0000375	-40.43	-20
4	824.0375	825.5	100	824.0389625	-16.7	-13

Band26(814-824) 16QAM BW=5MHz Channel=26715 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	811.5	813.9625	100	813.9625	-27.04	-13
2	813.9625	814	0.3	813.991975	-43.68	-20
3	819	819.0375	0.3	819.0142675	-49.16	-20
4	819.0375	821.5	100	819.062125	-26.56	-13

Band26(814-824) 16QAM BW=5MHz Channel=26765 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	816.5	818.9625	100	818.9600375	-24.71	-13
2	818.9625	819	0.3	818.9920125	-41.81	-20
3	824	824.0375	0.3	824.001575	-46.83	-20
4	824.0375	826.5	100	824.06705	-25.97	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26697 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	813.3	813.9625	100	813.9625	-14.66	-13
2	813.9625	814	0.3	813.9639875	-36.4	-20
3	815.4	815.4375	0.3	815.4040875	-35.25	-20
4	815.4375	816.1	100	815.44545	-13.65	-13

Band26(814-824) QPSK BW=1.4MHz Channel=26783 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	821.9	822.5625	100	822.5340125	-15.31	-13
2	822.5625	822.6	0.3	822.5954625	-36.96	-20
3	824	824.0375	0.3	824.006075	-35.27	-20
4	824.0375	824.7	100	824.041475	-14.31	-13

Band26(814-824) QPSK BW=3MHz Channel=26705 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	812.5	813.9625	100	813.9230125	-17.28	-13
2	813.9625	814	0.3	814	-38.65	-20
3	817	817.0375	0.3	817.0002625	-37.39	-20
4	817.0375	818.5	100	817.046275	-18.86	-13

Band26(814-824) QPSK BW=3MHz Channel=26775 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	819.5	820.9625	100	820.9376375	-19.08	-13
2	820.9625	821	0.3	821	-38.89	-20
3	824	824.0375	0.3	824.0013125	-40.61	-20
4	824.0375	825.5	100	824.0652875	-19.88	-13

Band26(814-824) QPSK BW=5MHz Channel=26715 RB Size=25 Position=#0



Band26(814-824) QPSK BW=5MHz Channel=26765 RB Size=25 Position=#0



Band26(814-824) QPSK BW=10MHz Channel=26740 RB Size=50 Position=#0




Band26(824-849) 16QAM BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) 16QAM BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) 16QAM BW=3MHz Channel=27025 RB Size=15 Position=#0



Band26(824-849) 16QAM BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) 16QAM BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.052	-28.32	-10
2	2621	2625	1000	2621.036	-18.59	-10
3	2625	2626	1000	2625.065	-36.86	-13
4	2626	2630	1000	2626.112	-39.15	-25

Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2562.62	-38.87	-25
2	2564	2565	1000	2564.734	-37.42	-13
3	2565	2569	1000	2568.98	-20.38	-10
4	2569	2570	100	2569.994	-27.56	-10


Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0



Band4 16QAM BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 16QAM BW=1.4MHz Channel=20393 RB Size=6 Position=#0



Band4 16QAM BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 16QAM BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 16QAM BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 16QAM BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2291.328	-42.55	-37
2	2292	2296	1000	2294.02	-42.54	-31
3	2296	2300	1000	2297.436	-42.56	-25
4	2300	2308	1000	2308	27.63	-13
5	2308	2310	51	2308.995	-42.92	-13
6	2315	2316	51	2315.031	-44.38	-13
7	2316	2320	1000	2316.008	-28.47	-13
8	2320	2324	1000	2320.112	-42	-25
9	2324	2328	1000	2326.788	-42.42	-31
10	2328	2337	1000	2333.508	-42.37	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2289.796	-42.55	-37
2	2292	2296	1000	2295.88	-42.55	-31
3	2296	2300	1000	2298.94	-41.26	-25
4	2300	2304	1000	2303.988	-26.92	-13
5	2304	2305	51	2304.994	-41.75	-13
6	2310	2311	51	2310.02	-43.58	-13
7	2311	2320	1000	2311.009	-28.05	-13
8	2320	2324	1000	2323.316	-42.45	-25
9	2324	2328	1000	2327.268	-42.47	-31
10	2328	2337	1000	2335.848	-42.37	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.772	-42.59	-37
2	2292	2296	1000	2294.956	-42.55	-31
3	2296	2300	1000	2298.616	-42.55	-25
4	2300	2308	1000	2309	-27.44	-13
5	2309	2310	51	2309.999	-43.57	-13
6	2315	2316	51	2315.005	-42.89	-13
7	2316	2320	1000	2316.02	-26.89	-13
8	2320	2324	1000	2320.044	-41.12	-25
9	2324	2328	1000	2324.212	-42.42	-31
10	2328	2337	1000	2336.757	-42.37	-37

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2291.18	-42.51	-37
2	2292	2296	1000	2295.972	-41.93	-31
3	2296	2300	1000	2298.372	-40.68	-25
4	2300	2304	1000	2303.976	-37.09	-13
5	2304	2305	100	2305	-45.83	-13
6	2315	2316	100	2315.137	-46.25	-13
7	2316	2320	1000	2316.008	-37.69	-13
8	2320	2324	1000	2320.044	-40.47	-25
9	2324	2328	1000	2324.052	-41.74	-31
10	2328	2337	1000	2330.502	-42.34	-37


Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=25 Position=#0



Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2335.992	-42.33	-37
2	2337	2341	1000	2340.276	-42.23	-31
3	2341	2345	1000	2344.928	-39.99	-25
4	2345	2349	1000	2348.976	-25.64	-13
5	2349	2360	51	2349.998	-40.42	-13
6	2365	2366	51	2365.013	-42.1	-13
7	2366	2365	1000	2366.027	-25.93	-13
8	2365	2380	1000	2379.295	-41.9	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2335.434	-42.32	-37
2	2337	2341	1000	2340.784	-42.24	-31
3	2341	2345	1000	2342.348	-42.21	-25
4	2345	2364	1000	2364	-26.51	-13
5	2364	2365	51	2364.999	-41.49	-13
6	2360	2361	51	2360.01	-42.45	-13
7	2361	2365	1000	2361.004	-25.65	-13
8	2365	2380	1000	2365.075	-40.36	-40


Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0



Band41(2555-2655) 16QAM BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0



Band41(2555-2655) QPSK BW=5MHz Channel=40265 RB Size=25 Position=#0




Band41(2555-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.023	-27.86	-10
2	2656	2660	1000	2656.012	-20.15	-10
3	2660	2661	1000	2660.069	-38.17	-13
4	2661	2665	1000	2661.436	-38.99	-25

Band41(2555-2655) QPSK BW=10MHz Channel=40290 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2542.5	2545	1000	2543.63	-39.95	-25
2	2545	2550	1000	2549.605	-34.77	-13
3	2550	2554	1000	2553.996	-30.05	-10
4	2554	2555	200	2554.995	-29.12	-10


Band41(2555-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=40315 RB Size=75 Position=#0




Band41(2555-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0



Band41(2555-2655) QPSK BW=20MHz Channel=40340 RB Size=100 Position=#0



Band41(2555-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2570	2571	200	2570.025	-28.6	-10
2	2571	2575	1000	2571.032	-24.41	-10
3	2575	2580	1000	2575.055	-29.21	-13
4	2580	2595	1000	2580.96	-39.44	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2475	2485	1000	2484.72	-39.07	-25
2	2485	2496	1000	2493.338	-30.31	-13
3	2496	2499	1000	2497.977	-30.73	-10
4	2499	2500	300	2499.965	-27.98	-10

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	3.26	-32.56	-13	PASS
Band12	1.4	23017	6	#0	16QAM	3.28	-33.05	-13	PASS
Band12	1.4	23095	6	#0	QPSK	2122.64	-29.86	-13	PASS
Band12	1.4	23095	6	#0	16QAM	2123.28	-31.01	-13	PASS
Band12	1.4	23173	6	#0	QPSK	3.26	-32.89	-13	PASS
Band12	1.4	23173	6	#0	16QAM	3.26	-32.36	-13	PASS
Band12	3	23025	15	#0	QPSK	3.27	-32.61	-13	PASS
Band12	3	23025	15	#0	16QAM	3.26	-32.66	-13	PASS
Band12	3	23095	15	#0	QPSK	3.26	-32.30	-13	PASS
Band12	3	23095	15	#0	16QAM	3.27	-32.85	-13	PASS
Band12	3	23165	15	#0	QPSK	3.26	-32.77	-13	PASS
Band12	3	23165	15	#0	16QAM	3.26	-32.74	-13	PASS
Band12	5	23035	25	#0	QPSK	3.25	-32.61	-13	PASS
Band12	5	23035	25	#0	16QAM	3.27	-32.89	-13	PASS
Band12	5	23095	25	#0	QPSK	3.28	-33.06	-13	PASS
Band12	5	23095	25	#0	16QAM	3.26	-32.59	-13	PASS
Band12	5	23155	25	#0	QPSK	3.27	-32.59	-13	PASS
Band12	5	23155	25	#0	16QAM	3.27	-32.93	-13	PASS
Band12	10	23060	50	#0	QPSK	3.26	-32.61	-13	PASS
Band12	10	23095	50	#0	QPSK	3.26	-32.75	-13	PASS

Band12	10	23130	50	#0	QPSK	3.26	-32.64	-13	PASS
Band17	5	23755	25	#0	QPSK	3.26	-32.80	-13	PASS
Band17	5	23755	25	#0	16QAM	3.26	-32.77	-13	PASS
Band17	5	23790	25	#0	QPSK	3.27	-32.99	-13	PASS
Band17	5	23790	25	#0	16QAM	3.26	-32.67	-13	PASS
Band17	5	23825	25	#0	QPSK	3.26	-32.66	-13	PASS
Band17	5	23825	25	#0	16QAM	3.26	-32.84	-13	PASS
Band17	10	23780	50	#0	QPSK	3.27	-32.70	-13	PASS
Band17	10	23790	50	#0	QPSK	3.26	-32.64	-13	PASS
Band17	10	23800	50	#0	QPSK	3.27	-33.06	-13	PASS
Band2	1.4	18607	6	#0	QPSK	3701.73	-28.98	-13	PASS
Band2	1.4	18607	6	#0	16QAM	3701.09	-29.69	-13	PASS
Band2	1.4	18900	6	#0	QPSK	3759.74	-29.40	-13	PASS
Band2	1.4	18900	6	#0	16QAM	3759.74	-28.68	-13	PASS
Band2	1.4	19193	6	#0	QPSK	3818.39	-20.19	-13	PASS
Band2	1.4	19193	6	#0	16QAM	3819.03	-20.83	-13	PASS
Band2	3	18615	15	#0	QPSK	3704.91	-29.43	-13	PASS
Band2	3	18615	15	#0	16QAM	3704.28	-31.07	-13	PASS
Band2	3	18900	15	#0	QPSK	3.26	-31.59	-13	PASS
Band2	3	18900	15	#0	16QAM	3.26	-31.63	-13	PASS
Band2	3	19185	15	#0	QPSK	3.26	-31.59	-13	PASS
Band2	3	19185	15	#0	16QAM	3817.75	-26.43	-13	PASS
Band2	5	18625	25	#0	QPSK	3.26	-31.36	-13	PASS
Band2	5	18625	25	#0	16QAM	3705.55	-31.10	-13	PASS
Band2	5	18900	25	#0	QPSK	3.26	-31.49	-13	PASS
Band2	5	18900	25	#0	16QAM	3.26	-31.66	-13	PASS
Band2	5	19175	25	#0	QPSK	3812.01	-26.72	-13	PASS
Band2	5	19175	25	#0	16QAM	3814.56	-26.72	-13	PASS
Band2	10	18650	50	#0	QPSK	3.27	-31.93	-13	PASS
Band2	10	18900	50	#0	QPSK	3.26	-31.71	-13	PASS
Band2	10	19150	50	#0	QPSK	3810.10	-29.94	-13	PASS
Band2	15	18675	75	#0	QPSK	3.25	-31.15	-13	PASS
Band2	15	18900	75	#0	QPSK	3.26	-31.62	-13	PASS
Band2	15	19125	75	#0	QPSK	3.26	-31.67	-13	PASS
Band2	20	18700	100	#0	QPSK	3.26	-31.43	-13	PASS
Band2	20	18900	100	#0	QPSK	3.26	-31.76	-13	PASS
Band2	20	19100	100	#0	QPSK	3.26	-31.87	-13	PASS
Band25	1.4	26047	6	#0	QPSK	3701.09	-32.08	-13	PASS
Band25	1.4	26047	6	#0	16QAM	3701.73	-28.40	-13	PASS
Band25	1.4	26365	6	#0	QPSK	3764.84	-26.12	-13	PASS
Band25	1.4	26365	6	#0	16QAM	3764.84	-27.67	-13	PASS
Band25	1.4	26683	6	#0	QPSK	3828.59	-16.79	-13	PASS
Band25	1.4	26683	6	#0	16QAM	3827.95	-16.43	-13	PASS
Band25	3	26055	15	#0	QPSK	3704.28	-28.22	-13	PASS


Band25	3	26055	15	#0	16QAM	3701.73	-30.21	-13	PASS
Band25	3	26365	15	#0	QPSK	3763.56	-30.83	-13	PASS
Band25	3	26365	15	#0	16QAM	3764.20	-30.28	-13	PASS
Band25	3	26675	15	#0	QPSK	3825.40	-19.99	-13	PASS
Band25	3	26675	15	#0	16QAM	3826.68	-19.82	-13	PASS
Band25	5	26065	25	#0	QPSK	3704.91	-31.44	-13	PASS
Band25	5	26065	25	#0	16QAM	3704.28	-31.99	-13	PASS
Band25	5	26365	25	#0	QPSK	3761.65	-31.33	-13	PASS
Band25	5	26365	25	#0	16QAM	3764.84	-30.32	-13	PASS
Band25	5	26665	25	#0	QPSK	3827.95	-21.31	-13	PASS
Band25	5	26665	25	#0	16QAM	3826.68	-21.54	-13	PASS
Band25	10	26090	50	#0	QPSK	3.27	-32.04	-13	PASS
Band25	10	26365	50	#0	QPSK	3.27	-31.86	-13	PASS
Band25	10	26640	50	#0	QPSK	3824.76	-25.01	-13	PASS
Band25	15	26115	75	#0	QPSK	3.27	-31.82	-13	PASS
Band25	15	26365	75	#0	QPSK	3.29	-32.37	-13	PASS
Band25	15	26615	75	#0	QPSK	3822.85	-26.64	-13	PASS
Band25	20	26140	100	#0	QPSK	3.27	-31.79	-13	PASS
Band25	20	26365	100	#0	QPSK	3.27	-31.47	-13	PASS
Band25	20	26590	100	#0	QPSK	3811.38	-31.51	-13	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	2444.58	-31.11	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	3.27	-32.68	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	2457.33	-30.52	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	3.27	-32.86	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	2470.71	-31.74	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	2470.71	-32.76	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	3.27	-32.67	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	3.29	-33.05	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	3.27	-32.71	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	3.26	-32.57	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	3.26	-32.46	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	3.27	-32.46	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	3.27	-32.47	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	3.28	-32.74	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	3.27	-32.55	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	3.27	-32.53	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	3.27	-32.50	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	3.27	-32.63	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	3.27	-32.71	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	2473.90	-30.12	-13	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	2474.54	-30.90	-13	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	3.27	-32.75	-13	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	2510.24	-30.63	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	2545.30	-30.14	-13	PASS

Band26(824-849)	1.4	27033	6	#0	16QAM	2544.66	-31.22	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	3.27	-32.61	-13	PASS
Band26(824-849)	3	26805	15	#0	16QAM	3.28	-32.76	-13	PASS
Band26(824-849)	3	26915	15	#0	QPSK	3.27	-32.70	-13	PASS
Band26(824-849)	3	26915	15	#0	16QAM	2510.24	-32.46	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	3.27	-32.92	-13	PASS
Band26(824-849)	3	27025	15	#0	16QAM	2542.11	-32.97	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	3.26	-32.70	-13	PASS
Band26(824-849)	5	26815	25	#0	16QAM	3.27	-32.64	-13	PASS
Band26(824-849)	5	26915	25	#0	QPSK	3.27	-32.69	-13	PASS
Band26(824-849)	5	26915	25	#0	16QAM	3.28	-32.98	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	3.27	-32.57	-13	PASS
Band26(824-849)	5	27015	25	#0	16QAM	3.26	-32.56	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	3.27	-32.83	-13	PASS
Band26(824-849)	10	26915	50	#0	QPSK	3.27	-32.58	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	3.28	-33.14	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	3.27	-32.65	-13	PASS
Band26(824-849)	15	26915	75	#0	QPSK	3.27	-32.81	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	3.27	-32.87	-13	PASS
Band38	5	37775	25	#0	QPSK	3.28	-31.19	-25	PASS
Band38	5	37775	25	#0	16QAM	3.28	-31.07	-25	PASS
Band38	5	38000	25	#0	QPSK	3.27	-31.03	-25	PASS
Band38	5	38000	25	#0	16QAM	3.28	-31.24	-25	PASS
Band38	5	38225	25	#0	QPSK	3.27	-31.10	-25	PASS
Band38	5	38225	25	#0	16QAM	3.27	-31.00	-25	PASS
Band38	10	37800	50	#0	QPSK	3.27	-30.94	-25	PASS
Band38	10	38000	50	#0	QPSK	3.27	-31.12	-25	PASS
Band38	10	38200	50	#0	QPSK	3.27	-31.06	-25	PASS
Band38	15	37825	75	#0	QPSK	3.28	-31.25	-25	PASS
Band38	15	38000	75	#0	QPSK	3.27	-31.05	-25	PASS
Band38	15	38175	75	#0	QPSK	3.27	-31.17	-25	PASS
Band38	20	37850	100	#0	QPSK	3.27	-31.27	-25	PASS
Band38	20	38000	100	#0	QPSK	3.27	-30.90	-25	PASS
Band38	20	38150	100	#0	QPSK	3.29	-31.45	-25	PASS
Band4	1.4	19957	6	#0	QPSK	3.26	-31.81	-13	PASS
Band4	1.4	19957	6	#0	16QAM	3.26	-31.72	-13	PASS
Band4	1.4	20175	6	#0	QPSK	3.26	-31.66	-13	PASS
Band4	1.4	20175	6	#0	16QAM	3.25	-31.47	-13	PASS
Band4	1.4	20393	6	#0	QPSK	3.27	-31.83	-13	PASS
Band4	1.4	20393	6	#0	16QAM	3.26	-31.75	-13	PASS
Band4	3	19965	15	#0	QPSK	3.26	-31.98	-13	PASS
Band4	3	19965	15	#0	16QAM	3.26	-31.57	-13	PASS
Band4	3	20175	15	#0	QPSK	3.27	-31.89	-13	PASS
Band4	3	20175	15	#0	16QAM	3.26	-31.75	-13	PASS


Band4	3	20385	15	#0	QPSK	3.28	-32.09	-13	PASS
Band4	3	20385	15	#0	16QAM	3.26	-31.55	-13	PASS
Band4	5	19975	25	#0	QPSK	3.26	-32.11	-13	PASS
Band4	5	19975	25	#0	16QAM	3.29	-32.26	-13	PASS
Band4	5	20175	25	#0	QPSK	3.27	-31.75	-13	PASS
Band4	5	20175	25	#0	16QAM	3.26	-31.56	-13	PASS
Band4	5	20375	25	#0	QPSK	3.26	-31.59	-13	PASS
Band4	5	20375	25	#0	16QAM	3.26	-31.37	-13	PASS
Band4	10	20000	50	#0	QPSK	3.27	-31.77	-13	PASS
Band4	10	20175	50	#0	QPSK	3.26	-31.76	-13	PASS
Band4	10	20350	50	#0	QPSK	3.26	-31.64	-13	PASS
Band4	15	20025	75	#0	QPSK	3.26	-31.52	-13	PASS
Band4	15	20175	75	#0	QPSK	3.26	-31.61	-13	PASS
Band4	15	20325	75	#0	QPSK	3.26	-31.50	-13	PASS
Band4	20	20050	100	#0	QPSK	3.26	-31.57	-13	PASS
Band4	20	20175	100	#0	QPSK	3.26	-31.61	-13	PASS
Band4	20	20300	100	#0	QPSK	3.26	-31.63	-13	PASS
Band40(2305-2315)	5	38725	25	#0	QPSK	3.25	-41.75	-40	PASS
Band40(2305-2315)	5	38725	25	#0	16QAM	3.25	-41.82	-40	PASS
Band40(2305-2315)	5	38750	25	#0	QPSK	3.26	-41.79	-40	PASS
Band40(2305-2315)	5	38750	25	#0	16QAM	3.26	-41.98	-40	PASS
Band40(2305-2315)	5	38775	25	#0	QPSK	3.27	-42.03	-40	PASS
Band40(2305-2315)	5	38775	25	#0	16QAM	3.26	-41.94	-40	PASS
Band40(2305-2315)	10	38750	50	#0	QPSK	3.26	-41.78	-40	PASS
Band40(2350-2360)	5	39175	25	#0	QPSK	3.26	-41.66	-40	PASS
Band40(2350-2360)	5	39175	25	#0	16QAM	2298.59	-40.08	-40	PASS
Band40(2350-2360)	5	39200	25	#0	QPSK	3.26	-41.45	-40	PASS
Band40(2350-2360)	5	39200	25	#0	16QAM	3.26	-41.69	-40	PASS
Band40(2350-2360)	5	39225	25	#0	QPSK	3.25	-41.51	-40	PASS
Band40(2350-2360)	5	39225	25	#0	16QAM	3.27	-41.83	-40	PASS
Band40(2350-2360)	10	39200	50	#0	QPSK	3.26	-41.55	-40	PASS
Band41(2555-2655)	5	40265	25	#0	QPSK	3.27	-31.09	-25	PASS
Band41(2555-2655)	5	40265	25	#0	16QAM	3.27	-31.15	-25	PASS
Band41(2555-2655)	5	40740	25	#0	QPSK	3.27	-31.10	-25	PASS
Band41(2555-2655)	5	40740	25	#0	16QAM	3.27	-31.09	-25	PASS
Band41(2555-2655)	5	41215	25	#0	QPSK	3.27	-31.09	-25	PASS
Band41(2555-2655)	5	41215	25	#0	16QAM	3.26	-30.95	-25	PASS
Band41(2555-2655)	10	40290	50	#0	QPSK	3.27	-31.07	-25	PASS
Band41(2555-2655)	10	40740	50	#0	QPSK	3.28	-31.11	-25	PASS
Band41(2555-2655)	10	41190	50	#0	QPSK	3.27	-30.98	-25	PASS
Band41(2555-2655)	15	40315	75	#0	QPSK	3.27	-31.20	-25	PASS
Band41(2555-2655)	15	40740	75	#0	QPSK	3.26	-30.87	-25	PASS
Band41(2555-2655)	15	41165	75	#0	QPSK	3.27	-31.20	-25	PASS
Band41(2555-2655)	20	40340	100	#0	QPSK	3.27	-31.19	-25	PASS

Band41(2555-2655)	20	40740	100	#0	QPSK	3.27	-31.11	-25	PASS
Band41(2555-2655)	20	41140	100	#0	QPSK	3.27	-31.13	-25	PASS
Band5	1.4	20407	6	#0	QPSK	3.26	-32.17	-13	PASS
Band5	1.4	20407	6	#0	16QAM	3.26	-32.59	-13	PASS
Band5	1.4	20525	6	#0	QPSK	2509.60	-31.53	-13	PASS
Band5	1.4	20525	6	#0	16QAM	2509.60	-30.59	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2545.94	-32.14	-13	PASS
Band5	1.4	20643	6	#0	16QAM	2545.30	-32.68	-13	PASS
Band5	3	20415	15	#0	QPSK	3.28	-32.96	-13	PASS
Band5	3	20415	15	#0	16QAM	3.26	-32.43	-13	PASS
Band5	3	20525	15	#0	QPSK	3.26	-32.52	-13	PASS
Band5	3	20525	15	#0	16QAM	3.26	-32.47	-13	PASS
Band5	3	20635	15	#0	QPSK	3.26	-32.59	-13	PASS
Band5	3	20635	15	#0	16QAM	3.26	-32.35	-13	PASS
Band5	5	20425	25	#0	QPSK	3.26	-32.59	-13	PASS
Band5	5	20425	25	#0	16QAM	3.26	-32.48	-13	PASS
Band5	5	20525	25	#0	QPSK	3.26	-32.42	-13	PASS
Band5	5	20525	25	#0	16QAM	3.26	-32.45	-13	PASS
Band5	5	20625	25	#0	QPSK	3.26	-32.18	-13	PASS
Band5	5	20625	25	#0	16QAM	3.26	-32.53	-13	PASS
Band5	10	20450	50	#0	QPSK	3.27	-32.87	-13	PASS
Band5	10	20525	50	#0	QPSK	3.26	-32.53	-13	PASS
Band5	10	20600	50	#0	QPSK	3.25	-32.26	-13	PASS
Band7	5	20775	25	#0	QPSK	3.26	-31.01	-25	PASS
Band7	5	20775	25	#0	16QAM	3.27	-31.32	-25	PASS
Band7	5	21100	25	#0	QPSK	3.28	-31.61	-25	PASS
Band7	5	21100	25	#0	16QAM	3.26	-30.72	-25	PASS
Band7	5	21425	25	#0	QPSK	3.26	-31.07	-25	PASS
Band7	5	21425	25	#0	16QAM	3.26	-31.01	-25	PASS
Band7	10	20800	50	#0	QPSK	3.27	-31.70	-25	PASS
Band7	10	21100	50	#0	QPSK	3.26	-31.06	-25	PASS
Band7	10	21400	50	#0	QPSK	3.27	-31.19	-25	PASS
Band7	15	20825	75	#0	QPSK	3.26	-30.97	-25	PASS
Band7	15	21100	75	#0	QPSK	3.26	-31.22	-25	PASS
Band7	15	21375	75	#0	QPSK	3.26	-31.18	-25	PASS
Band7	20	20850	100	#0	QPSK	3.28	-31.70	-25	PASS
Band7	20	21100	100	#0	QPSK	3.26	-31.16	-25	PASS
Band7	20	21350	100	#0	QPSK	3.26	-31.32	-25	PASS


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0



Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0181368	-60.26	-13
2	0.15	30	10	3.26708625	-32.61	-13
3	30	1000	100	509.39825	-57.51	-13
4	1000	26500	1000	24319.1125	-34.42	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01454825	-61.78	-13
2	0.15	30	10	3.26037	-32.3	-13
3	30	1000	100	827.0975	-57.47	-13
4	1000	26500	1000	24882.025	-34.99	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.02145735	-60.49	-13
2	0.15	30	10	3.25962375	-32.77	-13
3	30	1000	100	441.474	-57.06	-13
4	1000	26500	1000	24349.075	-34.19	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110868	-61.91	-13
2	0.15	30	10	3.25365375	-32.61	-13
3	30	1000	100	471.544	-57.25	-13
4	1000	26500	1000	25032.475	-34.54	-13


Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0



Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.020100225	-52.4	-13
2	0.15	30	10	3.25962375	-32.67	-13
3	30	1000	100	897.7135	-57.3	-13
4	1000	26500	1000	23832.0625	-34.8	-13

Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0130608	-49.31	-13
2	0.15	30	10	3.263365	-32.84	-13
3	30	1000	100	856.9735	-57.44	-13
4	1000	26500	1000	24339.5125	-34.82	-13


Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band2 16QAM BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 16QAM BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 16QAM BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=15 Position=#0



Band2 16QAM BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.019705425	-61.2	-13
2	0.15	30	10	3.26410125	-31.42	-13
3	30	1000	100	962.6065	-56.2	-13
4	1000	26500	1000	3701.725	-28.98	-13

Band2 16QAM BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01787595	-60.09	-13
2	0.15	30	10	3.257385	-31.72	-13
3	30	1000	100	417.903	-56.28	-13
4	1000	26500	1000	3814.5625	-26.72	-13


Band2 16QAM BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01006455	-60.66	-13
2	0.15	30	10	3.25514625	-31.49	-13
3	30	1000	100	816.06375	-56.34	-13
4	1000	26500	1000	24342.0625	-33.78	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-60.95	-13
2	0.15	30	10	3.26037	-31.59	-13
3	30	1000	100	899.72625	-56.55	-13
4	1000	26500	1000	24273.2125	-32.75	-13


Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.016744425	-56.72	-13
2	0.15	30	10	3.27305625	-31.93	-13
3	30	1000	100	884.7165	-56.29	-13
4	1000	26500	1000	23795.0875	-32.44	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.017428275	-58.31	-13
2	0.15	30	10	3.25962375	-31.71	-13
3	30	1000	100	926.93475	-55.94	-13
4	1000	26500	1000	24385.4125	-33.81	-13


Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0