



























Appendix E: Conducted Spurious Emission

Test Result (worst case)

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	Range1:30~1000MHz	-46.02	PASS
Band2	1.4MHz	QPSK	18607	1RB#0	Range2:1000~20000MHz	-34.63	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-46.65	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-34.63	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range1:30~1000MHz	-46.2	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	Range2:1000~20000MHz	-33.38	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range1:30~1000MHz	-46.67	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	Range2:1000~20000MHz	-34.29	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-46.72	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-34.58	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range1:30~1000MHz	-46.61	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	Range2:1000~20000MHz	-34.08	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	Range1:30~1000MHz	-45.9	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	Range2:1000~20000MHz	-34.77	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	Range1:30~1000MHz	-46.51	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	Range2:1000~20000MHz	-34.52	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	Range1:30~1000MHz	-46.06	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	Range2:1000~20000MHz	-34.57	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range1:30~1000MHz	-46.93	PASS
Band2	20MHz	QPSK	18700	1RB#0	Range2:1000~20000MHz	-34.81	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band2	20MHz	QPSK	18900	1RB#0	Range2:1000~20000MHz	-34.67	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range1:30~1000MHz	-46.94	PASS
Band2	20MHz	QPSK	19100	1RB#0	Range2:1000~20000MHz	-34.93	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range1:30~1000MHz	-46.46	PASS
Band2	20MHz	16QAM	18700	1RB#0	Range2:1000~20000MHz	-34.22	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range1:30~1000MHz	-46.41	PASS
Band2	20MHz	16QAM	18900	1RB#0	Range2:1000~20000MHz	-35.13	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range1:30~1000MHz	-46.26	PASS
Band2	20MHz	16QAM	19100	1RB#0	Range2:1000~20000MHz	-34.85	PASS
Band2	20MHz	64QAM	18700	1RB#0	Range1:30~1000MHz	-47.05	PASS
Band2	20MHz	64QAM	18700	1RB#0	Range2:1000~20000MHz	-34.45	PASS
Band2	20MHz	64QAM	18900	1RB#0	Range1:30~1000MHz	-46.91	PASS
Band2	20MHz	64QAM	18900	1RB#0	Range2:1000~20000MHz	-34.58	PASS
Band2	20MHz	64QAM	19100	1RB#0	Range1:30~1000MHz	-45.75	PASS
Band2	20MHz	64QAM	19100	1RB#0	Range2:1000~20000MHz	-34.1	PASS

Band4	1.4MHz	QPSK	19957	1RB#0	Range1:30~1000MHz	-45	PASS
Band4	1.4MHz	QPSK	19957	1RB#0	Range2:1000~20000MHz	-34.69	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range1:30~1000MHz	-46.21	PASS
Band4	1.4MHz	QPSK	20175	1RB#0	Range2:1000~20000MHz	-34.68	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range1:30~1000MHz	-46.78	PASS
Band4	1.4MHz	QPSK	20393	1RB#0	Range2:1000~20000MHz	-34.39	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range1:30~1000MHz	-47	PASS
Band4	1.4MHz	16QAM	19957	1RB#0	Range2:1000~20000MHz	-33.59	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range1:30~1000MHz	-46.14	PASS
Band4	1.4MHz	16QAM	20175	1RB#0	Range2:1000~20000MHz	-33.48	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range1:30~1000MHz	-46.36	PASS
Band4	1.4MHz	16QAM	20393	1RB#0	Range2:1000~20000MHz	-35.03	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	Range1:30~1000MHz	-46.38	PASS
Band4	1.4MHz	64QAM	19957	1RB#0	Range2:1000~20000MHz	-34.42	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	Range1:30~1000MHz	-45.53	PASS
Band4	1.4MHz	64QAM	20175	1RB#0	Range2:1000~20000MHz	-34.4	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	Range1:30~1000MHz	-46.01	PASS
Band4	1.4MHz	64QAM	20393	1RB#0	Range2:1000~20000MHz	-34.02	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range1:30~1000MHz	-47.64	PASS
Band4	20MHz	QPSK	20050	1RB#0	Range2:1000~20000MHz	-35.27	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range1:30~1000MHz	-48.08	PASS
Band4	20MHz	QPSK	20175	1RB#0	Range2:1000~20000MHz	-34.35	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range1:30~1000MHz	-47.63	PASS
Band4	20MHz	QPSK	20300	1RB#0	Range2:1000~20000MHz	-35.14	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range1:30~1000MHz	-46.48	PASS
Band4	20MHz	16QAM	20050	1RB#0	Range2:1000~20000MHz	-34.4	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range1:30~1000MHz	-47.14	PASS
Band4	20MHz	16QAM	20175	1RB#0	Range2:1000~20000MHz	-34.48	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range1:30~1000MHz	-47.87	PASS
Band4	20MHz	16QAM	20300	1RB#0	Range2:1000~20000MHz	-34.36	PASS
Band4	20MHz	64QAM	20050	1RB#0	Range1:30~1000MHz	-47.9	PASS
Band4	20MHz	64QAM	20050	1RB#0	Range2:1000~20000MHz	-33.98	PASS
Band4	20MHz	64QAM	20175	1RB#0	Range1:30~1000MHz	-47.3	PASS
Band4	20MHz	64QAM	20175	1RB#0	Range2:1000~20000MHz	-34.74	PASS
Band4	20MHz	64QAM	20300	1RB#0	Range1:30~1000MHz	-46.43	PASS
Band4	20MHz	64QAM	20300	1RB#0	Range2:1000~20000MHz	-34.78	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range1:30~1000MHz	-45.14	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	Range2:1000~10000MHz	-40.54	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-46.22	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-40.77	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range1:30~1000MHz	-46.06	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	Range2:1000~10000MHz	-41.57	PASS

Band5	1.4MHz	16QAM	20407	1RB#0	Range1:30~1000MHz	-45.5	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	Range2:1000~10000MHz	-41.32	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-45.63	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-39.95	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range1:30~1000MHz	-45.68	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	Range2:1000~10000MHz	-41.19	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	Range1:30~1000MHz	-45.47	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	Range2:1000~10000MHz	-41.49	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	Range1:30~1000MHz	-46.39	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	Range2:1000~10000MHz	-40.22	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	Range1:30~1000MHz	-46.05	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	Range2:1000~10000MHz	-40.17	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range1:30~1000MHz	-45.57	PASS
Band5	10MHz	QPSK	20450	1RB#0	Range2:1000~10000MHz	-41.35	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range1:30~1000MHz	-46.07	PASS
Band5	10MHz	QPSK	20525	1RB#0	Range2:1000~10000MHz	-41.14	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range1:30~1000MHz	-45.07	PASS
Band5	10MHz	QPSK	20600	1RB#0	Range2:1000~10000MHz	-40.97	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range1:30~1000MHz	-45.71	PASS
Band5	10MHz	16QAM	20450	1RB#0	Range2:1000~10000MHz	-41.07	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range1:30~1000MHz	-45.19	PASS
Band5	10MHz	16QAM	20525	1RB#0	Range2:1000~10000MHz	-41.06	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range1:30~1000MHz	-44.79	PASS
Band5	10MHz	16QAM	20600	1RB#0	Range2:1000~10000MHz	-40.99	PASS
Band5	10MHz	64QAM	20450	1RB#0	Range1:30~1000MHz	-45.28	PASS
Band5	10MHz	64QAM	20450	1RB#0	Range2:1000~10000MHz	-41.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	Range1:30~1000MHz	-46.06	PASS
Band5	10MHz	64QAM	20525	1RB#0	Range2:1000~10000MHz	-41.59	PASS
Band5	10MHz	64QAM	20600	1RB#0	Range1:30~1000MHz	-46.05	PASS
Band5	10MHz	64QAM	20600	1RB#0	Range2:1000~10000MHz	-41.82	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range1:30~1000MHz	-47.71	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:1000~26500MHz	-28.68	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-47.7	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-28.18	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:30~1000MHz	-47.2	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:1000~26500MHz	-29.72	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:1000~26500MHz	-28.73	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-46.6	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-29.06	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:30~1000MHz	-46.88	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:1000~26500MHz	-29.53	PASS

Band7	5MHz	64QAM	20775	1RB#0	Range1:30~1000MHz	-47.9	PASS
Band7	5MHz	64QAM	20775	1RB#0	Range2:1000~26500MHz	-30.18	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-47	PASS
Band7	5MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-29.17	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range1:30~1000MHz	-46.13	PASS
Band7	5MHz	64QAM	21425	1RB#0	Range2:1000~26500MHz	-28.14	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:30~1000MHz	-45.85	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:1000~26500MHz	-29.26	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:1000~26500MHz	-29.75	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:30~1000MHz	-47.14	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range2:1000~26500MHz	-29.13	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:30~1000MHz	-45.75	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:1000~26500MHz	-29.4	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:30~1000MHz	-45.48	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:1000~26500MHz	-29.86	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:30~1000MHz	-46.52	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:1000~26500MHz	-29.55	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range1:30~1000MHz	-46.88	PASS
Band7	20MHz	64QAM	20850	1RB#0	Range2:1000~26500MHz	-29.52	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range1:30~1000MHz	-46.81	PASS
Band7	20MHz	64QAM	21100	1RB#0	Range2:1000~26500MHz	-28.77	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range1:30~1000MHz	-46.81	PASS
Band7	20MHz	64QAM	21350	1RB#0	Range2:1000~26500MHz	-28.17	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	Range1:30~1000MHz	-46.04	PASS
Band12	1.4MHz	QPSK	23017	1RB#0	Range2:1000~10000MHz	-40.31	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-45.63	PASS
Band12	1.4MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-40.51	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range1:30~1000MHz	-45.11	PASS
Band12	1.4MHz	QPSK	23173	1RB#0	Range2:1000~10000MHz	-41.22	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range1:30~1000MHz	-44.72	PASS
Band12	1.4MHz	16QAM	23017	1RB#0	Range2:1000~10000MHz	-40.54	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-44.7	PASS
Band12	1.4MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-39.92	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range1:30~1000MHz	-44.52	PASS
Band12	1.4MHz	16QAM	23173	1RB#0	Range2:1000~10000MHz	-41.15	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	Range1:30~1000MHz	-43.86	PASS
Band12	1.4MHz	64QAM	23017	1RB#0	Range2:1000~10000MHz	-40.53	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-45.34	PASS
Band12	1.4MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-40.62	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range1:30~1000MHz	-45.96	PASS
Band12	1.4MHz	64QAM	23173	1RB#0	Range2:1000~10000MHz	-40.88	PASS

Band12	10MHz	QPSK	23060	1RB#0	Range1:30~1000MHz	-45.87	PASS
Band12	10MHz	QPSK	23060	1RB#0	Range2:1000~10000MHz	-41.15	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range1:30~1000MHz	-45.04	PASS
Band12	10MHz	QPSK	23095	1RB#0	Range2:1000~10000MHz	-40.59	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range1:30~1000MHz	-45.59	PASS
Band12	10MHz	QPSK	23130	1RB#0	Range2:1000~10000MHz	-41.14	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range1:30~1000MHz	-45.02	PASS
Band12	10MHz	16QAM	23060	1RB#0	Range2:1000~10000MHz	-40.73	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range1:30~1000MHz	-45.3	PASS
Band12	10MHz	16QAM	23095	1RB#0	Range2:1000~10000MHz	-41.17	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range1:30~1000MHz	-45.84	PASS
Band12	10MHz	16QAM	23130	1RB#0	Range2:1000~10000MHz	-41.09	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range1:30~1000MHz	-45.43	PASS
Band12	10MHz	64QAM	23060	1RB#0	Range2:1000~10000MHz	-40.39	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range1:30~1000MHz	-45.26	PASS
Band12	10MHz	64QAM	23095	1RB#0	Range2:1000~10000MHz	-40.94	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range1:30~1000MHz	-45.28	PASS
Band12	10MHz	64QAM	23130	1RB#0	Range2:1000~10000MHz	-40.91	PASS
Band17	5MHz	QPSK	23755	1RB#0	Range1:30~1000MHz	-46.59	PASS
Band17	5MHz	QPSK	23755	1RB#0	Range2:1000~10000MHz	-41.19	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-46.49	PASS
Band17	5MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-40.76	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range1:30~1000MHz	-46.45	PASS
Band17	5MHz	QPSK	23825	1RB#0	Range2:1000~10000MHz	-39.36	PASS
Band17	5MHz	16QAM	23755	1RB#0	Range1:30~1000MHz	-46.82	PASS
Band17	5MHz	16QAM	23755	1RB#0	Range2:1000~10000MHz	-40.68	PASS
Band17	5MHz	16QAM	23790	1RB#0	Range1:30~1000MHz	-46.44	PASS
Band17	5MHz	16QAM	23790	1RB#0	Range2:1000~10000MHz	-40.61	PASS
Band17	5MHz	16QAM	23825	1RB#0	Range1:30~1000MHz	-46.05	PASS
Band17	5MHz	16QAM	23825	1RB#0	Range2:1000~10000MHz	-41.13	PASS
Band17	5MHz	64QAM	23755	1RB#0	Range1:30~1000MHz	-46.94	PASS
Band17	5MHz	64QAM	23755	1RB#0	Range2:1000~10000MHz	-40.8	PASS
Band17	5MHz	64QAM	23790	1RB#0	Range1:30~1000MHz	-47.5	PASS
Band17	5MHz	64QAM	23790	1RB#0	Range2:1000~10000MHz	-40.8	PASS
Band17	5MHz	64QAM	23825	1RB#0	Range1:30~1000MHz	-45.98	PASS
Band17	5MHz	64QAM	23825	1RB#0	Range2:1000~10000MHz	-40.8	PASS
Band17	10MHz	QPSK	23780	1RB#0	Range1:30~1000MHz	-46.72	PASS
Band17	10MHz	QPSK	23780	1RB#0	Range2:1000~10000MHz	-41.03	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range1:30~1000MHz	-46.52	PASS
Band17	10MHz	QPSK	23790	1RB#0	Range2:1000~10000MHz	-39.04	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range1:30~1000MHz	-46.28	PASS
Band17	10MHz	QPSK	23800	1RB#0	Range2:1000~10000MHz	-41.15	PASS

Band17	10MHz	16QAM	23780	1RB#0	Range1:30~1000MHz	-46.63	PASS
Band17	10MHz	16QAM	23780	1RB#0	Range2:1000~10000MHz	-40.67	PASS
Band17	10MHz	16QAM	23790	1RB#0	Range1:30~1000MHz	-45.32	PASS
Band17	10MHz	16QAM	23790	1RB#0	Range2:1000~10000MHz	-40.71	PASS
Band17	10MHz	16QAM	23800	1RB#0	Range1:30~1000MHz	-45.93	PASS
Band17	10MHz	16QAM	23800	1RB#0	Range2:1000~10000MHz	-40.73	PASS
Band17	10MHz	64QAM	23780	1RB#0	Range1:30~1000MHz	-46.6	PASS
Band17	10MHz	64QAM	23780	1RB#0	Range2:1000~10000MHz	-40.3	PASS
Band17	10MHz	64QAM	23790	1RB#0	Range1:30~1000MHz	-46.64	PASS
Band17	10MHz	64QAM	23790	1RB#0	Range2:1000~10000MHz	-40.26	PASS
Band17	10MHz	64QAM	23800	1RB#0	Range1:30~1000MHz	-46.43	PASS
Band17	10MHz	64QAM	23800	1RB#0	Range2:1000~10000MHz	-40.66	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range1:30~1000MHz	-46.8	PASS
Band41	5MHz	QPSK	39675	1RB#0	Range2:1000~26500MHz	-29.14	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-47.26	PASS
Band41	5MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-29.87	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range1:30~1000MHz	-46.58	PASS
Band41	5MHz	QPSK	41565	1RB#0	Range2:1000~26500MHz	-29.99	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range1:30~1000MHz	-46.4	PASS
Band41	5MHz	16QAM	39675	1RB#0	Range2:1000~26500MHz	-29.36	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-44.95	PASS
Band41	5MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-29.21	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range1:30~1000MHz	-47	PASS
Band41	5MHz	16QAM	41565	1RB#0	Range2:1000~26500MHz	-29.56	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range1:30~1000MHz	-47.06	PASS
Band41	5MHz	64QAM	39675	1RB#0	Range2:1000~26500MHz	-29.14	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-45.9	PASS
Band41	5MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-28.19	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range1:30~1000MHz	-46.46	PASS
Band41	5MHz	64QAM	41565	1RB#0	Range2:1000~26500MHz	-29.49	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range1:30~1000MHz	-46.18	PASS
Band41	20MHz	QPSK	39750	1RB#0	Range2:1000~26500MHz	-28.6	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range1:30~1000MHz	-46.27	PASS
Band41	20MHz	QPSK	40620	1RB#0	Range2:1000~26500MHz	-29.39	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range1:30~1000MHz	-45.31	PASS
Band41	20MHz	QPSK	41490	1RB#0	Range2:1000~26500MHz	-29.21	PASS
Band41	20MHz	16QAM	39750	1RB#0	Range1:30~1000MHz	-46.04	PASS
Band41	20MHz	16QAM	39750	1RB#0	Range2:1000~26500MHz	-29.07	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range1:30~1000MHz	-46.99	PASS
Band41	20MHz	16QAM	40620	1RB#0	Range2:1000~26500MHz	-29.54	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range1:30~1000MHz	-46.81	PASS
Band41	20MHz	16QAM	41490	1RB#0	Range2:1000~26500MHz	-29.63	PASS

Band41	20MHz	64QAM	39750	1RB#0	Range1:30~1000MHz	-47.43	PASS
Band41	20MHz	64QAM	39750	1RB#0	Range2:1000~26500MHz	-29.32	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range1:30~1000MHz	-46.05	PASS
Band41	20MHz	64QAM	40620	1RB#0	Range2:1000~26500MHz	-29.92	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range1:30~1000MHz	-46.44	PASS
Band41	20MHz	64QAM	41490	1RB#0	Range2:1000~26500MHz	-29.32	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range1:30~1000MHz	-47.12	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	Range2:1000~20000MHz	-33.64	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-47.9	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.6	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range1:30~1000MHz	-47.55	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	Range2:1000~20000MHz	-34.67	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range1:30~1000MHz	-47.54	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	Range2:1000~20000MHz	-34.42	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-47.14	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-33.62	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range1:30~1000MHz	-47.88	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	Range2:1000~20000MHz	-34.69	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range1:30~1000MHz	-46.19	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	Range2:1000~20000MHz	-33.15	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-47.61	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-34.41	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range1:30~1000MHz	-46.4	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	Range2:1000~20000MHz	-34.44	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range1:30~1000MHz	-46.64	PASS
Band66	20MHz	QPSK	132072	1RB#0	Range2:1000~20000MHz	-34.34	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range1:30~1000MHz	-47.84	PASS
Band66	20MHz	QPSK	132322	1RB#0	Range2:1000~20000MHz	-34.17	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range1:30~1000MHz	-46.46	PASS
Band66	20MHz	QPSK	132572	1RB#0	Range2:1000~20000MHz	-34.98	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range1:30~1000MHz	-46.12	PASS
Band66	20MHz	16QAM	132072	1RB#0	Range2:1000~20000MHz	-34.25	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range1:30~1000MHz	-46.65	PASS
Band66	20MHz	16QAM	132322	1RB#0	Range2:1000~20000MHz	-34.61	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range1:30~1000MHz	-47.64	PASS
Band66	20MHz	16QAM	132572	1RB#0	Range2:1000~20000MHz	-34.09	PASS
Band66	20MHz	64QAM	132072	1RB#0	Range1:30~1000MHz	-46.55	PASS
Band66	20MHz	64QAM	132072	1RB#0	Range2:1000~20000MHz	-33.8	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range1:30~1000MHz	-46.99	PASS
Band66	20MHz	64QAM	132322	1RB#0	Range2:1000~20000MHz	-33.86	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range1:30~1000MHz	-47.1	PASS
Band66	20MHz	64QAM	132572	1RB#0	Range2:1000~20000MHz	-34.37	PASS

Band71	5MHz	QPSK	133147	1RB#0	Range1:30~1000MHz	-46.76	PASS
Band71	5MHz	QPSK	133147	1RB#0	Range2:1000~10000MHz	-40.65	PASS
Band71	5MHz	QPSK	133297	1RB#0	Range1:30~1000MHz	-45.47	PASS
Band71	5MHz	QPSK	133297	1RB#0	Range2:1000~10000MHz	-41.03	PASS
Band71	5MHz	QPSK	133447	1RB#0	Range1:30~1000MHz	-46.72	PASS
Band71	5MHz	QPSK	133447	1RB#0	Range2:1000~10000MHz	-40.44	PASS
Band71	5MHz	16QAM	133147	1RB#0	Range1:30~1000MHz	-46	PASS
Band71	5MHz	16QAM	133147	1RB#0	Range2:1000~10000MHz	-40.42	PASS
Band71	5MHz	16QAM	133297	1RB#0	Range1:30~1000MHz	-46.46	PASS
Band71	5MHz	16QAM	133297	1RB#0	Range2:1000~10000MHz	-40.86	PASS
Band71	5MHz	16QAM	133447	1RB#0	Range1:30~1000MHz	-46.41	PASS
Band71	5MHz	16QAM	133447	1RB#0	Range2:1000~10000MHz	-41.15	PASS
Band71	5MHz	64QAM	133147	1RB#0	Range1:30~1000MHz	-46.1	PASS
Band71	5MHz	64QAM	133147	1RB#0	Range2:1000~10000MHz	-41.22	PASS
Band71	5MHz	64QAM	133297	1RB#0	Range1:30~1000MHz	-45.55	PASS
Band71	5MHz	64QAM	133297	1RB#0	Range2:1000~10000MHz	-41.42	PASS
Band71	5MHz	64QAM	133447	1RB#0	Range1:30~1000MHz	-46.56	PASS
Band71	5MHz	64QAM	133447	1RB#0	Range2:1000~10000MHz	-41.05	PASS
Band71	20MHz	QPSK	133222	1RB#0	Range1:30~1000MHz	-44.59	PASS
Band71	20MHz	QPSK	133222	1RB#0	Range2:1000~10000MHz	-41.23	PASS
Band71	20MHz	QPSK	133322	1RB#0	Range1:30~1000MHz	-45.34	PASS
Band71	20MHz	QPSK	133322	1RB#0	Range2:1000~10000MHz	-40.46	PASS
Band71	20MHz	QPSK	133372	1RB#0	Range1:30~1000MHz	-45.58	PASS
Band71	20MHz	QPSK	133372	1RB#0	Range2:1000~10000MHz	-40.02	PASS
Band71	20MHz	16QAM	133222	1RB#0	Range1:30~1000MHz	-45.17	PASS
Band71	20MHz	16QAM	133222	1RB#0	Range2:1000~10000MHz	-40.47	PASS
Band71	20MHz	16QAM	133322	1RB#0	Range1:30~1000MHz	-45.32	PASS
Band71	20MHz	16QAM	133322	1RB#0	Range2:1000~10000MHz	-39.62	PASS
Band71	20MHz	16QAM	133372	1RB#0	Range1:30~1000MHz	-44.88	PASS
Band71	20MHz	16QAM	133372	1RB#0	Range2:1000~10000MHz	-41.26	PASS
Band71	20MHz	64QAM	133222	1RB#0	Range1:30~1000MHz	-45.2	PASS
Band71	20MHz	64QAM	133222	1RB#0	Range2:1000~10000MHz	-41.25	PASS
Band71	20MHz	64QAM	133322	1RB#0	Range1:30~1000MHz	-45.02	PASS
Band71	20MHz	64QAM	133322	1RB#0	Range2:1000~10000MHz	-40.22	PASS
Band71	20MHz	64QAM	133372	1RB#0	Range1:30~1000MHz	-45.63	PASS
Band71	20MHz	64QAM	133372	1RB#0	Range2:1000~10000MHz	-40.78	PASS

Remark: All bandwidth and all modulation had been tested, but only the worst case data displayed in this report.

Test Graphs

