



TEST REPORT

No. I20Z60959-WMD07

for

OnePlus Technology (Shenzhen) Co., Ltd.

Smart Phone

Model Name: BE2028, BE2025, BE2026

FCC ID: 2ABZ2-EF170

with

Hardware Version: 16

Software Version: 10.5.5.BE88CB

Issued Date: 2020-11-17

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn

REPORT HISTORY

Report Number	Revision	Description	Issue Date
I20Z60959-WMD07	Rev.0	1 st edition	2020-11-12
I20Z60959-WMD07	Rev.1	2 nd edition Adding the OBW results of n41 20MHz and 100MHz with DFT-s-16QAM modulation	2020-11-17

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1. Test Laboratory.....	4
1.1. Introduction & Accreditation.....	4
1.2. Testing Location.....	4
1.3. Testing Environment.....	5
1.4. Project Data.....	5
1.5. Signature.....	5
2. Client Information.....	6
2.1. Applicant Information.....	6
2.2. Manufacturer Information.....	6
3. Equipment Under Test (EUT) and Ancillary Equipment (AE).....	7
3.1. About EUT.....	7
3.2. Internal Identification of EUT used during the test.....	7
3.3. Internal Identification of AE used during the test.....	7
4. Reference Documents.....	8
4.1. Documents supplied by applicant.....	8
4.2. Reference Documents for testing.....	8
5. Laboratory Environment.....	9
6. Summary Of Test Result.....	10
7. Test Equipment Utilized.....	13
Annex A: Measurement Results.....	14
A.1 Output Power.....	14
A.2 Emission Limit.....	363
A.3 Frequency Stability.....	379
A.4 Occupied Bandwidth.....	385
A.5 Emission Bandwidth.....	418
A.6 Band Edge Compliance.....	449
A.7 Conducted Spurious Emission.....	477
A.8 Peak-to-Average Power Ratio.....	483
Annex B: Accreditation Certificate.....	484

1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (Shouxiang)

Address: No. 51 Shouxiang Science Building, Xueyuan Road,
Haidian District, Beijing, P. R. China 100191

Location 3: CTTL (BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology
Development Area, Beijing, P. R. China 100176

1.3. Testing Environment

Normal Temperature: 15-35℃
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2020-07-21
Testing End Date: 2020-11-17

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)

2. Client Information

2.1. Applicant Information

Company Name: OnePlus Technology (Shenzhen) Co., Ltd.
Address /Post: 18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe
Avenue North, Futian District, Shenzhen
Contact: Ariel Cheng
Email: ariel.cheng@oneplus.com
Telephone: 86 755 61898696-7023

2.2. Manufacturer Information

Company Name: OnePlus Technology (Shenzhen) Co., Ltd.
Address /Post: 18C02, 18C03, 18C04 and 18C05, Shum Yip Terra Building, Binhe
Avenue North, Futian District, Shenzhen
Contact: Ariel Cheng
Email: ariel.cheng@oneplus.com
Telephone: 86 755 61898696-7023

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	Smart Phone
Model Name	BE2028, BE2025, BE2026
FCC ID	2ABZ2-EF170
Antenna	Embedded
Output power	25.93 dBm maximum EIRP measured for NR n41(SISO)
Extreme vol. Limits	3.45VDC to 4.45VDC (nominal: 3.87VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT04a	990016800072090	16	10.5.5.BE88CB	2020-07-21
UT16a	990016800073023	16	10.5.5.BE88CB	2020-08-19

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery

AE1	
Model	BLP815
Manufacturer	Dongguan NVT Technology Co.,Ltd.
Capacity	4210mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters, referring to Annex A for detailed information, is supplied by the client or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-19 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-19 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-19 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Control room / conducted chamber did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 M
Ground system resistance	< 0.5

Fully-anechoic chamber 2 (8.6 meters X 6.1 meters X 3.85 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 M
Ground system resistance	< 1
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz

Semi-anechoic chamber 2 / Fully-anechoic chamber 3 (10 meters X 6.7 meters X 6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	>2 M
Ground system resistance	< 0.5
Normalised site attenuation (NSA)	<±4 dB, 3 m distance
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz

6. Summary Of Test Result

n2

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

n25

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 20/40/60/80/100MHz for n41 and 5/10/15/20MHz for other NR bands

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
UXM 5G Wireless Test Platform	E7515B	MY59020623	Keysight	2021-03-31	2 years
Spectrum Analyzer	FSU	200030	R&S	2021-06-01	1 year
Climate chamber	SH-242	93008556	ESPEC	2020-12-21	3 years
EMI Antenna	VULB9163	9163-235	Schwarzbeck	2021-03-12	1 year
EMI Antenna	3117	00058889	ETS-Lindgren	2020-11-18	1 year
EMI Antenna	3117	00119021	ETS-Lindgren	2021-01-14	1 year
EMI Antenna	9117	177	Schwarzbeck	2021-10-12	1 year
Signal Generator	N5183A	MY49060052	R&S	2021-06-24	1 year
Test Receiver	E4440A	MY48250642	Agilent	2021-03-13	1 year
Universal Radio Communication Tester	CMW500	143008	R&S	2020-11-26	1 year
Power Amplifier	5S1G4	0341863	AR	/	/
UXM 5G Wireless Test Platform	E7515B	MY59020630	Keysight	2021-03-02	1 year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

SA

n25

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	POWER(dBm)
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.02
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.09
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	23.15
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	23.85
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.25
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.18
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.20
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	22.88
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.06
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.15
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.22
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.24
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	21.83
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	21.78
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	21.69
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.26
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.20
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.12
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.05
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.20
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.15
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.19
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.29
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	21.56
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.03
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.22

n25	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.21
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.13
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	20.76
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	20.76
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	20.63
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.40
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.21
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.23
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.11
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.75
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.10
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.19
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.22
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.65
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.14
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.15
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.46
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.05
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.19
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.20
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.24
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.25
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	21.80
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.86
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	21.67
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.22
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.14
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.15
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	19.67
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	22.87
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.54
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.20
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.81
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	21.93
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.32
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.26
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.32
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	20.86
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	20.81
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	20.80
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.49

n25	5MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.13
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.27
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.21
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	17.73
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	InnerFull	23.64
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.20
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.21
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	OuterFull	23.28
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	InnerFull	23.59
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBLeft	23.22
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBRight	23.20
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	OuterFull	23.84
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	InnerFull	23.51
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBLeft	22.20
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBRight	22.25
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	OuterFull	22.29
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	InnerFull	22.28
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBLeft	21.87
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBRight	21.84
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	OuterFull	21.74
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	InnerFull	20.32
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBLeft	19.19
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBRight	19.15
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	OuterFull	19.86
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	InnerFull	22.82
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBLeft	21.24
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBRight	21.25
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	OuterFull	21.28
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	InnerFull	21.53
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBLeft	21.33
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBRight	21.32
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	OuterFull	21.36
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	InnerFull	21.14
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBLeft	20.77
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBRight	20.98
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	OuterFull	20.76
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	InnerFull	18.22
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBLeft	17.38
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBRight	17.27
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	OuterFull	18.22
n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	InnerFull	24.17

n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.21
n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBRight	23.22
n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	OuterFull	23.24
n25	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.11
n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.22
n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.24
n25	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.25
n25	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	22.95
n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.17
n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.30
n25	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.16
n25	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.32
n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	21.56
n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	21.50
n25	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	21.40
n25	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.28
n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.18
n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.22
n25	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	19.75
n25	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.20
n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.14
n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.23
n25	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.25
n25	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	21.79
n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.31
n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.13
n25	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.06
n25	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.34
n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	20.80
n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.00
n25	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	20.76
n25	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.44
n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.35
n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.45
n25	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.48
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.00
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.31
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.22
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.91
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.33

n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.22
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.51
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.30
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.16
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.22
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.25
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.13
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	21.56
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.33
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	21.35
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.06
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.16
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.16
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	19.46
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.09
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.52
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.22
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.15
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	21.78
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.28
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.34
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.21
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.17
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	20.75
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	20.88
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	20.79
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.17
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.34
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.49
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.35
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	InnerFull	24.15
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.26
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBRight	23.21
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	OuterFull	23.25
n25	10MHz	15kHz	1910MHz	DFT	QPSK	InnerFull	24.09
n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBLeft	23.27
n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBRight	23.29
n25	10MHz	15kHz	1910MHz	DFT	QPSK	OuterFull	23.42
n25	10MHz	15kHz	1910MHz	DFT	16QAM	InnerFull	23.10
n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBLeft	22.35
n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBRight	22.23

n25	10MHz	15kHz	1910MHz	DFT	16QAM	OuterFull	22.20
n25	10MHz	15kHz	1910MHz	DFT	64QAM	InnerFull	22.35
n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBLeft	21.70
n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBRight	21.04
n25	10MHz	15kHz	1910MHz	DFT	64QAM	OuterFull	21.43
n25	10MHz	15kHz	1910MHz	DFT	256QAM	InnerFull	20.38
n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBLeft	19.23
n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBRight	19.23
n25	10MHz	15kHz	1910MHz	DFT	256QAM	OuterFull	19.96
n25	10MHz	15kHz	1910MHz	CP	QPSK	InnerFull	23.31
n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBLeft	21.32
n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBRight	21.24
n25	10MHz	15kHz	1910MHz	CP	QPSK	OuterFull	21.23
n25	10MHz	15kHz	1910MHz	CP	16QAM	InnerFull	21.70
n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBLeft	21.30
n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBRight	21.33
n25	10MHz	15kHz	1910MHz	CP	16QAM	OuterFull	21.31
n25	10MHz	15kHz	1910MHz	CP	64QAM	InnerFull	21.38
n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBLeft	20.88
n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBRight	20.96
n25	10MHz	15kHz	1910MHz	CP	64QAM	OuterFull	20.76
n25	10MHz	15kHz	1910MHz	CP	256QAM	InnerFull	18.30
n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBLeft	17.39
n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBRight	17.46
n25	10MHz	15kHz	1910MHz	CP	256QAM	OuterFull	18.30
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	23.51
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.51
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.56
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	23.60
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	23.59
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.52
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.64
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.53
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.58
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.52
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.67
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.63
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.01
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.24
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.24
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.13

n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	20.05
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.52
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.51
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.12
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.03
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.49
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.59
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.63
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.68
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.62
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.76
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.59
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	20.92
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.21
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.21
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.15
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.01
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.66
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.72
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.09
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.58
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.49
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.66
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.62
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.59
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.50
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.61
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.60
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.61
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.51
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.69
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.58
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.03
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.24
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.87
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.12
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.06
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.54
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.64
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.03

n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.49
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.72
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.61
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.74
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.46
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.58
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.61
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.01
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.15
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.23
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.07
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.03
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.67
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.79
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.13
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	InnerFull	23.70
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.60
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.56
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.70
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	23.69
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.63
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.58
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.68
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.67
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.58
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.59
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.76
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.17
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.33
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	21.57
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.29
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.21
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	20.21
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.68
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.21
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.14
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.72
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.61
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.74
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.80
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.56

n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.74
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.67
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.11
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.27
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.18
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.18
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.12
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.82
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.80
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.17
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	23.56
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.48
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	23.49
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	23.57
n25	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	23.57
n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.47
n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.51
n25	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.67
n25	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.56
n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.45
n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.47
n25	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.59
n25	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.07
n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	22.18
n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	21.97
n25	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.09
n25	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.97
n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.50
n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.55
n25	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.14
n25	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.06
n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.53
n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.48
n25	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.66
n25	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.64
n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.70
n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.62
n25	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.52
n25	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.07
n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.19
n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.15

n25	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.16
n25	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.02
n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.67
n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.74
n25	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.16
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.60
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.50
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.52
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.64
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.60
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.45
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.46
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.65
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.61
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.46
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.47
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.60
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.05
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.07
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.01
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.13
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.03
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.50
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.58
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.15
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.04
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.61
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.45
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.60
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.58
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.44
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.39
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.54
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.13
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.10
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.17
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.13
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.07
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.68
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.75
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.19

n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	23.66
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.58
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	23.60
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	23.61
n25	20MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	23.64
n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.58
n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.56
n25	20MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.66
n25	20MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.67
n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.59
n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.53
n25	20MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.72
n25	20MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.22
n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.29
n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	21.64
n25	20MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.20
n25	20MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.13
n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.64
n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.61
n25	20MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.23
n25	20MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.18
n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.67
n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.60
n25	20MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.74
n25	20MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.63
n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.71
n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.69
n25	20MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.69
n25	20MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.25
n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.18
n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.26
n25	20MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.20
n25	20MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.17
n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.83
n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.76
n25	20MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.22

n41

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.87
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.22
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.37
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.32
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.92
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.23
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.33
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	24.89
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.01
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.29
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.57
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	23.88
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	23.41
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.32
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.36
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	23.45
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	21.36
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.23
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.20
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	21.31
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	24.36
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.14
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.43
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	22.88
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	23.90
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.29
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.50
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	22.80
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	22.37
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.35
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.62
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	22.34
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	19.25
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.22
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.33
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	19.29
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.83
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.37
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.23

n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.40
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.86
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.38
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.39
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.80
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.85
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.42
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.32
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.98
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.35
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.36
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.38
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.37
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.50
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.27
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.34
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.28
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.34
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.26
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.28
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.92
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.95
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.42
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.53
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.86
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.44
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.36
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.54
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.43
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.38
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.21
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.26
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.31
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	26.13
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.65
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	26.12
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.58
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.79
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.14

n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.14
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.70
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	22.74
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.15
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.66
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.67
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.72
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	23.62
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.60
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.54
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.79
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.61
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	24.65
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.40
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	22.76
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.17
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.09
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	22.56
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	22.82
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.12
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.53
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.63
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.83
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	22.65
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.56
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.40
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.62
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	19.60
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	26.24
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.55
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.81
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.70
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	26.36
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	22.51
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.77
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.30
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.22
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.52
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	22.91
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.22
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.92

n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	22.49
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	22.86
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	23.74
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.74
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.46
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.81
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	21.77
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	24.79
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	22.38
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.77
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.23
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.26
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	22.56
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.02
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.26
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.77
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.63
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	22.97
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	22.81
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.66
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.35
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.76
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	19.74
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.18
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.64
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.85
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.22
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.69
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.80
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.27
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.32
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.81
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.02
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.25
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.63
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.86
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.75
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.71
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.59

n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.59
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.69
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.79
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.65
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.84
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.36
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.31
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.70
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.03
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.24
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.75
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.84
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.02
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.71
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.73
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.62
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.68
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.70
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	26.53
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.84
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	23.15
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	26.02
n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	26.45
n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	22.80
n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.12
n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.58
n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.47
n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	22.94
n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.25
n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.50
n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	23.96
n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	22.92
n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.04
n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	23.91
n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	21.88
n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.84
n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.97
n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	21.97
n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.02
n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	22.67
n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.10

n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.51
n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.44
n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	22.92
n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.14
n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.52
n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.12
n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	23.00
n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.26
n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	22.98
n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	19.99
n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.83
n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	20.06
n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	19.91
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	26.01
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.21
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.39
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	26.00
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.23
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	22.57
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	24.84
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	24.94
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.32
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	22.74
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	23.96
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.33
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.05
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.57
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.37
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.23
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	21.16
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.43
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.46
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.43
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.07
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	22.59
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.02
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	23.91
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.29
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	22.61
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	22.99

n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.37
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.18
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.76
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.50
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	19.39
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.10
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.62
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.38
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.95
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.24
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.36
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.41
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.87
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.39
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.40
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.89
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.87
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.53
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.51
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.92
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.42
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.30
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.46
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.28
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.25
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.16
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.18
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.34
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.40
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.25
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.42
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.90
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.82
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.37
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.56
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.92
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.33
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.41
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.56
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.32
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.29

n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.30
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.28
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.36
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	26.07
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.20
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.78
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.52
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.97
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.29
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	22.76
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	24.97
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	24.93
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.20
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	22.78
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	23.90
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.49
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.32
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	22.85
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.38
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.33
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	21.02
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.53
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.40
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.48
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.28
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	22.75
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	22.98
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	23.84
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.25
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	22.93
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.06
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.48
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.39
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.89
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.54
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.35
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	19.11
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.79
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.46
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.97
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.14

n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	22.68
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.46
n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.94
n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.10
n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	22.65
n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	24.90
n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.01
n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.14
n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	22.80
n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.03
n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	23.46
n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.00
n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.63
n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.54
n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	21.35
n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	20.99
n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.47
n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.55
n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.44
n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.06
n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	22.55
n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	22.98
n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	23.95
n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.11
n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	22.71
n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.01
n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	22.46
n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.19
n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.84
n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	22.55
n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	19.39
n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	19.01
n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.64
n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.52
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.93
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.22
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.32
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.43
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.87
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.23
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.43

n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.89
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.90
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.43
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.58
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.97
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.45
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.29
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.39
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.36
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.39
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.21
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.36
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.42
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.33
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.18
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.25
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.89
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.93
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.28
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.61
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.95
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.49
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.46
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.55
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.46
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.31
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.22
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.48
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.37
n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	InnerFull	25.97
n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.13
n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.71
n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	OuterFull	25.53
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.97
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.25
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	22.78
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	24.99
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	24.98
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.23
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	22.97
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	23.99

n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.46
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.25
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	22.73
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.41
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.47
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	21.25
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.64
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.52
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.40
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.15
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.67
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.07
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	23.97
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.28
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	22.83
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.00
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.47
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.36
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.91
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.52
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.52
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	19.10
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.68
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.46
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	26.36
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.96
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.80
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	26.32
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	22.55
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	22.94
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.32
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.36
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	22.53
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	22.94
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.37
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	23.71
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.56
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	22.83
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	23.86
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	21.75

n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.38
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.73
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	21.77
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	24.84
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.43
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	22.87
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.26
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.38
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	22.61
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	23.03
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.36
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	22.83
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.66
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.05
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	22.80
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	19.70
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.41
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.80
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	19.81
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.33
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.75
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.28
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.69
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.91
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.26
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.29
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.84
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.04
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.28
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.81
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.70
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.95
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.77
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.77
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.54
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.68
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.66
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.74
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.60

n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.81
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.25
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.30
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.76
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.85
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.27
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.69
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.76
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.07
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.76
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.61
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.55
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.83
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.73
n41	80MHz	30kHz	2649.99MHz	DFT	pi/2 BPSK	InnerFull	26.41
n41	80MHz	30kHz	2649.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.47
n41	80MHz	30kHz	2649.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.15
n41	80MHz	30kHz	2649.99MHz	DFT	pi/2 BPSK	OuterFull	25.92
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	26.39
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	22.53
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.06
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.27
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.43
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	22.77
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.21
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.32
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	23.78
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.50
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.15
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.06
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	21.82
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.65
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.95
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	21.84
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	24.75
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	22.55
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.09
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.36
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.35
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	22.65
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.13

n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.31
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	22.86
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.70
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.27
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	22.80
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	19.83
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.41
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	20.16
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	19.75
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	26.38
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.46
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.84
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.83
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	26.33
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	22.40
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	22.82
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.30
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.37
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	22.64
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.04
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.39
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	23.71
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.90
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	22.95
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.03
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	21.84
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.35
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.53
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	21.78
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	24.88
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.24
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	22.85
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.30
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.37
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	22.55
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.07
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.35
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	22.86
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.70
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.33
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	22.88

n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	19.70
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.37
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.78
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	19.80
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.21
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.01
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.74
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.28
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.67
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.82
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.25
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.26
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.75
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.92
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.21
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.74
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.96
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.73
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.67
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.71
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.71
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.70
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.61
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.89
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.24
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.20
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.75
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.12
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.25
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.59
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.80
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.08
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.77
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.61
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.66
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.83
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.83
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	26.37

n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.18
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.92
n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	26.33
n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	22.62
n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.17
n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.44
n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.32
n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	22.79
n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.33
n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.36
n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	23.80
n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.71
n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.22
n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	23.86
n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	21.95
n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.36
n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	22.06
n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	21.77
n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	24.78
n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	22.51
n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.08
n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.47
n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.43
n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	22.79
n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.14
n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.36
n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.78
n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.88
n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.27
n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	22.95
n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	19.75
n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.55
n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	20.09
n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	19.89

n66

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	23.29
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.28
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.23
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	23.10
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	23.33
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	23.26
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	23.30
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	23.52
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	23.18
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	22.21
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	22.25
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	22.70
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	21.95
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	21.86
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	21.82
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	21.72
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	19.72
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	19.27
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	19.30
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	19.81
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	22.45
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	21.34
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	21.63
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	21.89
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	21.74
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	21.28
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	21.26
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	21.46
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	20.92
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	20.84
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	20.84
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	20.59
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	18.07
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	17.41
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	17.23
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	17.87
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.20
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13

n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.20
n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.15
n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.17
n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.12
n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.19
n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.25
n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.14
n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.12
n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.19
n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.77
n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.79
n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.79
n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	21.73
n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.65
n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.11
n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.13
n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	19.63
n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	22.67
n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.19
n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.18
n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.16
n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.07
n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.18
n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.16
n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.26
n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.63
n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	20.80
n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	20.77
n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	20.70
n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.73
n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.23
n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.22
n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	17.68
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	23.09
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.03
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.04
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	23.11
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	23.04
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	23.11
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	23.11
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	23.09

n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	23.22
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	22.07
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	22.07
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	22.13
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	21.69
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	21.68
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	21.78
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	21.60
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	19.59
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	19.06
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	19.11
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	19.59
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	22.68
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	21.18
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	21.18
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	21.09
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	22.01
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	21.09
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	21.08
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	21.14
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	20.55
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	20.68
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	20.69
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	20.62
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	17.65
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	17.18
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	17.11
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	17.64
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	InnerFull	23.41
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.27
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.29
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	OuterFull	23.39
n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	23.33
n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	23.32
n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	23.35
n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	23.66
n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	23.34
n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	22.56
n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	22.30
n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	22.35
n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	21.56

n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	22.03
n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	21.32
n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	21.51
n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	19.53
n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	19.35
n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	19.30
n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	20.01
n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	22.76
n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	21.37
n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	21.29
n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	21.77
n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	22.09
n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	21.41
n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	21.43
n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	21.40
n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	20.99
n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	20.95
n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	20.99
n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	21.38
n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	17.99
n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	17.38
n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	17.48
n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	18.38
n66	10MHz	15kHz	1745MHz	DFT	$\pi/2$ BPSK	InnerFull	23.21
n66	10MHz	15kHz	1745MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.19
n66	10MHz	15kHz	1745MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.13
n66	10MHz	15kHz	1745MHz	DFT	$\pi/2$ BPSK	OuterFull	23.25
n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.25
n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.19
n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.21
n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.21
n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.25
n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.11
n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.16
n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.17
n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.77
n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.89
n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.53
n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	21.78
n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.61
n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.13

n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.21
n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	19.72
n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	22.67
n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.21
n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.19
n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.23
n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.23
n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.23
n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.24
n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.25
n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.77
n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	20.80
n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	20.88
n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	20.73
n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.71
n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.27
n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.32
n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	17.62
n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	InnerFull	23.10
n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.11
n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.04
n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	OuterFull	23.08
n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	23.08
n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	23.07
n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	23.10
n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	23.09
n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	23.11
n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	22.05
n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	22.04
n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	22.12
n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	21.73
n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	21.75
n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	21.58
n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	21.66
n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	19.61
n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	19.06
n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	19.13
n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	19.60
n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	22.62
n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	21.07
n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	21.06

n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	21.20
n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	22.18
n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	21.16
n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	21.16
n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	21.19
n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	20.68
n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	20.71
n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	20.80
n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	20.66
n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	17.56
n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	17.22
n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	17.22
n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	17.59
n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	InnerFull	23.68
n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.59
n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.70
n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.73
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	23.72
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	23.68
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	23.73
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	23.66
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	23.57
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	22.70
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	22.65
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	22.76
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	22.08
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	22.34
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	21.56
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	22.21
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	20.17
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	19.59
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	19.75
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	20.24
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	23.08
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	21.75
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	21.70
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	21.74
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	22.85
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	21.63
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	21.83
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	21.69

n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	21.04
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	21.34
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	21.30
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	21.14
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	18.05
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	17.74
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	17.76
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	18.15
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.50
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.50
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.53
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.57
n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.53
n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.52
n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.54
n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.59
n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.58
n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.56
n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.58
n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.58
n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.97
n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.14
n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.54
n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.08
n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	20.05
n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.51
n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.58
n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.04
n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.06
n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.68
n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.54
n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.58
n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.60
n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.60
n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.61
n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.57
n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	21.01
n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.19
n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.16
n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.05
n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.92

n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.68
n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.64
n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.01
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	23.43
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.39
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.46
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	23.43
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	23.42
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	23.36
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	23.47
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	23.41
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	23.41
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	22.38
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	22.47
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	22.46
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	21.82
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	22.12
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	22.24
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	21.95
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	19.88
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	19.35
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	19.47
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	19.91
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	22.94
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	21.44
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	21.44
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	21.43
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	22.45
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	21.40
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	21.51
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	21.42
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	20.87
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	21.04
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	21.02
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	20.92
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	17.84
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	17.55
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	17.52
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	17.91
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	23.70
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.69

n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	23.74
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	23.65
n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	23.65
n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	23.70
n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	23.68
n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	23.65
n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	23.66
n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	22.67
n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	22.66
n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	22.72
n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	22.12
n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	22.32
n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	22.04
n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	22.24
n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	20.07
n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	19.64
n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	19.67
n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	20.19
n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	23.09
n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	21.72
n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	21.62
n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	21.75
n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	22.68
n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	21.62
n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	21.78
n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	21.68
n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	21.09
n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	21.25
n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	21.28
n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	21.22
n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	18.01
n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	17.75
n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	17.70
n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	18.16
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.62
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.52
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.51
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.55
n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.59
n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.60
n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.55

n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.59
n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.56
n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.50
n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.52
n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.51
n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	22.09
n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.69
n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	22.15
n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.13
n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	20.03
n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.55
n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.53
n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.10
n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.02
n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.64
n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.56
n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.58
n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.54
n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.57
n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.66
n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.54
n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	21.07
n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.20
n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.12
n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.12
n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	18.02
n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.69
n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.58
n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.10
n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	InnerFull	23.43
n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.43
n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.48
n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	OuterFull	23.47
n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	23.48
n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	23.47
n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	23.48
n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	23.49
n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	23.41
n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	22.40
n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	22.37
n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	22.49

n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	21.99
n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	21.98
n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	21.99
n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	22.01
n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	19.91
n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	19.40
n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	19.47
n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	20.00
n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	22.92
n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	21.57
n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	21.50
n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	21.49
n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	22.45
n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	21.60
n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	21.49
n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	21.43
n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	20.97
n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	21.08
n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	21.08
n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	21.00
n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	17.93
n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	17.55
n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	17.49
n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	17.96

n71

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	23.68
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.72
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.60
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	23.67
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	23.64
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	23.00
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.61
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	23.65
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.72
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	22.06
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.84
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	23.04
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.26
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.87
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.70
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.53
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.44
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	19.90
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.83
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.37
n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.30
n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.64
n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	22.16
n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	22.18
n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.73
n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.44
n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	22.16
n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	22.25
n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.53
n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.76
n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.62
n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.66
n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.26
n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.90
n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.78
n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.29
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.28
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.30
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.27

n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.30
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.80
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.36
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.27
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.35
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.40
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.85
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.77
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.88
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.29
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.55
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.40
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.32
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.21
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.62
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.61
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.19
n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.34
n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.91
n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.82
n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.85
n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.71
n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.86
n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.73
n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.93
n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.30
n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.44
n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.38
n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.34
n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.02
n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.67
n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.56
n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.04
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.12
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.16
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.03
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.18
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	23.59
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.17
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.05
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.12

n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.20
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.65
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.59
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.71
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	22.14
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22.36
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	22.21
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.14
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	20.15
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.55
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.48
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	20.05
n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	23.21
n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.74
n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.59
n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.67
n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.54
n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.66
n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.57
n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.67
n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.12
n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	21.26
n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	21.12
n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	21.18
n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	18.87
n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.55
n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.42
n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.92
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	InnerFull	23.59
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.68
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.53
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	OuterFull	23.59
n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	23.59
n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	22.72
n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.52
n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.60
n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.52
n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.05
n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.95
n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.80
n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.38

n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.46
n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.45
n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.16
n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20.34
n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.75
n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.73
n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	20.38
n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.23
n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.57
n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	22.13
n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	22.03
n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.89
n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.56
n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	22.01
n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	22.03
n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.57
n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.10
n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	21.59
n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.53
n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	18.21
n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.98
n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.85
n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.18
n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.84
n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.42
n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.31
n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.38
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.78
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.48
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.35
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.31
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.36
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.96
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.82
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.80
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.40
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.67
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.50
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.41
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.19
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.59

n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.64
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.19
n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.29
n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.04
n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.98
n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.87
n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.88
n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.90
n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.90
n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.88
n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.41
n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.53
n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.49
n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.33
n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.01
n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.64
n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.76
n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.02
n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	InnerFull	24.59
n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.22
n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.02
n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	OuterFull	23.15
n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.66
n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.28
n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.03
n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.09
n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.21
n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.74
n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	22.54
n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.65
n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.23
n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	22.38
n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	22.17
n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22.18
n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.98
n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.62
n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.40
n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	20.07
n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	23.09
n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.85
n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.62

n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.70
n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.64
n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.70
n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.59
n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.65
n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	21.20
n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	21.35
n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	21.17
n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	21.13
n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.87
n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.65
n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.48
n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.93
n71	15MHz	15kHz	670.5MHz	DFT	$\pi/2$ BPSK	InnerFull	23.90
n71	15MHz	15kHz	670.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.93
n71	15MHz	15kHz	670.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.61
n71	15MHz	15kHz	670.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.80
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	23.89
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.08
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.75
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.28
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.57
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.81
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	23.16
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.92
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.18
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.71
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	22.82
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.00
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	20.63
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.82
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	20.13
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	20.62
n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.37
n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.81
n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	22.22
n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	22.41
n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	23.14
n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.86
n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	22.12
n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	22.43

n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.75
n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.98
n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	21.72
n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	21.88
n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	18.42
n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	18.24
n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	18.12
n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.50
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.68
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.69
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.55
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.76
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.69
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.71
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.59
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.70
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.92
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.83
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	23.24
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.66
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.59
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.49
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.77
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.54
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	20.02
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	20.01
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.55
n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.61
n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.26
n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	22.31
n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	22.23
n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	23.27
n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	22.18
n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	22.05
n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	22.20
n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.59
n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.81
n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.67
n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.69
n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.32

n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	18.06
n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	18.01
n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.39
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	23.53
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.53
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	23.62
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	23.90
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.56
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.35
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.58
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.55
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	23.03
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	22.78
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	23.14
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	22.57
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	22.73
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	22.46
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	22.64
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	20.44
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.89
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.82
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	20.41
n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	23.50
n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	22.19
n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.92
n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	22.12
n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	23.14
n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	22.09
n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	21.81
n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	22.03
n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	21.45
n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	21.67
n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	21.43
n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	21.55
n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	18.29
n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.92
n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	17.86
n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	18.27
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	23.79
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91

n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.53
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	23.85
n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	23.81
n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	22.84
n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.56
n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.55
n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.81
n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.26
n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	23.04
n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	23.28
n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.62
n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	21.73
n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	22.68
n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.28
n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	20.58
n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.32
n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.96
n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	20.63
n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23.51
n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.88
n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	22.07
n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	22.38
n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	23.27
n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.99
n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	22.06
n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	22.30
n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	21.88
n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.97
n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	21.62
n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	21.84
n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	18.37
n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	18.31
n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.97
n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	18.60
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.65
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.61
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.44
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.69
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.64
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.69
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.51

n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.69
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.69
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	23.08
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.99
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	23.21
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.69
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.78
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.68
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.78
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.50
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	20.05
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.94
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.59
n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.57
n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.27
n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	22.02
n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	22.20
n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	23.18
n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	22.23
n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.90
n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	22.17
n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.72
n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.85
n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.55
n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.69
n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.35
n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	18.15
n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.94
n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.42
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	23.65
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.66
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.66
n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	23.63
n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.70
n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.32
n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.63
n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.60
n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	23.15
n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	22.85
n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	23.20

n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	22.61
n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.84
n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	22.46
n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.72
n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	20.47
n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	20.07
n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.87
n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	20.53
n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	23.61
n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	22.31
n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	21.85
n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	22.20
n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	23.20
n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	22.20
n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	21.82
n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	22.15
n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	21.70
n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	21.74
n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	21.38
n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	21.63
n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	18.37
n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	18.15
n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17.84
n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	18.36

NSA

LTE Band 12+NR n2

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.65
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.04
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	24.09
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	24.52
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.52
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.60
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.71
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	23.58
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.39
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.43
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.70
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.11
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	22.12
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	22.13
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	22.23
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.18
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.52
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.61
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.12
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.07
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.67
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.64
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.64
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	22.65
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.69
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.58
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.66
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.35
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	21.22
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	21.17
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	21.17
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.31
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.61
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.56
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.17
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.65
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13

12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.23
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.63
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.64
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.67
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.77
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.76
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.49
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.54
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.75
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.17
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.20
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	22.23
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.32
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.23
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.67
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.65
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.19
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.19
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.70
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.74
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.69
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.77
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.62
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.67
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.75
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.19
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.24
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.22
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.29
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.26
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.71
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.66
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.24
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	InnerFull	24.79
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.23
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.26
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	OuterFull	24.28
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	24.72
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.73
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.73

12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.88
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.74
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.61
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.59
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.82
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.27
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.32
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	22.31
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.41
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.37
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	19.73
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.69
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.30
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.26
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.83
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.81
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.83
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.80
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.89
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.74
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.84
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.39
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.33
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.38
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.38
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.32
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.68
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.76
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.38
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	InnerFull	24.67
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.20
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBRight	24.24
12-n2	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	OuterFull	24.26
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.66
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.65
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.70
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.74
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	23.79
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.47
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.50
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.80

12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.16
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	22.21
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	22.04
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	22.26
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.13
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.65
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.64
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	20.19
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.26
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.69
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.74
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.62
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	22.77
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.70
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.67
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.71
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.16
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	21.32
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.31
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	21.21
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.18
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.61
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.62
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.27
12-n2	10MHz	15kHz	1880MHz	DFT	$\pi/2$ BPSK	InnerFull	24.76
12-n2	10MHz	15kHz	1880MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.16
12-n2	10MHz	15kHz	1880MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.20
12-n2	10MHz	15kHz	1880MHz	DFT	$\pi/2$ BPSK	OuterFull	24.23
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.66
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.65
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.73
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.71
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.78
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.50
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.54
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.78
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.24
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.19
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	21.89
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.28
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.15

12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.64
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.60
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.18
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.25
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.69
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.78
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.69
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.81
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.71
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.76
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.79
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.27
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.26
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.30
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.25
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.21
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.73
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.63
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.31
12-n2	10MHz	15kHz	1905MHz	DFT	$\pi/2$ BPSK	InnerFull	24.85
12-n2	10MHz	15kHz	1905MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.36
12-n2	10MHz	15kHz	1905MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.39
12-n2	10MHz	15kHz	1905MHz	DFT	$\pi/2$ BPSK	OuterFull	24.33
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	24.75
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.86
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.83
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.73
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.80
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.62
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.60
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.87
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.32
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.43
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	22.01
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.35
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.27
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.69
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.72
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.26
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.38
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.99

12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.95
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.80
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.88
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.87
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.80
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.85
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.40
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.36
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.36
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.37
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.32
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.64
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.55
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.25
12-n2	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.63
12-n2	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.00
12-n2	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.11
12-n2	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.10
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	24.49
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.51
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.59
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.62
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.53
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.40
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.47
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.67
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.17
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.36
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.31
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.12
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	19.95
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.50
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.55
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.12
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.07
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.58
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.82
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.59
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.56
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.61
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.64

12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.65
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	21.20
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.12
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.18
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.09
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.12
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.65
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.66
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.28
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.59
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.09
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.15
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.16
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.61
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.58
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.53
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.67
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.68
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.43
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.45
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.62
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.18
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.38
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	22.04
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.18
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.03
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.64
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.63
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.10
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.27
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.88
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.83
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.60
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.73
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.72
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.72
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.66
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.25
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.27
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.24
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.10

12-n2	15MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.14
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.57
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.74
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.30
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	InnerFull	24.54
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.10
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	OuterFull	24.20
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	InnerFull	24.56
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBLeft	23.57
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBRight	23.54
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	OuterFull	23.75
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	InnerFull	23.55
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBLeft	22.43
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBRight	22.45
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	OuterFull	22.68
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	InnerFull	22.17
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBLeft	22.10
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBRight	21.76
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	OuterFull	22.23
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	InnerFull	20.07
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBLeft	19.54
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBRight	19.62
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	OuterFull	20.18
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	InnerFull	23.20
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBLeft	21.79
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBRight	21.67
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	OuterFull	21.67
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	InnerFull	22.67
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBLeft	21.66
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBRight	21.66
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	OuterFull	21.67
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	InnerFull	21.18
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBLeft	21.32
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBRight	21.22
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	OuterFull	21.15
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	InnerFull	18.18
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBLeft	17.63
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBRight	17.61
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	OuterFull	18.22
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	24.54

12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.03
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	24.09
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	24.10
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	24.53
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.45
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.55
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.57
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.62
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.32
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.37
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.64
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.15
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	22.06
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	22.09
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.11
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.94
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.49
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.53
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.14
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.12
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.69
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.68
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.55
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.60
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.47
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.45
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.62
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.12
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.11
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.05
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.15
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.15
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.63
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.67
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.23
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.76
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.10
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.11
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.23
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.62
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.60

12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.58
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.66
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.64
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.46
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.41
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.73
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.23
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.28
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	21.96
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.11
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.07
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.58
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.71
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.14
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.20
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.84
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.82
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.73
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.64
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.65
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.71
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.67
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.22
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.19
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.16
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.26
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.23
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.62
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.72
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.24
12-n2	20MHz	15kHz	1900MHz	DFT	$\pi/2$ BPSK	InnerFull	24.71
12-n2	20MHz	15kHz	1900MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.06
12-n2	20MHz	15kHz	1900MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.17
12-n2	20MHz	15kHz	1900MHz	DFT	$\pi/2$ BPSK	OuterFull	24.17
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	InnerFull	24.63
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBLeft	23.58
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBRight	23.57
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	OuterFull	23.65
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	InnerFull	23.64
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBLeft	22.44
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBRight	22.38

12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	OuterFull	22.74
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	InnerFull	22.11
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBLeft	21.95
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBRight	21.86
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	OuterFull	22.22
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	InnerFull	20.07
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBLeft	19.56
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBRight	19.64
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	OuterFull	20.19
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	InnerFull	23.18
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBLeft	21.77
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBRight	21.77
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	OuterFull	21.72
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	InnerFull	22.69
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBLeft	21.68
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBRight	21.62
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	OuterFull	21.69
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	InnerFull	21.21
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBLeft	21.16
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBRight	21.14
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	OuterFull	21.19
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	InnerFull	18.23
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBLeft	17.67
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBRight	17.66
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	OuterFull	18.19

LTE Band 2+NR n5

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	24.56
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.16
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	24.22
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	24.67
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	23.64
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	23.63
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	23.71
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	23.74
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	22.53
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	22.50
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	22.79
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	22.22
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	22.22
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	22.23
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	22.34
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	20.24
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	19.65
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	19.62
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	20.27
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	23.12
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	21.81
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	21.76
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	21.72
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	22.73
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	21.83
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	21.71
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	21.79
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	21.30
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	21.41
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	21.29
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	21.32
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	18.27
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	17.50
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	17.52
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	18.09
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.49
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.00

2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.07
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.49
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.46
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.44
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.56
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.56
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.31
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.34
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.61
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.08
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.01
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.03
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.16
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.20
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.43
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.43
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.07
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.07
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.54
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.54
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.62
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.51
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.46
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.57
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.14
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.08
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.10
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.11
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.09
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.41
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.35
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.09
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	24.33
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.83
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	23.95
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	24.35
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	23.42
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	23.38
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	23.44

2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	23.45
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	22.28
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	22.22
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	22.53
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	21.96
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	21.95
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	21.92
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	22.03
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	20.01
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	19.36
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	19.35
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	19.94
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	22.84
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	21.58
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	21.39
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	21.43
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	22.42
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	21.48
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	21.31
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	21.52
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	21.06
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	20.99
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	20.94
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	20.99
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	17.91
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	17.41
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	17.30
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	17.90
2-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	InnerFull	24.58
2-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05
2-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBRight	23.96
2-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	OuterFull	24.24
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	24.54
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	23.62
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	23.46
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	23.64
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	23.68
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	22.51
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	22.33
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	22.72
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	22.18

2-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	22.16
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	22.00
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	22.20
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	20.16
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	19.51
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	19.55
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	20.17
2-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	23.08
2-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	21.81
2-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	21.77
2-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	21.67
2-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	22.67
2-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	21.67
2-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	21.46
2-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	21.66
2-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	21.25
2-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	21.38
2-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	21.10
2-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	21.22
2-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	18.08
2-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	17.48
2-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	17.37
2-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	18.10
2-n5	10MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.49
2-n5	10MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.02
2-n5	10MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.94
2-n5	10MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.11
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.47
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.56
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.50
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.63
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.69
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.38
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.29
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.65
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.18
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.04
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.02
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.15
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.02
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.47

2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.46
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.03
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.11
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.62
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.47
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.49
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.59
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.58
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.49
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.71
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.14
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.11
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.03
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.11
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.02
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.47
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.35
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	24.29
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.96
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	23.87
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	23.96
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	24.36
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	23.39
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	23.30
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	23.42
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	23.52
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	22.28
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	22.21
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	22.52
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	21.96
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	22.02
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	21.90
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	22.02
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	19.83
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	19.36
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	19.31
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	19.84
2-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	22.79
2-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	21.45
2-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	21.29

2-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	21.50
2-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	22.49
2-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	21.47
2-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	21.33
2-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	21.48
2-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	21.05
2-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	21.01
2-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	20.86
2-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	20.99
2-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	17.86
2-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	17.32
2-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	17.20
2-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	17.90
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	24.42
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.91
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	24.04
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	24.43
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	23.51
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	23.39
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	23.60
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	23.50
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	22.41
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	22.29
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	22.54
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	22.06
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	22.07
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	21.98
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	22.07
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	19.97
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	19.53
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	19.53
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	20.06
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	23.09
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	21.69
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	21.50
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	21.55
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	22.54
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	21.61
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	21.47
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	21.62

2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	21.12
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	21.19
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	21.00
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	21.01
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	17.89
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	17.45
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	17.42
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	18.05
2-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.33
2-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.96
2-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.85
2-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.02
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.35
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.49
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.38
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.50
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.46
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.42
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.27
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.52
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	21.94
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.00
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	21.98
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.06
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	19.89
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.53
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.48
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.03
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.01
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.61
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.44
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.48
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.49
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.57
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.47
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.50
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.03
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.07
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	20.96
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	20.96
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	17.91

2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.48
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.43
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.07
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	24.41
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.74
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	23.92
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	24.39
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	23.39
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	23.25
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	23.53
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	23.34
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	22.32
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	22.11
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	22.54
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	21.95
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	21.91
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	21.84
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	22.09
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	19.91
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	19.41
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	19.39
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	20.07
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	23.02
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	21.47
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	21.34
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	21.46
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	22.43
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	21.49
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	21.24
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	21.57
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	21.01
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	20.99
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	20.83
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	20.96
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	17.86
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	17.39
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	17.31
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	17.97
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	24.32
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.95

2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	23.77
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	24.02
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	24.36
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	23.49
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	23.30
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	23.50
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	23.54
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	22.39
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	22.26
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	22.54
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	21.97
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	22.05
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	21.84
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	22.07
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	19.94
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	19.55
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	19.45
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	20.02
2-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	22.93
2-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	21.55
2-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	21.35
2-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	21.51
2-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	22.56
2-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	21.55
2-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	21.35
2-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	21.56
2-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	21.06
2-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	21.08
2-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	20.86
2-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	21.05
2-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	18.01
2-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	17.53
2-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	17.38
2-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	17.95
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.34
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.81
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	23.96
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.38
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.54
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.32

2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.56
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.49
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.44
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.23
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.55
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.02
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.09
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	21.88
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.06
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	19.94
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.58
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.46
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.09
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	22.94
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.69
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.42
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.50
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.32
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.02
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.55
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.05
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	20.99
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	20.75
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.09
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	17.99
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.56
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.39
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.10
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	InnerFull	24.38
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBRight	23.77
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	OuterFull	24.01
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	24.28
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	23.46
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	23.24
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	23.43
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	23.51
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	22.40
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	22.11
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	22.52

2-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	22.01
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	21.99
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	21.84
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	21.98
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	19.85
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	19.53
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	19.42
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	19.96
2-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	23.01
2-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	21.57
2-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	21.24
2-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	21.48
2-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	22.47
2-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	21.55
2-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	21.27
2-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	21.62
2-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	21.08
2-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	21.03
2-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	20.80
2-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	21.08
2-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	18.05
2-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	17.50
2-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	17.32
2-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	18.02

LTE Band 66+NR n5

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	24.61
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	24.24
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	24.64
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	23.64
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	23.57
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	23.74
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	23.68
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	22.52
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	22.51
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	22.79
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	22.17
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	22.24
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	22.26
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	22.34
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	20.22
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	19.69
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	19.64
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	20.26
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	23.20
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	21.77
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	21.72
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	21.76
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	22.63
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	21.80
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	21.66
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	21.79
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	21.32
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	21.31
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	21.12
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	21.31
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	18.28
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	16.71
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	17.43
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	18.14
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.48
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.03

66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.41
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.42
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.49
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.61
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.54
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.35
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.33
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.69
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.09
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	21.98
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.07
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.11
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.14
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.46
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.49
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.05
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	22.94
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.54
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.57
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.61
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.56
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.57
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.62
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.20
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.09
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.10
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.20
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.17
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.44
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.38
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.10
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	24.33
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.88
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.89
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	23.94
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	24.38
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	23.39
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	23.31
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	23.46

66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	23.45
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	22.29
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	22.23
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	22.52
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	21.95
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	22.02
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	21.90
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	22.05
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	20.02
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	19.39
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	19.30
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	20.00
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	22.99
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	21.63
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	21.50
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	21.42
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	22.48
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	21.57
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	21.44
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	21.43
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	21.04
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	21.00
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	20.92
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	21.02
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	17.97
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	17.43
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	17.32
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	17.92
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	InnerFull	24.49
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.21
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	Edge1RBRight	23.91
66-n5	10MHz	15kHz	829MHz	DFT	pi/2 BPSK	OuterFull	24.21
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	24.53
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	23.58
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	23.45
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	23.62
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	23.69
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	22.51
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	22.34
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	22.68
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	22.17

66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	22.19
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	22.04
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	22.19
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	20.13
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	19.54
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	19.52
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	20.21
66-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	23.21
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	21.82
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	21.70
66-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	21.63
66-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	22.71
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	21.64
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	21.53
66-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	21.61
66-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	21.08
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	21.24
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	21.02
66-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	21.26
66-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	18.03
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	17.52
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	17.39
66-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	18.12
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.47
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.01
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.48
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.52
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.48
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.52
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.67
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.41
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.31
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.62
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.16
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.07
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.03
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.13
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.11
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.46

66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.45
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.05
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.09
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.66
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.50
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.58
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.71
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.60
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.45
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.70
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.18
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.13
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.01
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.06
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.01
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.45
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.31
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	24.30
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.90
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	23.95
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	24.32
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	23.41
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	23.27
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	23.41
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	23.54
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	22.27
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	22.17
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	22.48
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	22.01
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	22.01
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	21.88
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	22.02
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	19.91
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	19.33
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	19.34
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	19.90
66-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	22.96
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	21.49
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	21.36

66-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	21.38
66-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	22.51
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	21.46
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	21.31
66-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	21.47
66-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	21.00
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	21.00
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	20.87
66-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	20.97
66-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	17.82
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	17.30
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	17.19
66-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	17.94
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	24.75
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.32
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.15
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	24.24
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	24.71
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	23.86
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	23.65
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	23.76
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	23.80
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	22.73
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	22.55
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	22.78
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	22.35
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	22.39
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	22.18
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	22.32
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	20.25
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	19.52
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	19.54
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	20.30
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	23.32
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	21.88
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	21.59
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	21.72
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	22.79
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	21.93
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	21.78
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	21.79

66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	21.36
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	21.47
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	21.30
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	21.27
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	18.28
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	17.48
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	17.43
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	18.26
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.64
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.25
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13
66-n5	15MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.22
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.63
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.84
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.63
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.72
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.76
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.73
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.64
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.75
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.26
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.30
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.28
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.28
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.14
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.58
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.50
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.21
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.26
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.91
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.69
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.71
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.74
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.92
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.75
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.77
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.27
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.36
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.19
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.22
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.14

66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.52
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.43
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.21
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	24.67
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.26
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.02
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	24.56
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	23.69
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	23.52
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	23.62
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	23.65
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	22.59
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	22.40
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	22.62
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	22.19
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	22.30
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	22.01
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	22.17
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	20.06
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	19.48
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	19.36
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	20.12
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	23.22
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	21.79
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	21.55
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	21.63
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	22.67
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	21.76
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	21.52
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	21.65
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	21.25
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	21.34
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	21.07
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	21.10
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	18.16
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	17.38
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	17.30
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	18.17
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	24.62
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.26

66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	24.67
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	23.80
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	23.50
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	23.67
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	23.74
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	22.66
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	22.41
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	22.67
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	22.33
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	22.32
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	22.06
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	22.20
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	20.13
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	19.31
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	19.18
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	20.12
66-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	23.22
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	21.83
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	21.68
66-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	21.65
66-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	22.79
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	21.87
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	21.63
66-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	21.66
66-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	21.22
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	21.43
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	21.14
66-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	21.18
66-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	18.26
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	17.27
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	17.12
66-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	18.10
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.61
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.33
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.12
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.64
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.82
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.52

66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.71
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.77
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.72
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.43
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.69
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.23
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.36
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.16
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.22
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.21
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.35
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.24
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.20
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.24
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.90
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.67
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.66
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.80
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.85
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.63
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.73
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.26
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.44
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.20
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.19
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.22
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.29
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.14
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	InnerFull	24.66
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.29
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.95
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	OuterFull	24.14
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	24.60
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	23.78
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	23.47
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	23.60
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	23.73
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	22.72
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	22.34
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	22.64

66-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	22.31
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	22.30
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	22.06
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	22.17
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	20.15
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	19.31
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	19.17
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	20.14
66-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	23.21
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	21.85
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	21.42
66-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	21.64
66-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	22.73
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	21.85
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	21.56
66-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	21.65
66-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	21.28
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	21.36
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	21.06
66-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	21.14
66-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	18.15
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	17.29
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	17.08
66-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	18.08

LTE Band 12+NR n25

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.56
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.07
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	24.12
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	24.56
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.51
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.49
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.66
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	23.67
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.42
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.44
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.66
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.16
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	22.11
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	22.10
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	22.17
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.12
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.41
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.55
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.14
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.10
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.72
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.63
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.65
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	22.60
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.71
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.55
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.61
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.21
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	21.25
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	21.19
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	21.21
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.09
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.48
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.50
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.10
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.68
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.12
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13

12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.24
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.60
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.55
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.60
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.76
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.59
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.54
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.49
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.77
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.19
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.22
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.24
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.28
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.25
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.60
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.60
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.12
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.73
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.63
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.77
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.66
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.67
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.66
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.77
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.27
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.31
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.29
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.30
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.29
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.56
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.62
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.20
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	InnerFull	24.68
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	OuterFull	24.19
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	InnerFull	24.63
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBLeft	23.57
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBRight	23.59
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	OuterFull	23.69

12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	InnerFull	23.61
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBLeft	22.47
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBRight	22.50
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	OuterFull	22.75
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	InnerFull	22.29
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBLeft	22.18
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBRight	22.14
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	OuterFull	22.19
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	InnerFull	20.17
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBLeft	19.60
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBRight	19.60
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	OuterFull	20.15
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	InnerFull	23.09
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBLeft	21.75
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBRight	21.73
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	OuterFull	21.68
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	InnerFull	22.64
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBLeft	21.59
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBRight	21.67
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	OuterFull	21.70
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	InnerFull	21.25
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBLeft	21.30
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBRight	21.21
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	OuterFull	21.22
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	InnerFull	18.29
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBLeft	17.60
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBRight	17.60
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	OuterFull	18.19
12-n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	InnerFull	24.70
12-n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05
12-n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	Edge1RBRight	24.18
12-n25	10MHz	15kHz	1855MHz	DFT	pi/2 BPSK	OuterFull	24.14
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.59
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.55
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.59
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.72
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	23.66
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.36
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.45
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.67
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.11

12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	22.41
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	22.16
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	22.17
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.04
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.53
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.57
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	20.12
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.23
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.59
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.61
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.62
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	22.69
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.63
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.55
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.68
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.17
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	21.13
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.17
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	21.17
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.15
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.59
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.60
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.20
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.74
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.19
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.22
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.28
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.71
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.63
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.68
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.74
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.69
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.49
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.53
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.77
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.18
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.46
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.15
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.30
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.18
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.60

12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.69
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.21
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.88
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.78
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.71
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.83
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.60
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.72
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.77
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.25
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.21
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.22
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.27
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.19
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.64
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.62
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.26
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	InnerFull	24.73
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.25
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBRight	24.19
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	OuterFull	24.34
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	InnerFull	24.71
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBLeft	23.60
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBRight	23.64
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	OuterFull	23.75
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	InnerFull	23.75
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBLeft	22.55
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBRight	22.49
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	OuterFull	22.75
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	InnerFull	22.16
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBLeft	22.29
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBRight	21.63
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	OuterFull	22.21
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	InnerFull	20.25
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBLeft	19.63
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBRight	19.62
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	OuterFull	20.15
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	InnerFull	23.18
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBLeft	21.74
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBRight	21.88

12-n25	10MHz	15kHz	1910MHz	CP	QPSK	OuterFull	21.73
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	InnerFull	22.77
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBLeft	21.79
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBRight	21.56
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	OuterFull	21.74
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	InnerFull	21.35
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBLeft	21.38
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBRight	21.17
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	OuterFull	21.26
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	InnerFull	18.24
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBLeft	17.64
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBRight	17.57
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	OuterFull	18.19
12-n25	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.42
12-n25	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.97
12-n25	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.00
12-n25	15MHz	15kHz	1857.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.10
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	24.40
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.43
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.50
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.62
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.50
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.33
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.44
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.52
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.09
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.02
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.05
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.07
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	19.98
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.44
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.53
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.06
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.09
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.68
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.66
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.51
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.53
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.52
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.57
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.62

12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	21.08
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.07
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.25
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.05
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.07
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.50
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.44
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.09
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.48
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.12
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.12
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.43
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.50
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.58
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.61
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.58
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.14
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.29
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.62
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.17
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.27
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.91
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.11
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.11
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.45
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.52
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.08
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.06
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.60
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.83
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.54
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.58
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.52
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.69
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.60
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.33
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.20
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.16
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.00
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.12

12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.45
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.42
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.08
12-n25	15MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	InnerFull	24.54
12-n25	15MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.08
12-n25	15MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.97
12-n25	15MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	OuterFull	24.16
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	24.50
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.49
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.42
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.56
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.46
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.38
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.26
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.56
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.19
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.04
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	21.36
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.04
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.15
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	19.50
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.51
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.02
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.18
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.78
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.68
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.50
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.54
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.62
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.57
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.61
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.35
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.08
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.07
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.02
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.12
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.54
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.42
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.20
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	24.54
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02

12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	24.06
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	24.08
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	24.41
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.37
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.43
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.65
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.56
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.26
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.36
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.63
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.05
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	21.88
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	21.87
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.13
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.97
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.36
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.60
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.12
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.15
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.66
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.66
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.60
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.59
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.38
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.44
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.63
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.06
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.07
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.05
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.15
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.17
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.48
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.49
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.13
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.70
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.99
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.17
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.54
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.48
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.48

12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.63
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.63
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.34
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.31
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.63
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.21
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.03
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.00
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.18
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.13
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.45
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.53
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.12
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.12
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.75
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.68
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.62
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.60
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.63
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.44
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.65
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.16
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.15
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.12
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.16
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.26
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.45
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.55
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.12
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	24.65
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	23.95
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	24.06
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	24.47
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.50
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.49
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.62
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.61
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.35
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.33
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.66

12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.22
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.04
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	21.41
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.12
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.15
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.49
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.54
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.10
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.11
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.75
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.60
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.60
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.61
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.57
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.45
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.61
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.23
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.07
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.05
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.13
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.21
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.60
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.51
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.14

LTE Band 2+NR n41

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.60
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.63
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.86
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.48
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.68
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.64
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.77
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.58
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.64
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.74
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.82
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.56
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.29
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.53
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.66
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.19
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	22.17
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.01
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.09
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	22.05
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	25.29
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.61
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.85
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.58
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.77
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.86
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.91
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.59
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	23.35
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.52
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.73
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	23.09
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	20.22
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.01
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.30
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.08
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.27
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.92

2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.29
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.25
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.83
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.78
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.29
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.33
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.80
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.74
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.39
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.85
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.61
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.68
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.82
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.67
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.09
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.04
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.78
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.82
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.81
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.97
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.43
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.37
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.83
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.95
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.34
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.85
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.58
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.94
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.66
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.12
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.20
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.87
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.38
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.79
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.97
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.40
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.40
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.83
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.88
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.45

2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.46
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.97
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.19
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.52
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.86
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.54
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.62
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	23.99
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.81
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.11
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.27
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.95
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	24.94
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.83
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.09
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.54
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.48
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	23.23
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.31
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.49
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.87
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.66
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.92
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	23.04
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.84
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.11
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.41
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	19.99
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	25.57
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.15
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.35
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.73
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.64
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	23.05
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	23.33
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.62
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.64
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.77
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	23.01
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.78
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.83

2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	22.69
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	22.96
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	24.28
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.78
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.22
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.47
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	22.22
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	25.23
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	22.99
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.14
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.82
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.70
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	22.87
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.08
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.75
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.89
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.69
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	22.97
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	23.20
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.94
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.23
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.60
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	20.18
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.56
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.06
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.30
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.61
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.52
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.09
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.25
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.66
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.57
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.14
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.30
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.72
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.11
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.97
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.16
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.25
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.96
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.37

2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.51
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.18
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.12
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.21
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.44
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.71
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.59
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.20
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.30
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.71
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.95
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.89
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.00
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.23
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.04
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.41
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.27
2-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	InnerFull	25.67
2-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.21
2-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.49
2-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	OuterFull	25.74
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.74
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.19
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.49
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.82
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.77
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.18
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.48
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.90
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.17
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	23.04
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.48
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.40
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.09
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.50
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.79
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.31
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.35
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.23
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.16

2-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.79
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.81
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.34
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	22.81
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.88
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.12
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	22.92
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.38
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.34
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.13
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.50
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.87
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.35
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	25.37
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.78
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.09
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.30
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.30
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.63
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.03
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.27
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.32
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.84
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.27
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.43
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.92
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.44
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.75
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.88
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.93
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	21.07
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.33
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.85
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.87
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.71
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.12
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.34
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.42
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.82
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	23.28
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.33

2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	23.02
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.39
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.75
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.91
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	20.05
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.07
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.45
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.93
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.05
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.66
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.01
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.02
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.50
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.64
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.92
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.98
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.87
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.96
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.09
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.53
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.42
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.47
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.60
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.55
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.87
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.92
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.64
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.61
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.52
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.70
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.14
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.14
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.63
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.75
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.09
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.54
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.37
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.53
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.60
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.57

2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.89
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.05
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.67
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.15
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.05
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.27
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.16
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.71
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.05
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.22
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.25
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.94
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.34
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.31
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.63
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.47
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	22.86
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.79
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.72
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.95
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.34
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.82
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.78
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.62
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.29
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.31
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.58
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	23.20
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.31
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.69
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.44
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.92
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.75
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.75
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.94
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.44
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.78
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.26
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69

2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.08
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.35
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.37
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.55
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	23.01
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.34
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.31
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.60
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.16
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.47
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	24.11
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.51
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.89
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.95
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	21.97
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	20.87
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.36
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.94
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.90
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.50
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.10
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.46
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.43
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.70
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.21
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.44
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.05
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.43
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.90
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	23.02
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.04
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.89
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.53
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.96
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.12
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	24.95
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.36
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.41

2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.07
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.13
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.09
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.21
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.08
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.59
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	21.96
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.15
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.64
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.63
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.57
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.70
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.55
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.62
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.35
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.54
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.11
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.15
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	21.97
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.11
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.11
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.59
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	21.95
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.19
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.63
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.64
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.78
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.12
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.63
2-n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	InnerFull	25.24
2-n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.69
2-n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.07
2-n41	60MHz	30kHz	2659.98MHz	DFT	$\pi/2$ BPSK	OuterFull	25.38
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.30
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.54
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.07
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.37
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.28
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.61
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.07
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.48

2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.82
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.44
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	23.09
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	24.05
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.89
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.86
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.34
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.98
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.87
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.57
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.99
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.46
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.40
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.73
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.19
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.48
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.80
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.44
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.90
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.91
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.72
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	19.00
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.49
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.97
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	25.76
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.09
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.71
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.68
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	22.97
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.35
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.74
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.72
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	22.81
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.09
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.80
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.38
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.68
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.06
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.39
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.45

2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.26
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.62
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.40
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.32
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	23.01
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	23.42
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.83
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.88
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	22.65
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	22.93
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.81
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.38
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	23.16
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.03
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.32
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.41
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.48
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.89
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.35
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.69
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.14
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.24
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.60
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.62
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.04
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.15
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.70
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.71
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.17
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.24
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.18
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.95
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.13
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.34
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.15
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.62
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.24
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.23
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.07

2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.23
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.68
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.83
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.19
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.39
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.76
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.11
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.03
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.92
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.29
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.17
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.46
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.66
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.37
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.64
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.09
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.09
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.62
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.65
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	23.05
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.44
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.78
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.62
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.05
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.46
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.80
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.17
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.94
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.34
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.35
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	21.97
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.43
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.83
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.35
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.04
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.39
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.70
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.70
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	23.13
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	22.89

2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.78
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.03
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.89
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.29
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.27
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.14
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.38
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.82
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.31
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.75
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.08
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.24
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.73
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.76
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	23.06
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.29
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.70
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.73
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.05
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.33
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.82
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.37
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.86
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.11
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.32
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.32
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.49
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.59
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.33
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.32
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	23.03
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.07
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.78
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.80
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.28
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.43
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.85
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.37
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.73
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	22.91
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.36

2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.47
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.39
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.54
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.41
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.70
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.33
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.71
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.73
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.20
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.22
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.75
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.68
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.80
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.98
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.75
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.82
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.30
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.34
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.67
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.78
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.32
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.24
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.15
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.75
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.79
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.64
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.63
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.85
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.29
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.23
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.34
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.30
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.28
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.19
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.20
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.33
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.61

2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.07
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.45
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.65
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.54
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.08
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.40
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.67
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.64
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.08
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.47
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.78
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	24.11
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.92
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.29
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.33
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.14
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.35
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.75
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.32
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.22
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.08
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.29
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.76
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.75
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.14
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.48
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.86
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	23.13
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.92
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.18
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.20
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.06
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.36
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.77
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.31

LTE Band 25+NR n41

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.59
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.72
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.83
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.60
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.58
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.63
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.80
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.58
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.75
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.67
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.87
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.59
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.27
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.55
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.68
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.23
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	22.31
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	20.98
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.14
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	22.14
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	25.26
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.68
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.96
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.65
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.78
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.78
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.99
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.66
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	23.43
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.60
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.74
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	23.09
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	20.34
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.05
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.35
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.15
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.34
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.83
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.91

25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.26
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.33
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.78
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.84
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.37
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.33
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.85
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.84
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.35
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.74
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.70
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.76
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.88
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.78
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.17
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.15
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.81
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.87
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.82
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.92
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.38
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.34
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.67
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.82
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.38
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.78
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.60
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.81
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.73
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.08
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.26
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.91
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.37
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.92
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.02
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.42
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.38
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.86
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	23.01
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.43

25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.48
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.86
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.00
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.48
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.89
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.69
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.85
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	24.06
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.86
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.11
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.31
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.93
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	25.02
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.80
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.10
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.55
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.59
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	23.25
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.36
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.52
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.92
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.64
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.88
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	22.92
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.81
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.19
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.41
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	20.01
25-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	25.14
25-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	21.96
25-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.29
25-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.00
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.18
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	21.93
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.13
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.07
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.16
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.08
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	22.32
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.22
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.91

25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	21.58
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	21.69
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	23.65
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.73
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	20.66
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	20.51
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	21.57
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	24.72
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	21.91
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.15
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.07
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.30
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	21.59
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	21.78
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.11
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.93
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.05
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	21.76
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	22.61
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.91
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	18.84
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	18.61
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	19.59
25-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.54
25-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.09
25-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.16
25-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.58
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.49
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.05
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.20
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.58
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.59
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.11
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.15
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.01
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.99
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.20
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.11
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.43

25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.51
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.22
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.14
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.97
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.21
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.70
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.70
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.28
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.43
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.67
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.99
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.97
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.00
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.21
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.11
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.47
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.50
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.26
25-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	InnerFull	25.72
25-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.16
25-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.32
25-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	OuterFull	25.79
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.74
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.17
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.48
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.81
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.70
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.14
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.41
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.90
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.24
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	23.04
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.49
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.39
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.02
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.48
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.85
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.27
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.33
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.23
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.39

25-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.84
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.84
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.33
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.48
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.84
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.22
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	22.96
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.41
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.36
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.29
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.46
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.87
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.36
25-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	InnerFull	25.33
25-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.64
25-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.10
25-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	OuterFull	25.25
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.33
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.61
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.12
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.34
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.33
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.63
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.07
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.39
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.83
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.57
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.94
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.93
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.95
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	20.95
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.32
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.92
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.90
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.56
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.08
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.44
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.37
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.46
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	22.92
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.41

25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.85
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.47
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.87
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.89
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	20.06
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.00
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.50
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.93
25-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.03
25-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.45
25-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.67
25-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	OuterFull	24.97
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.44
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.53
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.05
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.04
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.52
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.67
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.12
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.34
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.53
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.57
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.55
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.70
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.90
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.59
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.61
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.44
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.69
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.01
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.22
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.42
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.74
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.12
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.45
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.30
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.62
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.55
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.60

25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.78
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.01
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.60
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.26
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.23
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.22
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.63
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.01
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.18
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.25
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.67
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.10
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.34
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.54
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.51
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	23.01
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.93
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.73
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.99
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.29
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.92
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.77
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.61
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.31
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.30
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.40
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	22.94
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.30
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.70
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.49
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.89
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.83
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.75
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.99
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.48
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.87
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.36
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.63

25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.16
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.43
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.43
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.58
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	22.99
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.35
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.33
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.69
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.10
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.46
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	24.12
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.47
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.87
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	24.04
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	22.09
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	21.02
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.44
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.96
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.93
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.52
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.09
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.48
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.47
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.60
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.17
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.47
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.15
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.50
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.95
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	23.01
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.03
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.92
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.55
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	20.03
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.06
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.39
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.60
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.09
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.23
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.55

25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.02
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.13
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.34
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.53
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.09
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.72
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.25
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.30
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.62
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.57
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.67
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.81
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.61
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.72
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.37
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.55
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.06
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.15
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.64
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.94
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.12
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.60
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.20
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.44
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.65
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.56
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.68
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.01
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.67
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.26
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	23.07
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.33
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.34
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.66
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.09
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.40
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.28
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.73
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.08
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.43

25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.74
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.41
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	22.89
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.95
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.82
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.90
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.41
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.90
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.83
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.58
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.92
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.44
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.41
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.68
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.14
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.43
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.71
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.43
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.93
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.92
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.73
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	18.95
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.51
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.95
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	25.69
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.14
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.40
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.76
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.68
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	23.02
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.46
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.75
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.73
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	23.13
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.46
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.92
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.38
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.94
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.24
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.42
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.29

25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.39
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.82
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.31
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.34
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.98
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	23.40
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.79
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.84
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	23.19
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	23.32
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.83
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.41
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.80
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.14
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.41
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.41
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.43
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.77
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.35
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.65
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.16
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.25
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.67
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.67
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.10
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.16
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.67
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.64
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.28
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.19
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.07
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.25
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.19
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.62
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.28
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.20
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.08

25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.73
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.79
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.44
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.45
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.83
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.13
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.91
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.04
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.35
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.17
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.44
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.32
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.55
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.03
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.43
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.65
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.60
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	22.95
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.46
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.68
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.65
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.49
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.36
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.87
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.10
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.85
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.37
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.44
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	22.27
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.45
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.85
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.38
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.05
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.40
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.80
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.70
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	22.92
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.18

25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.77
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.11
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.87
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.26
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.37
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.09
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.37
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.81
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.39
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.76
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.05
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.31
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.73
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.74
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	23.03
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.19
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.72
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.73
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.16
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.31
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.85
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.31
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.86
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.16
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.30
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.35
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.32
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.56
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.41
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.26
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.95
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.14
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.85
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.83
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.26
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.22
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.84
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.32
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.86
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.07
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.30

25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.41
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.35
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.54
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.45
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.64
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.18
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.70
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.68
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.13
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.20
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.71
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.62
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.05
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.31
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.27
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.11
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.28
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.46
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.64
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.30
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.25
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.10
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.24
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.81
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.76
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.41
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.38
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.85
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.13
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.00
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.02
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.32
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.21
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.45
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.46
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.40
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.51

25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.05
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.39
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.66
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.54
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.01
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.36
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.71
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.58
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.09
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.49
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.72
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	24.12
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.89
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.30
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.21
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.01
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.34
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.69
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.30
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.15
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.02
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.27
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.77
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.65
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.10
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.39
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.78
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.96
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.89
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.23
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.23
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.17
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.30
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.75
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.25

LTE Band 66+NR n41

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.32
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.85
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.03
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.35
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.35
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.81
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.87
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.39
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.41
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.85
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.97
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.50
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.04
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.71
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.78
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.04
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	21.95
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.23
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.28
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	21.86
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	24.98
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.85
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.99
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.38
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.51
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	23.00
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	23.13
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.48
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	22.97
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.70
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.88
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	22.90
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	19.94
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.15
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.38
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.02
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.24
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.83
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.79

66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.20
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.33
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.80
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.78
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.23
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.39
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.09
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.13
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.39
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.83
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.66
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.58
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.80
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.64
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.04
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.07
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.80
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.86
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.79
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.92
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.40
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.37
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.81
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.96
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.28
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.71
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.65
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.75
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.86
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.77
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.05
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.24
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.84
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.68
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.87
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.98
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.67
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.71
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.62
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.84
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.63

66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.85
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.96
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.05
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.73
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	24.25
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.44
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.55
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	24.24
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	22.11
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	20.97
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.22
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	22.16
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	25.38
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.67
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.07
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.70
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.77
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	22.73
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.13
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.74
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	23.21
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.51
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.80
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	23.22
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	20.14
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	18.97
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.31
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	20.24
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	25.72
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.18
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.36
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.82
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.68
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	23.10
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	23.32
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.75
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.78
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	23.15
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	23.35
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.86
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	24.38

66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	23.14
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	23.19
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	24.46
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	22.37
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.43
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.62
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	22.44
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	25.34
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	23.07
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	23.33
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.91
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.85
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	23.19
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.42
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.89
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	23.46
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.98
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	23.19
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	23.38
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	20.47
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.47
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.68
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	20.42
66-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.59
66-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.15
66-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.34
66-n41	40MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.56
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.60
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.01
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.13
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.54
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.54
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.29
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.70
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.07
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.89
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.07
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.21
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.98
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.34

66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.48
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.12
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.12
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.04
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.27
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.70
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.64
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.19
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.16
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.65
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.01
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.92
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.07
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.19
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.11
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.40
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.19
66-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	InnerFull	25.69
66-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.13
66-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.48
66-n41	40MHz	30kHz	2670MHz	DFT	$\pi/2$ BPSK	OuterFull	25.70
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.75
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.17
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.41
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.78
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.76
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.13
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.46
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.84
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.14
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	22.91
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.34
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.35
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.05
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.45
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.71
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.28
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.28
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.08
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.33

66-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.80
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.80
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.18
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.46
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.81
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.21
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	23.02
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.40
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.35
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.14
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.48
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.89
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.35
66-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	InnerFull	25.25
66-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.69
66-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.07
66-n41	50MHz	30kHz	2521.02MHz	DFT	$\pi/2$ BPSK	OuterFull	25.30
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.26
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.56
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.06
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.24
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.29
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.79
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.25
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.39
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.97
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.17
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.42
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.90
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.82
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	20.83
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.26
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.82
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.86
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.67
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.07
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.43
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.32
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.71
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	23.33
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.38

66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.85
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.29
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.65
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.91
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	19.98
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.16
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.54
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.90
66-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.20
66-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.78
66-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.86
66-n41	50MHz	30kHz	2592.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.16
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.15
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.78
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.87
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.16
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.26
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.77
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.98
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.34
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.73
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.74
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.83
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.75
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.62
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.08
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.20
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.74
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.77
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.81
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.94
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.22
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.30
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.88
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.16
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.26
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.76
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.54
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.82
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.82
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.72

66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.14
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.25
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.81
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.25
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.09
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.27
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.18
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.68
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.08
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.28
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.29
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.71
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.12
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.32
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.73
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.56
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	23.06
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.89
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.55
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.99
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.31
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.84
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.80
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.66
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.34
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.27
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.73
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	23.21
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.26
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.61
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.48
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.93
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.85
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.73
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.96
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.44
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.80
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.32
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62

66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.17
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.40
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.36
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.57
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	23.05
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.36
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.37
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.68
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.09
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.47
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	23.93
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.51
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.95
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.95
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	22.02
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	21.00
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.40
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.98
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.98
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.53
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.08
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.52
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.43
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.81
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.20
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.48
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.06
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.45
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.97
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	22.99
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.02
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.93
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.55
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.99
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.15
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.08
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.21
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.25
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.71
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.89

66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.24
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.29
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.77
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.93
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.38
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.75
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.64
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.66
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.87
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.81
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.01
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.26
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.85
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.72
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.63
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.87
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.29
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.33
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.81
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.04
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.32
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.72
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.54
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.81
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.74
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.04
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.34
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.86
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.29
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	23.12
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.33
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.31
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.62
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.03
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.25
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.36
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.63
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.03
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.43

66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.86
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.54
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	23.04
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.95
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.82
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.81
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.33
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	22.09
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.83
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.60
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.98
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.46
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.44
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	23.03
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.38
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.40
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.72
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.44
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.86
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.95
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.67
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	18.99
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.48
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.95
66-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	25.80
66-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.06
66-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.41
66-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.72
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.71
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	23.09
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.39
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.67
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.72
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	23.24
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.41
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.78
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.35
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.62
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.03
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.36
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.29

66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.31
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRRight	21.69
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.35
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.30
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.98
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRRight	23.39
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.78
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.89
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	23.22
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRRight	23.48
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.80
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.43
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.90
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRRight	23.32
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.34
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.45
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.40
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRRight	19.77
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.38
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.63
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRRight	23.25
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.69
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.74
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.07
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRRight	23.24
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.71
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.60
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.43
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRRight	23.49
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.98
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRRight	23.12
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.30
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.46
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRRight	21.59
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.23
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.26
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.07

66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.20
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.68
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.74
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.45
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.42
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.70
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.30
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.92
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.04
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.27
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.25
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.48
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.62
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.27
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.67
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.05
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.47
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.73
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.74
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	23.04
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.46
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.75
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.62
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.12
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.48
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.85
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.09
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.88
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.34
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.39
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	22.16
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.30
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.77
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.32
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.10
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.46
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.76
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.83
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	23.20
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.43

66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.74
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.10
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.95
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.35
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.36
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.05
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.39
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.84
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.38
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.68
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.03
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.72
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.76
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	22.92
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.23
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.74
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.79
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.01
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.32
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.83
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.45
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.85
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.16
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.25
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.34
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.25
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.73
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.31
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.25
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.91
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.28
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.78
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.84
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.18
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.44
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.80
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.35
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.83
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.10
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.29

66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.42
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.33
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.58
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.37
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.60
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.13
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.31
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.65
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.64
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.06
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.33
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.67
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.61
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.33
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.74
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.26
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.17
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.29
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.35
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.58
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.27
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.23
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.03
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.77
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.72
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.38
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.36
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.75
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.16
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.90
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.09
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.29
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.21
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.42
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.66
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.34
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.63

66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.11
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.68
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.57
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.16
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.43
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.68
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.63
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.47
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.45
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.79
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	23.95
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	23.01
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.39
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.33
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.11
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.38
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.81
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.46
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.22
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.16
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.40
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.82
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.73
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.37
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.35
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.80
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.98
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.94
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.27
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.22
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.13
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.44
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.81
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.38

LTE Band 12+NR n66

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	24.69
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.23
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.19
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	24.32
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	24.62
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	23.59
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	23.60
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	23.73
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	23.71
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	22.54
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	22.49
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	22.78
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	21.50
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	22.23
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	22.25
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	22.25
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	19.53
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	19.62
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	19.66
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	20.20
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	23.17
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	21.77
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	21.72
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	21.69
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	22.72
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	21.80
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	21.66
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	21.68
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	20.55
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	21.24
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	21.33
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	21.28
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	17.49
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	17.70
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	17.71
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	18.26
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.59
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.08
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.12

12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.20
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.59
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.51
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.58
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.72
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.64
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.46
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.47
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.75
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.44
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.12
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	22.20
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.27
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.57
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.53
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.56
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.18
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.20
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.73
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.66
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.65
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.69
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.77
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.68
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.66
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.49
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.25
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.19
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.17
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.54
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.64
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.55
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.26
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	24.56
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.09
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	24.16
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	24.60
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	23.58
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	23.55
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	23.72

12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	23.58
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	22.47
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	22.47
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	22.72
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	21.43
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	22.12
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	22.17
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	22.24
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	19.39
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	19.59
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	19.59
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	20.14
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	23.12
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	21.66
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	21.61
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	21.70
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	22.63
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	21.56
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	21.55
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	21.68
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	20.41
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	21.25
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	21.29
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	21.26
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	17.42
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	17.69
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	17.70
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	18.14
12-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	InnerFull	24.75
12-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.21
12-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	Edge1RBRight	24.16
12-n66	10MHz	15kHz	1715MHz	DFT	pi/2 BPSK	OuterFull	24.30
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	24.74
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	23.77
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	23.75
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	23.83
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	23.92
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	22.60
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	22.58
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	22.88
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	21.57

12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	22.29
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	21.52
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	22.38
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	19.47
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	19.70
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	19.71
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	20.23
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	23.29
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	21.76
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	21.76
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	21.77
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	22.89
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	21.72
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	21.82
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	21.83
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	20.58
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	21.34
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	21.40
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	21.35
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	17.52
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	17.75
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	17.75
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	18.38
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.68
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.16
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.24
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.63
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.62
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.67
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.74
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.77
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.49
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.52
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.70
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.40
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.42
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.90
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.21
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.37
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.61

12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.61
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.13
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.16
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.67
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.59
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.59
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.71
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.77
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.63
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.69
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.51
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.27
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.23
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.27
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.46
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.70
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.68
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.31
12-n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	InnerFull	24.75
12-n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.19
12-n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.13
12-n66	10MHz	15kHz	1775MHz	DFT	$\pi/2$ BPSK	OuterFull	24.30
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	24.64
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	23.64
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	23.62
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	23.69
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	23.73
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	22.50
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	22.47
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	22.73
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	21.37
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	22.38
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	21.98
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	22.24
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	19.36
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	19.62
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	19.62
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	20.17
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	23.17
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	21.67
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	21.96

12-n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	21.66
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	22.83
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	21.75
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	21.66
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	21.77
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	20.43
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	21.14
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	21.18
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	21.27
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	17.35
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	17.55
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	17.62
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	18.23
12-n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.71
12-n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.21
12-n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.73
12-n66	15MHz	15kHz	1717.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.30
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	24.69
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	23.72
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	23.74
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	23.83
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	23.69
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	22.60
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	22.66
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	22.77
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	21.47
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	21.63
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	21.95
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	22.29
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	19.41
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	19.70
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	19.76
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	20.28
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	22.78
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	21.82
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	21.79
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	21.68
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	22.59
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	21.81
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	21.75
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	21.76

12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	20.46
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	21.42
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	21.35
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	21.28
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	17.47
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	17.72
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	17.77
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	18.38
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.59
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.15
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.24
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.58
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.57
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.64
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.75
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.66
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.55
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.55
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.69
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.44
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.47
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.67
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.17
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.30
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.62
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.60
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.18
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.21
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.88
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.80
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.68
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.67
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.67
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.67
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.75
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.39
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.22
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.28
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.18
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.45

12-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.69
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.70
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.26
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	24.48
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.04
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.04
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	24.09
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	24.45
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	23.47
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	23.52
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	23.62
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	23.42
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	22.39
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	22.46
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	22.53
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	21.24
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	22.06
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	21.66
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	22.07
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	19.18
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	19.41
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	19.52
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	20.06
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	23.05
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	21.77
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	21.60
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	21.52
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	22.54
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	21.52
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	21.53
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	21.59
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	20.31
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	21.05
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	21.17
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	21.10
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	17.24
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	17.46
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	17.65
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	18.14
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	24.59
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.24

12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	24.14
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	24.32
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	24.41
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	23.69
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	23.75
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	23.75
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	23.63
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	22.60
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	22.62
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	22.79
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	21.36
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	21.77
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	22.40
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	22.30
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	19.37
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	19.68
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	19.68
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	20.27
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	22.71
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	21.98
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	21.85
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	21.74
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	22.40
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	21.71
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	21.59
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	21.76
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	20.27
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	21.43
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	21.29
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	21.31
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	17.56
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	17.72
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	17.67
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	18.36
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.71
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.20
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.25
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.62
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.65
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.72

12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.72
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.67
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.58
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.45
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.75
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.39
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.25
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.73
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.23
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.30
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.60
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.57
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.21
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.22
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.91
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.81
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.68
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.69
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.75
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.62
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.69
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.37
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.32
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.27
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.24
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.52
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.66
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.63
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.31
12-n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	InnerFull	24.60
12-n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.12
12-n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.99
12-n66	20MHz	15kHz	1770MHz	DFT	$\pi/2$ BPSK	OuterFull	24.17
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	24.44
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	23.49
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	23.54
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	23.61
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	23.54
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	22.43
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	22.44
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	22.63

12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	21.26
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	21.94
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	21.70
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	22.13
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	19.17
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	19.52
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	19.50
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	20.15
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	23.09
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	21.81
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	21.74
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	21.59
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	22.54
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	21.62
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	21.51
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	21.59
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	20.39
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	21.19
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	21.09
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	21.19
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	17.43
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	17.63
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	17.67
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	18.15

LTE Band 2+NR n71

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	24.76
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.31
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.27
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	24.25
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	24.39
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.61
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.13
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	22.97
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.80
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	22.04
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.53
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	22.81
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.33
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.59
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.14
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.24
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.17
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	20.20
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.48
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.09
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.21
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.70
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	21.61
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	21.63
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.82
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.36
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	21.20
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	21.63
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.16
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.25
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.05
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.21
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.13
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.50
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.45
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.08
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.46
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.97

2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.06
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.46
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.65
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.52
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.57
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.22
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.16
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.57
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.19
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.03
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.04
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.26
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.01
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.40
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.43
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.93
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.08
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.42
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.59
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.43
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.60
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.34
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.21
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.50
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.05
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.01
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.90
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.00
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.00
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.26
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.36
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.98
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.28
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.88
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.86
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.87
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	24.32
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.39
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.27
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.39

2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.39
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.19
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.16
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.47
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	22.04
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22.00
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	21.92
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.08
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	19.99
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.39
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.26
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	19.89
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	22.80
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.44
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.30
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.40
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.42
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.25
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.14
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.48
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.01
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	20.93
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	20.81
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	20.99
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	17.97
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.26
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.15
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.89
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	InnerFull	24.65
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.50
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	OuterFull	24.20
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	24.59
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	23.68
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.51
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.60
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.73
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.18
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.38
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.63
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.24

2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.69
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.21
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.11
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20.00
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.43
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.38
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	20.01
2-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.17
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.66
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	21.37
2-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	21.70
2-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.57
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.38
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	21.18
2-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	21.58
2-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.11
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.12
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	20.88
2-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.14
2-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	17.99
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.54
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.33
2-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.08
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.49
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.06
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.10
2-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.12
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.56
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.56
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.55
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.60
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.37
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.38
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.69
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.24
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.21
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.23
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.24
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.94
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.37

2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.42
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.92
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.06
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.45
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.51
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.49
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.67
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.47
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.46
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.59
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	20.96
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.10
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.06
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.05
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.87
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.25
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.31
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	24.34
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	23.86
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	23.92
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.33
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.51
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.32
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.42
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.46
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.18
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	21.97
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.48
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.04
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	21.99
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	21.76
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22.00
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.88
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.26
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.16
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	19.84
2-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	22.95
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.43
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.18

2-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.37
2-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.57
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.43
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.18
2-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.50
2-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	21.01
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	21.03
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	20.72
2-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	20.81
2-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.88
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.21
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.02
2-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.96
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	24.47
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.16
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.95
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	23.90
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	24.50
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.73
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.52
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.67
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.56
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.99
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	22.12
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.65
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.17
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.59
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	21.98
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.23
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	19.85
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.54
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	19.45
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	20.02
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.13
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.57
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	21.40
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	21.56
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	22.59
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.63
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	21.44
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	21.61

2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.01
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.22
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	20.97
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	20.94
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	17.89
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	17.44
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	17.29
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.08
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.52
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.99
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.05
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.41
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.47
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.50
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.45
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.18
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.08
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.51
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.14
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	21.94
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.87
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.10
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.89
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.41
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.33
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.89
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.17
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.40
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.32
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.49
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.55
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.42
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.29
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.57
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.07
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.00
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.82
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	20.95
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.92

2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.21
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.20
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.03
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	24.05
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.94
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.61
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	23.89
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	24.30
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.53
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.18
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.38
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.35
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	22.17
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	21.83
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	22.42
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	21.96
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	21.97
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	21.63
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	22.02
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	19.65
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.38
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.12
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	19.81
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	22.97
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	21.39
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.04
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	21.31
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	22.32
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	21.39
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	21.03
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	21.38
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	20.83
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	20.99
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	20.61
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	20.77
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	17.69
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.33
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	17.05
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	17.78
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	24.39
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.12

2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.92
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	24.08
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	24.43
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	23.47
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.48
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.59
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.56
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.31
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	22.15
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	22.64
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.09
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	22.06
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	21.90
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.21
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	19.85
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.27
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.43
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	20.01
2-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23.00
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.53
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	21.37
2-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	21.49
2-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	22.63
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.33
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	21.06
2-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	21.47
2-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	21.00
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.04
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	20.72
2-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	21.05
2-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	17.89
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	17.44
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.39
2-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	17.93
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.41
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.78
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.04
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.43
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.47
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.31

2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.53
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.52
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.41
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.19
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.58
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.09
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.14
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.93
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.16
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.93
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.40
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.28
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.95
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	22.97
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.40
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.14
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.56
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.52
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.46
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.19
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.59
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.02
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.97
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.76
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.12
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.03
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.35
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.14
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.98
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	24.38
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.64
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.98
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	24.32
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.47
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.12
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.47
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.48
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	22.36
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	21.99
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	22.56

2-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	21.96
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.09
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	21.75
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.11
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	19.74
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	19.33
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.15
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	19.91
2-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	22.97
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	21.34
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	21.01
2-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	21.43
2-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	22.49
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	21.16
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	20.76
2-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	21.38
2-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	20.93
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	20.80
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	20.42
2-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	20.94
2-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	17.79
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	17.33
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17.00
2-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	17.86

LTE Band 66+NR n71

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	24.71
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.34
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.21
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	24.28
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	24.46
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.70
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.22
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	23.26
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.84
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	21.89
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.34
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	22.75
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.38
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.55
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.14
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.24
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.18
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	19.41
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.43
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.13
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.29
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.68
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	21.57
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	21.58
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.80
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.77
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	21.52
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	21.67
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.26
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.27
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.18
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.15
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.12
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.54
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.42
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.06
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.47
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.07

66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.08
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.47
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.46
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.58
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.57
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.54
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.38
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.49
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.65
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.18
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.17
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.19
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.20
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.10
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.39
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.44
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.94
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	22.98
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.50
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.54
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.45
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.57
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.45
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.62
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.11
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.04
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.10
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.01
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.97
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.35
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.36
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.94
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.24
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.90
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.88
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	24.35
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.30
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.27
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.39

66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.37
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.24
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.14
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.41
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	21.95
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22.01
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	21.91
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.06
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	19.88
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.24
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.16
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	19.93
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	22.85
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.51
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.30
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.35
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.33
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.40
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.40
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.51
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.03
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	21.03
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	20.89
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	20.94
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	17.86
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.29
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.18
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.85
66-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	InnerFull	24.56
66-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.41
66-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBRight	24.02
66-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	OuterFull	24.15
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	24.58
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	23.69
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.53
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.64
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.70
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.58
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.39
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.59
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.31

66-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.69
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.12
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.11
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20.04
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.28
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.42
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	19.99
66-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.02
66-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.61
66-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	21.43
66-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	21.68
66-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.68
66-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.64
66-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	21.41
66-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	21.69
66-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.09
66-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.27
66-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	21.02
66-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.13
66-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	18.05
66-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.56
66-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.24
66-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.13
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.45
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.53
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.50
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.58
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.68
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.38
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.40
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.63
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.22
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.21
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.23
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.24
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.93
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.27

66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.31
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.98
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.07
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.49
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.48
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.43
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.70
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.48
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.47
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.05
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.03
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.03
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	20.99
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.94
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.24
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.28
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97
66-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	24.29
66-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92
66-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	23.73
66-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	23.93
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.27
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.44
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.24
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.42
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.47
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.34
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	22.10
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.48
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.01
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	22.11
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	21.90
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22.00
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.86
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.25
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.06
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	19.75
66-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	22.90
66-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.54
66-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.28

66-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.40
66-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.47
66-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.45
66-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.15
66-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.35
66-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	20.99
66-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	20.99
66-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	20.73
66-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	20.91
66-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.78
66-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.40
66-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.07
66-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.91
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	24.44
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.92
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	24.46
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.20
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.38
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.61
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.56
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	22.20
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	22.32
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.58
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.15
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.71
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	22.03
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.24
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	19.89
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.56
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	19.42
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	19.98
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.13
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.55
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	21.38
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	21.47
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	22.59
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.62
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	21.33
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	21.61

66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.01
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.19
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	20.96
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	21.11
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	17.89
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	17.44
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	17.19
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.02
66-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.51
66-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92
66-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.81
66-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.98
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.35
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.43
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.35
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.53
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.41
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.28
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.20
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.61
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.14
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.07
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.01
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.18
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.89
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.35
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.27
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.02
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.01
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.34
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.30
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.54
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.59
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.06
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.04
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.06
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.78
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.64
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.02
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.89

66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.26
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.23
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97
66-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	24.30
66-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.96
66-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.62
66-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	23.89
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	24.35
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.47
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.21
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.40
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.35
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	22.11
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	21.81
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	22.41
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	21.96
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	21.90
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	21.57
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	21.99
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	19.64
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.23
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.04
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	19.81
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	22.88
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	21.40
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.01
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	21.35
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	22.37
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	21.11
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	20.76
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	21.30
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	20.85
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	20.75
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	20.47
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	20.78
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	17.70
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.34
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	16.97
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	17.76
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	24.38
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14

66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.91
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	23.97
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	24.36
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	23.57
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.35
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.58
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.49
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.48
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	22.31
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	22.57
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.08
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	22.17
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	22.00
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.12
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	19.86
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.28
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.39
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	19.97
66-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23.09
66-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.53
66-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	21.35
66-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	21.45
66-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	22.56
66-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.59
66-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	21.34
66-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	21.50
66-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	20.89
66-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.10
66-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	20.83
66-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	20.98
66-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	17.88
66-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	17.50
66-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.36
66-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	17.87
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.51
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.11
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.36
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.27

66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.49
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.56
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.15
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	21.94
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.59
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.09
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	21.99
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.75
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.23
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.91
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.36
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.24
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.00
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.07
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.41
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.20
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.54
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.62
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.44
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.20
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.50
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.06
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.95
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.77
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.11
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.93
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.43
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.19
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.02
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	24.32
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.59
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.96
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	24.34
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.40
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.08
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.44
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.48
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	22.30
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	21.98
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	22.55

66-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	21.99
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.06
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	21.69
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.11
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	19.76
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	19.33
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.08
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	19.89
66-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	22.94
66-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	21.40
66-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	20.99
66-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	21.41
66-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	22.48
66-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	21.06
66-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	20.77
66-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	21.39
66-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	20.94
66-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	20.81
66-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	20.41
66-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	20.94
66-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	17.81
66-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	17.31
66-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17.05
66-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	17.83

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

SA NR n5: Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

SA NR n2/25: Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

SA NR n41: 27.50(h)(2) specifies " Mobile and other user stations. Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power".

SA NR n66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

SA NR n71: 27.50(c)(10) specifies " Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP ".

A.1.3.2 Method of Measurement

NAS C63.26 chapter 5.2.5.5: when working in decibels (i.e., logarithmic scale), the ERP and EIRP represent the sum of the transmit antenna gain (in dBd or dBi, respectively) and the conducted RF output power (expressed in dB relative to watts or milliwatts).

The relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation (1) as follows:

$$\text{ERP or EIRP} = P_{\text{Mea}} + G_T$$

Where

ERP or EIRP	effective radiated power or equivalent isotropically radiated power, respectively (expressed in the same units as P_{Mea} , e.g., dBm or dBW)
P_{Mea}	measured transmitter output power or PSD, in dBm or dBW
G_T	gain of the transmitting antenna, in dBd (ERP) or dBi (EIRP) $\text{dBd} = \text{dBi} - 2.15$

SA n25
Limits: ≤38.45dBm (7W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)	GT (dBi)	Radiated output power (dBm)
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.02	-0.7	23.32
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.09	-0.7	22.39
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13	-0.7	22.43
n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	23.15	-0.7	22.45
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	23.85	-0.7	23.15
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.25	-0.7	22.55
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.18	-0.7	22.48
n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.20	-0.7	22.50
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	22.88	-0.7	22.18
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.06	-0.7	21.36
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.15	-0.7	21.45
n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.22	-0.7	21.52
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.24	-0.7	21.54
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	21.83	-0.7	21.13
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	21.78	-0.7	21.08
n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	21.69	-0.7	20.99
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.26	-0.7	19.56
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.20	-0.7	18.50
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.12	-0.7	18.42
n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.05	-0.7	19.35
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.20	-0.7	22.50
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.15	-0.7	20.45
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.19	-0.7	20.49
n25	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.29	-0.7	20.59
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	21.56	-0.7	20.86
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.03	-0.7	20.33
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.22	-0.7	20.52
n25	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.21	-0.7	20.51
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.13	-0.7	20.43
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	20.76	-0.7	20.06
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	20.76	-0.7	20.06
n25	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	20.63	-0.7	19.93
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.40	-0.7	17.70
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.21	-0.7	16.51
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.23	-0.7	16.53
n25	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.11	-0.7	17.41
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.75	-0.7	23.05

n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.10	-0.7	22.40
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.19	-0.7	22.49
n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.22	-0.7	22.52
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.65	-0.7	22.95
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.14	-0.7	22.44
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.15	-0.7	22.45
n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.46	-0.7	22.76
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.05	-0.7	22.35
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.19	-0.7	21.49
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.20	-0.7	21.50
n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.24	-0.7	21.54
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.25	-0.7	21.55
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	21.8	-0.7	21.1
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.86	-0.7	21.16
n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	21.67	-0.7	20.97
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.22	-0.7	19.52
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.14	-0.7	18.44
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.15	-0.7	18.45
n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	19.67	-0.7	18.97
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	22.87	-0.7	22.17
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.54	-0.7	20.84
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.20	-0.7	20.50
n25	5MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.81	-0.7	21.11
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	21.93	-0.7	21.23
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.32	-0.7	20.62
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.26	-0.7	20.56
n25	5MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.32	-0.7	20.62
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	20.86	-0.7	20.16
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	20.81	-0.7	20.11
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	20.8	-0.7	20.1
n25	5MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.49	-0.7	20.79
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.13	-0.7	17.43
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.27	-0.7	16.57
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.21	-0.7	16.51
n25	5MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	17.73	-0.7	17.03
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	InnerFull	23.64	-0.7	22.94
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.20	-0.7	22.50
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.21	-0.7	22.51
n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	OuterFull	23.28	-0.7	22.58
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	InnerFull	23.59	-0.7	22.89
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBLeft	23.22	-0.7	22.52

n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBRight	23.20	-0.7	22.50
n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	OuterFull	23.84	-0.7	23.14
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	InnerFull	23.51	-0.7	22.81
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBLeft	22.20	-0.7	21.50
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBRight	22.25	-0.7	21.55
n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	OuterFull	22.29	-0.7	21.59
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	InnerFull	22.28	-0.7	21.58
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBLeft	21.87	-0.7	21.17
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBRight	21.84	-0.7	21.14
n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	OuterFull	21.74	-0.7	21.04
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	InnerFull	20.32	-0.7	19.62
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBLeft	19.19	-0.7	18.49
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBRight	19.15	-0.7	18.45
n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	OuterFull	19.86	-0.7	19.16
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	InnerFull	22.82	-0.7	22.12
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBLeft	21.24	-0.7	20.54
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBRight	21.25	-0.7	20.55
n25	5MHz	15kHz	1912.5MHz	CP	QPSK	OuterFull	21.28	-0.7	20.58
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	InnerFull	21.53	-0.7	20.83
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBLeft	21.33	-0.7	20.63
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBRight	21.32	-0.7	20.62
n25	5MHz	15kHz	1912.5MHz	CP	16QAM	OuterFull	21.36	-0.7	20.66
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	InnerFull	21.14	-0.7	20.44
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBLeft	20.77	-0.7	20.07
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBRight	20.98	-0.7	20.28
n25	5MHz	15kHz	1912.5MHz	CP	64QAM	OuterFull	20.76	-0.7	20.06
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	InnerFull	18.22	-0.7	17.52
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBLeft	17.38	-0.7	16.68
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBRight	17.27	-0.7	16.57
n25	5MHz	15kHz	1912.5MHz	CP	256QAM	OuterFull	18.22	-0.7	17.52
n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	InnerFull	24.17	-0.7	23.47
n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.21	-0.7	22.51
n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.22	-0.7	22.52
n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	OuterFull	23.24	-0.7	22.54
n25	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.11	-0.7	23.41
n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.22	-0.7	22.52
n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.24	-0.7	22.54
n25	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.25	-0.7	22.55
n25	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	22.95	-0.7	22.25
n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.17	-0.7	21.47
n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.30	-0.7	21.60

n25	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.16	-0.7	21.46
n25	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.32	-0.7	21.62
n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	21.56	-0.7	20.86
n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	21.50	-0.7	20.80
n25	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	21.40	-0.7	20.70
n25	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.28	-0.7	19.58
n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.18	-0.7	18.48
n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.22	-0.7	18.52
n25	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	19.75	-0.7	19.05
n25	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.20	-0.7	22.50
n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.14	-0.7	20.44
n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.23	-0.7	20.53
n25	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.25	-0.7	20.55
n25	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	21.79	-0.7	21.09
n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.31	-0.7	20.61
n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.13	-0.7	20.43
n25	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.06	-0.7	20.36
n25	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.34	-0.7	20.64
n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	20.8	-0.7	20.1
n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.00	-0.7	20.30
n25	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	20.76	-0.7	20.06
n25	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.44	-0.7	17.74
n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.35	-0.7	16.65
n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.45	-0.7	16.75
n25	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.48	-0.7	17.78
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.00	-0.7	23.30
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.31	-0.7	22.61
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13	-0.7	22.43
n25	10MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.22	-0.7	22.52
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.91	-0.7	23.21
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.33	-0.7	22.63
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.22	-0.7	22.52
n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.51	-0.7	22.81
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.30	-0.7	22.60
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.16	-0.7	21.46
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.22	-0.7	21.52
n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.25	-0.7	21.55
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.13	-0.7	21.43
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	21.56	-0.7	20.86
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.33	-0.7	20.63
n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	21.35	-0.7	20.65

n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.06	-0.7	19.36
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.16	-0.7	18.46
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.16	-0.7	18.46
n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	19.46	-0.7	18.76
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.09	-0.7	22.39
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.52	-0.7	20.82
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.22	-0.7	20.52
n25	10MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.15	-0.7	20.45
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	21.78	-0.7	21.08
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.28	-0.7	20.58
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.34	-0.7	20.64
n25	10MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.21	-0.7	20.51
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.17	-0.7	20.47
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	20.75	-0.7	20.05
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	20.88	-0.7	20.18
n25	10MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	20.79	-0.7	20.09
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.17	-0.7	17.47
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.34	-0.7	16.64
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.49	-0.7	16.79
n25	10MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.35	-0.7	17.65
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	InnerFull	24.15	-0.7	23.45
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.26	-0.7	22.56
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBRight	23.21	-0.7	22.51
n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	OuterFull	23.25	-0.7	22.55
n25	10MHz	15kHz	1910MHz	DFT	QPSK	InnerFull	24.09	-0.7	23.39
n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBLeft	23.27	-0.7	22.57
n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBRight	23.29	-0.7	22.59
n25	10MHz	15kHz	1910MHz	DFT	QPSK	OuterFull	23.42	-0.7	22.72
n25	10MHz	15kHz	1910MHz	DFT	16QAM	InnerFull	23.10	-0.7	22.40
n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBLeft	22.35	-0.7	21.65
n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBRight	22.23	-0.7	21.53
n25	10MHz	15kHz	1910MHz	DFT	16QAM	OuterFull	22.20	-0.7	21.50
n25	10MHz	15kHz	1910MHz	DFT	64QAM	InnerFull	22.35	-0.7	21.65
n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBLeft	21.70	-0.7	21.00
n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBRight	21.04	-0.7	20.34
n25	10MHz	15kHz	1910MHz	DFT	64QAM	OuterFull	21.43	-0.7	20.73
n25	10MHz	15kHz	1910MHz	DFT	256QAM	InnerFull	20.38	-0.7	19.68
n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBLeft	19.23	-0.7	18.53
n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBRight	19.23	-0.7	18.53
n25	10MHz	15kHz	1910MHz	DFT	256QAM	OuterFull	19.96	-0.7	19.26
n25	10MHz	15kHz	1910MHz	CP	QPSK	InnerFull	23.31	-0.7	22.61

n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBLeft	21.32	-0.7	20.62
n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBRight	21.24	-0.7	20.54
n25	10MHz	15kHz	1910MHz	CP	QPSK	OuterFull	21.23	-0.7	20.53
n25	10MHz	15kHz	1910MHz	CP	16QAM	InnerFull	21.70	-0.7	21.00
n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBLeft	21.30	-0.7	20.60
n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBRight	21.33	-0.7	20.63
n25	10MHz	15kHz	1910MHz	CP	16QAM	OuterFull	21.31	-0.7	20.61
n25	10MHz	15kHz	1910MHz	CP	64QAM	InnerFull	21.38	-0.7	20.68
n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBLeft	20.88	-0.7	20.18
n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBRight	20.96	-0.7	20.26
n25	10MHz	15kHz	1910MHz	CP	64QAM	OuterFull	20.76	-0.7	20.06
n25	10MHz	15kHz	1910MHz	CP	256QAM	InnerFull	18.30	-0.7	17.60
n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBLeft	17.39	-0.7	16.69
n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBRight	17.46	-0.7	16.76
n25	10MHz	15kHz	1910MHz	CP	256QAM	OuterFull	18.30	-0.7	17.60
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	23.51	-0.7	22.81
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.51	-0.7	22.81
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.56	-0.7	22.86
n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	23.60	-0.7	22.90
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	23.59	-0.7	22.89
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.52	-0.7	22.82
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.64	-0.7	22.94
n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.53	-0.7	22.83
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.58	-0.7	22.88
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.52	-0.7	21.82
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.67	-0.7	21.97
n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.63	-0.7	21.93
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.01	-0.7	21.31
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.24	-0.7	21.54
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.24	-0.7	21.54
n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.13	-0.7	21.43
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	20.05	-0.7	19.35
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.52	-0.7	18.82
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.51	-0.7	18.81
n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.03	-0.7	22.33
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.49	-0.7	20.79
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.59	-0.7	20.89
n25	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.63	-0.7	20.93
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.68	-0.7	21.98
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.62	-0.7	20.92

n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.76	-0.7	21.06
n25	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.59	-0.7	20.89
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	20.92	-0.7	20.22
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.21	-0.7	20.51
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.21	-0.7	20.51
n25	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.15	-0.7	20.45
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.01	-0.7	17.31
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.66	-0.7	16.96
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.72	-0.7	17.02
n25	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.09	-0.7	17.39
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.58	-0.7	22.88
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.49	-0.7	22.79
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.66	-0.7	22.96
n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.62	-0.7	22.92
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.59	-0.7	22.89
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.50	-0.7	22.80
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.61	-0.7	22.91
n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.60	-0.7	22.90
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.61	-0.7	22.91
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.51	-0.7	21.81
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.69	-0.7	21.99
n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.58	-0.7	21.88
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.03	-0.7	21.33
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.24	-0.7	21.54
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.87	-0.7	21.17
n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.12	-0.7	21.42
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.06	-0.7	19.36
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.54	-0.7	18.84
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.64	-0.7	18.94
n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.03	-0.7	22.33
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.49	-0.7	20.79
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.72	-0.7	21.02
n25	15MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.61	-0.7	20.91
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.74	-0.7	22.04
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.46	-0.7	20.76
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.58	-0.7	20.88
n25	15MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.61	-0.7	20.91
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.01	-0.7	20.31
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.15	-0.7	20.45
n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.23	-0.7	20.53

n25	15MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.07	-0.7	20.37
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.03	-0.7	17.33
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.67	-0.7	16.97
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.79	-0.7	17.09
n25	15MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.13	-0.7	17.43
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	InnerFull	23.70	-0.7	23.00
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.6	-0.7	22.9
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.56	-0.7	22.86
n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.07	-0.7	23.00
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	23.69	-0.7	22.99
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.63	-0.7	22.93
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.58	-0.7	22.88
n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.68	-0.7	22.98
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.67	-0.7	22.97
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.58	-0.7	21.88
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.59	-0.7	21.89
n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.76	-0.7	22.06
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.17	-0.7	21.47
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.33	-0.7	21.63
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	21.57	-0.7	20.87
n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.29	-0.7	21.59
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.21	-0.7	19.51
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	20.21	-0.7	19.51
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.68	-0.7	18.98
n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.21	-0.7	19.51
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.14	-0.7	22.44
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.72	-0.7	21.02
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.61	-0.7	20.91
n25	15MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.74	-0.7	21.04
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.80	-0.7	22.10
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.56	-0.7	20.86
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.74	-0.7	21.04
n25	15MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.67	-0.7	20.97
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.11	-0.7	20.41
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.27	-0.7	20.57
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.18	-0.7	20.48
n25	15MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.18	-0.7	20.48
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.12	-0.7	17.42
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.82	-0.7	17.12
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.80	-0.7	17.10
n25	15MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.17	-0.7	17.47

n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	23.56	-0.7	22.86
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.48	-0.7	22.78
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	23.49	-0.7	22.79
n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	23.57	-0.7	22.87
n25	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	23.57	-0.7	22.87
n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.47	-0.7	22.77
n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.51	-0.7	22.81
n25	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.67	-0.7	22.97
n25	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.56	-0.7	22.86
n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.45	-0.7	21.75
n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
n25	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.59	-0.7	21.89
n25	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.07	-0.7	21.37
n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	22.18	-0.7	21.48
n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	21.97	-0.7	21.27
n25	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.09	-0.7	21.39
n25	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.97	-0.7	19.27
n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.50	-0.7	18.80
n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.55	-0.7	18.85
n25	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.14	-0.7	19.44
n25	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.06	-0.7	22.36
n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.53	-0.7	20.83
n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.48	-0.7	20.78
n25	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.66	-0.7	20.96
n25	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.64	-0.7	21.94
n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.70	-0.7	21.00
n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.62	-0.7	20.92
n25	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.52	-0.7	20.82
n25	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.07	-0.7	20.37
n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.19	-0.7	20.49
n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.15	-0.7	20.45
n25	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.16	-0.7	20.46
n25	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.02	-0.7	17.32
n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.67	-0.7	16.97
n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.74	-0.7	17.04
n25	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.16	-0.7	17.46
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	23.60	-0.7	22.90
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.50	-0.7	22.80
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.52	-0.7	22.82
n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	23.64	-0.7	22.94
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	23.60	-0.7	22.90

n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.45	-0.7	22.75
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.46	-0.7	22.76
n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.65	-0.7	22.95
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.61	-0.7	22.91
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.46	-0.7	21.76
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.60	-0.7	21.90
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.05	-0.7	21.35
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.07	-0.7	21.37
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.01	-0.7	21.31
n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.13	-0.7	21.43
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.03	-0.7	19.33
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.50	-0.7	18.80
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.58	-0.7	18.88
n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.15	-0.7	19.45
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.04	-0.7	22.34
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.61	-0.7	20.91
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.45	-0.7	20.75
n25	20MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.60	-0.7	20.90
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.58	-0.7	21.88
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.44	-0.7	20.74
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.39	-0.7	20.69
n25	20MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.54	-0.7	20.84
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.13	-0.7	20.43
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.10	-0.7	20.40
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.17	-0.7	20.47
n25	20MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.13	-0.7	20.43
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.07	-0.7	17.37
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.68	-0.7	16.98
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.75	-0.7	17.05
n25	20MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.19	-0.7	17.49
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	23.66	-0.7	22.96
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.58	-0.7	22.88
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	23.60	-0.7	22.90
n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	23.61	-0.7	22.91
n25	20MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	23.64	-0.7	22.94
n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.58	-0.7	22.88
n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.56	-0.7	22.86
n25	20MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.66	-0.7	22.96
n25	20MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.67	-0.7	22.97
n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.59	-0.7	21.89

n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.53	-0.7	21.83
n25	20MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.72	-0.7	22.02
n25	20MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.22	-0.7	21.52
n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.29	-0.7	21.59
n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	21.64	-0.7	20.94
n25	20MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.20	-0.7	21.50
n25	20MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.13	-0.7	19.43
n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.64	-0.7	18.94
n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.61	-0.7	18.91
n25	20MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.23	-0.7	19.53
n25	20MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.18	-0.7	22.48
n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.67	-0.7	20.97
n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.60	-0.7	20.90
n25	20MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.74	-0.7	21.04
n25	20MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.63	-0.7	21.93
n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.71	-0.7	21.01
n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.69	-0.7	20.99
n25	20MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.69	-0.7	20.99
n25	20MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.25	-0.7	20.55
n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.18	-0.7	20.48
n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.26	-0.7	20.56
n25	20MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.20	-0.7	20.50
n25	20MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.17	-0.7	17.47
n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.83	-0.7	17.13
n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.76	-0.7	17.06
n25	20MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.22	-0.7	17.52

NR n41
Limits: ≤33dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	POWER(dBm)	GT (dBi)	Radiated output power (dBm)
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.87	-0.6	25.27
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.22	-0.6	21.62
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.37	-0.6	21.77
n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.32	-0.6	24.72
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.92	-0.6	25.32
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.23	-0.6	21.63
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.33	-0.6	21.73
n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	24.89	-0.6	24.29
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.01	-0.6	24.41
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.29	-0.6	21.69
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.57	-0.6	21.97
n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	23.88	-0.6	23.28
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	23.41	-0.6	22.81
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.32	-0.6	21.72
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.36	-0.6	21.76
n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	23.45	-0.6	22.85
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	21.36	-0.6	20.76
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.23	-0.6	20.63
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.20	-0.6	20.60
n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	21.31	-0.6	20.71
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	24.36	-0.6	23.76
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.14	-0.6	21.54
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.43	-0.6	21.83
n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	22.88	-0.6	22.28
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	23.90	-0.6	23.30
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.29	-0.6	21.69
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.50	-0.6	21.90
n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	22.80	-0.6	22.20
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	22.37	-0.6	21.77
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.35	-0.6	21.75
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.62	-0.6	22.02
n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	22.34	-0.6	21.74
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	19.25	-0.6	18.65
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.22	-0.6	18.62
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.33	-0.6	18.73
n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	19.29	-0.6	18.69
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.83	-0.6	25.23

n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.37	-0.6	21.77
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.23	-0.6	21.63
n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.40	-0.6	24.80
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.86	-0.6	25.26
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.38	-0.6	21.78
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.39	-0.6	21.79
n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.80	-0.6	24.20
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.85	-0.6	24.25
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.42	-0.6	21.82
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.32	-0.6	21.72
n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.98	-0.6	23.38
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.35	-0.6	22.75
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.36	-0.6	21.76
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.38	-0.6	21.78
n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.37	-0.6	22.77
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.50	-0.6	20.90
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.27	-0.6	20.67
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.34	-0.6	20.74
n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.28	-0.6	20.68
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.34	-0.6	23.74
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.26	-0.6	21.66
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.28	-0.6	21.68
n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.92	-0.6	22.32
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.95	-0.6	23.35
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.42	-0.6	21.82
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.53	-0.6	21.93
n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.86	-0.6	22.26
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.44	-0.6	21.84
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.36	-0.6	21.76
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.54	-0.6	21.94
n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.43	-0.6	21.83
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.38	-0.6	18.78
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.21	-0.6	18.61
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.26	-0.6	18.66
n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.31	-0.6	18.71
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	26.13	-0.6	25.53
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.51	-0.6	21.91
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.73	-0.6	22.13
n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.65	-0.6	25.05
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	26.12	-0.6	25.52
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.58	-0.6	21.98

n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.79	-0.6	22.19
n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.14	-0.6	24.54
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.14	-0.6	24.54
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.70	-0.6	22.10
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	22.74	-0.6	22.14
n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.15	-0.6	23.55
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.66	-0.6	23.06
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.67	-0.6	22.07
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.72	-0.6	22.12
n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	23.62	-0.6	23.02
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.60	-0.6	21.00
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.54	-0.6	20.94
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.79	-0.6	21.19
n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.61	-0.6	21.01
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	24.65	-0.6	24.05
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.40	-0.6	21.80
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	22.76	-0.6	22.16
n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.17	-0.6	22.57
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.09	-0.6	23.49
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	22.56	-0.6	21.96
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	22.82	-0.6	22.22
n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.12	-0.6	22.52
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.53	-0.6	21.93
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.63	-0.6	22.03
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.83	-0.6	22.23
n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	22.65	-0.6	22.05
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.56	-0.6	18.96
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.40	-0.6	18.80
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.62	-0.6	19.02
n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	19.60	-0.6	19.00
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	26.24	-0.6	25.64
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.55	-0.6	21.95
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.81	-0.6	22.21
n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.70	-0.6	25.10
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	26.36	-0.6	25.76
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	22.51	-0.6	21.91
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.77	-0.6	22.17
n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.30	-0.6	24.70
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.22	-0.6	24.62
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.52	-0.6	21.92
n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	22.91	-0.6	22.31

n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.22	-0.6	23.62
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.92	-0.6	23.32
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	22.49	-0.6	21.89
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	22.86	-0.6	22.26
n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	23.74	-0.6	23.14
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.74	-0.6	21.14
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.46	-0.6	20.86
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.81	-0.6	21.21
n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	21.77	-0.6	21.17
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	24.79	-0.6	24.19
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	22.38	-0.6	21.78
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.77	-0.6	22.17
n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.23	-0.6	22.63
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.26	-0.6	23.66
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	22.56	-0.6	21.96
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.02	-0.6	22.42
n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.26	-0.6	22.66
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.77	-0.6	22.17
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.63	-0.6	22.03
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	22.97	-0.6	22.37
n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	22.81	-0.6	22.21
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.66	-0.6	19.06
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.35	-0.6	18.75
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.76	-0.6	19.16
n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	19.74	-0.6	19.14
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.18	-0.6	25.58
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.64	-0.6	22.04
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-0.6	22.09
n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.85	-0.6	25.25
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.22	-0.6	25.62
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.69	-0.6	22.09
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.80	-0.6	22.20
n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.27	-0.6	24.67
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.32	-0.6	24.72
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.81	-0.6	22.21
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.02	-0.6	22.42
n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.25	-0.6	23.65
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62	-0.6	23.02
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.63	-0.6	22.03
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.86	-0.6	22.26
n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.75	-0.6	23.15

n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.71	-0.6	21.11
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.59	-0.6	20.99
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.59	-0.6	20.99
n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.69	-0.6	21.09
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.79	-0.6	24.19
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.65	-0.6	22.05
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.84	-0.6	22.24
n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.36	-0.6	22.76
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.31	-0.6	23.71
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.70	-0.6	22.10
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.03	-0.6	22.43
n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.24	-0.6	22.64
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.75	-0.6	22.15
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.84	-0.6	22.24
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.02	-0.6	22.42
n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.71	-0.6	22.11
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.73	-0.6	19.13
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.62	-0.6	19.02
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.68	-0.6	19.08
n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.70	-0.6	19.10
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	26.53	-0.6	25.93
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.84	-0.6	22.24
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	23.15	-0.6	22.55
n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	26.02	-0.6	25.42
n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	26.45	-0.6	25.85
n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	22.80	-0.6	22.20
n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.12	-0.6	22.52
n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.58	-0.6	24.98
n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.47	-0.6	24.87
n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	22.94	-0.6	22.34
n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.25	-0.6	22.65
n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.50	-0.6	23.90
n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	23.96	-0.6	23.36
n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	22.92	-0.6	22.32
n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.04	-0.6	22.44
n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	23.91	-0.6	23.31
n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	21.88	-0.6	21.28
n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.84	-0.6	21.24
n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.97	-0.6	21.37
n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	21.97	-0.6	21.37
n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.02	-0.6	24.42

n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	22.67	-0.6	22.07
n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.10	-0.6	22.50
n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.51	-0.6	22.91
n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.44	-0.6	23.84
n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	22.92	-0.6	22.32
n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.14	-0.6	22.54
n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.52	-0.6	22.92
n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.12	-0.6	22.52
n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	23.00	-0.6	22.40
n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.26	-0.6	22.66
n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	22.98	-0.6	22.38
n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	19.99	-0.6	19.39
n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.83	-0.6	19.23
n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	20.06	-0.6	19.46
n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	19.91	-0.6	19.31
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	26.01	-0.6	25.41
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.21	-0.6	21.61
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.58	-0.6	21.98
n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.39	-0.6	24.79
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	26.00	-0.6	25.40
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.23	-0.6	21.63
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	22.57	-0.6	21.97
n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	24.84	-0.6	24.24
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	24.94	-0.6	24.34
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.32	-0.6	21.72
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	22.74	-0.6	22.14
n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	23.96	-0.6	23.36
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.33	-0.6	22.73
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.05	-0.6	21.45
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.57	-0.6	21.97
n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.37	-0.6	22.77
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.23	-0.6	20.63
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	21.16	-0.6	20.56
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.43	-0.6	20.83
n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.46	-0.6	20.86
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.43	-0.6	23.83
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.07	-0.6	21.47
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	22.59	-0.6	21.99
n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.02	-0.6	22.42
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	23.91	-0.6	23.31
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.29	-0.6	21.69

n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	22.61	-0.6	22.01
n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	22.99	-0.6	22.39
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.37	-0.6	21.77
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.18	-0.6	21.58
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.76	-0.6	22.16
n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.50	-0.6	21.90
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	19.39	-0.6	18.79
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.10	-0.6	18.50
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.62	-0.6	19.02
n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.38	-0.6	18.78
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.95	-0.6	25.35
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.24	-0.6	21.64
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.36	-0.6	21.76
n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.41	-0.6	24.81
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.87	-0.6	25.27
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.39	-0.6	21.79
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.40	-0.6	21.80
n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.89	-0.6	24.29
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.87	-0.6	24.27
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.53	-0.6	21.93
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.51	-0.6	21.91
n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.92	-0.6	23.32
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.42	-0.6	22.82
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.30	-0.6	21.70
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.46	-0.6	21.86
n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.28	-0.6	22.68
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.25	-0.6	20.65
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.16	-0.6	20.56
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.18	-0.6	20.58
n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.34	-0.6	20.74
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.40	-0.6	23.80
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.25	-0.6	21.65
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.42	-0.6	21.82
n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.90	-0.6	22.30
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.82	-0.6	23.22
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.37	-0.6	21.77
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.56	-0.6	21.96
n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.92	-0.6	22.32
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.33	-0.6	21.73
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.41	-0.6	21.81
n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.56	-0.6	21.96

n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.32	-0.6	21.72
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.29	-0.6	18.69
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.30	-0.6	18.70
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.28	-0.6	18.68
n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.36	-0.6	18.76
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	26.07	-0.6	25.47
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.20	-0.6	21.60
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.78	-0.6	22.18
n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.52	-0.6	24.92
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.97	-0.6	25.37
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.29	-0.6	21.69
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	22.76	-0.6	22.16
n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	24.97	-0.6	24.37
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	24.93	-0.6	24.33
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.20	-0.6	21.60
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	22.78	-0.6	22.18
n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	23.90	-0.6	23.30
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.49	-0.6	22.89
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.32	-0.6	21.72
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	22.85	-0.6	22.25
n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.38	-0.6	22.78
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.33	-0.6	20.73
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	21.02	-0.6	20.42
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.53	-0.6	20.93
n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.40	-0.6	20.80
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.48	-0.6	23.88
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.28	-0.6	21.68
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	22.75	-0.6	22.15
n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	22.98	-0.6	22.38
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	23.84	-0.6	23.24
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.25	-0.6	21.65
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	22.93	-0.6	22.33
n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.06	-0.6	22.46
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.48	-0.6	21.88
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.39	-0.6	21.79
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.89	-0.6	22.29
n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.54	-0.6	21.94
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.35	-0.6	18.75
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	19.11	-0.6	18.51
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.79	-0.6	19.19
n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.46	-0.6	18.86

n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.97	-0.6	25.37
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.14	-0.6	21.54
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	22.68	-0.6	22.08
n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.46	-0.6	24.86
n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.94	-0.6	25.34
n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.10	-0.6	21.50
n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	22.65	-0.6	22.05
n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	24.90	-0.6	24.30
n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.01	-0.6	24.41
n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.14	-0.6	21.54
n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	22.80	-0.6	22.20
n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.03	-0.6	23.43
n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	23.46	-0.6	22.86
n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.00	-0.6	21.40
n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.63	-0.6	22.03
n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.54	-0.6	22.94
n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	21.35	-0.6	20.75
n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	20.99	-0.6	20.39
n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.47	-0.6	20.87
n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.55	-0.6	20.95
n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.44	-0.6	23.84
n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.06	-0.6	21.46
n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	22.55	-0.6	21.95
n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	22.98	-0.6	22.38
n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	23.95	-0.6	23.35
n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.11	-0.6	21.51
n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	22.71	-0.6	22.11
n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.01	-0.6	22.41
n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	22.46	-0.6	21.86
n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.19	-0.6	21.59
n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.84	-0.6	22.24
n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	22.55	-0.6	21.95
n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	19.39	-0.6	18.79
n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	19.01	-0.6	18.41
n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.64	-0.6	19.04
n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.52	-0.6	18.92
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.93	-0.6	25.33
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.22	-0.6	21.62
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.32	-0.6	21.72
n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.43	-0.6	24.83
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.87	-0.6	25.27

n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.23	-0.6	21.63
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.43	-0.6	21.83
n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.89	-0.6	24.29
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.90	-0.6	24.30
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.43	-0.6	21.83
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.58	-0.6	21.98
n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	23.97	-0.6	23.37
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.45	-0.6	22.85
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.29	-0.6	21.69
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.39	-0.6	21.79
n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.36	-0.6	22.76
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.39	-0.6	20.79
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.21	-0.6	20.61
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.36	-0.6	20.76
n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.42	-0.6	20.82
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.33	-0.6	23.73
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.18	-0.6	21.58
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.25	-0.6	21.65
n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	22.89	-0.6	22.29
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	23.93	-0.6	23.33
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.28	-0.6	21.68
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.61	-0.6	22.01
n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	22.95	-0.6	22.35
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.49	-0.6	21.89
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.46	-0.6	21.86
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.55	-0.6	21.95
n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.46	-0.6	21.86
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.31	-0.6	18.71
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.22	-0.6	18.62
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.48	-0.6	18.88
n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.37	-0.6	18.77
n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.97	-0.6	25.37
n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.13	-0.6	21.53
n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	22.71	-0.6	22.11
n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.53	-0.6	24.93
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.97	-0.6	25.37
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.25	-0.6	21.65
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	22.78	-0.6	22.18
n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	24.99	-0.6	24.39
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	24.98	-0.6	24.38
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.23	-0.6	21.63

n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	22.97	-0.6	22.37
n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	23.99	-0.6	23.39
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.46	-0.6	22.86
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.25	-0.6	21.65
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	22.73	-0.6	22.13
n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.41	-0.6	22.81
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.47	-0.6	20.87
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	21.25	-0.6	20.65
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.64	-0.6	21.04
n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.52	-0.6	20.92
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.4	-0.6	23.8
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.15	-0.6	21.55
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.67	-0.6	22.07
n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.07	-0.6	22.47
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	23.97	-0.6	23.37
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.28	-0.6	21.68
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	22.83	-0.6	22.23
n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.00	-0.6	22.40
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.47	-0.6	21.87
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.36	-0.6	21.76
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.91	-0.6	22.31
n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.52	-0.6	21.92
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.52	-0.6	18.92
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	19.10	-0.6	18.50
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.68	-0.6	19.08
n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.46	-0.6	18.86
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	26.36	-0.6	25.76
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.52	-0.6	21.92
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.96	-0.6	22.36
n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.80	-0.6	25.20
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	26.32	-0.6	25.72
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	22.55	-0.6	21.95
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	22.94	-0.6	22.34
n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.32	-0.6	24.72
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.36	-0.6	24.76
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	22.53	-0.6	21.93
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	22.94	-0.6	22.34
n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.37	-0.6	23.77
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	23.71	-0.6	23.11
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.56	-0.6	21.96
n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	22.83	-0.6	22.23

n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	23.86	-0.6	23.26
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	21.75	-0.6	21.15
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.38	-0.6	20.78
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.73	-0.6	21.13
n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	21.77	-0.6	21.17
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	24.84	-0.6	24.24
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.43	-0.6	21.83
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	22.87	-0.6	22.27
n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.26	-0.6	22.66
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.38	-0.6	23.78
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	22.61	-0.6	22.01
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	23.03	-0.6	22.43
n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.36	-0.6	22.76
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	22.83	-0.6	22.23
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.66	-0.6	22.06
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.05	-0.6	22.45
n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	22.80	-0.6	22.20
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	19.70	-0.6	19.10
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.41	-0.6	18.81
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.80	-0.6	19.20
n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	19.81	-0.6	19.21
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.33	-0.6	25.73
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.68	-0.6	22.08
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.69	-0.6	22.09
n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.75	-0.6	25.15
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.28	-0.6	25.68
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.69	-0.6	22.09
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.91	-0.6	22.31
n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.26	-0.6	24.66
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.29	-0.6	24.69
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.84	-0.6	22.24
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.04	-0.6	22.44
n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.28	-0.6	23.68
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.81	-0.6	23.21
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.70	-0.6	22.10
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.95	-0.6	22.35
n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.77	-0.6	23.17
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.77	-0.6	21.17
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.54	-0.6	20.94
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.68	-0.6	21.08
n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.66	-0.6	21.06

n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.74	-0.6	24.14
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.60	-0.6	22.00
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.81	-0.6	22.21
n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.25	-0.6	22.65
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.30	-0.6	23.70
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.76	-0.6	22.16
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.85	-0.6	22.25
n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.27	-0.6	22.67
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.69	-0.6	22.09
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.76	-0.6	22.16
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.07	-0.6	22.47
n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.76	-0.6	22.16
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.61	-0.6	19.01
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.55	-0.6	18.95
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.83	-0.6	19.23
n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.73	-0.6	19.13
n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	26.41	-0.6	25.81
n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	22.47	-0.6	21.87
n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.15	-0.6	22.55
n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.92	-0.6	25.32
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	26.39	-0.6	25.79
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	22.53	-0.6	21.93
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.06	-0.6	22.46
n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.27	-0.6	24.67
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.43	-0.6	24.83
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	22.77	-0.6	22.17
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.21	-0.6	22.61
n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.32	-0.6	23.72
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	23.78	-0.6	23.18
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.50	-0.6	21.90
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.15	-0.6	22.55
n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.06	-0.6	23.46
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	21.82	-0.6	21.22
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.65	-0.6	21.05
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.95	-0.6	21.35
n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	21.84	-0.6	21.24
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	24.75	-0.6	24.15
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	22.55	-0.6	21.95
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.09	-0.6	22.49
n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.36	-0.6	22.76
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.35	-0.6	23.75

n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	22.65	-0.6	22.05
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.13	-0.6	22.53
n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.31	-0.6	22.71
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	22.86	-0.6	22.26
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.70	-0.6	22.10
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.27	-0.6	22.67
n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	22.80	-0.6	22.20
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	19.83	-0.6	19.23
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.41	-0.6	18.81
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	20.16	-0.6	19.56
n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	19.75	-0.6	19.15
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	26.38	-0.6	25.78
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.46	-0.6	21.86
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	22.84	-0.6	22.24
n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.83	-0.6	25.23
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	26.33	-0.6	25.73
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	22.40	-0.6	21.80
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	22.82	-0.6	22.22
n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.30	-0.6	24.70
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.37	-0.6	24.77
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	22.64	-0.6	22.04
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.04	-0.6	22.44
n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.39	-0.6	23.79
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	23.71	-0.6	23.11
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.90	-0.6	22.30
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	22.95	-0.6	22.35
n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.03	-0.6	23.43
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	21.84	-0.6	21.24
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.35	-0.6	20.75
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.53	-0.6	20.93
n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	21.78	-0.6	21.18
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	24.88	-0.6	24.28
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.24	-0.6	21.64
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	22.85	-0.6	22.25
n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.30	-0.6	22.70
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.37	-0.6	23.77
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	22.55	-0.6	21.95
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.07	-0.6	22.47
n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.35	-0.6	22.75
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	22.86	-0.6	22.26
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.70	-0.6	22.10

n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.33	-0.6	22.73
n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	22.88	-0.6	22.28
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	19.70	-0.6	19.10
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.37	-0.6	18.77
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.78	-0.6	19.18
n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	19.80	-0.6	19.20
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	26.21	-0.6	25.61
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66	-0.6	22.06
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.01	-0.6	22.41
n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.74	-0.6	25.14
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	26.28	-0.6	25.68
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.67	-0.6	22.07
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.82	-0.6	22.22
n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.25	-0.6	24.65
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.26	-0.6	24.66
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.75	-0.6	22.15
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.92	-0.6	22.32
n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.21	-0.6	23.61
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62	-0.6	23.02
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.74	-0.6	22.14
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.96	-0.6	22.36
n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.73	-0.6	23.13
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.67	-0.6	21.07
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49	-0.6	20.89
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.71	-0.6	21.11
n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.71	-0.6	21.11
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.70	-0.6	24.10
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.61	-0.6	22.01
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.89	-0.6	22.29
n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.24	-0.6	22.64
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.20	-0.6	23.60
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.75	-0.6	22.15
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.12	-0.6	22.52
n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.25	-0.6	22.65
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.59	-0.6	21.99
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.80	-0.6	22.20
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.08	-0.6	22.48
n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.77	-0.6	22.17
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.61	-0.6	19.01
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.66	-0.6	19.06
n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.83	-0.6	19.23

n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.83	-0.6	19.23
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	26.37	-0.6	25.77
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62	-0.6	22.02
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.18	-0.6	22.58
n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.92	-0.6	25.32
n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	26.33	-0.6	25.73
n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	22.62	-0.6	22.02
n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.17	-0.6	22.57
n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.44	-0.6	24.84
n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.32	-0.6	24.72
n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	22.79	-0.6	22.19
n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.33	-0.6	22.73
n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.36	-0.6	23.76
n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	23.80	-0.6	23.20
n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.71	-0.6	22.11
n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.22	-0.6	22.62
n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	23.86	-0.6	23.26
n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	21.95	-0.6	21.35
n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.36	-0.6	20.76
n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	22.06	-0.6	21.46
n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	21.77	-0.6	21.17
n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	24.78	-0.6	24.18
n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	22.51	-0.6	21.91
n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.08	-0.6	22.48
n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.47	-0.6	22.87
n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.43	-0.6	23.83
n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	22.79	-0.6	22.19
n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.14	-0.6	22.54
n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.36	-0.6	22.76
n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.78	-0.6	22.18
n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.88	-0.6	22.28
n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.27	-0.6	22.67
n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	22.95	-0.6	22.35
n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	19.75	-0.6	19.15
n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.55	-0.6	18.95
n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	20.09	-0.6	19.49
n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	19.89	-0.6	19.29

NR n66
Limits: ≤30dBm (1W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)	GT (dBi)	Radiated output power (dBm)
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	23.29	-0.7	22.59
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.28	-0.7	22.58
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.23	-0.7	22.53
n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	23.1	-0.7	22.4
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	23.33	-0.7	22.63
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	23.26	-0.7	22.56
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	23.30	-0.7	22.60
n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	23.52	-0.7	22.82
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	23.18	-0.7	22.48
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	22.21	-0.7	21.51
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	22.25	-0.7	21.55
n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	22.70	-0.7	22.00
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	21.95	-0.7	21.25
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	21.86	-0.7	21.16
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	21.82	-0.7	21.12
n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	21.72	-0.7	21.02
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	19.72	-0.7	19.02
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	19.27	-0.7	18.57
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	19.3	-0.7	18.6
n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	19.81	-0.7	19.11
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	22.45	-0.7	21.75
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	21.34	-0.7	20.64
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	21.63	-0.7	20.93
n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	21.89	-0.7	21.19
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	21.74	-0.7	21.04
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	21.28	-0.7	20.58
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	21.26	-0.7	20.56
n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	21.46	-0.7	20.76
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	20.92	-0.7	20.22
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	20.84	-0.7	20.14
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	20.84	-0.7	20.14
n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	20.59	-0.7	19.89
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	18.07	-0.7	17.37
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	17.41	-0.7	16.71
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	17.23	-0.7	16.53
n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	17.87	-0.7	17.17
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.20	-0.7	22.50

n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17	-0.7	22.47
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13	-0.7	22.43
n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.20	-0.7	22.50
n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.15	-0.7	22.45
n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.17	-0.7	22.47
n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.12	-0.7	22.42
n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.19	-0.7	22.49
n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.25	-0.7	22.55
n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.14	-0.7	21.44
n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.12	-0.7	21.42
n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.19	-0.7	21.49
n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.77	-0.7	21.07
n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.79	-0.7	21.09
n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.79	-0.7	21.09
n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	21.73	-0.7	21.03
n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.65	-0.7	18.95
n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.11	-0.7	18.41
n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.13	-0.7	18.43
n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	19.63	-0.7	18.93
n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	22.67	-0.7	21.97
n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.19	-0.7	20.49
n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.18	-0.7	20.48
n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.16	-0.7	20.46
n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.07	-0.7	21.37
n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.18	-0.7	20.48
n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.16	-0.7	20.46
n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.26	-0.7	20.56
n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.63	-0.7	19.93
n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	20.80	-0.7	20.10
n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	20.77	-0.7	20.07
n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	20.70	-0.7	20.00
n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.73	-0.7	17.03
n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.23	-0.7	16.53
n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.22	-0.7	16.52
n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	17.68	-0.7	16.98
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	23.09	-0.7	22.39
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.03	-0.7	22.33
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.04	-0.7	22.34
n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	23.11	-0.7	22.41
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	23.04	-0.7	22.34
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	23.11	-0.7	22.41

n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	23.11	-0.7	22.41
n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	23.09	-0.7	22.39
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	23.22	-0.7	22.52
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	22.07	-0.7	21.37
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	22.07	-0.7	21.37
n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	22.13	-0.7	21.43
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	21.69	-0.7	20.99
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	21.68	-0.7	20.98
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	21.78	-0.7	21.08
n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	21.60	-0.7	20.90
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	19.59	-0.7	18.89
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	19.06	-0.7	18.36
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	19.11	-0.7	18.41
n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	19.59	-0.7	18.89
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	22.68	-0.7	21.98
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	21.18	-0.7	20.48
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	21.18	-0.7	20.48
n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	21.09	-0.7	20.39
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	22.01	-0.7	21.31
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	21.09	-0.7	20.39
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	21.08	-0.7	20.38
n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	21.14	-0.7	20.44
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	20.55	-0.7	19.85
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	20.68	-0.7	19.98
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	20.69	-0.7	19.99
n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	20.62	-0.7	19.92
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	17.65	-0.7	16.95
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	17.18	-0.7	16.48
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	17.11	-0.7	16.41
n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	17.64	-0.7	16.94
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	InnerFull	23.41	-0.7	22.71
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.27	-0.7	22.57
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.29	-0.7	22.59
n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	OuterFull	23.39	-0.7	22.69
n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	23.33	-0.7	22.63
n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	23.32	-0.7	22.62
n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	23.35	-0.7	22.65
n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	23.66	-0.7	22.96
n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	23.34	-0.7	22.64
n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	22.56	-0.7	21.86
n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	22.30	-0.7	21.60

n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	22.35	-0.7	21.65
n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	21.56	-0.7	20.86
n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	22.03	-0.7	21.33
n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	21.32	-0.7	20.62
n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	21.51	-0.7	20.81
n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	19.53	-0.7	18.83
n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	19.35	-0.7	18.65
n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	19.30	-0.7	18.60
n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	20.01	-0.7	19.31
n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	22.76	-0.7	22.06
n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	21.37	-0.7	20.67
n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	21.29	-0.7	20.59
n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	21.77	-0.7	21.07
n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	22.09	-0.7	21.39
n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	21.41	-0.7	20.71
n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	21.43	-0.7	20.73
n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	21.4	-0.7	20.7
n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	20.99	-0.7	20.29
n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	20.95	-0.7	20.25
n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	20.99	-0.7	20.29
n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	21.38	-0.7	20.68
n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	17.99	-0.7	17.29
n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	17.38	-0.7	16.68
n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	17.48	-0.7	16.78
n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	18.38	-0.7	17.68
n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.21	-0.7	22.51
n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.19	-0.7	22.49
n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13	-0.7	22.43
n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.25	-0.7	22.55
n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.25	-0.7	22.55
n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.19	-0.7	22.49
n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.21	-0.7	22.51
n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.21	-0.7	22.51
n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.25	-0.7	22.55
n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.11	-0.7	21.41
n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.16	-0.7	21.46
n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.17	-0.7	21.47
n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.77	-0.7	21.07
n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.89	-0.7	21.19
n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.53	-0.7	20.83
n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	21.78	-0.7	21.08

n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.61	-0.7	18.91
n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.13	-0.7	18.43
n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.21	-0.7	18.51
n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	19.72	-0.7	19.02
n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	22.67	-0.7	21.97
n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.21	-0.7	20.51
n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.19	-0.7	20.49
n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.23	-0.7	20.53
n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.23	-0.7	21.53
n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.23	-0.7	20.53
n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.24	-0.7	20.54
n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.25	-0.7	20.55
n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.77	-0.7	20.07
n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	20.80	-0.7	20.10
n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	20.88	-0.7	20.18
n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	20.73	-0.7	20.03
n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.71	-0.7	17.01
n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.27	-0.7	16.57
n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.32	-0.7	16.62
n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	17.62	-0.7	16.92
n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	InnerFull	23.10	-0.7	22.40
n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.11	-0.7	22.41
n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBRight	23.04	-0.7	22.34
n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	OuterFull	23.08	-0.7	22.38
n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	23.08	-0.7	22.38
n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	23.07	-0.7	22.37
n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	23.10	-0.7	22.40
n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	23.09	-0.7	22.39
n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	23.11	-0.7	22.41
n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	22.05	-0.7	21.35
n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	22.04	-0.7	21.34
n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	22.12	-0.7	21.42
n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	21.73	-0.7	21.03
n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	21.75	-0.7	21.05
n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	21.58	-0.7	20.88
n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	21.66	-0.7	20.96
n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	19.61	-0.7	18.91
n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	19.06	-0.7	18.36
n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	19.13	-0.7	18.43
n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	19.60	-0.7	18.90
n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	22.62	-0.7	21.92

n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	21.07	-0.7	20.37
n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	21.06	-0.7	20.36
n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	21.2	-0.7	20.5
n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	22.18	-0.7	21.48
n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	21.16	-0.7	20.46
n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	21.16	-0.7	20.46
n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	21.19	-0.7	20.49
n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	20.68	-0.7	19.98
n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	20.71	-0.7	20.01
n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	20.80	-0.7	20.10
n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	20.66	-0.7	19.96
n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	17.56	-0.7	16.86
n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	17.22	-0.7	16.52
n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	17.22	-0.7	16.52
n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	17.59	-0.7	16.89
n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	InnerFull	23.68	-0.7	22.98
n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.59	-0.7	22.89
n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.70	-0.7	23.00
n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	OuterFull	23.73	-0.7	23.03
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	23.72	-0.7	23.02
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	23.68	-0.7	22.98
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	23.73	-0.7	23.03
n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	23.66	-0.7	22.96
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	23.57	-0.7	22.87
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	22.70	-0.7	22.00
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	22.65	-0.7	21.95
n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	22.76	-0.7	22.06
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	22.08	-0.7	21.38
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	22.34	-0.7	21.64
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	21.56	-0.7	20.86
n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	22.21	-0.7	21.51
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	20.17	-0.7	19.47
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	19.59	-0.7	18.89
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	19.75	-0.7	19.05
n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	20.24	-0.7	19.54
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	23.08	-0.7	22.38
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	21.75	-0.7	21.05
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	21.70	-0.7	21.00
n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	21.74	-0.7	21.04
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	22.85	-0.7	22.15
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	21.63	-0.7	20.93

n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	21.83	-0.7	21.13
n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	21.69	-0.7	20.99
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	21.04	-0.7	20.34
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	21.34	-0.7	20.64
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	21.3	-0.7	20.6
n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	21.14	-0.7	20.44
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	18.05	-0.7	17.35
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	17.74	-0.7	17.04
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	17.76	-0.7	17.06
n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	18.15	-0.7	17.45
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.50	-0.7	22.80
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.50	-0.7	22.80
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.53	-0.7	22.83
n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.57	-0.7	22.87
n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.53	-0.7	22.83
n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.52	-0.7	22.82
n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.54	-0.7	22.84
n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.59	-0.7	22.89
n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.58	-0.7	22.88
n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.56	-0.7	21.86
n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.58	-0.7	21.88
n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.58	-0.7	21.88
n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.97	-0.7	21.27
n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.14	-0.7	21.44
n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.54	-0.7	20.84
n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.08	-0.7	21.38
n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	20.05	-0.7	19.35
n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.51	-0.7	18.81
n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.58	-0.7	18.88
n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.04	-0.7	19.34
n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.06	-0.7	22.36
n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.68	-0.7	20.98
n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.54	-0.7	20.84
n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.58	-0.7	20.88
n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.60	-0.7	21.90
n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.60	-0.7	20.90
n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.61	-0.7	20.91
n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.57	-0.7	20.87
n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	21.01	-0.7	20.31
n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.19	-0.7	20.49
n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.16	-0.7	20.46

n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.05	-0.7	20.35
n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.92	-0.7	17.22
n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.68	-0.7	16.98
n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.64	-0.7	16.94
n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.01	-0.7	17.31
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	23.43	-0.7	22.73
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.39	-0.7	22.69
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.46	-0.7	22.76
n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	23.43	-0.7	22.73
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	23.42	-0.7	22.72
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	23.36	-0.7	22.66
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	23.47	-0.7	22.77
n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	23.41	-0.7	22.71
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	23.41	-0.7	22.71
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	22.38	-0.7	21.68
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	22.46	-0.7	21.76
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	21.82	-0.7	21.12
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	22.12	-0.7	21.42
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	22.24	-0.7	21.54
n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	21.95	-0.7	21.25
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	19.88	-0.7	19.18
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	19.35	-0.7	18.65
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	19.47	-0.7	18.77
n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	19.91	-0.7	19.21
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	22.94	-0.7	22.24
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	21.44	-0.7	20.74
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	21.44	-0.7	20.74
n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	21.43	-0.7	20.73
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	22.45	-0.7	21.75
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	21.40	-0.7	20.70
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	21.51	-0.7	20.81
n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	21.42	-0.7	20.72
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	20.87	-0.7	20.17
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	21.04	-0.7	20.34
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	21.02	-0.7	20.32
n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	20.92	-0.7	20.22
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	17.84	-0.7	17.14
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	17.55	-0.7	16.85
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	17.52	-0.7	16.82
n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	17.91	-0.7	17.21

n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	23.70	-0.7	23.00
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.69	-0.7	22.99
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	23.74	-0.7	23.04
n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	23.65	-0.7	22.95
n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	23.65	-0.7	22.95
n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	23.70	-0.7	23.00
n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	23.68	-0.7	22.98
n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	23.65	-0.7	22.95
n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	23.66	-0.7	22.96
n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	22.67	-0.7	21.97
n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	22.66	-0.7	21.96
n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	22.72	-0.7	22.02
n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	22.12	-0.7	21.42
n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	22.32	-0.7	21.62
n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	22.04	-0.7	21.34
n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	22.24	-0.7	21.54
n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	20.07	-0.7	19.37
n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	19.64	-0.7	18.94
n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	19.67	-0.7	18.97
n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	23.09	-0.7	22.39
n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	21.72	-0.7	21.02
n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	21.62	-0.7	20.92
n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	21.75	-0.7	21.05
n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	22.68	-0.7	21.98
n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	21.62	-0.7	20.92
n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	21.78	-0.7	21.08
n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	21.68	-0.7	20.98
n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	21.09	-0.7	20.39
n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	21.25	-0.7	20.55
n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	21.28	-0.7	20.58
n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	21.22	-0.7	20.52
n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	18.01	-0.7	17.31
n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	17.75	-0.7	17.05
n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	17.70	-0.7	17.00
n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	18.16	-0.7	17.46
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	23.62	-0.7	22.92
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.52	-0.7	22.82
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	23.51	-0.7	22.81
n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	23.55	-0.7	22.85
n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	23.59	-0.7	22.89

n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.6	-0.7	22.9
n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.55	-0.7	22.85
n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.59	-0.7	22.89
n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.56	-0.7	22.86
n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.50	-0.7	21.80
n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.52	-0.7	21.82
n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.51	-0.7	21.81
n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	22.09	-0.7	21.39
n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	21.69	-0.7	20.99
n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	22.15	-0.7	21.45
n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.13	-0.7	21.43
n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	20.03	-0.7	19.33
n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.55	-0.7	18.85
n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.53	-0.7	18.83
n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.10	-0.7	19.40
n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.02	-0.7	22.32
n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.64	-0.7	20.94
n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.56	-0.7	20.86
n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.58	-0.7	20.88
n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.54	-0.7	21.84
n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.57	-0.7	20.87
n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.66	-0.7	20.96
n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.54	-0.7	20.84
n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	21.07	-0.7	20.37
n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.20	-0.7	20.50
n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.12	-0.7	20.42
n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.12	-0.7	20.42
n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	18.02	-0.7	17.32
n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.69	-0.7	16.99
n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.58	-0.7	16.88
n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.10	-0.7	17.40
n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	InnerFull	23.43	-0.7	22.73
n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.43	-0.7	22.73
n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48	-0.7	22.78
n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	OuterFull	23.47	-0.7	22.77
n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	23.48	-0.7	22.78
n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	23.47	-0.7	22.77
n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	23.48	-0.7	22.78
n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	23.49	-0.7	22.79
n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	23.41	-0.7	22.71
n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	22.40	-0.7	21.70

n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	22.37	-0.7	21.67
n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	22.49	-0.7	21.79
n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	21.99	-0.7	21.29
n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	21.98	-0.7	21.28
n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	21.99	-0.7	21.29
n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	22.01	-0.7	21.31
n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	19.91	-0.7	19.21
n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	19.40	-0.7	18.70
n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	19.47	-0.7	18.77
n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	20.00	-0.7	19.30
n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	22.92	-0.7	22.22
n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	21.57	-0.7	20.87
n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	21.50	-0.7	20.80
n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	21.49	-0.7	20.79
n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	22.45	-0.7	21.75
n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	21.60	-0.7	20.90
n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	21.49	-0.7	20.79
n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	21.43	-0.7	20.73
n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	20.97	-0.7	20.27
n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	21.08	-0.7	20.38
n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	21.08	-0.7	20.38
n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	21.00	-0.7	20.30
n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	17.93	-0.7	17.23
n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	17.55	-0.7	16.85
n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	17.49	-0.7	16.79
n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	17.96	-0.7	17.26

NR n71
Limits: ≤34.77dBm (3W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	POWER(dBm)	GT (dBi)	Radiated output power (dBm)
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	23.68	-1.1	20.43
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.72	-1.1	20.47
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.6	-1.1	20.35
n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	23.67	-1.1	20.42
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	23.64	-1.1	20.39
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	23.00	-1.1	19.75
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.61	-1.1	20.36
n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	23.65	-1.1	20.40
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.72	-1.1	20.47
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	22.06	-1.1	18.81
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.84	-1.1	19.59
n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	23.04	-1.1	19.79
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.26	-1.1	19.01
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.87	-1.1	18.62
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.70	-1.1	19.45
n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.53	-1.1	19.28
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.44	-1.1	17.19
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	19.9	-1.1	16.65
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.83	-1.1	16.58
n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.37	-1.1	17.12
n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.30	-1.1	20.05
n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.64	-1.1	18.39
n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	22.16	-1.1	18.91
n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	22.18	-1.1	18.93
n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.73	-1.1	19.48
n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.44	-1.1	18.19
n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	22.16	-1.1	18.91
n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	22.25	-1.1	19.00
n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.53	-1.1	18.28
n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.76	-1.1	18.51
n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.62	-1.1	18.37
n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.66	-1.1	18.41
n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.26	-1.1	15.01
n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.90	-1.1	14.65
n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.78	-1.1	14.53
n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.29	-1.1	15.04
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.28	-1.1	21.03

n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.30	-1.1	20.05
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.27	-1.1	20.02
n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.30	-1.1	20.05
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.80	-1.1	20.55
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.36	-1.1	20.11
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.27	-1.1	20.02
n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.35	-1.1	20.10
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.40	-1.1	20.15
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.85	-1.1	19.60
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.77	-1.1	19.52
n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.88	-1.1	19.63
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.29	-1.1	19.04
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.55	-1.1	19.30
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.40	-1.1	19.15
n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.32	-1.1	19.07
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.21	-1.1	16.96
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.62	-1.1	16.37
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.61	-1.1	16.36
n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.19	-1.1	16.94
n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.34	-1.1	20.09
n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.91	-1.1	18.66
n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.82	-1.1	18.57
n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.85	-1.1	18.60
n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.71	-1.1	19.46
n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.86	-1.1	18.61
n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.73	-1.1	18.48
n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.93	-1.1	18.68
n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.30	-1.1	18.05
n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.44	-1.1	18.19
n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.38	-1.1	18.13
n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.34	-1.1	18.09
n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.02	-1.1	14.77
n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.67	-1.1	14.42
n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.56	-1.1	14.31
n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.04	-1.1	14.79
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.12	-1.1	20.87
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.16	-1.1	19.91
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.03	-1.1	19.78
n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.18	-1.1	19.93
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	23.59	-1.1	20.34
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.17	-1.1	19.92

n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.05	-1.1	19.80
n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.12	-1.1	19.87
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.20	-1.1	19.95
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.65	-1.1	19.40
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.59	-1.1	19.34
n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.71	-1.1	19.46
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	22.14	-1.1	18.89
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22.36	-1.1	19.11
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	22.21	-1.1	18.96
n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.14	-1.1	18.89
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	20.15	-1.1	16.90
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.55	-1.1	16.30
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.48	-1.1	16.23
n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	20.05	-1.1	16.80
n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	23.21	-1.1	19.96
n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.74	-1.1	18.49
n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.59	-1.1	18.34
n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.67	-1.1	18.42
n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.54	-1.1	19.29
n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.66	-1.1	18.41
n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.57	-1.1	18.32
n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.67	-1.1	18.42
n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.12	-1.1	17.87
n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	21.26	-1.1	18.01
n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	21.12	-1.1	17.87
n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	21.18	-1.1	17.93
n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	18.87	-1.1	15.62
n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.55	-1.1	14.30
n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.42	-1.1	14.17
n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.92	-1.1	14.67
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	InnerFull	23.59	-1.1	20.34
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.68	-1.1	20.43
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.53	-1.1	20.28
n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	OuterFull	23.59	-1.1	20.34
n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	23.59	-1.1	20.34
n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	22.72	-1.1	19.47
n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.52	-1.1	20.27
n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.60	-1.1	20.35
n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.52	-1.1	20.27
n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.05	-1.1	18.80
n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.95	-1.1	19.70

n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.8	-1.1	19.55
n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.38	-1.1	19.13
n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.46	-1.1	18.21
n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.45	-1.1	19.20
n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.16	-1.1	18.91
n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20.34	-1.1	17.09
n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.75	-1.1	16.50
n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.73	-1.1	16.48
n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	20.38	-1.1	17.13
n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.23	-1.1	19.98
n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.57	-1.1	18.32
n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	22.13	-1.1	18.88
n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	22.03	-1.1	18.78
n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.89	-1.1	19.64
n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.56	-1.1	18.31
n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	22.01	-1.1	18.76
n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	22.03	-1.1	18.78
n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.57	-1.1	18.32
n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.10	-1.1	17.85
n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	21.59	-1.1	18.34
n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.53	-1.1	18.28
n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	18.21	-1.1	14.96
n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.98	-1.1	14.73
n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.85	-1.1	14.6
n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.18	-1.1	14.93
n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.84	-1.1	21.59
n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.42	-1.1	20.17
n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.31	-1.1	20.06
n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.38	-1.1	20.13
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.78	-1.1	21.53
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.48	-1.1	20.23
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.35	-1.1	20.10
n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.31	-1.1	20.06
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.36	-1.1	20.11
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.96	-1.1	19.71
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.82	-1.1	19.57
n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.80	-1.1	19.55
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.40	-1.1	19.15
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.67	-1.1	19.42
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.50	-1.1	19.25
n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.41	-1.1	19.16

n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.19	-1.1	16.94
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.59	-1.1	16.34
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.64	-1.1	16.39
n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.19	-1.1	16.94
n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.29	-1.1	20.04
n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.04	-1.1	18.79
n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.98	-1.1	18.73
n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.87	-1.1	18.62
n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.88	-1.1	19.63
n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.90	-1.1	18.65
n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.90	-1.1	18.65
n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.88	-1.1	18.63
n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.41	-1.1	18.16
n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.53	-1.1	18.28
n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.49	-1.1	18.24
n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.33	-1.1	18.08
n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.01	-1.1	14.76
n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.64	-1.1	14.39
n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.76	-1.1	14.51
n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.02	-1.1	14.77
n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	24.59	-1.1	21.34
n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.22	-1.1	19.97
n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	23.02	-1.1	19.77
n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	23.15	-1.1	19.90
n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.66	-1.1	21.41
n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.28	-1.1	20.03
n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.03	-1.1	19.78
n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.09	-1.1	19.84
n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.21	-1.1	19.96
n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.74	-1.1	19.49
n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	22.54	-1.1	19.29
n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.65	-1.1	19.4
n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.23	-1.1	18.98
n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	22.38	-1.1	19.13
n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	22.17	-1.1	18.92
n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22.18	-1.1	18.93
n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.98	-1.1	16.73
n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.62	-1.1	16.37
n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.40	-1.1	16.15
n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	20.07	-1.1	16.82
n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	23.09	-1.1	19.84

n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.85	-1.1	18.6
n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.62	-1.1	18.37
n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.70	-1.1	18.45
n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.64	-1.1	19.39
n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.70	-1.1	18.45
n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.59	-1.1	18.34
n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.65	-1.1	18.40
n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	21.20	-1.1	17.95
n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	21.35	-1.1	18.10
n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	21.17	-1.1	17.92
n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	21.13	-1.1	17.88
n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.87	-1.1	14.62
n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.65	-1.1	14.40
n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.48	-1.1	14.23
n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.93	-1.1	14.68
n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	23.9	-1.1	20.65
n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.93	-1.1	20.68
n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.61	-1.1	20.36
n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	23.80	-1.1	20.55
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	23.89	-1.1	20.64
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.08	-1.1	19.83
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.75	-1.1	20.50
n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.28	-1.1	20.03
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.57	-1.1	20.32
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.81	-1.1	18.56
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	23.16	-1.1	19.91
n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.92	-1.1	19.67
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.18	-1.1	18.93
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.71	-1.1	18.46
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	22.82	-1.1	19.57
n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.00	-1.1	18.75
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	20.63	-1.1	17.38
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.82	-1.1	16.57
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	20.13	-1.1	16.88
n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	20.62	-1.1	17.37
n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.37	-1.1	20.12
n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.81	-1.1	18.56
n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	22.22	-1.1	18.97
n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	22.41	-1.1	19.16
n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	23.14	-1.1	19.89
n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.86	-1.1	18.61

n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	22.12	-1.1	18.87
n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	22.43	-1.1	19.18
n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.75	-1.1	18.50
n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.98	-1.1	18.73
n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	21.72	-1.1	18.47
n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	21.88	-1.1	18.63
n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	18.42	-1.1	15.17
n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	18.24	-1.1	14.99
n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	18.12	-1.1	14.87
n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.50	-1.1	15.25
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.68	-1.1	20.43
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.69	-1.1	20.44
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.55	-1.1	20.30
n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.76	-1.1	20.51
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.69	-1.1	20.44
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.71	-1.1	20.46
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.59	-1.1	20.34
n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.70	-1.1	20.45
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67	-1.1	20.42
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.92	-1.1	19.67
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.83	-1.1	19.58
n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	23.24	-1.1	19.99
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.66	-1.1	19.41
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.59	-1.1	19.34
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.49	-1.1	19.24
n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.77	-1.1	19.52
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.54	-1.1	17.29
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	20.02	-1.1	16.77
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	20.01	-1.1	16.76
n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.55	-1.1	17.30
n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.61	-1.1	20.36
n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.26	-1.1	19.01
n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	22.31	-1.1	19.06
n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	22.23	-1.1	18.98
n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	23.27	-1.1	20.02
n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	22.18	-1.1	18.93
n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	22.05	-1.1	18.80
n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	22.20	-1.1	18.95
n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.59	-1.1	18.34
n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.81	-1.1	18.56
n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.67	-1.1	18.42

n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.69	-1.1	18.44
n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.32	-1.1	15.07
n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	18.06	-1.1	14.81
n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	18.01	-1.1	14.76
n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.39	-1.1	15.14
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	23.53	-1.1	20.28
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.53	-1.1	20.28
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32	-1.1	20.07
n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	23.62	-1.1	20.37
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	23.90	-1.1	20.65
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.56	-1.1	20.31
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.35	-1.1	20.10
n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.58	-1.1	20.33
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.55	-1.1	20.30
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	23.03	-1.1	19.78
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	22.78	-1.1	19.53
n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	23.14	-1.1	19.89
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	22.57	-1.1	19.32
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	22.73	-1.1	19.48
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	22.46	-1.1	19.21
n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	22.64	-1.1	19.39
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	20.44	-1.1	17.19
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.89	-1.1	16.64
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.82	-1.1	16.57
n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	20.41	-1.1	17.16
n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	23.50	-1.1	20.25
n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	22.19	-1.1	18.94
n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.92	-1.1	18.67
n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	22.12	-1.1	18.87
n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	23.14	-1.1	19.89
n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	22.09	-1.1	18.84
n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	21.81	-1.1	18.56
n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	22.03	-1.1	18.78
n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	21.45	-1.1	18.20
n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	21.67	-1.1	18.42
n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	21.43	-1.1	18.18
n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	21.55	-1.1	18.30
n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	18.29	-1.1	15.04
n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.92	-1.1	14.67
n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	17.86	-1.1	14.61
n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	18.27	-1.1	15.02

n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	23.79	-1.1	20.54
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91	-1.1	20.66
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.53	-1.1	20.28
n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	23.85	-1.1	20.60
n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	23.81	-1.1	20.56
n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	22.84	-1.1	19.59
n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.56	-1.1	20.31
n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.55	-1.1	20.30
n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.81	-1.1	20.56
n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.26	-1.1	19.01
n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	23.04	-1.1	19.79
n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	23.28	-1.1	20.03
n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.62	-1.1	19.37
n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	21.73	-1.1	18.48
n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	22.68	-1.1	19.43
n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.28	-1.1	19.03
n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	20.58	-1.1	17.33
n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.32	-1.1	16.07
n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.96	-1.1	16.71
n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	20.63	-1.1	17.38
n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23.51	-1.1	20.26
n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.88	-1.1	18.63
n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	22.07	-1.1	18.82
n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	22.38	-1.1	19.13
n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	23.27	-1.1	20.02
n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.99	-1.1	18.74
n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	22.06	-1.1	18.81
n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	22.3	-1.1	19.05
n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	21.88	-1.1	18.63
n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.97	-1.1	18.72
n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	21.62	-1.1	18.37
n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	21.84	-1.1	18.59
n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	18.37	-1.1	15.12
n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	18.31	-1.1	15.06
n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.97	-1.1	14.72
n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	18.60	-1.1	15.35
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	23.65	-1.1	20.40
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.61	-1.1	20.36
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.44	-1.1	20.19
n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	23.69	-1.1	20.44
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	23.64	-1.1	20.39

n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.69	-1.1	20.44
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.51	-1.1	20.26
n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.69	-1.1	20.44
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.69	-1.1	20.44
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	23.08	-1.1	19.83
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.99	-1.1	19.74
n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	23.21	-1.1	19.96
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.69	-1.1	19.44
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.78	-1.1	19.53
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.68	-1.1	19.43
n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.78	-1.1	19.53
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.50	-1.1	17.25
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	20.05	-1.1	16.80
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.94	-1.1	16.69
n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.59	-1.1	17.34
n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.57	-1.1	20.32
n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	22.27	-1.1	19.02
n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	22.02	-1.1	18.77
n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	22.20	-1.1	18.95
n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	23.18	-1.1	19.93
n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	22.23	-1.1	18.98
n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.90	-1.1	18.65
n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	22.17	-1.1	18.92
n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.72	-1.1	18.47
n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.85	-1.1	18.6
n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.55	-1.1	18.3
n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.69	-1.1	18.44
n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.35	-1.1	15.10
n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	18.15	-1.1	14.90
n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.94	-1.1	14.69
n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.42	-1.1	15.17
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	23.65	-1.1	20.4
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.66	-1.1	20.41
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32	-1.1	20.07
n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.66	-1.1	20.41
n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	23.63	-1.1	20.38
n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.70	-1.1	20.45
n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.32	-1.1	20.07
n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.63	-1.1	20.38
n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.60	-1.1	20.35
n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	23.15	-1.1	19.90

n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	22.85	-1.1	19.6
n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	23.20	-1.1	19.95
n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	22.61	-1.1	19.36
n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.84	-1.1	19.59
n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	22.46	-1.1	19.21
n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.72	-1.1	19.47
n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	20.47	-1.1	17.22
n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	20.07	-1.1	16.82
n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.87	-1.1	16.62
n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	20.53	-1.1	17.28
n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	23.61	-1.1	20.36
n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	22.31	-1.1	19.06
n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	21.85	-1.1	18.60
n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	22.20	-1.1	18.95
n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	23.20	-1.1	19.95
n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	22.20	-1.1	18.95
n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	21.82	-1.1	18.57
n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	22.15	-1.1	18.90
n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	21.70	-1.1	18.45
n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	21.74	-1.1	18.49
n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	21.38	-1.1	18.13
n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	21.63	-1.1	18.38
n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	18.37	-1.1	15.12
n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	18.15	-1.1	14.90
n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17.84	-1.1	14.59
n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	18.36	-1.1	15.11

LTE Band 12+NR n2

Limits: ≤38.45dBm (7W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.65	-0.7	23.95
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01	-0.7	23.31
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.04	-0.7	23.34
12-n2	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	24.09	-0.7	23.39
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	24.52	-0.7	23.82
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.52	-0.7	22.82
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.60	-0.7	22.90
12-n2	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.71	-0.7	23.01
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	23.58	-0.7	22.88
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.39	-0.7	21.69
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.43	-0.7	21.73
12-n2	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.70	-0.7	22.00
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.11	-0.7	21.41
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	22.12	-0.7	21.42
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	22.13	-0.7	21.43
12-n2	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	22.23	-0.7	21.53
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.18	-0.7	19.48
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.52	-0.7	18.82
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.61	-0.7	18.91
12-n2	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.07	-0.7	22.37
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.67	-0.7	20.97
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.64	-0.7	20.94
12-n2	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.64	-0.7	20.94
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	22.65	-0.7	21.95
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.69	-0.7	20.99
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.58	-0.7	20.88
12-n2	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.66	-0.7	20.96
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.35	-0.7	20.65
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	21.22	-0.7	20.52
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	21.17	-0.7	20.47
12-n2	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	21.17	-0.7	20.47
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.31	-0.7	17.61
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.61	-0.7	16.91
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.56	-0.7	16.86
12-n2	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.17	-0.7	17.47
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.65	-0.7	23.95

12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13	-0.7	23.43
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17	-0.7	23.47
12-n2	5MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.23	-0.7	23.53
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.63	-0.7	23.93
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.64	-0.7	22.94
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.67	-0.7	22.97
12-n2	5MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.77	-0.7	23.07
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.76	-0.7	23.06
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.49	-0.7	21.79
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.54	-0.7	21.84
12-n2	5MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.75	-0.7	22.05
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.17	-0.7	21.47
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.2	-0.7	21.50
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	22.23	-0.7	21.53
12-n2	5MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.32	-0.7	21.62
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.23	-0.7	19.53
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.67	-0.7	18.97
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.65	-0.7	18.95
12-n2	5MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.19	-0.7	22.49
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.7	-0.7	21.00
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.74	-0.7	21.04
12-n2	5MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.69	-0.7	20.99
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.77	-0.7	22.07
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.62	-0.7	20.92
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.67	-0.7	20.97
12-n2	5MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.75	-0.7	21.05
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.19	-0.7	20.49
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.24	-0.7	20.54
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.22	-0.7	20.52
12-n2	5MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.29	-0.7	20.59
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.26	-0.7	17.56
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.71	-0.7	17.01
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.66	-0.7	16.96
12-n2	5MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.24	-0.7	17.54
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	InnerFull	24.79	-0.7	24.09
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.23	-0.7	23.53
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.26	-0.7	23.56
12-n2	5MHz	15kHz	1907.5MHz	DFT	pi/2 BPSK	OuterFull	24.28	-0.7	23.58
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	24.72	-0.7	24.02
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.73	-0.7	23.03

12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.73	-0.7	23.03
12-n2	5MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.88	-0.7	23.18
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.74	-0.7	23.04
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.61	-0.7	21.91
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.59	-0.7	21.89
12-n2	5MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.82	-0.7	22.12
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.27	-0.7	21.57
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.32	-0.7	21.62
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	22.31	-0.7	21.61
12-n2	5MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.41	-0.7	21.71
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.37	-0.7	19.67
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	19.73	-0.7	19.03
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.69	-0.7	18.99
12-n2	5MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.30	-0.7	19.60
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.26	-0.7	22.56
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.83	-0.7	21.13
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.81	-0.7	21.11
12-n2	5MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.83	-0.7	21.13
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.8	-0.7	22.10
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.89	-0.7	21.19
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.74	-0.7	21.04
12-n2	5MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.84	-0.7	21.14
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.39	-0.7	20.69
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.33	-0.7	20.63
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.38	-0.7	20.68
12-n2	5MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.38	-0.7	20.68
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.32	-0.7	17.62
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.68	-0.7	16.98
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.76	-0.7	17.06
12-n2	5MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.38	-0.7	17.68
12-n2	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	InnerFull	24.67	-0.7	23.97
12-n2	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.20	-0.7	23.50
12-n2	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.24	-0.7	23.54
12-n2	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	OuterFull	24.26	-0.7	23.56
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.66	-0.7	23.96
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.65	-0.7	22.95
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.70	-0.7	23.00
12-n2	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.74	-0.7	23.04
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	23.79	-0.7	23.09
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.47	-0.7	21.77
12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.50	-0.7	21.80

12-n2	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.80	-0.7	22.10
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.16	-0.7	21.46
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	22.21	-0.7	21.51
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	22.04	-0.7	21.34
12-n2	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	22.26	-0.7	21.56
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.13	-0.7	19.43
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.65	-0.7	18.95
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.64	-0.7	18.94
12-n2	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.26	-0.7	22.56
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.69	-0.7	20.99
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.74	-0.7	21.04
12-n2	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.62	-0.7	20.92
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	22.77	-0.7	22.07
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.70	-0.7	21.00
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.67	-0.7	20.97
12-n2	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.71	-0.7	21.01
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.16	-0.7	20.46
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	21.32	-0.7	20.62
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.31	-0.7	20.61
12-n2	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	21.21	-0.7	20.51
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.18	-0.7	17.48
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.61	-0.7	16.91
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.62	-0.7	16.92
12-n2	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.27	-0.7	17.57
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.76	-0.7	24.06
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.16	-0.7	23.46
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.20	-0.7	23.50
12-n2	10MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.23	-0.7	23.53
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.66	-0.7	23.96
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.65	-0.7	22.95
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.73	-0.7	23.03
12-n2	10MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.71	-0.7	23.01
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.78	-0.7	23.08
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.50	-0.7	21.80
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.54	-0.7	21.84
12-n2	10MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.78	-0.7	22.08
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.24	-0.7	21.54
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.19	-0.7	21.49
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	21.89	-0.7	21.19
12-n2	10MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.28	-0.7	21.58

12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.15	-0.7	19.45
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.64	-0.7	18.94
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.60	-0.7	18.90
12-n2	10MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.18	-0.7	19.48
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.25	-0.7	22.55
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.69	-0.7	20.99
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.78	-0.7	21.08
12-n2	10MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.69	-0.7	20.99
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.81	-0.7	22.11
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.71	-0.7	21.01
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.76	-0.7	21.06
12-n2	10MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.79	-0.7	21.09
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.27	-0.7	20.57
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.26	-0.7	20.56
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.30	-0.7	20.60
12-n2	10MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.25	-0.7	20.55
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.21	-0.7	17.51
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.73	-0.7	17.03
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.63	-0.7	16.93
12-n2	10MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.31	-0.7	17.61
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	24.85	-0.7	24.15
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.36	-0.7	23.66
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	24.39	-0.7	23.69
12-n2	10MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	24.33	-0.7	23.63
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	24.75	-0.7	24.05
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.86	-0.7	23.16
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.83	-0.7	23.13
12-n2	10MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.73	-0.7	23.03
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.80	-0.7	23.10
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.62	-0.7	21.92
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.60	-0.7	21.90
12-n2	10MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.87	-0.7	22.17
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.32	-0.7	21.62
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.43	-0.7	21.73
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	22.01	-0.7	21.31
12-n2	10MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.35	-0.7	21.65
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.27	-0.7	19.57
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.69	-0.7	18.99
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.72	-0.7	19.02
12-n2	10MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.26	-0.7	19.56
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.38	-0.7	22.68

12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.99	-0.7	21.29
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.95	-0.7	21.25
12-n2	10MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.80	-0.7	21.10
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.88	-0.7	22.18
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.87	-0.7	21.17
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.80	-0.7	21.10
12-n2	10MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.85	-0.7	21.15
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.40	-0.7	20.70
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.36	-0.7	20.66
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.36	-0.7	20.66
12-n2	10MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.37	-0.7	20.67
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.32	-0.7	17.62
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.64	-0.7	16.94
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.55	-0.7	16.85
12-n2	10MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.25	-0.7	17.55
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	24.63	-0.7	23.93
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00	-0.7	23.30
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.11	-0.7	23.41
12-n2	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	24.10	-0.7	23.40
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	24.49	-0.7	23.79
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.51	-0.7	22.81
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.59	-0.7	22.89
12-n2	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.62	-0.7	22.92
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.53	-0.7	22.83
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.40	-0.7	21.70
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
12-n2	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.67	-0.7	21.97
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.17	-0.7	21.47
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.36	-0.7	21.66
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.31	-0.7	21.61
12-n2	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.12	-0.7	21.42
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	19.95	-0.7	19.25
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.50	-0.7	18.80
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.55	-0.7	18.85
12-n2	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.07	-0.7	22.37
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.58	-0.7	20.88
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.82	-0.7	21.12
12-n2	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.59	-0.7	20.89
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.56	-0.7	21.86
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.61	-0.7	20.91

12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.64	-0.7	20.94
12-n2	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.65	-0.7	20.95
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	21.20	-0.7	20.50
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.12	-0.7	20.42
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.18	-0.7	20.48
12-n2	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.09	-0.7	20.39
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.12	-0.7	17.42
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.65	-0.7	16.95
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.66	-0.7	16.96
12-n2	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.28	-0.7	17.58
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.59	-0.7	23.89
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.09	-0.7	23.39
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.15	-0.7	23.45
12-n2	15MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.16	-0.7	23.46
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.61	-0.7	23.91
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.58	-0.7	22.88
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.53	-0.7	22.83
12-n2	15MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.67	-0.7	22.97
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.68	-0.7	22.98
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.43	-0.7	21.73
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.45	-0.7	21.75
12-n2	15MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.62	-0.7	21.92
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.18	-0.7	21.48
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.38	-0.7	21.68
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	22.04	-0.7	21.34
12-n2	15MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.18	-0.7	21.48
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.03	-0.7	19.33
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.64	-0.7	18.94
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.63	-0.7	18.93
12-n2	15MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.10	-0.7	19.40
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.27	-0.7	22.57
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.88	-0.7	21.18
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.83	-0.7	21.13
12-n2	15MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.60	-0.7	20.90
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.73	-0.7	22.03
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.72	-0.7	21.02
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.72	-0.7	21.02
12-n2	15MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.66	-0.7	20.96
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.25	-0.7	20.55
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.27	-0.7	20.57
12-n2	15MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.24	-0.7	20.54

12-n2	15MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.1	-0.7	20.40
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.14	-0.7	17.44
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.57	-0.7	16.87
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.74	-0.7	17.04
12-n2	15MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.30	-0.7	17.60
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	InnerFull	24.54	-0.7	23.84
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-0.7	23.32
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.10	-0.7	23.40
12-n2	15MHz	15kHz	1902.5MHz	DFT	pi/2 BPSK	OuterFull	24.20	-0.7	23.50
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	InnerFull	24.56	-0.7	23.86
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBLeft	23.57	-0.7	22.87
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	Edge1RBRight	23.54	-0.7	22.84
12-n2	15MHz	15kHz	1902.5MHz	DFT	QPSK	OuterFull	23.75	-0.7	23.05
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	InnerFull	23.55	-0.7	22.85
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBLeft	22.43	-0.7	21.73
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	Edge1RBRight	22.45	-0.7	21.75
12-n2	15MHz	15kHz	1902.5MHz	DFT	16QAM	OuterFull	22.68	-0.7	21.98
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	InnerFull	22.17	-0.7	21.47
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBLeft	22.10	-0.7	21.40
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	Edge1RBRight	21.76	-0.7	21.06
12-n2	15MHz	15kHz	1902.5MHz	DFT	64QAM	OuterFull	22.23	-0.7	21.53
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	InnerFull	20.07	-0.7	19.37
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBLeft	19.54	-0.7	18.84
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	Edge1RBRight	19.62	-0.7	18.92
12-n2	15MHz	15kHz	1902.5MHz	DFT	256QAM	OuterFull	20.18	-0.7	19.48
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	InnerFull	23.20	-0.7	22.50
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBLeft	21.79	-0.7	21.09
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	Edge1RBRight	21.67	-0.7	20.97
12-n2	15MHz	15kHz	1902.5MHz	CP	QPSK	OuterFull	21.67	-0.7	20.97
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	InnerFull	22.67	-0.7	21.97
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBLeft	21.66	-0.7	20.96
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	Edge1RBRight	21.66	-0.7	20.96
12-n2	15MHz	15kHz	1902.5MHz	CP	16QAM	OuterFull	21.67	-0.7	20.97
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	InnerFull	21.18	-0.7	20.48
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBLeft	21.32	-0.7	20.62
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	Edge1RBRight	21.22	-0.7	20.52
12-n2	15MHz	15kHz	1902.5MHz	CP	64QAM	OuterFull	21.15	-0.7	20.45
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	InnerFull	18.18	-0.7	17.48
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBLeft	17.63	-0.7	16.93
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	Edge1RBRight	17.61	-0.7	16.91
12-n2	15MHz	15kHz	1902.5MHz	CP	256QAM	OuterFull	18.22	-0.7	17.52

12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	24.54	-0.7	23.84
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.03	-0.7	23.33
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	24.09	-0.7	23.39
12-n2	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	24.10	-0.7	23.40
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	24.53	-0.7	23.83
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.45	-0.7	22.75
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.55	-0.7	22.85
12-n2	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.57	-0.7	22.87
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.62	-0.7	22.92
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.32	-0.7	21.62
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.37	-0.7	21.67
12-n2	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.64	-0.7	21.94
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.15	-0.7	21.45
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	22.06	-0.7	21.36
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	22.09	-0.7	21.39
12-n2	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.11	-0.7	21.41
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.94	-0.7	19.24
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.49	-0.7	18.79
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.53	-0.7	18.83
12-n2	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.14	-0.7	19.44
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.12	-0.7	22.42
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.69	-0.7	20.99
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.68	-0.7	20.98
12-n2	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.55	-0.7	20.85
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.60	-0.7	21.90
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.47	-0.7	20.77
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.45	-0.7	20.75
12-n2	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.62	-0.7	20.92
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.12	-0.7	20.42
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.11	-0.7	20.41
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.05	-0.7	20.35
12-n2	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.15	-0.7	20.45
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.15	-0.7	17.45
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.63	-0.7	16.93
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.67	-0.7	16.97
12-n2	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.23	-0.7	17.53
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	InnerFull	24.76	-0.7	24.06
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.10	-0.7	23.40
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	Edge1RBRight	24.11	-0.7	23.41
12-n2	20MHz	15kHz	1880MHz	DFT	pi/2 BPSK	OuterFull	24.23	-0.7	23.53
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	InnerFull	24.62	-0.7	23.92

12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBLeft	23.60	-0.7	22.90
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	Edge1RBRight	23.58	-0.7	22.88
12-n2	20MHz	15kHz	1880MHz	DFT	QPSK	OuterFull	23.66	-0.7	22.96
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	InnerFull	23.64	-0.7	22.94
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBLeft	22.46	-0.7	21.76
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	Edge1RBRight	22.41	-0.7	21.71
12-n2	20MHz	15kHz	1880MHz	DFT	16QAM	OuterFull	22.73	-0.7	22.03
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	InnerFull	22.23	-0.7	21.53
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBLeft	22.28	-0.7	21.58
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	Edge1RBRight	21.96	-0.7	21.26
12-n2	20MHz	15kHz	1880MHz	DFT	64QAM	OuterFull	22.11	-0.7	21.41
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	InnerFull	20.07	-0.7	19.37
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBLeft	19.58	-0.7	18.88
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	Edge1RBRight	19.71	-0.7	19.01
12-n2	20MHz	15kHz	1880MHz	DFT	256QAM	OuterFull	20.14	-0.7	19.44
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	InnerFull	23.20	-0.7	22.50
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBLeft	21.84	-0.7	21.14
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	Edge1RBRight	21.82	-0.7	21.12
12-n2	20MHz	15kHz	1880MHz	CP	QPSK	OuterFull	21.73	-0.7	21.03
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	InnerFull	22.64	-0.7	21.94
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBLeft	21.65	-0.7	20.95
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	Edge1RBRight	21.71	-0.7	21.01
12-n2	20MHz	15kHz	1880MHz	CP	16QAM	OuterFull	21.67	-0.7	20.97
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	InnerFull	21.22	-0.7	20.52
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBLeft	21.19	-0.7	20.49
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	Edge1RBRight	21.16	-0.7	20.46
12-n2	20MHz	15kHz	1880MHz	CP	64QAM	OuterFull	21.26	-0.7	20.56
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	InnerFull	18.23	-0.7	17.53
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBLeft	17.62	-0.7	16.92
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	Edge1RBRight	17.72	-0.7	17.02
12-n2	20MHz	15kHz	1880MHz	CP	256QAM	OuterFull	18.24	-0.7	17.54
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	InnerFull	24.71	-0.7	24.01
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.06	-0.7	23.36
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17	-0.7	23.47
12-n2	20MHz	15kHz	1900MHz	DFT	pi/2 BPSK	OuterFull	24.17	-0.7	23.47
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	InnerFull	24.63	-0.7	23.93
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBLeft	23.58	-0.7	22.88
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	Edge1RBRight	23.57	-0.7	22.87
12-n2	20MHz	15kHz	1900MHz	DFT	QPSK	OuterFull	23.65	-0.7	22.95
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	InnerFull	23.64	-0.7	22.94
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBLeft	22.44	-0.7	21.74

12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	Edge1RBRight	22.38	-0.7	21.68
12-n2	20MHz	15kHz	1900MHz	DFT	16QAM	OuterFull	22.74	-0.7	22.04
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	InnerFull	22.11	-0.7	21.41
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBLeft	21.95	-0.7	21.25
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	Edge1RBRight	21.86	-0.7	21.16
12-n2	20MHz	15kHz	1900MHz	DFT	64QAM	OuterFull	22.22	-0.7	21.52
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	InnerFull	20.07	-0.7	19.37
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBLeft	19.56	-0.7	18.86
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	Edge1RBRight	19.64	-0.7	18.94
12-n2	20MHz	15kHz	1900MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	InnerFull	23.18	-0.7	22.48
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBLeft	21.77	-0.7	21.07
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	Edge1RBRight	21.77	-0.7	21.07
12-n2	20MHz	15kHz	1900MHz	CP	QPSK	OuterFull	21.72	-0.7	21.02
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	InnerFull	22.69	-0.7	21.99
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBLeft	21.68	-0.7	20.98
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	Edge1RBRight	21.62	-0.7	20.92
12-n2	20MHz	15kHz	1900MHz	CP	16QAM	OuterFull	21.69	-0.7	20.99
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	InnerFull	21.21	-0.7	20.51
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBLeft	21.16	-0.7	20.46
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	Edge1RBRight	21.14	-0.7	20.44
12-n2	20MHz	15kHz	1900MHz	CP	64QAM	OuterFull	21.19	-0.7	20.49
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	InnerFull	18.23	-0.7	17.53
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBLeft	17.67	-0.7	16.97
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	Edge1RBRight	17.66	-0.7	16.96
12-n2	20MHz	15kHz	1900MHz	CP	256QAM	OuterFull	18.19	-0.7	17.49

LTE Band 2+NR n5

Limits: ≤38.45dBm (7W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	24.56	-0.8	21.61
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.16	-0.8	21.21
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17	-0.8	21.22
2-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	24.22	-0.8	21.27
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	24.67	-0.8	21.72
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	23.64	-0.8	20.69
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	23.63	-0.8	20.68
2-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	23.71	-0.8	20.76
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	23.74	-0.8	20.79
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	22.53	-0.8	19.58
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	22.5	-0.8	19.55
2-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	22.79	-0.8	19.84
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	22.22	-0.8	19.27
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	22.22	-0.8	19.27
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	22.23	-0.8	19.28
2-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	22.34	-0.8	19.39
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	20.24	-0.8	17.29
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	19.65	-0.8	16.70
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	19.62	-0.8	16.67
2-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	20.27	-0.8	17.32
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	23.12	-0.8	20.17
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	21.81	-0.8	18.86
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	21.76	-0.8	18.81
2-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	21.72	-0.8	18.77
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	22.73	-0.8	19.78
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	21.83	-0.8	18.88
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	21.71	-0.8	18.76
2-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	21.79	-0.8	18.84
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	21.30	-0.8	18.35
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	21.41	-0.8	18.46
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	21.29	-0.8	18.34
2-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	21.32	-0.8	18.37
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	18.27	-0.8	15.32
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	17.50	-0.8	14.55
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	17.52	-0.8	14.57
2-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	18.09	-0.8	15.14
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.49	-0.8	21.54

2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05	-0.8	21.10
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.00	-0.8	21.05
2-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.07	-0.8	21.12
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.49	-0.8	21.54
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.46	-0.8	20.51
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.44	-0.8	20.49
2-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.56	-0.8	20.61
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.56	-0.8	20.61
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.31	-0.8	19.36
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.34	-0.8	19.39
2-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.61	-0.8	19.66
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.08	-0.8	19.13
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.01	-0.8	19.06
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.03	-0.8	19.08
2-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.16	-0.8	19.21
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.20	-0.8	17.25
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.43	-0.8	16.48
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.43	-0.8	16.48
2-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.07	-0.8	17.12
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.07	-0.8	20.12
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.54	-0.8	18.59
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.54	-0.8	18.59
2-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55	-0.8	18.60
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.62	-0.8	19.67
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.51	-0.8	18.56
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.46	-0.8	18.51
2-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.57	-0.8	18.62
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.14	-0.8	18.19
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.08	-0.8	18.13
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.10	-0.8	18.15
2-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.11	-0.8	18.16
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.09	-0.8	15.14
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.41	-0.8	14.46
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.35	-0.8	14.40
2-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.09	-0.8	15.14
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	24.33	-0.8	21.38
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92	-0.8	20.97
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.83	-0.8	20.88
2-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	23.95	-0.8	21.00
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	24.35	-0.8	21.40
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	23.42	-0.8	20.47

2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	23.38	-0.8	20.43
2-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	23.44	-0.8	20.49
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	23.45	-0.8	20.50
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	22.28	-0.8	19.33
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	22.22	-0.8	19.27
2-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	22.53	-0.8	19.58
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	21.96	-0.8	19.01
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	21.95	-0.8	19.00
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	21.92	-0.8	18.97
2-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	22.03	-0.8	19.08
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	20.01	-0.8	17.06
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	19.36	-0.8	16.41
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	19.35	-0.8	16.40
2-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	19.94	-0.8	16.99
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	22.84	-0.8	19.89
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	21.58	-0.8	18.63
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	21.39	-0.8	18.44
2-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	21.43	-0.8	18.48
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	22.42	-0.8	19.47
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	21.48	-0.8	18.53
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	21.31	-0.8	18.36
2-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	21.52	-0.8	18.57
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	21.06	-0.8	18.11
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	20.99	-0.8	18.04
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	20.94	-0.8	17.99
2-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	20.99	-0.8	18.04
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	17.91	-0.8	14.96
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	17.41	-0.8	14.46
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	17.3	-0.8	14.35
2-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	17.90	-0.8	14.95
2-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	InnerFull	24.58	-0.8	21.63
2-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.05	-0.8	21.10
2-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.96	-0.8	21.01
2-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	OuterFull	24.24	-0.8	21.29
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	24.54	-0.8	21.59
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	23.62	-0.8	20.67
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	23.46	-0.8	20.51
2-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	23.64	-0.8	20.69
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	23.68	-0.8	20.73
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	22.51	-0.8	19.56
2-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	22.33	-0.8	19.38

2-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	22.72	-0.8	19.77
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	22.18	-0.8	19.23
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	22.16	-0.8	19.21
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	22.00	-0.8	19.05
2-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	22.20	-0.8	19.25
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	20.16	-0.8	17.21
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	19.51	-0.8	16.56
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	19.55	-0.8	16.60
2-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	20.17	-0.8	17.22
2-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	23.08	-0.8	20.13
2-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	21.81	-0.8	18.86
2-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	21.77	-0.8	18.82
2-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	21.67	-0.8	18.72
2-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	22.67	-0.8	19.72
2-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	21.67	-0.8	18.72
2-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	21.46	-0.8	18.51
2-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	21.66	-0.8	18.71
2-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	21.25	-0.8	18.30
2-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	21.38	-0.8	18.43
2-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	21.10	-0.8	18.15
2-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	21.22	-0.8	18.27
2-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	18.08	-0.8	15.13
2-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	17.48	-0.8	14.53
2-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	17.37	-0.8	14.42
2-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	18.10	-0.8	15.15
2-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.49	-0.8	21.54
2-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-0.8	21.07
2-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.94	-0.8	20.99
2-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-0.8	21.16
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.47	-0.8	21.52
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.56	-0.8	20.61
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.50	-0.8	20.55
2-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.63	-0.8	20.68
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.69	-0.8	20.74
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.38	-0.8	19.43
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.29	-0.8	19.34
2-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.65	-0.8	19.70
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.18	-0.8	19.23
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.04	-0.8	19.09
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.02	-0.8	19.07
2-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.15	-0.8	19.20

2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.02	-0.8	17.07
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.47	-0.8	16.52
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.46	-0.8	16.51
2-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.03	-0.8	17.08
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.11	-0.8	20.16
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.62	-0.8	18.67
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.47	-0.8	18.52
2-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.49	-0.8	18.54
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.59	-0.8	19.64
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.58	-0.8	18.63
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.49	-0.8	18.54
2-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.71	-0.8	18.76
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.14	-0.8	18.19
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.11	-0.8	18.16
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.03	-0.8	18.08
2-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.11	-0.8	18.16
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.02	-0.8	15.07
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.47	-0.8	14.52
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.35	-0.8	14.40
2-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08	-0.8	15.13
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	24.29	-0.8	21.34
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.96	-0.8	21.01
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	23.87	-0.8	20.92
2-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	23.96	-0.8	21.01
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	24.36	-0.8	21.41
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	23.39	-0.8	20.44
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	23.30	-0.8	20.35
2-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	23.42	-0.8	20.47
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	23.52	-0.8	20.57
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	22.28	-0.8	19.33
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	22.21	-0.8	19.26
2-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	22.52	-0.8	19.57
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	21.96	-0.8	19.01
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	22.02	-0.8	19.07
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	21.90	-0.8	18.95
2-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	22.02	-0.8	19.07
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	19.83	-0.8	16.88
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	19.36	-0.8	16.41
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	19.31	-0.8	16.36
2-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	19.84	-0.8	16.89
2-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	22.79	-0.8	19.84

2-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	21.45	-0.8	18.50
2-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	21.29	-0.8	18.34
2-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	21.50	-0.8	18.55
2-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	22.49	-0.8	19.54
2-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	21.47	-0.8	18.52
2-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	21.33	-0.8	18.38
2-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	21.48	-0.8	18.53
2-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	21.05	-0.8	18.10
2-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	21.01	-0.8	18.06
2-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	20.86	-0.8	17.91
2-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	20.99	-0.8	18.04
2-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	17.86	-0.8	14.91
2-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	17.32	-0.8	14.37
2-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	17.20	-0.8	14.25
2-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	17.90	-0.8	14.95
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	24.42	-0.8	21.47
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07	-0.8	21.12
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.91	-0.8	20.96
2-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	24.04	-0.8	21.09
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	24.43	-0.8	21.48
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	23.51	-0.8	20.56
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	23.39	-0.8	20.44
2-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	23.60	-0.8	20.65
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	23.50	-0.8	20.55
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	22.41	-0.8	19.46
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	22.29	-0.8	19.34
2-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	22.54	-0.8	19.59
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	22.06	-0.8	19.11
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	22.07	-0.8	19.12
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	21.98	-0.8	19.03
2-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	22.07	-0.8	19.12
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	19.97	-0.8	17.02
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	19.53	-0.8	16.58
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	19.53	-0.8	16.58
2-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	20.06	-0.8	17.11
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	23.09	-0.8	20.14
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	21.69	-0.8	18.74
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	21.50	-0.8	18.55
2-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	21.55	-0.8	18.60
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	22.54	-0.8	19.59
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	21.61	-0.8	18.66

2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	21.47	-0.8	18.52
2-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	21.62	-0.8	18.67
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	21.12	-0.8	18.17
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	21.19	-0.8	18.24
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	21.00	-0.8	18.05
2-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	21.01	-0.8	18.06
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	17.89	-0.8	14.94
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	17.45	-0.8	14.50
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	17.42	-0.8	14.47
2-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	18.05	-0.8	15.10
2-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.33	-0.8	21.38
2-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.96	-0.8	21.01
2-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.85	-0.8	20.90
2-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.02	-0.8	21.07
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.35	-0.8	21.40
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.49	-0.8	20.54
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.38	-0.8	20.43
2-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.50	-0.8	20.55
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.46	-0.8	20.51
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.42	-0.8	19.47
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.27	-0.8	19.32
2-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.52	-0.8	19.57
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	21.94	-0.8	18.99
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.00	-0.8	19.05
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	21.98	-0.8	19.03
2-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.06	-0.8	19.11
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	19.89	-0.8	16.94
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.53	-0.8	16.58
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.48	-0.8	16.53
2-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.03	-0.8	17.08
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.01	-0.8	20.06
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.61	-0.8	18.66
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.44	-0.8	18.49
2-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.48	-0.8	18.53
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.49	-0.8	19.54
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.57	-0.8	18.62
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.47	-0.8	18.52
2-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.50	-0.8	18.55
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.03	-0.8	18.08
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.07	-0.8	18.12
2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	20.96	-0.8	18.01

2-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	20.96	-0.8	18.01
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	17.91	-0.8	14.96
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.48	-0.8	14.53
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.43	-0.8	14.48
2-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.07	-0.8	15.12
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	24.41	-0.8	21.46
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91	-0.8	20.96
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.74	-0.8	20.79
2-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	23.92	-0.8	20.97
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	24.39	-0.8	21.44
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	23.39	-0.8	20.44
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	23.25	-0.8	20.30
2-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	23.53	-0.8	20.58
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	23.34	-0.8	20.39
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	22.32	-0.8	19.37
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	22.11	-0.8	19.16
2-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	22.54	-0.8	19.59
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	21.95	-0.8	19.00
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	21.91	-0.8	18.96
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	21.84	-0.8	18.89
2-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	22.09	-0.8	19.14
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	19.91	-0.8	16.96
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	19.41	-0.8	16.46
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	19.39	-0.8	16.44
2-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	20.07	-0.8	17.12
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	23.02	-0.8	20.07
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	21.47	-0.8	18.52
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	21.34	-0.8	18.39
2-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	21.46	-0.8	18.51
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	22.43	-0.8	19.48
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	21.49	-0.8	18.54
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	21.24	-0.8	18.29
2-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	21.57	-0.8	18.62
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	21.01	-0.8	18.06
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	20.99	-0.8	18.04
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	20.83	-0.8	17.88
2-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	20.96	-0.8	18.01
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	17.86	-0.8	14.91
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	17.39	-0.8	14.44
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	17.31	-0.8	14.36
2-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	17.97	-0.8	15.02

2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	24.32	-0.8	21.37
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.95	-0.8	21.00
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	23.77	-0.8	20.82
2-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	24.02	-0.8	21.07
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	24.36	-0.8	21.41
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	23.49	-0.8	20.54
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	23.30	-0.8	20.35
2-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	23.50	-0.8	20.55
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	23.54	-0.8	20.59
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	22.39	-0.8	19.44
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	22.26	-0.8	19.31
2-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	22.54	-0.8	19.59
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	21.97	-0.8	19.02
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	22.05	-0.8	19.10
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	21.84	-0.8	18.89
2-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	22.07	-0.8	19.12
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	19.94	-0.8	16.99
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	19.55	-0.8	16.60
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	19.45	-0.8	16.50
2-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	20.02	-0.8	17.07
2-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	22.93	-0.8	19.98
2-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	21.55	-0.8	18.60
2-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	21.35	-0.8	18.40
2-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	21.51	-0.8	18.56
2-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	22.56	-0.8	19.61
2-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	21.55	-0.8	18.60
2-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	21.35	-0.8	18.40
2-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	21.56	-0.8	18.61
2-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	21.06	-0.8	18.11
2-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	21.08	-0.8	18.13
2-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	20.86	-0.8	17.91
2-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	21.05	-0.8	18.10
2-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	18.01	-0.8	15.06
2-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	17.53	-0.8	14.58
2-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	17.38	-0.8	14.43
2-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	17.95	-0.8	15.00
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.34	-0.8	21.39
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01	-0.8	21.06
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.81	-0.8	20.86
2-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	23.96	-0.8	21.01
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.38	-0.8	21.43

2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.54	-0.8	20.59
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.32	-0.8	20.37
2-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.56	-0.8	20.61
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.49	-0.8	20.54
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.44	-0.8	19.49
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.23	-0.8	19.28
2-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.55	-0.8	19.60
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.02	-0.8	19.07
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.09	-0.8	19.14
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	21.88	-0.8	18.93
2-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.06	-0.8	19.11
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	19.94	-0.8	16.99
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.58	-0.8	16.63
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.46	-0.8	16.51
2-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.09	-0.8	17.14
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	22.94	-0.8	19.99
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.69	-0.8	18.74
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.42	-0.8	18.47
2-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55	-0.8	18.60
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.50	-0.8	19.55
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.32	-0.8	18.37
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.02	-0.8	18.07
2-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.55	-0.8	18.60
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.05	-0.8	18.10
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	20.99	-0.8	18.04
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	20.75	-0.8	17.80
2-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.09	-0.8	18.14
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	17.99	-0.8	15.04
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.56	-0.8	14.61
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.39	-0.8	14.44
2-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.10	-0.8	15.15
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	InnerFull	24.38	-0.8	21.43
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91	-0.8	20.96
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	Edge1RBRight	23.77	-0.8	20.82
2-n5	20MHz	15kHz	839MHz	DFT	pi/2 BPSK	OuterFull	24.01	-0.8	21.06
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	24.28	-0.8	21.33
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	23.46	-0.8	20.51
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	23.24	-0.8	20.29
2-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	23.43	-0.8	20.48
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	23.51	-0.8	20.56
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	22.40	-0.8	19.45

2-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	22.11	-0.8	19.16
2-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	22.52	-0.8	19.57
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	22.01	-0.8	19.06
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	21.99	-0.8	19.04
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	21.84	-0.8	18.89
2-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	21.98	-0.8	19.03
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	19.85	-0.8	16.90
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	19.53	-0.8	16.58
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	19.42	-0.8	16.47
2-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	19.96	-0.8	17.01
2-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	23.01	-0.8	20.06
2-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	21.57	-0.8	18.62
2-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	21.24	-0.8	18.29
2-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	21.48	-0.8	18.53
2-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	22.47	-0.8	19.52
2-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	21.55	-0.8	18.60
2-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	21.27	-0.8	18.32
2-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	21.62	-0.8	18.67
2-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	21.08	-0.8	18.13
2-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	21.03	-0.8	18.08
2-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	20.80	-0.8	17.85
2-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	21.08	-0.8	18.13
2-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	18.05	-0.8	15.10
2-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	17.50	-0.8	14.55
2-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	17.32	-0.8	14.37
2-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	18.02	-0.8	15.07

LTE Band 66+NR n5

Limits: ≤38.45dBm (7W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	InnerFull	24.61	-0.8	21.66
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14	-0.8	21.19
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.17	-0.8	21.22
66-n5	5MHz	15kHz	826.5MHz	DFT	pi/2 BPSK	OuterFull	24.24	-0.8	21.29
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	InnerFull	24.64	-0.8	21.69
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBLeft	23.64	-0.8	20.69
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	Edge1RBRight	23.57	-0.8	20.62
66-n5	5MHz	15kHz	826.5MHz	DFT	QPSK	OuterFull	23.74	-0.8	20.79
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	InnerFull	23.68	-0.8	20.73
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBLeft	22.52	-0.8	19.57
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	Edge1RBRight	22.51	-0.8	19.56
66-n5	5MHz	15kHz	826.5MHz	DFT	16QAM	OuterFull	22.79	-0.8	19.84
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	InnerFull	22.17	-0.8	19.22
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBLeft	22.24	-0.8	19.29
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	Edge1RBRight	22.26	-0.8	19.31
66-n5	5MHz	15kHz	826.5MHz	DFT	64QAM	OuterFull	22.34	-0.8	19.39
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	InnerFull	20.22	-0.8	17.27
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBLeft	19.69	-0.8	16.74
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	Edge1RBRight	19.64	-0.8	16.69
66-n5	5MHz	15kHz	826.5MHz	DFT	256QAM	OuterFull	20.26	-0.8	17.31
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	InnerFull	23.20	-0.8	20.25
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBLeft	21.77	-0.8	18.82
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	Edge1RBRight	21.72	-0.8	18.77
66-n5	5MHz	15kHz	826.5MHz	CP	QPSK	OuterFull	21.76	-0.8	18.81
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	InnerFull	22.63	-0.8	19.68
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBLeft	21.80	-0.8	18.85
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	Edge1RBRight	21.66	-0.8	18.71
66-n5	5MHz	15kHz	826.5MHz	CP	16QAM	OuterFull	21.79	-0.8	18.84
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	InnerFull	21.32	-0.8	18.37
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBLeft	21.31	-0.8	18.36
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	Edge1RBRight	21.12	-0.8	18.17
66-n5	5MHz	15kHz	826.5MHz	CP	64QAM	OuterFull	21.31	-0.8	18.36
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	InnerFull	18.28	-0.8	15.33
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBLeft	16.71	-0.8	13.76
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	Edge1RBRight	17.43	-0.8	14.48
66-n5	5MHz	15kHz	826.5MHz	CP	256QAM	OuterFull	18.14	-0.8	15.19
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.48	-0.8	21.53

66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.92	-0.8	20.97
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.03	-0.8	21.08
66-n5	5MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-0.8	21.16
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.41	-0.8	21.46
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.42	-0.8	20.47
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.49	-0.8	20.54
66-n5	5MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.61	-0.8	20.66
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.54	-0.8	20.59
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.35	-0.8	19.40
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.33	-0.8	19.38
66-n5	5MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.69	-0.8	19.74
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.09	-0.8	19.14
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	21.98	-0.8	19.03
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.07	-0.8	19.12
66-n5	5MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.11	-0.8	19.16
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.14	-0.8	17.19
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.46	-0.8	16.51
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.49	-0.8	16.54
66-n5	5MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.05	-0.8	17.10
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	22.94	-0.8	19.99
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.54	-0.8	18.59
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.57	-0.8	18.62
66-n5	5MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.55	-0.8	18.60
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.61	-0.8	19.66
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.56	-0.8	18.61
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.57	-0.8	18.62
66-n5	5MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.62	-0.8	18.67
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.20	-0.8	18.25
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.09	-0.8	18.14
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.10	-0.8	18.15
66-n5	5MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.20	-0.8	18.25
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.17	-0.8	15.22
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.44	-0.8	14.49
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.38	-0.8	14.43
66-n5	5MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.10	-0.8	15.15
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	InnerFull	24.33	-0.8	21.38
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.88	-0.8	20.93
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.89	-0.8	20.94
66-n5	5MHz	15kHz	846.5MHz	DFT	pi/2 BPSK	OuterFull	23.94	-0.8	20.99
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	InnerFull	24.38	-0.8	21.43
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBLeft	23.39	-0.8	20.44

66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	Edge1RBRight	23.31	-0.8	20.36
66-n5	5MHz	15kHz	846.5MHz	DFT	QPSK	OuterFull	23.46	-0.8	20.51
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	InnerFull	23.45	-0.8	20.50
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBLeft	22.29	-0.8	19.34
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	Edge1RBRight	22.23	-0.8	19.28
66-n5	5MHz	15kHz	846.5MHz	DFT	16QAM	OuterFull	22.52	-0.8	19.57
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	InnerFull	21.95	-0.8	19.00
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBLeft	22.02	-0.8	19.07
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	Edge1RBRight	21.90	-0.8	18.95
66-n5	5MHz	15kHz	846.5MHz	DFT	64QAM	OuterFull	22.05	-0.8	19.10
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	InnerFull	20.02	-0.8	17.07
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBLeft	19.39	-0.8	16.44
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	Edge1RBRight	19.30	-0.8	16.35
66-n5	5MHz	15kHz	846.5MHz	DFT	256QAM	OuterFull	20.00	-0.8	17.05
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	InnerFull	22.99	-0.8	20.04
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBLeft	21.63	-0.8	18.68
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	Edge1RBRight	21.50	-0.8	18.55
66-n5	5MHz	15kHz	846.5MHz	CP	QPSK	OuterFull	21.42	-0.8	18.47
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	InnerFull	22.48	-0.8	19.53
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBLeft	21.57	-0.8	18.62
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	Edge1RBRight	21.44	-0.8	18.49
66-n5	5MHz	15kHz	846.5MHz	CP	16QAM	OuterFull	21.43	-0.8	18.48
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	InnerFull	21.04	-0.8	18.09
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBLeft	21.00	-0.8	18.05
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	Edge1RBRight	20.92	-0.8	17.97
66-n5	5MHz	15kHz	846.5MHz	CP	64QAM	OuterFull	21.02	-0.8	18.07
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	InnerFull	17.97	-0.8	15.02
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBLeft	17.43	-0.8	14.48
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	Edge1RBRight	17.32	-0.8	14.37
66-n5	5MHz	15kHz	846.5MHz	CP	256QAM	OuterFull	17.92	-0.8	14.97
66-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	InnerFull	24.49	-0.8	21.54
66-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.21	-0.8	21.26
66-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.91	-0.8	20.96
66-n5	10MHz	15kHz	829MHz	DFT	$\pi/2$ BPSK	OuterFull	24.21	-0.8	21.26
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	InnerFull	24.53	-0.8	21.58
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBLeft	23.58	-0.8	20.63
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	Edge1RBRight	23.45	-0.8	20.50
66-n5	10MHz	15kHz	829MHz	DFT	QPSK	OuterFull	23.62	-0.8	20.67
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	InnerFull	23.69	-0.8	20.74
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBLeft	22.51	-0.8	19.56
66-n5	10MHz	15kHz	829MHz	DFT	16QAM	Edge1RBRight	22.34	-0.8	19.39

66-n5	10MHz	15kHz	829MHz	DFT	16QAM	OuterFull	22.68	-0.8	19.73
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	InnerFull	22.17	-0.8	19.22
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBLeft	22.19	-0.8	19.24
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	Edge1RBRight	22.04	-0.8	19.09
66-n5	10MHz	15kHz	829MHz	DFT	64QAM	OuterFull	22.19	-0.8	19.24
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	InnerFull	20.13	-0.8	17.18
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBLeft	19.54	-0.8	16.59
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	Edge1RBRight	19.52	-0.8	16.57
66-n5	10MHz	15kHz	829MHz	DFT	256QAM	OuterFull	20.21	-0.8	17.26
66-n5	10MHz	15kHz	829MHz	CP	QPSK	InnerFull	23.21	-0.8	20.26
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBLeft	21.82	-0.8	18.87
66-n5	10MHz	15kHz	829MHz	CP	QPSK	Edge1RBRight	21.7	-0.8	18.75
66-n5	10MHz	15kHz	829MHz	CP	QPSK	OuterFull	21.63	-0.8	18.68
66-n5	10MHz	15kHz	829MHz	CP	16QAM	InnerFull	22.71	-0.8	19.76
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBLeft	21.64	-0.8	18.69
66-n5	10MHz	15kHz	829MHz	CP	16QAM	Edge1RBRight	21.53	-0.8	18.58
66-n5	10MHz	15kHz	829MHz	CP	16QAM	OuterFull	21.61	-0.8	18.66
66-n5	10MHz	15kHz	829MHz	CP	64QAM	InnerFull	21.08	-0.8	18.13
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBLeft	21.24	-0.8	18.29
66-n5	10MHz	15kHz	829MHz	CP	64QAM	Edge1RBRight	21.02	-0.8	18.07
66-n5	10MHz	15kHz	829MHz	CP	64QAM	OuterFull	21.26	-0.8	18.31
66-n5	10MHz	15kHz	829MHz	CP	256QAM	InnerFull	18.03	-0.8	15.08
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBLeft	17.52	-0.8	14.57
66-n5	10MHz	15kHz	829MHz	CP	256QAM	Edge1RBRight	17.39	-0.8	14.44
66-n5	10MHz	15kHz	829MHz	CP	256QAM	OuterFull	18.12	-0.8	15.17
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.47	-0.8	21.52
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00	-0.8	21.05
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.01	-0.8	21.06
66-n5	10MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-0.8	21.16
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.48	-0.8	21.53
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.52	-0.8	20.57
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.48	-0.8	20.53
66-n5	10MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.52	-0.8	20.57
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.67	-0.8	20.72
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.41	-0.8	19.46
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.31	-0.8	19.36
66-n5	10MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.62	-0.8	19.67
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.16	-0.8	19.21
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.07	-0.8	19.12
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.03	-0.8	19.08
66-n5	10MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.13	-0.8	19.18

66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.11	-0.8	17.16
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.46	-0.8	16.51
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.45	-0.8	16.50
66-n5	10MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.05	-0.8	17.10
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.09	-0.8	20.14
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.66	-0.8	18.71
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.50	-0.8	18.55
66-n5	10MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.58	-0.8	18.63
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.71	-0.8	19.76
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.60	-0.8	18.65
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.45	-0.8	18.50
66-n5	10MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.70	-0.8	18.75
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.18	-0.8	18.23
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.13	-0.8	18.18
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.01	-0.8	18.06
66-n5	10MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.06	-0.8	18.11
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.01	-0.8	15.06
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.45	-0.8	14.50
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.31	-0.8	14.36
66-n5	10MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08	-0.8	15.13
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	InnerFull	24.30	-0.8	21.35
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.90	-0.8	20.95
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82	-0.8	20.87
66-n5	10MHz	15kHz	844MHz	DFT	pi/2 BPSK	OuterFull	23.95	-0.8	21.00
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	InnerFull	24.32	-0.8	21.37
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBLeft	23.41	-0.8	20.46
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	Edge1RBRight	23.27	-0.8	20.32
66-n5	10MHz	15kHz	844MHz	DFT	QPSK	OuterFull	23.41	-0.8	20.46
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	InnerFull	23.54	-0.8	20.59
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBLeft	22.27	-0.8	19.32
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	Edge1RBRight	22.17	-0.8	19.22
66-n5	10MHz	15kHz	844MHz	DFT	16QAM	OuterFull	22.48	-0.8	19.53
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	InnerFull	22.01	-0.8	19.06
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBLeft	22.01	-0.8	19.06
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	Edge6RBRight	21.88	-0.8	18.93
66-n5	10MHz	15kHz	844MHz	DFT	64QAM	OuterFull	22.02	-0.8	19.07
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	InnerFull	19.91	-0.8	16.96
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBLeft	19.33	-0.8	16.38
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	Edge1RBRight	19.34	-0.8	16.39
66-n5	10MHz	15kHz	844MHz	DFT	256QAM	OuterFull	19.90	-0.8	16.95
66-n5	10MHz	15kHz	844MHz	CP	QPSK	InnerFull	22.96	-0.8	20.01

66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBLeft	21.49	-0.8	18.54
66-n5	10MHz	15kHz	844MHz	CP	QPSK	Edge1RBRight	21.36	-0.8	18.41
66-n5	10MHz	15kHz	844MHz	CP	QPSK	OuterFull	21.38	-0.8	18.43
66-n5	10MHz	15kHz	844MHz	CP	16QAM	InnerFull	22.51	-0.8	19.56
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBLeft	21.46	-0.8	18.51
66-n5	10MHz	15kHz	844MHz	CP	16QAM	Edge1RBRight	21.31	-0.8	18.36
66-n5	10MHz	15kHz	844MHz	CP	16QAM	OuterFull	21.47	-0.8	18.52
66-n5	10MHz	15kHz	844MHz	CP	64QAM	InnerFull	21.00	-0.8	18.05
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBLeft	21.00	-0.8	18.05
66-n5	10MHz	15kHz	844MHz	CP	64QAM	Edge1RBRight	20.87	-0.8	17.92
66-n5	10MHz	15kHz	844MHz	CP	64QAM	OuterFull	20.97	-0.8	18.02
66-n5	10MHz	15kHz	844MHz	CP	256QAM	InnerFull	17.82	-0.8	14.87
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBLeft	17.30	-0.8	14.35
66-n5	10MHz	15kHz	844MHz	CP	256QAM	Edge1RBRight	17.19	-0.8	14.24
66-n5	10MHz	15kHz	844MHz	CP	256QAM	OuterFull	17.94	-0.8	14.99
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	InnerFull	24.75	-0.8	21.80
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.32	-0.8	21.37
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.15	-0.8	21.20
66-n5	15MHz	15kHz	831.5MHz	DFT	pi/2 BPSK	OuterFull	24.24	-0.8	21.29
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	InnerFull	24.71	-0.8	21.76
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBLeft	23.86	-0.8	20.91
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	Edge1RBRight	23.65	-0.8	20.70
66-n5	15MHz	15kHz	831.5MHz	DFT	QPSK	OuterFull	23.76	-0.8	20.81
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	InnerFull	23.80	-0.8	20.85
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBLeft	22.73	-0.8	19.78
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	Edge1RBRight	22.55	-0.8	19.60
66-n5	15MHz	15kHz	831.5MHz	DFT	16QAM	OuterFull	22.78	-0.8	19.83
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	InnerFull	22.35	-0.8	19.40
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBLeft	22.39	-0.8	19.44
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	Edge1RBRight	22.18	-0.8	19.23
66-n5	15MHz	15kHz	831.5MHz	DFT	64QAM	OuterFull	22.32	-0.8	19.37
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	InnerFull	20.25	-0.8	17.30
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBLeft	19.52	-0.8	16.57
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	Edge1RBRight	19.54	-0.8	16.59
66-n5	15MHz	15kHz	831.5MHz	DFT	256QAM	OuterFull	20.30	-0.8	17.35
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	InnerFull	23.32	-0.8	20.37
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBLeft	21.88	-0.8	18.93
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	Edge1RBRight	21.59	-0.8	18.64
66-n5	15MHz	15kHz	831.5MHz	CP	QPSK	OuterFull	21.72	-0.8	18.77
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	InnerFull	22.79	-0.8	19.84
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBLeft	21.93	-0.8	18.98

66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	Edge1RBRight	21.78	-0.8	18.83
66-n5	15MHz	15kHz	831.5MHz	CP	16QAM	OuterFull	21.79	-0.8	18.84
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	InnerFull	21.36	-0.8	18.41
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBLeft	21.47	-0.8	18.52
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	Edge1RBRight	21.30	-0.8	18.35
66-n5	15MHz	15kHz	831.5MHz	CP	64QAM	OuterFull	21.27	-0.8	18.32
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	InnerFull	18.28	-0.8	15.33
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBLeft	17.48	-0.8	14.53
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	Edge1RBRight	17.43	-0.8	14.48
66-n5	15MHz	15kHz	831.5MHz	CP	256QAM	OuterFull	18.26	-0.8	15.31
66-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.64	-0.8	21.69
66-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.25	-0.8	21.30
66-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.13	-0.8	21.18
66-n5	15MHz	15kHz	836.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.22	-0.8	21.27
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.63	-0.8	21.68
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.84	-0.8	20.89
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.63	-0.8	20.68
66-n5	15MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.72	-0.8	20.77
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.76	-0.8	20.81
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.73	-0.8	19.78
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.64	-0.8	19.69
66-n5	15MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.75	-0.8	19.80
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.26	-0.8	19.31
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.30	-0.8	19.35
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.28	-0.8	19.33
66-n5	15MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.28	-0.8	19.33
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.14	-0.8	17.19
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.58	-0.8	16.63
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.50	-0.8	16.55
66-n5	15MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.21	-0.8	17.26
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.26	-0.8	20.31
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.91	-0.8	18.96
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.69	-0.8	18.74
66-n5	15MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.71	-0.8	18.76
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.74	-0.8	19.79
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.92	-0.8	18.97
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.75	-0.8	18.80
66-n5	15MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.77	-0.8	18.82
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.27	-0.8	18.32
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.36	-0.8	18.41
66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.19	-0.8	18.24

66-n5	15MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.22	-0.8	18.27
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.14	-0.8	15.19
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.52	-0.8	14.57
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.43	-0.8	14.48
66-n5	15MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.21	-0.8	15.26
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	InnerFull	24.67	-0.8	21.72
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.26	-0.8	21.31
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.02	-0.8	21.07
66-n5	15MHz	15kHz	841.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-0.8	21.16
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	InnerFull	24.56	-0.8	21.61
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBLeft	23.69	-0.8	20.74
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	Edge1RBRight	23.52	-0.8	20.57
66-n5	15MHz	15kHz	841.5MHz	DFT	QPSK	OuterFull	23.62	-0.8	20.67
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	InnerFull	23.65	-0.8	20.70
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBLeft	22.59	-0.8	19.64
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	Edge1RBRight	22.40	-0.8	19.45
66-n5	15MHz	15kHz	841.5MHz	DFT	16QAM	OuterFull	22.62	-0.8	19.67
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	InnerFull	22.19	-0.8	19.24
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBLeft	22.30	-0.8	19.35
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	Edge1RBRight	22.01	-0.8	19.06
66-n5	15MHz	15kHz	841.5MHz	DFT	64QAM	OuterFull	22.17	-0.8	19.22
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	InnerFull	20.06	-0.8	17.11
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBLeft	19.48	-0.8	16.53
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	Edge1RBRight	19.36	-0.8	16.41
66-n5	15MHz	15kHz	841.5MHz	DFT	256QAM	OuterFull	20.12	-0.8	17.17
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	InnerFull	23.22	-0.8	20.27
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBLeft	21.79	-0.8	18.84
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	Edge1RBRight	21.55	-0.8	18.60
66-n5	15MHz	15kHz	841.5MHz	CP	QPSK	OuterFull	21.63	-0.8	18.68
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	InnerFull	22.67	-0.8	19.72
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBLeft	21.76	-0.8	18.81
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	Edge1RBRight	21.52	-0.8	18.57
66-n5	15MHz	15kHz	841.5MHz	CP	16QAM	OuterFull	21.65	-0.8	18.70
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	InnerFull	21.25	-0.8	18.30
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBLeft	21.34	-0.8	18.39
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	Edge1RBRight	21.07	-0.8	18.12
66-n5	15MHz	15kHz	841.5MHz	CP	64QAM	OuterFull	21.10	-0.8	18.15
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	InnerFull	18.16	-0.8	15.21
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBLeft	17.38	-0.8	14.43
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	Edge1RBRight	17.30	-0.8	14.35
66-n5	15MHz	15kHz	841.5MHz	CP	256QAM	OuterFull	18.17	-0.8	15.22

66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	InnerFull	24.62	-0.8	21.67
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.26	-0.8	21.31
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08	-0.8	21.13
66-n5	20MHz	15kHz	834MHz	DFT	pi/2 BPSK	OuterFull	24.11	-0.8	21.16
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	InnerFull	24.67	-0.8	21.72
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBLeft	23.80	-0.8	20.85
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	Edge1RBRight	23.50	-0.8	20.55
66-n5	20MHz	15kHz	834MHz	DFT	QPSK	OuterFull	23.67	-0.8	20.72
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	InnerFull	23.74	-0.8	20.79
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBLeft	22.66	-0.8	19.71
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	Edge1RBRight	22.41	-0.8	19.46
66-n5	20MHz	15kHz	834MHz	DFT	16QAM	OuterFull	22.67	-0.8	19.72
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	InnerFull	22.33	-0.8	19.38
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBLeft	22.32	-0.8	19.37
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	Edge1RBRight	22.06	-0.8	19.11
66-n5	20MHz	15kHz	834MHz	DFT	64QAM	OuterFull	22.20	-0.8	19.25
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	InnerFull	20.13	-0.8	17.18
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBLeft	19.31	-0.8	16.36
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	Edge1RBRight	19.18	-0.8	16.23
66-n5	20MHz	15kHz	834MHz	DFT	256QAM	OuterFull	20.12	-0.8	17.17
66-n5	20MHz	15kHz	834MHz	CP	QPSK	InnerFull	23.22	-0.8	20.27
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBLeft	21.83	-0.8	18.88
66-n5	20MHz	15kHz	834MHz	CP	QPSK	Edge1RBRight	21.68	-0.8	18.73
66-n5	20MHz	15kHz	834MHz	CP	QPSK	OuterFull	21.65	-0.8	18.70
66-n5	20MHz	15kHz	834MHz	CP	16QAM	InnerFull	22.79	-0.8	19.84
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBLeft	21.87	-0.8	18.92
66-n5	20MHz	15kHz	834MHz	CP	16QAM	Edge1RBRight	21.63	-0.8	18.68
66-n5	20MHz	15kHz	834MHz	CP	16QAM	OuterFull	21.66	-0.8	18.71
66-n5	20MHz	15kHz	834MHz	CP	64QAM	InnerFull	21.22	-0.8	18.27
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBLeft	21.43	-0.8	18.48
66-n5	20MHz	15kHz	834MHz	CP	64QAM	Edge1RBRight	21.14	-0.8	18.19
66-n5	20MHz	15kHz	834MHz	CP	64QAM	OuterFull	21.18	-0.8	18.23
66-n5	20MHz	15kHz	834MHz	CP	256QAM	InnerFull	18.26	-0.8	15.31
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBLeft	17.27	-0.8	14.32
66-n5	20MHz	15kHz	834MHz	CP	256QAM	Edge1RBRight	17.12	-0.8	14.17
66-n5	20MHz	15kHz	834MHz	CP	256QAM	OuterFull	18.10	-0.8	15.15
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	InnerFull	24.61	-0.8	21.66
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.33	-0.8	21.38
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05	-0.8	21.10
66-n5	20MHz	15kHz	836.5MHz	DFT	pi/2 BPSK	OuterFull	24.12	-0.8	21.17
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	InnerFull	24.64	-0.8	21.69

66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBLeft	23.82	-0.8	20.87
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	Edge1RBRight	23.52	-0.8	20.57
66-n5	20MHz	15kHz	836.5MHz	DFT	QPSK	OuterFull	23.71	-0.8	20.76
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	InnerFull	23.77	-0.8	20.82
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBLeft	22.72	-0.8	19.77
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	Edge1RBRight	22.43	-0.8	19.48
66-n5	20MHz	15kHz	836.5MHz	DFT	16QAM	OuterFull	22.69	-0.8	19.74
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	InnerFull	22.23	-0.8	19.28
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBLeft	22.36	-0.8	19.41
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	Edge1RBRight	22.16	-0.8	19.21
66-n5	20MHz	15kHz	836.5MHz	DFT	64QAM	OuterFull	22.22	-0.8	19.27
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	InnerFull	20.21	-0.8	17.26
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBLeft	19.35	-0.8	16.40
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	Edge1RBRight	19.24	-0.8	16.29
66-n5	20MHz	15kHz	836.5MHz	DFT	256QAM	OuterFull	20.20	-0.8	17.25
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	InnerFull	23.24	-0.8	20.29
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBLeft	21.90	-0.8	18.95
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	Edge1RBRight	21.67	-0.8	18.72
66-n5	20MHz	15kHz	836.5MHz	CP	QPSK	OuterFull	21.66	-0.8	18.71
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	InnerFull	22.80	-0.8	19.85
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBLeft	21.85	-0.8	18.90
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	Edge1RBRight	21.63	-0.8	18.68
66-n5	20MHz	15kHz	836.5MHz	CP	16QAM	OuterFull	21.73	-0.8	18.78
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	InnerFull	21.26	-0.8	18.31
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBLeft	21.44	-0.8	18.49
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	Edge1RBRight	21.20	-0.8	18.25
66-n5	20MHz	15kHz	836.5MHz	CP	64QAM	OuterFull	21.19	-0.8	18.24
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	InnerFull	18.22	-0.8	15.27
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBLeft	17.29	-0.8	14.34
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	Edge1RBRight	17.14	-0.8	14.19
66-n5	20MHz	15kHz	836.5MHz	CP	256QAM	OuterFull	18.08	-0.8	15.13
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	InnerFull	24.66	-0.8	21.71
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.29	-0.8	21.34
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.95	-0.8	21.00
66-n5	20MHz	15kHz	839MHz	DFT	$\pi/2$ BPSK	OuterFull	24.14	-0.8	21.19
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	InnerFull	24.60	-0.8	21.65
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBLeft	23.78	-0.8	20.83
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	Edge1RBRight	23.47	-0.8	20.52
66-n5	20MHz	15kHz	839MHz	DFT	QPSK	OuterFull	23.60	-0.8	20.65
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	InnerFull	23.73	-0.8	20.78
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBLeft	22.72	-0.8	19.77

66-n5	20MHz	15kHz	839MHz	DFT	16QAM	Edge1RBRight	22.34	-0.8	19.39
66-n5	20MHz	15kHz	839MHz	DFT	16QAM	OuterFull	22.64	-0.8	19.69
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	InnerFull	22.31	-0.8	19.36
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBLeft	22.30	-0.8	19.35
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	Edge1RBRight	22.06	-0.8	19.11
66-n5	20MHz	15kHz	839MHz	DFT	64QAM	OuterFull	22.17	-0.8	19.22
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	InnerFull	20.15	-0.8	17.20
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBLeft	19.31	-0.8	16.36
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	Edge1RBRight	19.17	-0.8	16.22
66-n5	20MHz	15kHz	839MHz	DFT	256QAM	OuterFull	20.14	-0.8	17.19
66-n5	20MHz	15kHz	839MHz	CP	QPSK	InnerFull	23.21	-0.8	20.26
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBLeft	21.85	-0.8	18.90
66-n5	20MHz	15kHz	839MHz	CP	QPSK	Edge1RBRight	21.42	-0.8	18.47
66-n5	20MHz	15kHz	839MHz	CP	QPSK	OuterFull	21.64	-0.8	18.69
66-n5	20MHz	15kHz	839MHz	CP	16QAM	InnerFull	22.73	-0.8	19.78
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBLeft	21.85	-0.8	18.90
66-n5	20MHz	15kHz	839MHz	CP	16QAM	Edge1RBRight	21.56	-0.8	18.61
66-n5	20MHz	15kHz	839MHz	CP	16QAM	OuterFull	21.65	-0.8	18.70
66-n5	20MHz	15kHz	839MHz	CP	64QAM	InnerFull	21.28	-0.8	18.33
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBLeft	21.36	-0.8	18.41
66-n5	20MHz	15kHz	839MHz	CP	64QAM	Edge1RBRight	21.06	-0.8	18.11
66-n5	20MHz	15kHz	839MHz	CP	64QAM	OuterFull	21.14	-0.8	18.19
66-n5	20MHz	15kHz	839MHz	CP	256QAM	InnerFull	18.15	-0.8	15.20
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBLeft	17.29	-0.8	14.34
66-n5	20MHz	15kHz	839MHz	CP	256QAM	Edge1RBRight	17.08	-0.8	14.13
66-n5	20MHz	15kHz	839MHz	CP	256QAM	OuterFull	18.08	-0.8	15.13

LTE Band 12+NR n25

Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	InnerFull	24.56	-0.7	23.86
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07	-0.7	23.37
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.07	-0.7	23.37
12-n25	5MHz	15kHz	1852.5MHz	DFT	pi/2 BPSK	OuterFull	24.12	-0.7	23.42
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	InnerFull	24.56	-0.7	23.86
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBLeft	23.51	-0.7	22.81
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	Edge1RBRight	23.49	-0.7	22.79
12-n25	5MHz	15kHz	1852.5MHz	DFT	QPSK	OuterFull	23.66	-0.7	22.96
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	InnerFull	23.67	-0.7	22.97
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBLeft	22.42	-0.7	21.72
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	Edge1RBRight	22.44	-0.7	21.74
12-n25	5MHz	15kHz	1852.5MHz	DFT	16QAM	OuterFull	22.66	-0.7	21.96
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	InnerFull	22.16	-0.7	21.46
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBLeft	22.11	-0.7	21.41
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	Edge1RBRight	22.10	-0.7	21.40
12-n25	5MHz	15kHz	1852.5MHz	DFT	64QAM	OuterFull	22.17	-0.7	21.47
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	InnerFull	20.12	-0.7	19.42
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBLeft	19.41	-0.7	18.71
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	Edge1RBRight	19.55	-0.7	18.85
12-n25	5MHz	15kHz	1852.5MHz	DFT	256QAM	OuterFull	20.14	-0.7	19.44
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	InnerFull	23.10	-0.7	22.40
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBLeft	21.72	-0.7	21.02
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	Edge1RBRight	21.63	-0.7	20.93
12-n25	5MHz	15kHz	1852.5MHz	CP	QPSK	OuterFull	21.65	-0.7	20.95
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	InnerFull	22.60	-0.7	21.90
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBLeft	21.71	-0.7	21.01
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	Edge1RBRight	21.55	-0.7	20.85
12-n25	5MHz	15kHz	1852.5MHz	CP	16QAM	OuterFull	21.61	-0.7	20.91
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	InnerFull	21.21	-0.7	20.51
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBLeft	21.25	-0.7	20.55
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	Edge1RBRight	21.19	-0.7	20.49
12-n25	5MHz	15kHz	1852.5MHz	CP	64QAM	OuterFull	21.21	-0.7	20.51
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	InnerFull	18.09	-0.7	17.39
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBLeft	17.48	-0.7	16.78
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	Edge1RBRight	17.50	-0.7	16.80
12-n25	5MHz	15kHz	1852.5MHz	CP	256QAM	OuterFull	18.10	-0.7	17.40
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.68	-0.7	23.98

12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.12	-0.7	23.42
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13	-0.7	23.43
12-n25	5MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.24	-0.7	23.54
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.6	-0.7	23.90
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.55	-0.7	22.85
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.6	-0.7	22.90
12-n25	5MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.76	-0.7	23.06
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.59	-0.7	22.89
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.54	-0.7	21.84
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.49	-0.7	21.79
12-n25	5MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.77	-0.7	22.07
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.19	-0.7	21.49
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.22	-0.7	21.52
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.24	-0.7	21.54
12-n25	5MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.28	-0.7	21.58
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.25	-0.7	19.55
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.60	-0.7	18.90
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.60	-0.7	18.90
12-n25	5MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.12	-0.7	22.42
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.73	-0.7	21.03
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.63	-0.7	20.93
12-n25	5MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.77	-0.7	21.07
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.66	-0.7	21.96
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.67	-0.7	20.97
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.66	-0.7	20.96
12-n25	5MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.77	-0.7	21.07
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.27	-0.7	20.57
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.31	-0.7	20.61
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.29	-0.7	20.59
12-n25	5MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.30	-0.7	20.60
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.29	-0.7	17.59
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.56	-0.7	16.86
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.62	-0.7	16.92
12-n25	5MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.20	-0.7	17.50
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	InnerFull	24.68	-0.7	23.98
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05	-0.7	23.35
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08	-0.7	23.38
12-n25	5MHz	15kHz	1912.5MHz	DFT	pi/2 BPSK	OuterFull	24.19	-0.7	23.49
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	InnerFull	24.63	-0.7	23.93
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBLeft	23.57	-0.7	22.87

12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	Edge1RBRight	23.59	-0.7	22.89
12-n25	5MHz	15kHz	1912.5MHz	DFT	QPSK	OuterFull	23.69	-0.7	22.99
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	InnerFull	23.61	-0.7	22.91
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBLeft	22.47	-0.7	21.77
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	Edge1RBRight	22.50	-0.7	21.80
12-n25	5MHz	15kHz	1912.5MHz	DFT	16QAM	OuterFull	22.75	-0.7	22.05
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	InnerFull	22.29	-0.7	21.59
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBLeft	22.18	-0.7	21.48
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	Edge1RBRight	22.14	-0.7	21.44
12-n25	5MHz	15kHz	1912.5MHz	DFT	64QAM	OuterFull	22.19	-0.7	21.49
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	InnerFull	20.17	-0.7	19.47
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBLeft	19.60	-0.7	18.90
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	Edge1RBRight	19.60	-0.7	18.90
12-n25	5MHz	15kHz	1912.5MHz	DFT	256QAM	OuterFull	20.15	-0.7	19.45
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	InnerFull	23.09	-0.7	22.39
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBLeft	21.75	-0.7	21.05
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	Edge1RBRight	21.73	-0.7	21.03
12-n25	5MHz	15kHz	1912.5MHz	CP	QPSK	OuterFull	21.68	-0.7	20.98
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	InnerFull	22.64	-0.7	21.94
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBLeft	21.59	-0.7	20.89
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	Edge1RBRight	21.67	-0.7	20.97
12-n25	5MHz	15kHz	1912.5MHz	CP	16QAM	OuterFull	21.70	-0.7	21.00
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	InnerFull	21.25	-0.7	20.55
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBLeft	21.30	-0.7	20.60
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	Edge1RBRight	21.21	-0.7	20.51
12-n25	5MHz	15kHz	1912.5MHz	CP	64QAM	OuterFull	21.22	-0.7	20.52
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	InnerFull	18.29	-0.7	17.59
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBLeft	17.60	-0.7	16.90
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	Edge1RBRight	17.60	-0.7	16.90
12-n25	5MHz	15kHz	1912.5MHz	CP	256QAM	OuterFull	18.19	-0.7	17.49
12-n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	InnerFull	24.7	-0.7	24.00
12-n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.05	-0.7	23.35
12-n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.18	-0.7	23.48
12-n25	10MHz	15kHz	1855MHz	DFT	$\pi/2$ BPSK	OuterFull	24.14	-0.7	23.44
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	InnerFull	24.59	-0.7	23.89
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBLeft	23.55	-0.7	22.85
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	Edge1RBRight	23.59	-0.7	22.89
12-n25	10MHz	15kHz	1855MHz	DFT	QPSK	OuterFull	23.72	-0.7	23.02
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	InnerFull	23.66	-0.7	22.96
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBLeft	22.36	-0.7	21.66
12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	Edge1RBRight	22.45	-0.7	21.75

12-n25	10MHz	15kHz	1855MHz	DFT	16QAM	OuterFull	22.67	-0.7	21.97
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	InnerFull	22.11	-0.7	21.41
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBLeft	22.41	-0.7	21.71
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	Edge1RBRight	22.16	-0.7	21.46
12-n25	10MHz	15kHz	1855MHz	DFT	64QAM	OuterFull	22.17	-0.7	21.47
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	InnerFull	20.04	-0.7	19.34
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBLeft	19.53	-0.7	18.83
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	Edge1RBRight	19.57	-0.7	18.87
12-n25	10MHz	15kHz	1855MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	InnerFull	23.23	-0.7	22.53
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBLeft	21.59	-0.7	20.89
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	Edge1RBRight	21.61	-0.7	20.91
12-n25	10MHz	15kHz	1855MHz	CP	QPSK	OuterFull	21.62	-0.7	20.92
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	InnerFull	22.69	-0.7	21.99
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBLeft	21.63	-0.7	20.93
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	Edge1RBRight	21.55	-0.7	20.85
12-n25	10MHz	15kHz	1855MHz	CP	16QAM	OuterFull	21.68	-0.7	20.98
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	InnerFull	21.17	-0.7	20.47
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBLeft	21.13	-0.7	20.43
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	Edge1RBRight	21.17	-0.7	20.47
12-n25	10MHz	15kHz	1855MHz	CP	64QAM	OuterFull	21.17	-0.7	20.47
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	InnerFull	18.15	-0.7	17.45
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBLeft	17.59	-0.7	16.89
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	Edge1RBRight	17.60	-0.7	16.90
12-n25	10MHz	15kHz	1855MHz	CP	256QAM	OuterFull	18.20	-0.7	17.50
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.74	-0.7	24.04
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.19	-0.7	23.49
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.22	-0.7	23.52
12-n25	10MHz	15kHz	1882.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.28	-0.7	23.58
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.71	-0.7	24.01
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.63	-0.7	22.93
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.68	-0.7	22.98
12-n25	10MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.74	-0.7	23.04
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.69	-0.7	22.99
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.49	-0.7	21.79
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.53	-0.7	21.83
12-n25	10MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.77	-0.7	22.07
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.18	-0.7	21.48
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.46	-0.7	21.76
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.15	-0.7	21.45
12-n25	10MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.30	-0.7	21.60

12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.18	-0.7	19.48
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.60	-0.7	18.90
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.69	-0.7	18.99
12-n25	10MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.19	-0.7	19.49
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.21	-0.7	22.51
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.88	-0.7	21.18
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.78	-0.7	21.08
12-n25	10MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.71	-0.7	21.01
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.83	-0.7	22.13
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.60	-0.7	20.90
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.72	-0.7	21.02
12-n25	10MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.77	-0.7	21.07
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.25	-0.7	20.55
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.21	-0.7	20.51
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.22	-0.7	20.52
12-n25	10MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.27	-0.7	20.57
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.19	-0.7	17.49
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.64	-0.7	16.94
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.62	-0.7	16.92
12-n25	10MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.26	-0.7	17.56
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	InnerFull	24.73	-0.7	24.03
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.25	-0.7	23.55
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	Edge1RBRight	24.19	-0.7	23.49
12-n25	10MHz	15kHz	1910MHz	DFT	pi/2 BPSK	OuterFull	24.34	-0.7	23.64
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	InnerFull	24.71	-0.7	24.01
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBLeft	23.60	-0.7	22.90
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	Edge1RBRight	23.64	-0.7	22.94
12-n25	10MHz	15kHz	1910MHz	DFT	QPSK	OuterFull	23.75	-0.7	23.05
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	InnerFull	23.75	-0.7	23.05
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBLeft	22.55	-0.7	21.85
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	Edge1RBRight	22.49	-0.7	21.79
12-n25	10MHz	15kHz	1910MHz	DFT	16QAM	OuterFull	22.75	-0.7	22.05
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	InnerFull	22.16	-0.7	21.46
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBLeft	22.29	-0.7	21.59
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	Edge1RBRight	21.63	-0.7	20.93
12-n25	10MHz	15kHz	1910MHz	DFT	64QAM	OuterFull	22.21	-0.7	21.51
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	InnerFull	20.25	-0.7	19.55
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBLeft	19.63	-0.7	18.93
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	Edge1RBRight	19.62	-0.7	18.92
12-n25	10MHz	15kHz	1910MHz	DFT	256QAM	OuterFull	20.15	-0.7	19.45
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	InnerFull	23.18	-0.7	22.48

12-n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBLeft	21.74	-0.7	21.04
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	Edge1RBRight	21.88	-0.7	21.18
12-n25	10MHz	15kHz	1910MHz	CP	QPSK	OuterFull	21.73	-0.7	21.03
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	InnerFull	22.77	-0.7	22.07
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBLeft	21.79	-0.7	21.09
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	Edge1RBRight	21.56	-0.7	20.86
12-n25	10MHz	15kHz	1910MHz	CP	16QAM	OuterFull	21.74	-0.7	21.04
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	InnerFull	21.35	-0.7	20.65
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBLeft	21.38	-0.7	20.68
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	Edge1RBRight	21.17	-0.7	20.47
12-n25	10MHz	15kHz	1910MHz	CP	64QAM	OuterFull	21.26	-0.7	20.56
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	InnerFull	18.24	-0.7	17.54
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBLeft	17.64	-0.7	16.94
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	Edge1RBRight	17.57	-0.7	16.87
12-n25	10MHz	15kHz	1910MHz	CP	256QAM	OuterFull	18.19	-0.7	17.49
12-n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	InnerFull	24.42	-0.7	23.72
12-n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.97	-0.7	23.27
12-n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.00	-0.7	23.30
12-n25	15MHz	15kHz	1857.5MHz	DFT	pi/2 BPSK	OuterFull	24.10	-0.7	23.40
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	InnerFull	24.40	-0.7	23.70
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBLeft	23.43	-0.7	22.73
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	Edge1RBRight	23.50	-0.7	22.80
12-n25	15MHz	15kHz	1857.5MHz	DFT	QPSK	OuterFull	23.62	-0.7	22.92
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	InnerFull	23.50	-0.7	22.80
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBLeft	22.33	-0.7	21.63
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	Edge1RBRight	22.44	-0.7	21.74
12-n25	15MHz	15kHz	1857.5MHz	DFT	16QAM	OuterFull	22.52	-0.7	21.82
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	InnerFull	22.09	-0.7	21.39
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBLeft	22.02	-0.7	21.32
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	Edge1RBRight	22.05	-0.7	21.35
12-n25	15MHz	15kHz	1857.5MHz	DFT	64QAM	OuterFull	22.07	-0.7	21.37
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	InnerFull	19.98	-0.7	19.28
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBLeft	19.44	-0.7	18.74
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	Edge1RBRight	19.53	-0.7	18.83
12-n25	15MHz	15kHz	1857.5MHz	DFT	256QAM	OuterFull	20.06	-0.7	19.36
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	InnerFull	23.09	-0.7	22.39
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBLeft	21.68	-0.7	20.98
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	Edge1RBRight	21.66	-0.7	20.96
12-n25	15MHz	15kHz	1857.5MHz	CP	QPSK	OuterFull	21.51	-0.7	20.81
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	InnerFull	22.53	-0.7	21.83
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBLeft	21.52	-0.7	20.82

12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	Edge1RBRight	21.57	-0.7	20.87
12-n25	15MHz	15kHz	1857.5MHz	CP	16QAM	OuterFull	21.62	-0.7	20.92
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	InnerFull	21.08	-0.7	20.38
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBLeft	21.07	-0.7	20.37
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	Edge1RBRight	21.25	-0.7	20.55
12-n25	15MHz	15kHz	1857.5MHz	CP	64QAM	OuterFull	21.05	-0.7	20.35
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	InnerFull	18.07	-0.7	17.37
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBLeft	17.50	-0.7	16.80
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	Edge1RBRight	17.44	-0.7	16.74
12-n25	15MHz	15kHz	1857.5MHz	CP	256QAM	OuterFull	18.09	-0.7	17.39
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.48	-0.7	23.78
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.00	-0.7	23.30
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.12	-0.7	23.42
12-n25	15MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.12	-0.7	23.42
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.43	-0.7	23.73
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.50	-0.7	22.80
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.58	-0.7	22.88
12-n25	15MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.61	-0.7	22.91
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.58	-0.7	22.88
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.14	-0.7	21.44
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.29	-0.7	21.59
12-n25	15MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.62	-0.7	21.92
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.17	-0.7	21.47
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.27	-0.7	21.57
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	21.91	-0.7	21.21
12-n25	15MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.11	-0.7	21.41
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.11	-0.7	19.41
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.45	-0.7	18.75
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.52	-0.7	18.82
12-n25	15MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.08	-0.7	19.38
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.06	-0.7	22.36
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.60	-0.7	20.90
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.83	-0.7	21.13
12-n25	15MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.54	-0.7	20.84
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.58	-0.7	21.88
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.52	-0.7	20.82
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.69	-0.7	20.99
12-n25	15MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.6	-0.7	20.90
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.33	-0.7	20.63
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.20	-0.7	20.50
12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.16	-0.7	20.46

12-n25	15MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.00	-0.7	20.30
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.12	-0.7	17.42
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.45	-0.7	16.75
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.42	-0.7	16.72
12-n25	15MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.08	-0.7	17.38
12-n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.54	-0.7	23.84
12-n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.08	-0.7	23.38
12-n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.97	-0.7	23.27
12-n25	15MHz	15kHz	1907.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.16	-0.7	23.46
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	InnerFull	24.50	-0.7	23.80
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBLeft	23.49	-0.7	22.79
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	Edge1RBRight	23.42	-0.7	22.72
12-n25	15MHz	15kHz	1907.5MHz	DFT	QPSK	OuterFull	23.56	-0.7	22.86
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	InnerFull	23.46	-0.7	22.76
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBLeft	22.38	-0.7	21.68
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	Edge1RBRight	22.26	-0.7	21.56
12-n25	15MHz	15kHz	1907.5MHz	DFT	16QAM	OuterFull	22.56	-0.7	21.86
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	InnerFull	22.19	-0.7	21.49
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBLeft	22.04	-0.7	21.34
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	Edge1RBRight	21.36	-0.7	20.66
12-n25	15MHz	15kHz	1907.5MHz	DFT	64QAM	OuterFull	22.04	-0.7	21.34
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	InnerFull	20.15	-0.7	19.45
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBLeft	19.5	-0.7	18.80
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	Edge1RBRight	19.51	-0.7	18.81
12-n25	15MHz	15kHz	1907.5MHz	DFT	256QAM	OuterFull	20.02	-0.7	19.32
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	InnerFull	23.18	-0.7	22.48
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBLeft	21.78	-0.7	21.08
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	Edge1RBRight	21.68	-0.7	20.98
12-n25	15MHz	15kHz	1907.5MHz	CP	QPSK	OuterFull	21.5	-0.7	20.80
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	InnerFull	22.54	-0.7	21.84
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBLeft	21.62	-0.7	20.92
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	Edge1RBRight	21.57	-0.7	20.87
12-n25	15MHz	15kHz	1907.5MHz	CP	16QAM	OuterFull	21.61	-0.7	20.91
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	InnerFull	21.35	-0.7	20.65
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBLeft	21.08	-0.7	20.38
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	Edge1RBRight	21.07	-0.7	20.37
12-n25	15MHz	15kHz	1907.5MHz	CP	64QAM	OuterFull	21.02	-0.7	20.32
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	InnerFull	18.12	-0.7	17.42
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBLeft	17.54	-0.7	16.84
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	Edge1RBRight	17.42	-0.7	16.72
12-n25	15MHz	15kHz	1907.5MHz	CP	256QAM	OuterFull	18.20	-0.7	17.50

12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	InnerFull	24.54	-0.7	23.84
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-0.7	23.32
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	Edge1RBRight	24.06	-0.7	23.36
12-n25	20MHz	15kHz	1860MHz	DFT	pi/2 BPSK	OuterFull	24.08	-0.7	23.38
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	InnerFull	24.41	-0.7	23.71
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBLeft	23.37	-0.7	22.67
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	Edge1RBRight	23.43	-0.7	22.73
12-n25	20MHz	15kHz	1860MHz	DFT	QPSK	OuterFull	23.65	-0.7	22.95
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	InnerFull	23.56	-0.7	22.86
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBLeft	22.26	-0.7	21.56
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	Edge1RBRight	22.36	-0.7	21.66
12-n25	20MHz	15kHz	1860MHz	DFT	16QAM	OuterFull	22.63	-0.7	21.93
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	InnerFull	22.05	-0.7	21.35
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBLeft	21.88	-0.7	21.18
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	Edge1RBRight	21.87	-0.7	21.17
12-n25	20MHz	15kHz	1860MHz	DFT	64QAM	OuterFull	22.13	-0.7	21.43
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	InnerFull	19.97	-0.7	19.27
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBLeft	19.36	-0.7	18.66
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	Edge1RBRight	19.60	-0.7	18.90
12-n25	20MHz	15kHz	1860MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	InnerFull	23.15	-0.7	22.45
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBLeft	21.66	-0.7	20.96
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	Edge1RBRight	21.66	-0.7	20.96
12-n25	20MHz	15kHz	1860MHz	CP	QPSK	OuterFull	21.60	-0.7	20.90
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	InnerFull	22.59	-0.7	21.89
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBLeft	21.38	-0.7	20.68
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	Edge1RBRight	21.44	-0.7	20.74
12-n25	20MHz	15kHz	1860MHz	CP	16QAM	OuterFull	21.63	-0.7	20.93
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	InnerFull	21.06	-0.7	20.36
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBLeft	21.07	-0.7	20.37
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	Edge1RBRight	21.05	-0.7	20.35
12-n25	20MHz	15kHz	1860MHz	CP	64QAM	OuterFull	21.15	-0.7	20.45
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	InnerFull	18.17	-0.7	17.47
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBLeft	17.48	-0.7	16.78
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	Edge1RBRight	17.49	-0.7	16.79
12-n25	20MHz	15kHz	1860MHz	CP	256QAM	OuterFull	18.13	-0.7	17.43
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	InnerFull	24.7	-0.7	24.00
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13	-0.7	23.43
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.99	-0.7	23.29
12-n25	20MHz	15kHz	1882.5MHz	DFT	pi/2 BPSK	OuterFull	24.17	-0.7	23.47
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	InnerFull	24.54	-0.7	23.84

12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBLeft	23.48	-0.7	22.78
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	Edge1RBRight	23.48	-0.7	22.78
12-n25	20MHz	15kHz	1882.5MHz	DFT	QPSK	OuterFull	23.63	-0.7	22.93
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	InnerFull	23.63	-0.7	22.93
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBLeft	22.34	-0.7	21.64
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	Edge1RBRight	22.31	-0.7	21.61
12-n25	20MHz	15kHz	1882.5MHz	DFT	16QAM	OuterFull	22.63	-0.7	21.93
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	InnerFull	22.21	-0.7	21.51
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBLeft	22.03	-0.7	21.33
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	Edge1RBRight	22.00	-0.7	21.30
12-n25	20MHz	15kHz	1882.5MHz	DFT	64QAM	OuterFull	22.18	-0.7	21.48
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	InnerFull	20.13	-0.7	19.43
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBLeft	19.45	-0.7	18.75
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	Edge1RBRight	19.53	-0.7	18.83
12-n25	20MHz	15kHz	1882.5MHz	DFT	256QAM	OuterFull	20.12	-0.7	19.42
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	InnerFull	23.12	-0.7	22.42
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBLeft	21.75	-0.7	21.05
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	Edge1RBRight	21.68	-0.7	20.98
12-n25	20MHz	15kHz	1882.5MHz	CP	QPSK	OuterFull	21.62	-0.7	20.92
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	InnerFull	22.60	-0.7	21.90
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBLeft	21.63	-0.7	20.93
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	Edge1RBRight	21.44	-0.7	20.74
12-n25	20MHz	15kHz	1882.5MHz	CP	16QAM	OuterFull	21.65	-0.7	20.95
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	InnerFull	21.16	-0.7	20.46
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBLeft	21.15	-0.7	20.45
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	Edge1RBRight	21.12	-0.7	20.42
12-n25	20MHz	15kHz	1882.5MHz	CP	64QAM	OuterFull	21.16	-0.7	20.46
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	InnerFull	18.26	-0.7	17.56
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBLeft	17.45	-0.7	16.75
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	Edge1RBRight	17.55	-0.7	16.85
12-n25	20MHz	15kHz	1882.5MHz	CP	256QAM	OuterFull	18.12	-0.7	17.42
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	InnerFull	24.65	-0.7	23.95
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.07	-0.7	23.37
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	Edge1RBRight	23.95	-0.7	23.25
12-n25	20MHz	15kHz	1905MHz	DFT	pi/2 BPSK	OuterFull	24.06	-0.7	23.36
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	InnerFull	24.47	-0.7	23.77
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBLeft	23.50	-0.7	22.80
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	Edge1RBRight	23.49	-0.7	22.79
12-n25	20MHz	15kHz	1905MHz	DFT	QPSK	OuterFull	23.62	-0.7	22.92
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	InnerFull	23.61	-0.7	22.91
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBLeft	22.35	-0.7	21.65

12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	Edge1RBRight	22.33	-0.7	21.63
12-n25	20MHz	15kHz	1905MHz	DFT	16QAM	OuterFull	22.66	-0.7	21.96
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	InnerFull	22.22	-0.7	21.52
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBLeft	22.04	-0.7	21.34
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	Edge1RBRight	21.41	-0.7	20.71
12-n25	20MHz	15kHz	1905MHz	DFT	64QAM	OuterFull	22.12	-0.7	21.42
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	InnerFull	20.15	-0.7	19.45
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBLeft	19.49	-0.7	18.79
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	Edge1RBRight	19.54	-0.7	18.84
12-n25	20MHz	15kHz	1905MHz	DFT	256QAM	OuterFull	20.10	-0.7	19.40
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	InnerFull	23.11	-0.7	22.41
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBLeft	21.75	-0.7	21.05
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	Edge1RBRight	21.60	-0.7	20.90
12-n25	20MHz	15kHz	1905MHz	CP	QPSK	OuterFull	21.60	-0.7	20.90
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	InnerFull	22.61	-0.7	21.91
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBLeft	21.57	-0.7	20.87
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	Edge1RBRight	21.45	-0.7	20.75
12-n25	20MHz	15kHz	1905MHz	CP	16QAM	OuterFull	21.61	-0.7	20.91
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	InnerFull	21.23	-0.7	20.53
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBLeft	21.07	-0.7	20.37
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	Edge1RBRight	21.05	-0.7	20.35
12-n25	20MHz	15kHz	1905MHz	CP	64QAM	OuterFull	21.13	-0.7	20.43
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	InnerFull	18.21	-0.7	17.51
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBLeft	17.60	-0.7	16.90
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	Edge1RBRight	17.51	-0.7	16.81
12-n25	20MHz	15kHz	1905MHz	CP	256QAM	OuterFull	18.14	-0.7	17.44

LTE Band 2+NR n41

Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.60	-0.6	25.00
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.63	-0.6	22.03
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.86	-0.6	22.26
2-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.48	-0.6	24.88
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.68	-0.6	25.08
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.64	-0.6	22.04
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.77	-0.6	22.17
2-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.58	-0.6	24.98
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.64	-0.6	25.04
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.74	-0.6	22.14
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.82	-0.6	22.22
2-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.56	-0.6	23.96
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.29	-0.6	23.69
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.53	-0.6	21.93
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.66	-0.6	22.06
2-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.19	-0.6	23.59
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	22.17	-0.6	21.57
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.01	-0.6	20.41
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.09	-0.6	20.49
2-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	22.05	-0.6	21.45
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	25.29	-0.6	24.69
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.61	-0.6	22.01
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.85	-0.6	22.25
2-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.58	-0.6	22.98
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.77	-0.6	24.17
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.86	-0.6	22.26
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.91	-0.6	22.31
2-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.59	-0.6	22.99
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	23.35	-0.6	22.75
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.52	-0.6	21.92
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.73	-0.6	22.13
2-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	23.09	-0.6	22.49
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	20.22	-0.6	19.62
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.01	-0.6	18.41
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.30	-0.6	18.70
2-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.08	-0.6	19.48
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.27	-0.6	24.67

2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75	-0.6	22.15
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.92	-0.6	22.32
2-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.29	-0.6	24.69
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.25	-0.6	24.65
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.83	-0.6	22.23
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.78	-0.6	22.18
2-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.29	-0.6	24.69
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.33	-0.6	24.73
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.80	-0.6	22.20
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.74	-0.6	22.14
2-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.39	-0.6	23.79
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.85	-0.6	23.25
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.61	-0.6	22.01
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.68	-0.6	22.08
2-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.82	-0.6	23.22
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.67	-0.6	21.07
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.09	-0.6	20.49
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.04	-0.6	20.44
2-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.78	-0.6	21.18
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.82	-0.6	24.22
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.81	-0.6	22.21
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.97	-0.6	22.37
2-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.43	-0.6	22.83
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.37	-0.6	23.77
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.83	-0.6	22.23
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.95	-0.6	22.35
2-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.34	-0.6	22.74
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.85	-0.6	22.25
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.58	-0.6	21.98
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73	-0.6	22.13
2-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.94	-0.6	22.34
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.66	-0.6	19.06
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.12	-0.6	18.52
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.20	-0.6	18.60
2-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.87	-0.6	19.27
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.38	-0.6	24.78
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.79	-0.6	22.19
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.97	-0.6	22.37
2-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.40	-0.6	24.80
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.40	-0.6	24.80
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.83	-0.6	22.23

2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.88	-0.6	22.28
2-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.45	-0.6	24.85
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.46	-0.6	24.86
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.97	-0.6	22.37
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.19	-0.6	22.59
2-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.52	-0.6	23.92
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.86	-0.6	23.26
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.54	-0.6	21.94
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.62	-0.6	22.02
2-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	23.99	-0.6	23.39
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.81	-0.6	21.21
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.11	-0.6	20.51
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.27	-0.6	20.67
2-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.95	-0.6	21.35
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	24.94	-0.6	24.34
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.83	-0.6	22.23
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.09	-0.6	22.49
2-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.54	-0.6	22.94
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.48	-0.6	23.88
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	23.23	-0.6	22.63
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.31	-0.6	22.71
2-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.49	-0.6	22.89
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.87	-0.6	22.27
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.66	-0.6	22.06
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.92	-0.6	22.32
2-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	23.04	-0.6	22.44
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.84	-0.6	19.24
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.11	-0.6	18.51
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.41	-0.6	18.81
2-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	19.99	-0.6	19.39
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	25.57	-0.6	24.97
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.15	-0.6	22.55
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.35	-0.6	22.75
2-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.73	-0.6	25.13
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.64	-0.6	25.04
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	23.05	-0.6	22.45
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	23.33	-0.6	22.73
2-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.62	-0.6	25.02
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.64	-0.6	25.04
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.77	-0.6	22.17
2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	23.01	-0.6	22.41

2-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.83	-0.6	23.23
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	22.69	-0.6	22.09
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	22.96	-0.6	22.36
2-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	24.28	-0.6	23.68
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.78	-0.6	21.18
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.22	-0.6	20.62
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.47	-0.6	20.87
2-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	22.22	-0.6	21.62
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	25.23	-0.6	24.63
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	22.99	-0.6	22.39
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.14	-0.6	21.54
2-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.82	-0.6	23.22
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.70	-0.6	24.10
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	22.87	-0.6	22.27
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.08	-0.6	22.48
2-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.75	-0.6	23.15
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.89	-0.6	22.29
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.69	-0.6	22.09
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	22.97	-0.6	22.37
2-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	23.20	-0.6	22.60
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.94	-0.6	19.34
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.23	-0.6	18.63
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.60	-0.6	19.00
2-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	20.18	-0.6	19.58
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.56	-0.6	24.96
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.06	-0.6	22.46
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.30	-0.6	22.70
2-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.61	-0.6	25.01
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.52	-0.6	24.92
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.09	-0.6	22.49
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.25	-0.6	22.65
2-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.66	-0.6	25.06
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.57	-0.6	24.97
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.14	-0.6	22.54
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.30	-0.6	22.70
2-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.72	-0.6	24.12
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.11	-0.6	23.51
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.97	-0.6	22.37
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.16	-0.6	22.56
2-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.25	-0.6	23.65

2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.96	-0.6	21.36
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.37	-0.6	20.77
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.51	-0.6	20.91
2-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.18	-0.6	21.58
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.12	-0.6	24.52
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.21	-0.6	22.61
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.44	-0.6	22.84
2-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.71	-0.6	23.11
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.59	-0.6	23.99
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.20	-0.6	22.60
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.30	-0.6	22.70
2-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.71	-0.6	23.11
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.95	-0.6	22.35
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.89	-0.6	22.29
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.00	-0.6	22.40
2-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.23	-0.6	22.63
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.04	-0.6	19.44
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.41	-0.6	18.81
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60	-0.6	19.00
2-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.27	-0.6	19.67
2-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	25.67	-0.6	25.07
2-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.21	-0.6	22.61
2-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	23.49	-0.6	22.89
2-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	25.74	-0.6	25.14
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.74	-0.6	25.14
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.19	-0.6	22.59
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.49	-0.6	22.89
2-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.82	-0.6	25.22
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.77	-0.6	25.17
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.18	-0.6	22.58
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.48	-0.6	22.88
2-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.90	-0.6	24.30
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.17	-0.6	23.57
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	23.04	-0.6	22.44
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.48	-0.6	22.88
2-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.40	-0.6	23.80
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.09	-0.6	21.49
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.50	-0.6	20.90
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.79	-0.6	21.19
2-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.31	-0.6	21.71
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.35	-0.6	24.75

2-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.23	-0.6	22.63
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.16	-0.6	22.56
2-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.79	-0.6	23.19
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.81	-0.6	24.21
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.34	-0.6	22.74
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	22.81	-0.6	22.21
2-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.88	-0.6	23.28
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.12	-0.6	22.52
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	22.92	-0.6	22.32
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.38	-0.6	22.78
2-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.34	-0.6	22.74
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.13	-0.6	19.53
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.50	-0.6	18.90
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.87	-0.6	19.27
2-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.35	-0.6	19.75
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	25.37	-0.6	24.77
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.78	-0.6	22.18
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.09	-0.6	22.49
2-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.30	-0.6	24.70
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.30	-0.6	24.70
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.63	-0.6	22.03
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.03	-0.6	22.43
2-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.27	-0.6	24.67
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.32	-0.6	24.72
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.84	-0.6	22.24
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.27	-0.6	22.67
2-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.43	-0.6	23.83
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.92	-0.6	23.32
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.44	-0.6	21.84
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.75	-0.6	22.15
2-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.88	-0.6	23.28
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.93	-0.6	21.33
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	21.07	-0.6	20.47
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.33	-0.6	20.73
2-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.85	-0.6	21.25
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.87	-0.6	24.27
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.71	-0.6	22.11
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.12	-0.6	22.52
2-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.34	-0.6	22.74
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.42	-0.6	23.82
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.82	-0.6	22.22

2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	23.28	-0.6	22.68
2-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.33	-0.6	22.73
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	23.02	-0.6	22.42
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.39	-0.6	21.79
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.75	-0.6	22.15
2-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.91	-0.6	22.31
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	20.05	-0.6	19.45
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.07	-0.6	18.47
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.45	-0.6	18.85
2-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.93	-0.6	19.33
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.05	-0.6	24.45
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62	-0.6	22.02
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.66	-0.6	22.06
2-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.01	-0.6	24.41
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.02	-0.6	24.42
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.50	-0.6	21.90
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.64	-0.6	22.04
2-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	24.92	-0.6	24.32
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	24.98	-0.6	24.38
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.87	-0.6	22.27
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.96	-0.6	22.36
2-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.09	-0.6	23.49
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.53	-0.6	22.93
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.42	-0.6	21.82
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.47	-0.6	21.87
2-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.60	-0.6	23.00
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.55	-0.6	20.95
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.87	-0.6	20.27
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.92	-0.6	20.32
2-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.64	-0.6	21.04
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.61	-0.6	24.01
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.52	-0.6	21.92
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.70	-0.6	22.10
2-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.14	-0.6	22.54
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.14	-0.6	23.54
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.63	-0.6	22.03
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.75	-0.6	22.15
2-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.09	-0.6	22.49
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.54	-0.6	21.94
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.37	-0.6	21.77
2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.53	-0.6	21.93

2-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.60	-0.6	22.00
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.57	-0.6	18.97
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.89	-0.6	18.29
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.05	-0.6	18.45
2-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.67	-0.6	19.07
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.15	-0.6	24.55
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69	-0.6	22.09
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.05	-0.6	22.45
2-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.27	-0.6	24.67
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.16	-0.6	24.56
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.71	-0.6	22.11
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.05	-0.6	22.45
2-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.22	-0.6	24.62
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.25	-0.6	24.65
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.94	-0.6	22.34
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.34	-0.6	22.74
2-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.31	-0.6	23.71
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.63	-0.6	23.03
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.47	-0.6	21.87
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	22.86	-0.6	22.26
2-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.79	-0.6	23.19
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.72	-0.6	21.12
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.95	-0.6	20.35
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.34	-0.6	20.74
2-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.82	-0.6	21.22
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.78	-0.6	24.18
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.62	-0.6	22.02
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06	-0.6	22.46
2-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.29	-0.6	22.69
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.31	-0.6	23.71
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.58	-0.6	21.98
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	23.20	-0.6	22.60
2-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.31	-0.6	22.71
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.69	-0.6	22.09
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.44	-0.6	21.84
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.92	-0.6	22.32
2-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.75	-0.6	22.15
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.75	-0.6	19.15
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.94	-0.6	18.34
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.44	-0.6	18.84
2-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.78	-0.6	19.18

2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.26	-0.6	24.66
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69	-0.6	22.09
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.08	-0.6	22.48
2-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.35	-0.6	24.75
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.37	-0.6	24.77
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.55	-0.6	21.95
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	23.01	-0.6	22.41
2-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.34	-0.6	24.74
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.31	-0.6	24.71
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.6	-0.6	22.00
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.16	-0.6	22.56
2-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.47	-0.6	23.87
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	24.11	-0.6	23.51
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.51	-0.6	21.91
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.89	-0.6	22.29
2-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.95	-0.6	23.35
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	21.97	-0.6	21.37
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	20.87	-0.6	20.27
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.36	-0.6	20.76
2-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.94	-0.6	21.34
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.90	-0.6	24.30
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.50	-0.6	21.90
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.10	-0.6	22.50
2-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.46	-0.6	22.86
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.43	-0.6	23.83
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.70	-0.6	22.10
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.21	-0.6	22.61
2-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.44	-0.6	22.84
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.05	-0.6	22.45
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.43	-0.6	21.83
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.90	-0.6	22.30
2-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	23.02	-0.6	22.42
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.04	-0.6	19.44
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.89	-0.6	18.29
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.53	-0.6	18.93
2-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.96	-0.6	19.36
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.12	-0.6	24.52
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.38	-0.6	21.78
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.56	-0.6	21.96
2-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	24.95	-0.6	24.35
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04	-0.6	24.44

2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.36	-0.6	21.76
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.41	-0.6	21.81
2-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.07	-0.6	24.47
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.13	-0.6	24.53
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.09	-0.6	21.49
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.21	-0.6	21.61
2-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.08	-0.6	23.48
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.59	-0.6	22.99
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	21.96	-0.6	21.36
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.15	-0.6	21.55
2-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.64	-0.6	23.04
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.63	-0.6	21.03
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.57	-0.6	19.97
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.70	-0.6	20.10
2-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.55	-0.6	20.95
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.62	-0.6	24.02
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.35	-0.6	21.75
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.54	-0.6	21.94
2-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.11	-0.6	22.51
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.15	-0.6	23.55
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	21.97	-0.6	21.37
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.11	-0.6	21.51
2-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.11	-0.6	22.51
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.59	-0.6	21.99
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	21.95	-0.6	21.35
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.19	-0.6	21.59
2-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.63	-0.6	22.03
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.64	-0.6	19.04
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.78	-0.6	18.18
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.12	-0.6	18.52
2-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.63	-0.6	19.03
2-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.24	-0.6	24.64
2-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69	-0.6	22.09
2-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	23.07	-0.6	22.47
2-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.38	-0.6	24.78
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.30	-0.6	24.70
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.54	-0.6	21.94
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.07	-0.6	22.47
2-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.37	-0.6	24.77
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.28	-0.6	24.68
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.61	-0.6	22.01

2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.07	-0.6	22.47
2-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.48	-0.6	23.88
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.82	-0.6	23.22
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.44	-0.6	21.84
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	23.09	-0.6	22.49
2-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	24.05	-0.6	23.45
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.89	-0.6	21.29
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.86	-0.6	20.26
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.34	-0.6	20.74
2-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.98	-0.6	21.38
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.87	-0.6	24.27
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.57	-0.6	21.97
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.99	-0.6	22.39
2-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.46	-0.6	22.86
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.40	-0.6	23.80
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.73	-0.6	22.13
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.19	-0.6	22.59
2-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.48	-0.6	22.88
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.80	-0.6	22.20
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.44	-0.6	21.84
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.9	-0.6	22.30
2-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.91	-0.6	22.31
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.72	-0.6	19.12
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	19.00	-0.6	18.40
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.49	-0.6	18.89
2-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.97	-0.6	19.37
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	25.76	-0.6	25.16
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.09	-0.6	22.49
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48	-0.6	22.88
2-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.71	-0.6	25.11
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.68	-0.6	25.08
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	22.97	-0.6	22.37
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.35	-0.6	22.75
2-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.74	-0.6	25.14
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.72	-0.6	25.12
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	22.81	-0.6	22.21
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.09	-0.6	22.49
2-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.80	-0.6	24.20
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.38	-0.6	23.78
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.68	-0.6	22.08
2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.06	-0.6	22.46

2-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.39	-0.6	23.79
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.45	-0.6	21.85
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.26	-0.6	20.66
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.62	-0.6	21.02
2-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.40	-0.6	21.80
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.32	-0.6	24.72
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	23.01	-0.6	22.41
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	23.42	-0.6	22.82
2-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.83	-0.6	23.23
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.88	-0.6	24.28
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	22.65	-0.6	22.05
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	22.93	-0.6	22.33
2-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.81	-0.6	23.21
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.38	-0.6	22.78
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	23.16	-0.6	22.56
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.03	-0.6	22.43
2-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.32	-0.6	22.72
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.41	-0.6	19.81
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.48	-0.6	18.88
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.89	-0.6	19.29
2-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.35	-0.6	19.75
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.69	-0.6	25.09
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.14	-0.6	22.54
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.24	-0.6	22.64
2-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.60	-0.6	25.00
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.62	-0.6	25.02
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.04	-0.6	22.44
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.15	-0.6	22.55
2-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.70	-0.6	25.10
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.71	-0.6	25.11
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.17	-0.6	22.57
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.24	-0.6	22.64
2-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83	-0.6	24.23
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.18	-0.6	23.58
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.95	-0.6	22.35
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.13	-0.6	22.53
2-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.34	-0.6	23.74
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.15	-0.6	21.55
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49	-0.6	20.89
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.62	-0.6	21.02
2-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.24	-0.6	21.64

2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.23	-0.6	24.63
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.07	-0.6	22.47
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.23	-0.6	22.63
2-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.68	-0.6	23.08
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.83	-0.6	24.23
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.19	-0.6	22.59
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.39	-0.6	22.79
2-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.76	-0.6	23.16
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.11	-0.6	22.51
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.03	-0.6	22.43
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.92	-0.6	22.32
2-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.29	-0.6	22.69
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.17	-0.6	19.57
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.46	-0.6	18.86
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.66	-0.6	19.06
2-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.37	-0.6	19.77
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.64	-0.6	25.04
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.09	-0.6	22.49
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.09	-0.6	22.49
2-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.62	-0.6	25.02
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.65	-0.6	25.05
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	23.05	-0.6	22.45
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.44	-0.6	22.84
2-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.78	-0.6	25.18
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.62	-0.6	25.02
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.05	-0.6	22.45
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.46	-0.6	22.86
2-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.80	-0.6	24.20
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.17	-0.6	23.57
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.94	-0.6	22.34
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.34	-0.6	22.74
2-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.35	-0.6	23.75
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	21.97	-0.6	21.37
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.43	-0.6	20.83
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.83	-0.6	21.23
2-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.35	-0.6	21.75
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24	-0.6	24.64
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.04	-0.6	22.44
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.39	-0.6	22.79
2-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.70	-0.6	23.10
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.70	-0.6	24.10

2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	23.13	-0.6	22.53
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	22.89	-0.6	22.29
2-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.78	-0.6	23.18
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.03	-0.6	22.43
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.89	-0.6	22.29
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.29	-0.6	22.69
2-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.27	-0.6	22.67
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.14	-0.6	19.54
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.38	-0.6	18.78
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.82	-0.6	19.22
2-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.31	-0.6	19.71
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.75	-0.6	25.15
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.08	-0.6	22.48
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.24	-0.6	22.64
2-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.73	-0.6	25.13
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.76	-0.6	25.16
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	23.06	-0.6	22.46
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.29	-0.6	22.69
2-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.70	-0.6	25.10
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.73	-0.6	25.13
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.05	-0.6	22.45
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.33	-0.6	22.73
2-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.82	-0.6	24.22
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.37	-0.6	23.77
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.86	-0.6	22.26
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.11	-0.6	22.51
2-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.32	-0.6	23.72
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.32	-0.6	21.72
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.49	-0.6	20.89
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.59	-0.6	20.99
2-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.33	-0.6	21.73
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.32	-0.6	24.72
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	23.03	-0.6	22.43
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.07	-0.6	22.47
2-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.78	-0.6	23.18
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.80	-0.6	24.20
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.28	-0.6	22.68
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.43	-0.6	22.83
2-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.85	-0.6	23.25
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.37	-0.6	22.77
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.73	-0.6	22.13

2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	22.91	-0.6	22.31
2-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.36	-0.6	22.76
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.47	-0.6	19.87
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.39	-0.6	18.79
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.54	-0.6	18.94
2-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.41	-0.6	19.81
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.70	-0.6	25.10
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17	-0.6	22.57
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.33	-0.6	22.73
2-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.71	-0.6	25.11
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.73	-0.6	25.13
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.2	-0.6	22.60
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.22	-0.6	22.62
2-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.75	-0.6	25.15
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.68	-0.6	25.08
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.80	-0.6	22.20
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.98	-0.6	22.38
2-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83	-0.6	24.23
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22	-0.6	23.62
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.75	-0.6	22.15
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.82	-0.6	22.22
2-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.30	-0.6	23.70
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.34	-0.6	21.74
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.67	-0.6	21.07
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.78	-0.6	21.18
2-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.32	-0.6	21.72
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.24	-0.6	24.64
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.15	-0.6	22.55
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17	-0.6	22.57
2-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.75	-0.6	23.15
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.79	-0.6	24.19
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.64	-0.6	22.04
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.63	-0.6	22.03
2-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.85	-0.6	23.25
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.29	-0.6	22.69
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.23	-0.6	22.63
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.34	-0.6	22.74
2-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.30	-0.6	22.70
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.28	-0.6	19.68
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.19	-0.6	18.59
2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.20	-0.6	18.60

2-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.33	-0.6	19.73
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.61	-0.6	25.01
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.07	-0.6	22.47
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.45	-0.6	22.85
2-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.65	-0.6	25.05
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.54	-0.6	24.94
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.08	-0.6	22.48
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.40	-0.6	22.80
2-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.67	-0.6	25.07
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.64	-0.6	25.04
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.08	-0.6	22.48
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.47	-0.6	22.87
2-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	24.11	-0.6	23.51
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.92	-0.6	22.32
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.29	-0.6	22.69
2-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.33	-0.6	23.73
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.14	-0.6	21.54
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.35	-0.6	20.75
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.75	-0.6	21.15
2-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.32	-0.6	21.72
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.22	-0.6	24.62
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.08	-0.6	22.48
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.29	-0.6	22.69
2-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.76	-0.6	23.16
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.75	-0.6	24.15
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.14	-0.6	22.54
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.48	-0.6	22.88
2-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.86	-0.6	23.26
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	23.13	-0.6	22.53
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.92	-0.6	22.32
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.18	-0.6	22.58
2-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.20	-0.6	22.60
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.06	-0.6	19.46
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.36	-0.6	18.76
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.77	-0.6	19.17
2-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.31	-0.6	19.71

LTE Band 25+NR n41

Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.59	-0.6	24.99
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.72	-0.6	22.12
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	22.83	-0.6	22.23
25-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.6	-0.6	25.00
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.58	-0.6	24.98
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.63	-0.6	22.03
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.8	-0.6	22.20
25-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.58	-0.6	24.98
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.75	-0.6	25.15
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.67	-0.6	22.07
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.87	-0.6	22.27
25-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.59	-0.6	23.99
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.27	-0.6	23.67
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.55	-0.6	21.95
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.68	-0.6	22.08
25-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.23	-0.6	23.63
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	22.31	-0.6	21.71
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	20.98	-0.6	20.38
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.14	-0.6	20.54
25-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	22.14	-0.6	21.54
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	25.26	-0.6	24.66
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.68	-0.6	22.08
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.96	-0.6	22.36
25-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.65	-0.6	23.05
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.78	-0.6	24.18
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	22.78	-0.6	22.18
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	22.99	-0.6	22.39
25-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.66	-0.6	23.06
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	23.43	-0.6	22.83
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.6	-0.6	22.00
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.74	-0.6	22.14
25-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	23.09	-0.6	22.49
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	20.34	-0.6	19.74
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.05	-0.6	18.45
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.35	-0.6	18.75
25-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.15	-0.6	19.55
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.34	-0.6	24.74

25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.83	-0.6	22.23
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.91	-0.6	22.31
25-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.26	-0.6	24.66
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.33	-0.6	24.73
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.78	-0.6	22.18
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.84	-0.6	22.24
25-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.37	-0.6	24.77
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.33	-0.6	24.73
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.85	-0.6	22.25
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.84	-0.6	22.24
25-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.35	-0.6	23.75
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.74	-0.6	23.14
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.70	-0.6	22.10
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.76	-0.6	22.16
25-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.88	-0.6	23.28
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.78	-0.6	21.18
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.17	-0.6	20.57
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.15	-0.6	20.55
25-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.81	-0.6	21.21
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.87	-0.6	24.27
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.82	-0.6	22.22
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.92	-0.6	22.32
25-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.38	-0.6	22.78
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.34	-0.6	23.74
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.67	-0.6	22.07
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.82	-0.6	22.22
25-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.38	-0.6	22.78
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.78	-0.6	22.18
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.60	-0.6	22.00
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73	-0.6	22.13
25-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.81	-0.6	22.21
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.73	-0.6	19.13
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.08	-0.6	18.48
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.26	-0.6	18.66
25-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.91	-0.6	19.31
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.37	-0.6	24.77
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.92	-0.6	22.32
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.02	-0.6	22.42
25-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.42	-0.6	24.82
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.38	-0.6	24.78
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.86	-0.6	22.26

25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	23.01	-0.6	22.41
25-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.43	-0.6	24.83
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.48	-0.6	24.88
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.86	-0.6	22.26
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.00	-0.6	22.40
25-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.48	-0.6	23.88
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	23.89	-0.6	23.29
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.69	-0.6	22.09
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.85	-0.6	22.25
25-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	24.06	-0.6	23.46
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	21.86	-0.6	21.26
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	21.11	-0.6	20.51
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.31	-0.6	20.71
25-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	21.93	-0.6	21.33
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	25.02	-0.6	24.42
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.80	-0.6	22.20
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.10	-0.6	22.50
25-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.55	-0.6	22.95
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.59	-0.6	23.99
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	23.25	-0.6	22.65
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.36	-0.6	22.76
25-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.52	-0.6	22.92
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	22.92	-0.6	22.32
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.64	-0.6	22.04
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.88	-0.6	22.28
25-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	22.92	-0.6	22.32
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	19.81	-0.6	19.21
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	19.19	-0.6	18.59
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.41	-0.6	18.81
25-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	20.01	-0.6	19.41
25-n41	40MHz	30kHz	2516.01MHz	DFT	$\pi/2$ BPSK	InnerFull	25.14	-0.6	24.54
25-n41	40MHz	30kHz	2516.01MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	21.96	-0.6	21.36
25-n41	40MHz	30kHz	2516.01MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	22.29	-0.6	21.69
25-n41	40MHz	30kHz	2516.01MHz	DFT	$\pi/2$ BPSK	OuterFull	25.00	-0.6	24.40
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.18	-0.6	24.58
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	21.93	-0.6	21.33
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	22.13	-0.6	21.53
25-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.07	-0.6	24.47
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.16	-0.6	24.56
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	22.08	-0.6	21.48
25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	22.32	-0.6	21.72

25-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.22	-0.6	23.62
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	23.91	-0.6	23.31
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	21.58	-0.6	20.98
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	21.69	-0.6	21.09
25-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	23.65	-0.6	23.05
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	21.73	-0.6	21.13
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	20.66	-0.6	20.06
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	20.51	-0.6	19.91
25-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	21.57	-0.6	20.97
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	24.72	-0.6	24.12
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	21.91	-0.6	21.31
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	22.15	-0.6	21.55
25-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.07	-0.6	22.47
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.30	-0.6	23.70
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	21.59	-0.6	20.99
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	21.78	-0.6	21.18
25-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.11	-0.6	22.51
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	22.93	-0.6	22.33
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.05	-0.6	21.45
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	21.76	-0.6	21.16
25-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	22.61	-0.6	22.01
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	19.91	-0.6	19.31
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	18.84	-0.6	18.24
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	18.61	-0.6	18.01
25-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	19.59	-0.6	18.99
25-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.54	-0.6	24.94
25-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.09	-0.6	22.49
25-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.16	-0.6	22.56
25-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.58	-0.6	24.98
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.49	-0.6	24.89
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.05	-0.6	22.45
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.20	-0.6	22.60
25-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.58	-0.6	24.98
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.59	-0.6	24.99
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.11	-0.6	22.51
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.15	-0.6	22.55
25-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.83	-0.6	24.23
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22	-0.6	23.62
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.01	-0.6	22.41
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.99	-0.6	22.39
25-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.20	-0.6	23.60

25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.11	-0.6	21.51
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.43	-0.6	20.83
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.51	-0.6	20.91
25-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.22	-0.6	21.62
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.14	-0.6	24.54
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.97	-0.6	22.37
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.21	-0.6	22.61
25-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.70	-0.6	23.10
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.70	-0.6	24.10
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.28	-0.6	22.68
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.43	-0.6	22.83
25-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.67	-0.6	23.07
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.99	-0.6	22.39
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.97	-0.6	22.37
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.00	-0.6	22.40
25-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.21	-0.6	22.61
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.11	-0.6	19.51
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.47	-0.6	18.87
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.50	-0.6	18.90
25-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.26	-0.6	19.66
25-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	25.72	-0.6	25.12
25-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.16	-0.6	22.56
25-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32	-0.6	22.72
25-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	25.79	-0.6	25.19
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.74	-0.6	25.14
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.17	-0.6	22.57
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.48	-0.6	22.88
25-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.81	-0.6	25.21
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.70	-0.6	25.10
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.14	-0.6	22.54
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.41	-0.6	22.81
25-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.90	-0.6	24.30
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.24	-0.6	23.64
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	23.04	-0.6	22.44
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.49	-0.6	22.89
25-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.39	-0.6	23.79
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.02	-0.6	21.42
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.48	-0.6	20.88
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.85	-0.6	21.25
25-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.27	-0.6	21.67
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.33	-0.6	24.73

25-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.23	-0.6	22.63
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.39	-0.6	22.79
25-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.84	-0.6	23.24
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.84	-0.6	24.24
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.33	-0.6	22.73
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.48	-0.6	22.88
25-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.84	-0.6	23.24
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.22	-0.6	22.62
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	22.96	-0.6	22.36
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.41	-0.6	22.81
25-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.36	-0.6	22.76
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.29	-0.6	19.69
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.46	-0.6	18.86
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.87	-0.6	19.27
25-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.36	-0.6	19.76
25-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	25.33	-0.6	24.73
25-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.64	-0.6	22.04
25-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.10	-0.6	22.50
25-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.25	-0.6	24.65
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.33	-0.6	24.73
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.61	-0.6	22.01
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.12	-0.6	22.52
25-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.34	-0.6	24.74
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.33	-0.6	24.73
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.63	-0.6	22.03
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.07	-0.6	22.47
25-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.39	-0.6	23.79
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.83	-0.6	23.23
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.57	-0.6	21.97
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.94	-0.6	22.34
25-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.93	-0.6	23.33
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.95	-0.6	21.35
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	20.95	-0.6	20.35
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.32	-0.6	20.72
25-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.92	-0.6	21.32
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.90	-0.6	24.30
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.56	-0.6	21.96
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.08	-0.6	22.48
25-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.44	-0.6	22.84
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.37	-0.6	23.77
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.46	-0.6	21.86

25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	22.92	-0.6	22.32
25-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.41	-0.6	22.81
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.85	-0.6	22.25
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.47	-0.6	21.87
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.87	-0.6	22.27
25-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.89	-0.6	22.29
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	20.06	-0.6	19.46
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.00	-0.6	18.40
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.5	-0.6	18.90
25-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.93	-0.6	19.33
25-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.03	-0.6	24.43
25-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.45	-0.6	21.85
25-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.67	-0.6	22.07
25-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	24.97	-0.6	24.37
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04	-0.6	24.44
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.44	-0.6	21.84
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.53	-0.6	21.93
25-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.05	-0.6	24.45
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.04	-0.6	24.44
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.52	-0.6	21.92
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.67	-0.6	22.07
25-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.12	-0.6	23.52
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.62	-0.6	23.02
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.34	-0.6	21.74
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.53	-0.6	21.93
25-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.57	-0.6	22.97
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.55	-0.6	20.95
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.70	-0.6	20.10
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.90	-0.6	20.30
25-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.59	-0.6	20.99
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.61	-0.6	24.01
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.44	-0.6	21.84
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.69	-0.6	22.09
25-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.01	-0.6	22.41
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.22	-0.6	23.62
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.42	-0.6	21.82
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.74	-0.6	22.14
25-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.12	-0.6	22.52
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.45	-0.6	21.85
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.30	-0.6	21.70
25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.62	-0.6	22.02

25-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.55	-0.6	21.95
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.60	-0.6	19.00
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.78	-0.6	18.18
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.01	-0.6	18.41
25-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.60	-0.6	19.00
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.26	-0.6	24.66
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.65	-0.6	22.05
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.13	-0.6	22.53
25-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.23	-0.6	24.63
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.22	-0.6	24.62
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.63	-0.6	22.03
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.01	-0.6	22.41
25-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.18	-0.6	24.58
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.25	-0.6	24.65
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.67	-0.6	22.07
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.10	-0.6	22.50
25-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.34	-0.6	23.74
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.54	-0.6	22.94
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.51	-0.6	21.91
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	23.01	-0.6	22.41
25-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.93	-0.6	23.33
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.73	-0.6	21.13
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.99	-0.6	20.39
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.29	-0.6	20.69
25-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.92	-0.6	21.32
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.77	-0.6	24.17
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.61	-0.6	22.01
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06	-0.6	22.46
25-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.31	-0.6	22.71
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.30	-0.6	23.70
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.40	-0.6	21.80
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	22.94	-0.6	22.34
25-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.30	-0.6	22.70
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.70	-0.6	22.10
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.49	-0.6	21.89
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.89	-0.6	22.29
25-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.83	-0.6	22.23
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.75	-0.6	19.15
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.99	-0.6	18.39
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.48	-0.6	18.88
25-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.87	-0.6	19.27

25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.36	-0.6	24.76
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.63	-0.6	22.03
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.16	-0.6	22.56
25-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.43	-0.6	24.83
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.43	-0.6	24.83
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.58	-0.6	21.98
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	22.99	-0.6	22.39
25-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.35	-0.6	24.75
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.33	-0.6	24.73
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.69	-0.6	22.09
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.10	-0.6	22.50
25-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.46	-0.6	23.86
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	24.12	-0.6	23.52
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.47	-0.6	21.87
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.87	-0.6	22.27
25-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	24.04	-0.6	23.44
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	22.09	-0.6	21.49
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	21.02	-0.6	20.42
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.44	-0.6	20.84
25-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.96	-0.6	21.36
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.93	-0.6	24.33
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.52	-0.6	21.92
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.09	-0.6	22.49
25-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.48	-0.6	22.88
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.47	-0.6	23.87
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.6	-0.6	22.00
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.17	-0.6	22.57
25-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.47	-0.6	22.87
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.15	-0.6	22.55
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.50	-0.6	21.90
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.95	-0.6	22.35
25-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	23.01	-0.6	22.41
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.03	-0.6	19.43
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.92	-0.6	18.32
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.55	-0.6	18.95
25-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	20.03	-0.6	19.43
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.06	-0.6	24.46
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.39	-0.6	21.79
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.60	-0.6	22.00
25-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.09	-0.6	24.49
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.04	-0.6	24.44

25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.23	-0.6	21.63
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.55	-0.6	21.95
25-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.02	-0.6	24.42
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.13	-0.6	24.53
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.34	-0.6	21.74
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.53	-0.6	21.93
25-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.09	-0.6	23.49
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.72	-0.6	23.12
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.25	-0.6	21.65
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.3	-0.6	21.70
25-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.62	-0.6	23.02
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.57	-0.6	20.97
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	20.67	-0.6	20.07
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	20.81	-0.6	20.21
25-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.61	-0.6	21.01
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.72	-0.6	24.12
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.37	-0.6	21.77
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.55	-0.6	21.95
25-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.06	-0.6	22.46
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.15	-0.6	23.55
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.64	-0.6	22.04
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.94	-0.6	22.34
25-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.12	-0.6	22.52
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.60	-0.6	22.00
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.20	-0.6	21.60
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.44	-0.6	21.84
25-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.65	-0.6	22.05
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.56	-0.6	18.96
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	18.68	-0.6	18.08
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.01	-0.6	18.41
25-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.67	-0.6	19.07
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.26	-0.6	24.66
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66	-0.6	22.06
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	23.07	-0.6	22.47
25-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.33	-0.6	24.73
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.34	-0.6	24.74
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.66	-0.6	22.06
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.09	-0.6	22.49
25-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.40	-0.6	24.80
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.28	-0.6	24.68
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.73	-0.6	22.13

25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.08	-0.6	22.48
25-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.43	-0.6	23.83
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.74	-0.6	23.14
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.41	-0.6	21.81
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	22.89	-0.6	22.29
25-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.95	-0.6	23.35
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.82	-0.6	21.22
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.90	-0.6	20.30
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.41	-0.6	20.81
25-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	21.9	-0.6	21.30
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.83	-0.6	24.23
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.58	-0.6	21.98
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.92	-0.6	22.32
25-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.44	-0.6	22.84
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.41	-0.6	23.81
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	22.68	-0.6	22.08
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.14	-0.6	22.54
25-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.43	-0.6	22.83
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.71	-0.6	22.11
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.43	-0.6	21.83
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.93	-0.6	22.33
25-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.92	-0.6	22.32
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.73	-0.6	19.13
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	18.95	-0.6	18.35
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.51	-0.6	18.91
25-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.95	-0.6	19.35
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	InnerFull	25.69	-0.6	25.09
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.14	-0.6	22.54
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.40	-0.6	22.80
25-n41	80MHz	30kHz	2536.02MHz	DFT	pi/2 BPSK	OuterFull	25.76	-0.6	25.16
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.68	-0.6	25.08
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	23.02	-0.6	22.42
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.46	-0.6	22.86
25-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.75	-0.6	25.15
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.73	-0.6	25.13
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	23.13	-0.6	22.53
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.46	-0.6	22.86
25-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.92	-0.6	24.32
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.38	-0.6	23.78
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.94	-0.6	22.34
25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.24	-0.6	22.64

25-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.42	-0.6	23.82
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.29	-0.6	21.69
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.39	-0.6	20.79
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.82	-0.6	21.22
25-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.31	-0.6	21.71
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.34	-0.6	24.74
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.98	-0.6	22.38
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	23.40	-0.6	22.80
25-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.79	-0.6	23.19
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.84	-0.6	24.24
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	23.19	-0.6	22.59
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	23.32	-0.6	22.72
25-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.83	-0.6	23.23
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.41	-0.6	22.81
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.80	-0.6	22.20
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.14	-0.6	22.54
25-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.41	-0.6	22.81
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.41	-0.6	19.81
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.43	-0.6	18.83
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.77	-0.6	19.17
25-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.35	-0.6	19.75
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.65	-0.6	25.05
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.16	-0.6	22.56
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.25	-0.6	22.65
25-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.67	-0.6	25.07
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.67	-0.6	25.07
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.10	-0.6	22.50
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.16	-0.6	22.56
25-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.67	-0.6	25.07
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.64	-0.6	25.04
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15	-0.6	22.55
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.28	-0.6	22.68
25-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.19	-0.6	23.59
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02	-0.6	22.42
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.07	-0.6	22.47
25-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.25	-0.6	23.65
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.19	-0.6	21.59
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.49	-0.6	20.89
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.62	-0.6	21.02
25-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.28	-0.6	21.68

25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.20	-0.6	24.60
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.08	-0.6	22.48
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17	-0.6	22.57
25-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.73	-0.6	23.13
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.79	-0.6	24.19
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.44	-0.6	22.84
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.45	-0.6	22.85
25-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.83	-0.6	23.23
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.13	-0.6	22.53
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.91	-0.6	22.31
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.04	-0.6	22.44
25-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.35	-0.6	22.75
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.17	-0.6	19.57
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.44	-0.6	18.84
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60	-0.6	19.00
25-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.32	-0.6	19.72
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.55	-0.6	24.95
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.03	-0.6	22.43
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.43	-0.6	22.83
25-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.65	-0.6	25.05
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.60	-0.6	25.00
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	22.95	-0.6	22.35
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.46	-0.6	22.86
25-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.68	-0.6	25.08
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.65	-0.6	25.05
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.49	-0.6	22.89
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.36	-0.6	22.76
25-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.87	-0.6	24.27
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.10	-0.6	23.50
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.85	-0.6	22.25
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.37	-0.6	22.77
25-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.44	-0.6	23.84
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	22.27	-0.6	21.67
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.45	-0.6	20.85
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.85	-0.6	21.25
25-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.38	-0.6	21.78
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24	-0.6	24.64
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.05	-0.6	22.45
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.40	-0.6	22.80
25-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.80	-0.6	23.20
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.70	-0.6	24.10

25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	22.92	-0.6	22.32
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.18	-0.6	22.58
25-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.77	-0.6	23.17
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.11	-0.6	22.51
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.87	-0.6	22.27
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.26	-0.6	22.66
25-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.37	-0.6	22.77
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.09	-0.6	19.49
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.37	-0.6	18.77
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.81	-0.6	19.21
25-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.39	-0.6	19.79
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.76	-0.6	25.16
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.05	-0.6	22.45
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.31	-0.6	22.71
25-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.73	-0.6	25.13
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.74	-0.6	25.14
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	23.03	-0.6	22.43
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.19	-0.6	22.59
25-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.72	-0.6	25.12
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.73	-0.6	25.13
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.16	-0.6	22.56
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.31	-0.6	22.71
25-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.85	-0.6	24.25
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.31	-0.6	23.71
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.86	-0.6	22.26
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.16	-0.6	22.56
25-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.30	-0.6	23.70
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.35	-0.6	21.75
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.32	-0.6	20.72
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.56	-0.6	20.96
25-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.41	-0.6	21.81
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.26	-0.6	24.66
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.95	-0.6	22.35
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.14	-0.6	22.54
25-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.85	-0.6	23.25
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.83	-0.6	24.23
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.26	-0.6	22.66
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.22	-0.6	22.62
25-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.84	-0.6	23.24
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.32	-0.6	22.72
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.86	-0.6	22.26

25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.07	-0.6	22.47
25-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.30	-0.6	22.70
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.41	-0.6	19.81
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.35	-0.6	18.75
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.54	-0.6	18.94
25-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.45	-0.6	19.85
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.64	-0.6	25.04
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17	-0.6	22.57
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.18	-0.6	22.58
25-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.70	-0.6	25.10
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.68	-0.6	25.08
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.13	-0.6	22.53
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.20	-0.6	22.60
25-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.71	-0.6	25.11
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.62	-0.6	25.02
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.05	-0.6	22.45
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.31	-0.6	22.71
25-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.27	-0.6	23.67
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02	-0.6	22.42
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.11	-0.6	22.51
25-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27	-0.6	23.67
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.28	-0.6	21.68
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.46	-0.6	20.86
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.64	-0.6	21.04
25-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.30	-0.6	21.70
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.25	-0.6	24.65
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.10	-0.6	22.50
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.24	-0.6	22.64
25-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.81	-0.6	23.21
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.76	-0.6	24.16
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.41	-0.6	22.81
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.38	-0.6	22.78
25-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.85	-0.6	23.25
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.13	-0.6	22.53
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	23.00	-0.6	22.40
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.02	-0.6	22.42
25-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.32	-0.6	22.72
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.21	-0.6	19.61
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.45	-0.6	18.85
25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.46	-0.6	18.86

25-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.40	-0.6	19.80
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.51	-0.6	24.91
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.05	-0.6	22.45
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.39	-0.6	22.79
25-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.66	-0.6	25.06
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.54	-0.6	24.94
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.01	-0.6	22.41
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.36	-0.6	22.76
25-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.71	-0.6	25.11
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.58	-0.6	24.98
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.09	-0.6	22.49
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.49	-0.6	22.89
25-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.72	-0.6	24.12
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	24.12	-0.6	23.52
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	22.89	-0.6	22.29
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.30	-0.6	22.70
25-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.21	-0.6	23.61
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.01	-0.6	21.41
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.34	-0.6	20.74
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.69	-0.6	21.09
25-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.30	-0.6	21.70
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.15	-0.6	24.55
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.02	-0.6	22.42
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.27	-0.6	22.67
25-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.77	-0.6	23.17
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.65	-0.6	24.05
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.10	-0.6	22.50
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.39	-0.6	22.79
25-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.78	-0.6	23.18
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.96	-0.6	22.36
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.89	-0.6	22.29
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.23	-0.6	22.63
25-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.23	-0.6	22.63
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.17	-0.6	19.57
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.30	-0.6	18.70
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.75	-0.6	19.15
25-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.25	-0.6	19.65

LTE Band 66+NR n41
Limits: ≤33 dBm (2W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	InnerFull	25.32	-0.6	24.72
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.85	-0.6	22.25
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.03	-0.6	22.43
66-n41	20MHz	30kHz	2506.02MHz	DFT	pi/2 BPSK	OuterFull	25.35	-0.6	24.75
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	InnerFull	25.35	-0.6	24.75
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBLeft	22.81	-0.6	22.21
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	Edge1RBRight	22.87	-0.6	22.27
66-n41	20MHz	30kHz	2506.02MHz	DFT	QPSK	OuterFull	25.39	-0.6	24.79
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	InnerFull	25.41	-0.6	24.81
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBLeft	22.85	-0.6	22.25
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	Edge1RBRight	22.97	-0.6	22.37
66-n41	20MHz	30kHz	2506.02MHz	DFT	16QAM	OuterFull	24.50	-0.6	23.90
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	InnerFull	24.04	-0.6	23.44
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBLeft	22.71	-0.6	22.11
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	Edge1RBRight	22.78	-0.6	22.18
66-n41	20MHz	30kHz	2506.02MHz	DFT	64QAM	OuterFull	24.04	-0.6	23.44
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	InnerFull	21.95	-0.6	21.35
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBLeft	21.23	-0.6	20.63
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	Edge1RBRight	21.28	-0.6	20.68
66-n41	20MHz	30kHz	2506.02MHz	DFT	256QAM	OuterFull	21.86	-0.6	21.26
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	InnerFull	24.98	-0.6	24.38
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBLeft	22.85	-0.6	22.25
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	Edge1RBRight	22.99	-0.6	22.39
66-n41	20MHz	30kHz	2506.02MHz	CP	QPSK	OuterFull	23.38	-0.6	22.78
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	InnerFull	24.51	-0.6	23.91
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBLeft	23.00	-0.6	22.40
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	Edge1RBRight	23.13	-0.6	22.53
66-n41	20MHz	30kHz	2506.02MHz	CP	16QAM	OuterFull	23.48	-0.6	22.88
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	InnerFull	22.97	-0.6	22.37
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBLeft	22.7	-0.6	22.10
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	Edge1RBRight	22.88	-0.6	22.28
66-n41	20MHz	30kHz	2506.02MHz	CP	64QAM	OuterFull	22.90	-0.6	22.30
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	InnerFull	19.94	-0.6	19.34
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBLeft	19.15	-0.6	18.55
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	Edge1RBRight	19.38	-0.6	18.78
66-n41	20MHz	30kHz	2506.02MHz	CP	256QAM	OuterFull	20.02	-0.6	19.42
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.24	-0.6	24.64

66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.83	-0.6	22.23
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.79	-0.6	22.19
66-n41	20MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.20	-0.6	24.60
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.33	-0.6	24.73
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.80	-0.6	22.20
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.78	-0.6	22.18
66-n41	20MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.23	-0.6	24.63
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.39	-0.6	24.79
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.09	-0.6	22.49
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.13	-0.6	22.53
66-n41	20MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.39	-0.6	23.79
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.83	-0.6	23.23
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.66	-0.6	22.06
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.58	-0.6	21.98
66-n41	20MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.80	-0.6	23.20
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.64	-0.6	21.04
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.04	-0.6	20.44
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.07	-0.6	20.47
66-n41	20MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.80	-0.6	21.20
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.86	-0.6	24.26
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.79	-0.6	22.19
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.92	-0.6	22.32
66-n41	20MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.40	-0.6	22.80
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.37	-0.6	23.77
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.81	-0.6	22.21
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	22.96	-0.6	22.36
66-n41	20MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.28	-0.6	22.68
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.71	-0.6	22.11
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.65	-0.6	22.05
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.75	-0.6	22.15
66-n41	20MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.86	-0.6	22.26
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.77	-0.6	19.17
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.05	-0.6	18.45
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.24	-0.6	18.64
66-n41	20MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.84	-0.6	19.24
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	InnerFull	25.68	-0.6	25.08
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.87	-0.6	22.27
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.98	-0.6	22.38
66-n41	20MHz	30kHz	2679.99MHz	DFT	pi/2 BPSK	OuterFull	25.67	-0.6	25.07
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	InnerFull	25.71	-0.6	25.11
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBLeft	22.62	-0.6	22.02

66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	Edge1RBRight	22.84	-0.6	22.24
66-n41	20MHz	30kHz	2679.99MHz	DFT	QPSK	OuterFull	25.63	-0.6	25.03
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	InnerFull	25.85	-0.6	25.25
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBLeft	22.96	-0.6	22.36
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	Edge1RBRight	23.05	-0.6	22.45
66-n41	20MHz	30kHz	2679.99MHz	DFT	16QAM	OuterFull	24.73	-0.6	24.13
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	InnerFull	24.25	-0.6	23.65
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBLeft	22.44	-0.6	21.84
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	Edge1RBRight	22.55	-0.6	21.95
66-n41	20MHz	30kHz	2679.99MHz	DFT	64QAM	OuterFull	24.24	-0.6	23.64
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	InnerFull	22.11	-0.6	21.51
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBLeft	20.97	-0.6	20.37
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	Edge1RBRight	21.22	-0.6	20.62
66-n41	20MHz	30kHz	2679.99MHz	DFT	256QAM	OuterFull	22.16	-0.6	21.56
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	InnerFull	25.38	-0.6	24.78
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBLeft	22.67	-0.6	22.07
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	Edge1RBRight	23.07	-0.6	22.47
66-n41	20MHz	30kHz	2679.99MHz	CP	QPSK	OuterFull	23.70	-0.6	23.10
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	InnerFull	24.77	-0.6	24.17
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBLeft	22.73	-0.6	22.13
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	Edge1RBRight	23.13	-0.6	22.53
66-n41	20MHz	30kHz	2679.99MHz	CP	16QAM	OuterFull	23.74	-0.6	23.14
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	InnerFull	23.21	-0.6	22.61
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBLeft	22.51	-0.6	21.91
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	Edge1RBRight	22.80	-0.6	22.20
66-n41	20MHz	30kHz	2679.99MHz	CP	64QAM	OuterFull	23.22	-0.6	22.62
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	InnerFull	20.14	-0.6	19.54
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBLeft	18.97	-0.6	18.37
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	Edge1RBRight	19.31	-0.6	18.71
66-n41	20MHz	30kHz	2679.99MHz	CP	256QAM	OuterFull	20.24	-0.6	19.64
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	InnerFull	25.72	-0.6	25.12
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.18	-0.6	22.58
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.36	-0.6	22.76
66-n41	40MHz	30kHz	2516.01MHz	DFT	pi/2 BPSK	OuterFull	25.82	-0.6	25.22
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	InnerFull	25.68	-0.6	25.08
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBLeft	23.10	-0.6	22.50
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	Edge1RBRight	23.32	-0.6	22.72
66-n41	40MHz	30kHz	2516.01MHz	DFT	QPSK	OuterFull	25.75	-0.6	25.15
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	InnerFull	25.78	-0.6	25.18
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBLeft	23.15	-0.6	22.55
66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	Edge1RBRight	23.35	-0.6	22.75

66-n41	40MHz	30kHz	2516.01MHz	DFT	16QAM	OuterFull	24.86	-0.6	24.26
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	InnerFull	24.38	-0.6	23.78
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBLeft	23.14	-0.6	22.54
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	Edge1RBRight	23.19	-0.6	22.59
66-n41	40MHz	30kHz	2516.01MHz	DFT	64QAM	OuterFull	24.46	-0.6	23.86
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	InnerFull	22.37	-0.6	21.77
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBLeft	21.43	-0.6	20.83
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	Edge1RBRight	21.62	-0.6	21.02
66-n41	40MHz	30kHz	2516.01MHz	DFT	256QAM	OuterFull	22.44	-0.6	21.84
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	InnerFull	25.34	-0.6	24.74
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBLeft	23.07	-0.6	22.47
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	Edge1RBRight	23.33	-0.6	22.73
66-n41	40MHz	30kHz	2516.01MHz	CP	QPSK	OuterFull	23.91	-0.6	23.31
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	InnerFull	24.85	-0.6	24.25
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBLeft	23.19	-0.6	22.59
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	Edge1RBRight	23.42	-0.6	22.82
66-n41	40MHz	30kHz	2516.01MHz	CP	16QAM	OuterFull	23.89	-0.6	23.29
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	InnerFull	23.46	-0.6	22.86
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBLeft	22.98	-0.6	22.38
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	Edge1RBRight	23.19	-0.6	22.59
66-n41	40MHz	30kHz	2516.01MHz	CP	64QAM	OuterFull	23.38	-0.6	22.78
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	InnerFull	20.47	-0.6	19.87
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBLeft	19.47	-0.6	18.87
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	Edge1RBRight	19.68	-0.6	19.08
66-n41	40MHz	30kHz	2516.01MHz	CP	256QAM	OuterFull	20.42	-0.6	19.82
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.59	-0.6	24.99
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.15	-0.6	22.55
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.34	-0.6	22.74
66-n41	40MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.56	-0.6	24.96
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.60	-0.6	25.00
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.01	-0.6	22.41
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.13	-0.6	22.53
66-n41	40MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.54	-0.6	24.94
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.54	-0.6	24.94
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15	-0.6	22.55
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.29	-0.6	22.69
66-n41	40MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.70	-0.6	24.10
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.07	-0.6	23.47
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.89	-0.6	22.29
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.07	-0.6	22.47
66-n41	40MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.21	-0.6	23.61

66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.98	-0.6	21.38
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.34	-0.6	20.74
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.48	-0.6	20.88
66-n41	40MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.12	-0.6	21.52
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.12	-0.6	24.52
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.04	-0.6	22.44
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.27	-0.6	22.67
66-n41	40MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.70	-0.6	23.10
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.64	-0.6	24.04
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.19	-0.6	22.59
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.16	-0.6	22.56
66-n41	40MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.65	-0.6	23.05
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.01	-0.6	22.41
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.92	-0.6	22.32
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.07	-0.6	22.47
66-n41	40MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.19	-0.6	22.59
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.11	-0.6	19.51
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.40	-0.6	18.80
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.60	-0.6	19.00
66-n41	40MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.19	-0.6	19.59
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	InnerFull	25.69	-0.6	25.09
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.13	-0.6	22.53
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48	-0.6	22.88
66-n41	40MHz	30kHz	2670MHz	DFT	pi/2 BPSK	OuterFull	25.7	-0.6	25.10
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	InnerFull	25.75	-0.6	25.15
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBLeft	23.17	-0.6	22.57
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	Edge1RBRight	23.41	-0.6	22.81
66-n41	40MHz	30kHz	2670MHz	DFT	QPSK	OuterFull	25.78	-0.6	25.18
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	InnerFull	25.76	-0.6	25.16
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBLeft	23.13	-0.6	22.53
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	Edge1RBRight	23.46	-0.6	22.86
66-n41	40MHz	30kHz	2670MHz	DFT	16QAM	OuterFull	24.84	-0.6	24.24
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	InnerFull	24.14	-0.6	23.54
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBLeft	22.91	-0.6	22.31
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	Edge1RBRight	23.34	-0.6	22.74
66-n41	40MHz	30kHz	2670MHz	DFT	64QAM	OuterFull	24.35	-0.6	23.75
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	InnerFull	22.05	-0.6	21.45
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBLeft	21.45	-0.6	20.85
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	Edge1RBRight	21.71	-0.6	21.11
66-n41	40MHz	30kHz	2670MHz	DFT	256QAM	OuterFull	22.28	-0.6	21.68
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	InnerFull	25.28	-0.6	24.68

66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBLeft	23.08	-0.6	22.48
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	Edge1RBRight	23.33	-0.6	22.73
66-n41	40MHz	30kHz	2670MHz	CP	QPSK	OuterFull	23.80	-0.6	23.20
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	InnerFull	24.80	-0.6	24.20
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBLeft	23.18	-0.6	22.58
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	Edge1RBRight	23.46	-0.6	22.86
66-n41	40MHz	30kHz	2670MHz	CP	16QAM	OuterFull	23.81	-0.6	23.21
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	InnerFull	23.21	-0.6	22.61
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBLeft	23.02	-0.6	22.42
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	Edge1RBRight	23.4	-0.6	22.80
66-n41	40MHz	30kHz	2670MHz	CP	64QAM	OuterFull	23.35	-0.6	22.75
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	InnerFull	20.14	-0.6	19.54
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBLeft	19.48	-0.6	18.88
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	Edge1RBRight	19.89	-0.6	19.29
66-n41	40MHz	30kHz	2670MHz	CP	256QAM	OuterFull	20.35	-0.6	19.75
66-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	InnerFull	25.25	-0.6	24.65
66-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.69	-0.6	22.09
66-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	Edge1RBRight	23.07	-0.6	22.47
66-n41	50MHz	30kHz	2521.02MHz	DFT	pi/2 BPSK	OuterFull	25.3	-0.6	24.70
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	InnerFull	25.26	-0.6	24.66
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBLeft	22.56	-0.6	21.96
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	Edge1RBRight	23.06	-0.6	22.46
66-n41	50MHz	30kHz	2521.02MHz	DFT	QPSK	OuterFull	25.24	-0.6	24.64
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	InnerFull	25.29	-0.6	24.69
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBLeft	22.79	-0.6	22.19
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	Edge1RBRight	23.25	-0.6	22.65
66-n41	50MHz	30kHz	2521.02MHz	DFT	16QAM	OuterFull	24.39	-0.6	23.79
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	InnerFull	23.97	-0.6	23.37
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBLeft	22.17	-0.6	21.57
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	Edge1RBRight	22.42	-0.6	21.82
66-n41	50MHz	30kHz	2521.02MHz	DFT	64QAM	OuterFull	23.90	-0.6	23.30
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	InnerFull	21.82	-0.6	21.22
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBLeft	20.83	-0.6	20.23
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	Edge1RBRight	21.26	-0.6	20.66
66-n41	50MHz	30kHz	2521.02MHz	DFT	256QAM	OuterFull	21.82	-0.6	21.22
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	InnerFull	24.86	-0.6	24.26
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBLeft	22.67	-0.6	22.07
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	Edge1RBRight	23.07	-0.6	22.47
66-n41	50MHz	30kHz	2521.02MHz	CP	QPSK	OuterFull	23.43	-0.6	22.83
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	InnerFull	24.32	-0.6	23.72
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBLeft	22.71	-0.6	22.11

66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	Edge1RBRight	23.33	-0.6	22.73
66-n41	50MHz	30kHz	2521.02MHz	CP	16QAM	OuterFull	23.38	-0.6	22.78
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	InnerFull	22.85	-0.6	22.25
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBLeft	22.29	-0.6	21.69
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	Edge1RBRight	22.65	-0.6	22.05
66-n41	50MHz	30kHz	2521.02MHz	CP	64QAM	OuterFull	22.91	-0.6	22.31
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	InnerFull	19.98	-0.6	19.38
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBLeft	19.16	-0.6	18.56
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	Edge1RBRight	19.54	-0.6	18.94
66-n41	50MHz	30kHz	2521.02MHz	CP	256QAM	OuterFull	19.90	-0.6	19.30
66-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.20	-0.6	24.60
66-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.78	-0.6	22.18
66-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	22.86	-0.6	22.26
66-n41	50MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.16	-0.6	24.56
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.15	-0.6	24.55
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.78	-0.6	22.18
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.87	-0.6	22.27
66-n41	50MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.16	-0.6	24.56
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.26	-0.6	24.66
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.77	-0.6	22.17
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.98	-0.6	22.38
66-n41	50MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.34	-0.6	23.74
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.73	-0.6	23.13
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.74	-0.6	22.14
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.83	-0.6	22.23
66-n41	50MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.75	-0.6	23.15
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.62	-0.6	21.02
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.08	-0.6	20.48
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.20	-0.6	20.60
66-n41	50MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.74	-0.6	21.14
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.77	-0.6	24.17
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.81	-0.6	22.21
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.94	-0.6	22.34
66-n41	50MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.22	-0.6	22.62
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.30	-0.6	23.70
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.88	-0.6	22.28
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.16	-0.6	22.56
66-n41	50MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.26	-0.6	22.66
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.76	-0.6	22.16
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.54	-0.6	21.94
66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.82	-0.6	22.22

66-n41	50MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.82	-0.6	22.22
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.72	-0.6	19.12
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.14	-0.6	18.54
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.25	-0.6	18.65
66-n41	50MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.81	-0.6	19.21
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	InnerFull	25.25	-0.6	24.65
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75	-0.6	22.15
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.09	-0.6	22.49
66-n41	50MHz	30kHz	2664.99MHz	DFT	pi/2 BPSK	OuterFull	25.27	-0.6	24.67
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	InnerFull	25.18	-0.6	24.58
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBLeft	22.68	-0.6	22.08
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	Edge1RBRight	23.08	-0.6	22.48
66-n41	50MHz	30kHz	2664.99MHz	DFT	QPSK	OuterFull	25.28	-0.6	24.68
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	InnerFull	25.29	-0.6	24.69
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBLeft	22.71	-0.6	22.11
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	Edge1RBRight	23.12	-0.6	22.52
66-n41	50MHz	30kHz	2664.99MHz	DFT	16QAM	OuterFull	24.32	-0.6	23.72
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	InnerFull	23.73	-0.6	23.13
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBLeft	22.56	-0.6	21.96
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	Edge1RBRight	23.06	-0.6	22.46
66-n41	50MHz	30kHz	2664.99MHz	DFT	64QAM	OuterFull	23.89	-0.6	23.29
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	InnerFull	21.55	-0.6	20.95
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBLeft	20.99	-0.6	20.39
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	Edge1RBRight	21.31	-0.6	20.71
66-n41	50MHz	30kHz	2664.99MHz	DFT	256QAM	OuterFull	21.84	-0.6	21.24
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	InnerFull	24.80	-0.6	24.20
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBLeft	22.66	-0.6	22.06
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	Edge1RBRight	23.06	-0.6	22.46
66-n41	50MHz	30kHz	2664.99MHz	CP	QPSK	OuterFull	23.34	-0.6	22.74
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	InnerFull	24.27	-0.6	23.67
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBLeft	22.73	-0.6	22.13
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	Edge1RBRight	23.21	-0.6	22.61
66-n41	50MHz	30kHz	2664.99MHz	CP	16QAM	OuterFull	23.26	-0.6	22.66
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	InnerFull	22.61	-0.6	22.01
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBLeft	22.48	-0.6	21.88
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	Edge1RBRight	22.93	-0.6	22.33
66-n41	50MHz	30kHz	2664.99MHz	CP	64QAM	OuterFull	22.85	-0.6	22.25
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	InnerFull	19.73	-0.6	19.13
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBLeft	18.96	-0.6	18.36
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	Edge1RBRight	19.44	-0.6	18.84
66-n41	50MHz	30kHz	2664.99MHz	CP	256QAM	OuterFull	19.80	-0.6	19.20

66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	InnerFull	25.32	-0.6	24.72
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.62	-0.6	22.02
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	Edge1RBRight	23.17	-0.6	22.57
66-n41	60MHz	30kHz	2526MHz	DFT	pi/2 BPSK	OuterFull	25.40	-0.6	24.80
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	InnerFull	25.36	-0.6	24.76
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBLeft	22.57	-0.6	21.97
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	Edge1RBRight	23.05	-0.6	22.45
66-n41	60MHz	30kHz	2526MHz	DFT	QPSK	OuterFull	25.36	-0.6	24.76
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	InnerFull	25.37	-0.6	24.77
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBLeft	22.68	-0.6	22.08
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	Edge1RBRight	23.09	-0.6	22.49
66-n41	60MHz	30kHz	2526MHz	DFT	16QAM	OuterFull	24.47	-0.6	23.87
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	InnerFull	23.93	-0.6	23.33
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBLeft	22.51	-0.6	21.91
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	Edge1RBRight	22.95	-0.6	22.35
66-n41	60MHz	30kHz	2526MHz	DFT	64QAM	OuterFull	23.95	-0.6	23.35
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	InnerFull	22.02	-0.6	21.42
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBLeft	21.00	-0.6	20.40
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	Edge1RBRight	21.40	-0.6	20.80
66-n41	60MHz	30kHz	2526MHz	DFT	256QAM	OuterFull	21.98	-0.6	21.38
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	InnerFull	24.98	-0.6	24.38
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBLeft	22.53	-0.6	21.93
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	Edge1RBRight	23.08	-0.6	22.48
66-n41	60MHz	30kHz	2526MHz	CP	QPSK	OuterFull	23.52	-0.6	22.92
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	InnerFull	24.43	-0.6	23.83
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBLeft	22.81	-0.6	22.21
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	Edge1RBRight	23.20	-0.6	22.60
66-n41	60MHz	30kHz	2526MHz	CP	16QAM	OuterFull	23.48	-0.6	22.88
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	InnerFull	23.06	-0.6	22.46
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBLeft	22.45	-0.6	21.85
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	Edge1RBRight	22.97	-0.6	22.37
66-n41	60MHz	30kHz	2526MHz	CP	64QAM	OuterFull	22.99	-0.6	22.39
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	InnerFull	20.02	-0.6	19.42
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBLeft	18.93	-0.6	18.33
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	Edge1RBRight	19.55	-0.6	18.95
66-n41	60MHz	30kHz	2526MHz	CP	256QAM	OuterFull	19.99	-0.6	19.39
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.15	-0.6	24.55
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.75	-0.6	22.15
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.08	-0.6	22.48
66-n41	60MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.21	-0.6	24.61
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.25	-0.6	24.65

66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	22.71	-0.6	22.11
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	22.89	-0.6	22.29
66-n41	60MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.24	-0.6	24.64
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.29	-0.6	24.69
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	22.77	-0.6	22.17
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	22.93	-0.6	22.33
66-n41	60MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.38	-0.6	23.78
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	23.75	-0.6	23.15
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.64	-0.6	22.04
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	22.66	-0.6	22.06
66-n41	60MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	23.87	-0.6	23.27
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	21.81	-0.6	21.21
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.01	-0.6	20.41
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.26	-0.6	20.66
66-n41	60MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	21.85	-0.6	21.25
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	24.72	-0.6	24.12
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	22.63	-0.6	22.03
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	22.87	-0.6	22.27
66-n41	60MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.29	-0.6	22.69
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.33	-0.6	23.73
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	22.81	-0.6	22.21
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.04	-0.6	22.44
66-n41	60MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.32	-0.6	22.72
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	22.72	-0.6	22.12
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.54	-0.6	21.94
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	22.73	-0.6	22.13
66-n41	60MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	22.81	-0.6	22.21
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	19.74	-0.6	19.14
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.04	-0.6	18.44
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.34	-0.6	18.74
66-n41	60MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	19.86	-0.6	19.26
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	InnerFull	25.29	-0.6	24.69
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBLeft	22.66	-0.6	22.06
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	Edge1RBRight	23.12	-0.6	22.52
66-n41	60MHz	30kHz	2659.98MHz	DFT	pi/2 BPSK	OuterFull	25.33	-0.6	24.73
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	InnerFull	25.31	-0.6	24.71
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBLeft	22.62	-0.6	22.02
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	Edge1RBRight	23.03	-0.6	22.43
66-n41	60MHz	30kHz	2659.98MHz	DFT	QPSK	OuterFull	25.25	-0.6	24.65
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	InnerFull	25.36	-0.6	24.76
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBLeft	22.63	-0.6	22.03

66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	Edge1RBRight	23.03	-0.6	22.43
66-n41	60MHz	30kHz	2659.98MHz	DFT	16QAM	OuterFull	24.43	-0.6	23.83
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	InnerFull	23.86	-0.6	23.26
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBLeft	22.54	-0.6	21.94
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	Edge1RBRight	23.04	-0.6	22.44
66-n41	60MHz	30kHz	2659.98MHz	DFT	64QAM	OuterFull	23.95	-0.6	23.35
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	InnerFull	21.82	-0.6	21.22
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBLeft	20.81	-0.6	20.21
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	Edge1RBRight	21.33	-0.6	20.73
66-n41	60MHz	30kHz	2659.98MHz	DFT	256QAM	OuterFull	22.09	-0.6	21.49
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	InnerFull	24.83	-0.6	24.23
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBLeft	22.60	-0.6	22.00
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	Edge1RBRight	22.98	-0.6	22.38
66-n41	60MHz	30kHz	2659.98MHz	CP	QPSK	OuterFull	23.46	-0.6	22.86
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	InnerFull	24.44	-0.6	23.84
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBLeft	23.03	-0.6	22.43
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	Edge1RBRight	23.38	-0.6	22.78
66-n41	60MHz	30kHz	2659.98MHz	CP	16QAM	OuterFull	23.40	-0.6	22.80
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	InnerFull	22.72	-0.6	22.12
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBLeft	22.44	-0.6	21.84
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	Edge1RBRight	22.86	-0.6	22.26
66-n41	60MHz	30kHz	2659.98MHz	CP	64QAM	OuterFull	22.95	-0.6	22.35
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	InnerFull	19.67	-0.6	19.07
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBLeft	18.99	-0.6	18.39
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	Edge1RBRight	19.48	-0.6	18.88
66-n41	60MHz	30kHz	2659.98MHz	CP	256QAM	OuterFull	19.95	-0.6	19.35
66-n41	80MHz	30kHz	2536.02MHz	DFT	$\pi/2$ BPSK	InnerFull	25.80	-0.6	25.20
66-n41	80MHz	30kHz	2536.02MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.06	-0.6	22.46
66-n41	80MHz	30kHz	2536.02MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.41	-0.6	22.81
66-n41	80MHz	30kHz	2536.02MHz	DFT	$\pi/2$ BPSK	OuterFull	25.72	-0.6	25.12
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	InnerFull	25.71	-0.6	25.11
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBLeft	23.09	-0.6	22.49
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	Edge1RBRight	23.39	-0.6	22.79
66-n41	80MHz	30kHz	2536.02MHz	DFT	QPSK	OuterFull	25.67	-0.6	25.07
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	InnerFull	25.72	-0.6	25.12
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBLeft	23.24	-0.6	22.64
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	Edge1RBRight	23.41	-0.6	22.81
66-n41	80MHz	30kHz	2536.02MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	InnerFull	24.35	-0.6	23.75
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBLeft	22.62	-0.6	22.02
66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	Edge1RBRight	23.03	-0.6	22.43

66-n41	80MHz	30kHz	2536.02MHz	DFT	64QAM	OuterFull	24.36	-0.6	23.76
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	InnerFull	22.29	-0.6	21.69
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBLeft	21.31	-0.6	20.71
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	Edge1RBRight	21.69	-0.6	21.09
66-n41	80MHz	30kHz	2536.02MHz	DFT	256QAM	OuterFull	22.35	-0.6	21.75
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	InnerFull	25.30	-0.6	24.70
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBLeft	22.98	-0.6	22.38
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	Edge1RBRight	23.39	-0.6	22.79
66-n41	80MHz	30kHz	2536.02MHz	CP	QPSK	OuterFull	23.78	-0.6	23.18
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	InnerFull	24.89	-0.6	24.29
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBLeft	23.22	-0.6	22.62
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	Edge1RBRight	23.48	-0.6	22.88
66-n41	80MHz	30kHz	2536.02MHz	CP	16QAM	OuterFull	23.80	-0.6	23.20
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	InnerFull	23.43	-0.6	22.83
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBLeft	22.9	-0.6	22.30
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	Edge1RBRight	23.32	-0.6	22.72
66-n41	80MHz	30kHz	2536.02MHz	CP	64QAM	OuterFull	23.34	-0.6	22.74
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	InnerFull	20.45	-0.6	19.85
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBLeft	19.4	-0.6	18.80
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	Edge1RBRight	19.77	-0.6	19.17
66-n41	80MHz	30kHz	2536.02MHz	CP	256QAM	OuterFull	20.38	-0.6	19.78
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.63	-0.6	25.03
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.17	-0.6	22.57
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.25	-0.6	22.65
66-n41	80MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.69	-0.6	25.09
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.74	-0.6	25.14
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.07	-0.6	22.47
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.24	-0.6	22.64
66-n41	80MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.71	-0.6	25.11
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.60	-0.6	25.00
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.43	-0.6	22.83
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.49	-0.6	22.89
66-n41	80MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.78	-0.6	24.18
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.22	-0.6	23.62
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	22.98	-0.6	22.38
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.12	-0.6	22.52
66-n41	80MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27	-0.6	23.67
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.30	-0.6	21.70
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.46	-0.6	20.86
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.59	-0.6	20.99
66-n41	80MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.23	-0.6	21.63

66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.26	-0.6	24.66
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.07	-0.6	22.47
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.20	-0.6	22.60
66-n41	80MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.68	-0.6	23.08
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.74	-0.6	24.14
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.45	-0.6	22.85
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.42	-0.6	22.82
66-n41	80MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.70	-0.6	23.10
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.30	-0.6	22.70
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.92	-0.6	22.32
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.04	-0.6	22.44
66-n41	80MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.27	-0.6	22.67
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.25	-0.6	19.65
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.48	-0.6	18.88
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.62	-0.6	19.02
66-n41	80MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.27	-0.6	19.67
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	InnerFull	25.67	-0.6	25.07
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.05	-0.6	22.45
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.47	-0.6	22.87
66-n41	80MHz	30kHz	2649.99MHz	DFT	$\pi/2$ BPSK	OuterFull	25.73	-0.6	25.13
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	InnerFull	25.74	-0.6	25.14
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBLeft	23.04	-0.6	22.44
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	Edge1RBRight	23.46	-0.6	22.86
66-n41	80MHz	30kHz	2649.99MHz	DFT	QPSK	OuterFull	25.75	-0.6	25.15
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	InnerFull	25.62	-0.6	25.02
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBLeft	23.12	-0.6	22.52
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	Edge1RBRight	23.48	-0.6	22.88
66-n41	80MHz	30kHz	2649.99MHz	DFT	16QAM	OuterFull	24.85	-0.6	24.25
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	InnerFull	24.09	-0.6	23.49
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBLeft	22.88	-0.6	22.28
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	Edge1RBRight	23.34	-0.6	22.74
66-n41	80MHz	30kHz	2649.99MHz	DFT	64QAM	OuterFull	24.39	-0.6	23.79
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	InnerFull	22.16	-0.6	21.56
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBLeft	21.30	-0.6	20.70
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	Edge1RBRight	21.77	-0.6	21.17
66-n41	80MHz	30kHz	2649.99MHz	DFT	256QAM	OuterFull	22.32	-0.6	21.72
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	InnerFull	25.24	-0.6	24.64
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBLeft	23.10	-0.6	22.50
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	Edge1RBRight	23.46	-0.6	22.86
66-n41	80MHz	30kHz	2649.99MHz	CP	QPSK	OuterFull	23.76	-0.6	23.16
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	InnerFull	24.83	-0.6	24.23

66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBLeft	23.20	-0.6	22.60
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	Edge1RBRight	23.43	-0.6	22.83
66-n41	80MHz	30kHz	2649.99MHz	CP	16QAM	OuterFull	23.74	-0.6	23.14
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	InnerFull	23.10	-0.6	22.50
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBLeft	22.95	-0.6	22.35
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	Edge1RBRight	23.35	-0.6	22.75
66-n41	80MHz	30kHz	2649.99MHz	CP	64QAM	OuterFull	23.36	-0.6	22.76
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	InnerFull	20.05	-0.6	19.45
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBLeft	19.39	-0.6	18.79
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	Edge1RBRight	19.84	-0.6	19.24
66-n41	80MHz	30kHz	2649.99MHz	CP	256QAM	OuterFull	20.38	-0.6	19.78
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	InnerFull	25.68	-0.6	25.08
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.03	-0.6	22.43
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	Edge1RBRight	23.32	-0.6	22.72
66-n41	100MHz	30kHz	2546.01MHz	DFT	pi/2 BPSK	OuterFull	25.72	-0.6	25.12
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	InnerFull	25.76	-0.6	25.16
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBLeft	22.92	-0.6	22.32
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	Edge1RBRight	23.23	-0.6	22.63
66-n41	100MHz	30kHz	2546.01MHz	DFT	QPSK	OuterFull	25.74	-0.6	25.14
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	InnerFull	25.79	-0.6	25.19
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBLeft	23.01	-0.6	22.41
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	Edge1RBRight	23.32	-0.6	22.72
66-n41	100MHz	30kHz	2546.01MHz	DFT	16QAM	OuterFull	24.83	-0.6	24.23
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	InnerFull	24.45	-0.6	23.85
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBLeft	22.85	-0.6	22.25
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	Edge1RBRight	23.16	-0.6	22.56
66-n41	100MHz	30kHz	2546.01MHz	DFT	64QAM	OuterFull	24.25	-0.6	23.65
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	InnerFull	22.34	-0.6	21.74
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBLeft	21.25	-0.6	20.65
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	Edge1RBRight	21.73	-0.6	21.13
66-n41	100MHz	30kHz	2546.01MHz	DFT	256QAM	OuterFull	22.31	-0.6	21.71
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	InnerFull	25.25	-0.6	24.65
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBLeft	22.91	-0.6	22.31
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	Edge1RBRight	23.28	-0.6	22.68
66-n41	100MHz	30kHz	2546.01MHz	CP	QPSK	OuterFull	23.78	-0.6	23.18
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	InnerFull	24.84	-0.6	24.24
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBLeft	23.18	-0.6	22.58
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	Edge1RBRight	23.44	-0.6	22.84
66-n41	100MHz	30kHz	2546.01MHz	CP	16QAM	OuterFull	23.80	-0.6	23.20
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	InnerFull	23.35	-0.6	22.75
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBLeft	22.83	-0.6	22.23

66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	Edge1RBRight	23.10	-0.6	22.50
66-n41	100MHz	30kHz	2546.01MHz	CP	64QAM	OuterFull	23.29	-0.6	22.69
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	InnerFull	20.42	-0.6	19.82
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBLeft	19.33	-0.6	18.73
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	Edge1RBRight	19.58	-0.6	18.98
66-n41	100MHz	30kHz	2546.01MHz	CP	256QAM	OuterFull	20.37	-0.6	19.77
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	InnerFull	25.60	-0.6	25.00
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.13	-0.6	22.53
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	Edge1RBRight	23.31	-0.6	22.71
66-n41	100MHz	30kHz	2592.99MHz	DFT	pi/2 BPSK	OuterFull	25.65	-0.6	25.05
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	InnerFull	25.64	-0.6	25.04
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBLeft	23.06	-0.6	22.46
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	Edge1RBRight	23.33	-0.6	22.73
66-n41	100MHz	30kHz	2592.99MHz	DFT	QPSK	OuterFull	25.67	-0.6	25.07
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	InnerFull	25.61	-0.6	25.01
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBLeft	23.15	-0.6	22.55
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	Edge1RBRight	23.33	-0.6	22.73
66-n41	100MHz	30kHz	2592.99MHz	DFT	16QAM	OuterFull	24.74	-0.6	24.14
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	InnerFull	24.26	-0.6	23.66
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBLeft	23.02	-0.6	22.42
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	Edge1RBRight	23.17	-0.6	22.57
66-n41	100MHz	30kHz	2592.99MHz	DFT	64QAM	OuterFull	24.27	-0.6	23.67
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	InnerFull	22.29	-0.6	21.69
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBLeft	21.35	-0.6	20.75
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	Edge1RBRight	21.58	-0.6	20.98
66-n41	100MHz	30kHz	2592.99MHz	DFT	256QAM	OuterFull	22.27	-0.6	21.67
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	InnerFull	25.23	-0.6	24.63
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBLeft	23.03	-0.6	22.43
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	Edge1RBRight	23.17	-0.6	22.57
66-n41	100MHz	30kHz	2592.99MHz	CP	QPSK	OuterFull	23.77	-0.6	23.17
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	InnerFull	24.72	-0.6	24.12
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBLeft	23.38	-0.6	22.78
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	Edge1RBRight	23.36	-0.6	22.76
66-n41	100MHz	30kHz	2592.99MHz	CP	16QAM	OuterFull	23.75	-0.6	23.15
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	InnerFull	23.16	-0.6	22.56
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBLeft	22.9	-0.6	22.30
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	Edge1RBRight	23.09	-0.6	22.49
66-n41	100MHz	30kHz	2592.99MHz	CP	64QAM	OuterFull	23.29	-0.6	22.69
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	InnerFull	20.21	-0.6	19.61
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBLeft	19.42	-0.6	18.82
66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	Edge1RBRight	19.66	-0.6	19.06

66-n41	100MHz	30kHz	2592.99MHz	CP	256QAM	OuterFull	20.34	-0.6	19.74
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	InnerFull	25.63	-0.6	25.03
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.11	-0.6	22.51
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	Edge1RBRight	23.48	-0.6	22.88
66-n41	100MHz	30kHz	2640MHz	DFT	pi/2 BPSK	OuterFull	25.68	-0.6	25.08
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	InnerFull	25.57	-0.6	24.97
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBLeft	23.16	-0.6	22.56
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	Edge1RBRight	23.43	-0.6	22.83
66-n41	100MHz	30kHz	2640MHz	DFT	QPSK	OuterFull	25.68	-0.6	25.08
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	InnerFull	25.63	-0.6	25.03
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBLeft	23.47	-0.6	22.87
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	Edge1RBRight	23.45	-0.6	22.85
66-n41	100MHz	30kHz	2640MHz	DFT	16QAM	OuterFull	24.79	-0.6	24.19
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	InnerFull	23.95	-0.6	23.35
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBLeft	23.01	-0.6	22.41
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	Edge1RBRight	23.39	-0.6	22.79
66-n41	100MHz	30kHz	2640MHz	DFT	64QAM	OuterFull	24.33	-0.6	23.73
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	InnerFull	22.11	-0.6	21.51
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBLeft	21.38	-0.6	20.78
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	Edge1RBRight	21.81	-0.6	21.21
66-n41	100MHz	30kHz	2640MHz	DFT	256QAM	OuterFull	22.46	-0.6	21.86
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	InnerFull	25.22	-0.6	24.62
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBLeft	23.16	-0.6	22.56
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	Edge1RBRight	23.40	-0.6	22.80
66-n41	100MHz	30kHz	2640MHz	CP	QPSK	OuterFull	23.82	-0.6	23.22
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	InnerFull	24.73	-0.6	24.13
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBLeft	23.37	-0.6	22.77
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	Edge1RBRight	23.35	-0.6	22.75
66-n41	100MHz	30kHz	2640MHz	CP	16QAM	OuterFull	23.80	-0.6	23.20
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	InnerFull	22.98	-0.6	22.38
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBLeft	22.94	-0.6	22.34
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	Edge1RBRight	23.27	-0.6	22.67
66-n41	100MHz	30kHz	2640MHz	CP	64QAM	OuterFull	23.22	-0.6	22.62
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	InnerFull	20.13	-0.6	19.53
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBLeft	19.44	-0.6	18.84
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	Edge1RBRight	19.81	-0.6	19.21
66-n41	100MHz	30kHz	2640MHz	CP	256QAM	OuterFull	20.38	-0.6	19.78

LTE Band 12+NR n66

Limits: ≤30dBm (1W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	InnerFull	24.69	-0.7	23.99
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.23	-0.7	23.53
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.19	-0.7	23.49
12-n66	5MHz	15kHz	1712.5MHz	DFT	pi/2 BPSK	OuterFull	24.32	-0.7	23.62
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	InnerFull	24.62	-0.7	23.92
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBLeft	23.59	-0.7	22.89
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	Edge1RBRight	23.6	-0.7	22.90
12-n66	5MHz	15kHz	1712.5MHz	DFT	QPSK	OuterFull	23.73	-0.7	23.03
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	InnerFull	23.71	-0.7	23.01
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBLeft	22.54	-0.7	21.84
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	Edge1RBRight	22.49	-0.7	21.79
12-n66	5MHz	15kHz	1712.5MHz	DFT	16QAM	OuterFull	22.78	-0.7	22.08
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	InnerFull	21.50	-0.7	20.80
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBLeft	22.23	-0.7	21.53
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	Edge1RBRight	22.25	-0.7	21.55
12-n66	5MHz	15kHz	1712.5MHz	DFT	64QAM	OuterFull	22.25	-0.7	21.55
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	InnerFull	19.53	-0.7	18.83
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBLeft	19.62	-0.7	18.92
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	Edge1RBRight	19.66	-0.7	18.96
12-n66	5MHz	15kHz	1712.5MHz	DFT	256QAM	OuterFull	20.20	-0.7	19.50
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	InnerFull	23.17	-0.7	22.47
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBLeft	21.77	-0.7	21.07
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	Edge1RBRight	21.72	-0.7	21.02
12-n66	5MHz	15kHz	1712.5MHz	CP	QPSK	OuterFull	21.69	-0.7	20.99
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	InnerFull	22.72	-0.7	22.02
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBLeft	21.8	-0.7	21.10
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	Edge1RBRight	21.66	-0.7	20.96
12-n66	5MHz	15kHz	1712.5MHz	CP	16QAM	OuterFull	21.68	-0.7	20.98
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	InnerFull	20.55	-0.7	19.85
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBLeft	21.24	-0.7	20.54
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	Edge1RBRight	21.33	-0.7	20.63
12-n66	5MHz	15kHz	1712.5MHz	CP	64QAM	OuterFull	21.28	-0.7	20.58
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	InnerFull	17.49	-0.7	16.79
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBLeft	17.70	-0.7	17.00
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	Edge1RBRight	17.71	-0.7	17.01
12-n66	5MHz	15kHz	1712.5MHz	CP	256QAM	OuterFull	18.26	-0.7	17.56
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.59	-0.7	23.89

12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.08	-0.7	23.38
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.12	-0.7	23.42
12-n66	5MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.20	-0.7	23.50
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.59	-0.7	23.89
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.51	-0.7	22.81
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.58	-0.7	22.88
12-n66	5MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.72	-0.7	23.02
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.64	-0.7	22.94
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.46	-0.7	21.76
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
12-n66	5MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.75	-0.7	22.05
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.44	-0.7	20.74
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.12	-0.7	21.42
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	22.20	-0.7	21.50
12-n66	5MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.27	-0.7	21.57
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.57	-0.7	18.87
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.53	-0.7	18.83
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.56	-0.7	18.86
12-n66	5MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.18	-0.7	19.48
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.2	-0.7	22.50
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.73	-0.7	21.03
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.66	-0.7	20.96
12-n66	5MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.65	-0.7	20.95
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.69	-0.7	21.99
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.77	-0.7	21.07
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.68	-0.7	20.98
12-n66	5MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.66	-0.7	20.96
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.49	-0.7	19.79
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.25	-0.7	20.55
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.19	-0.7	20.49
12-n66	5MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.17	-0.7	20.47
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.54	-0.7	16.84
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.64	-0.7	16.94
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.55	-0.7	16.85
12-n66	5MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.26	-0.7	17.56
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	InnerFull	24.56	-0.7	23.86
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-0.7	23.32
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.09	-0.7	23.39
12-n66	5MHz	15kHz	1777.5MHz	DFT	pi/2 BPSK	OuterFull	24.16	-0.7	23.46
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	InnerFull	24.60	-0.7	23.90
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBLeft	23.58	-0.7	22.88

12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	Edge1RBRight	23.55	-0.7	22.85
12-n66	5MHz	15kHz	1777.5MHz	DFT	QPSK	OuterFull	23.72	-0.7	23.02
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	InnerFull	23.58	-0.7	22.88
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBLeft	22.47	-0.7	21.77
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
12-n66	5MHz	15kHz	1777.5MHz	DFT	16QAM	OuterFull	22.72	-0.7	22.02
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	InnerFull	21.43	-0.7	20.73
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBLeft	22.12	-0.7	21.42
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	Edge1RBRight	22.17	-0.7	21.47
12-n66	5MHz	15kHz	1777.5MHz	DFT	64QAM	OuterFull	22.24	-0.7	21.54
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	InnerFull	19.39	-0.7	18.69
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBLeft	19.59	-0.7	18.89
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	Edge1RBRight	19.59	-0.7	18.89
12-n66	5MHz	15kHz	1777.5MHz	DFT	256QAM	OuterFull	20.14	-0.7	19.44
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	InnerFull	23.12	-0.7	22.42
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBLeft	21.66	-0.7	20.96
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	Edge1RBRight	21.61	-0.7	20.91
12-n66	5MHz	15kHz	1777.5MHz	CP	QPSK	OuterFull	21.70	-0.7	21.00
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	InnerFull	22.63	-0.7	21.93
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBLeft	21.56	-0.7	20.86
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	Edge1RBRight	21.55	-0.7	20.85
12-n66	5MHz	15kHz	1777.5MHz	CP	16QAM	OuterFull	21.68	-0.7	20.98
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	InnerFull	20.41	-0.7	19.71
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBLeft	21.25	-0.7	20.55
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	Edge1RBRight	21.29	-0.7	20.59
12-n66	5MHz	15kHz	1777.5MHz	CP	64QAM	OuterFull	21.26	-0.7	20.56
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	InnerFull	17.42	-0.7	16.72
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBLeft	17.69	-0.7	16.99
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	Edge1RBRight	17.70	-0.7	17.00
12-n66	5MHz	15kHz	1777.5MHz	CP	256QAM	OuterFull	18.14	-0.7	17.44
12-n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	InnerFull	24.75	-0.7	24.05
12-n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.21	-0.7	23.51
12-n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.16	-0.7	23.46
12-n66	10MHz	15kHz	1715MHz	DFT	$\pi/2$ BPSK	OuterFull	24.3	-0.7	23.60
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	InnerFull	24.74	-0.7	24.04
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBLeft	23.77	-0.7	23.07
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	Edge1RBRight	23.75	-0.7	23.05
12-n66	10MHz	15kHz	1715MHz	DFT	QPSK	OuterFull	23.83	-0.7	23.13
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	InnerFull	23.92	-0.7	23.22
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBLeft	22.60	-0.7	21.90
12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	Edge1RBRight	22.58	-0.7	21.88

12-n66	10MHz	15kHz	1715MHz	DFT	16QAM	OuterFull	22.88	-0.7	22.18
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	InnerFull	21.57	-0.7	20.87
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBLeft	22.29	-0.7	21.59
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	Edge1RBRight	21.52	-0.7	20.82
12-n66	10MHz	15kHz	1715MHz	DFT	64QAM	OuterFull	22.38	-0.7	21.68
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	InnerFull	19.47	-0.7	18.77
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBLeft	19.70	-0.7	19.00
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	Edge1RBRight	19.71	-0.7	19.01
12-n66	10MHz	15kHz	1715MHz	DFT	256QAM	OuterFull	20.23	-0.7	19.53
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	InnerFull	23.29	-0.7	22.59
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBLeft	21.76	-0.7	21.06
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	Edge1RBRight	21.76	-0.7	21.06
12-n66	10MHz	15kHz	1715MHz	CP	QPSK	OuterFull	21.77	-0.7	21.07
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	InnerFull	22.89	-0.7	22.19
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBLeft	21.72	-0.7	21.02
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	Edge1RBRight	21.82	-0.7	21.12
12-n66	10MHz	15kHz	1715MHz	CP	16QAM	OuterFull	21.83	-0.7	21.13
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	InnerFull	20.58	-0.7	19.88
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBLeft	21.34	-0.7	20.64
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	Edge1RBRight	21.40	-0.7	20.70
12-n66	10MHz	15kHz	1715MHz	CP	64QAM	OuterFull	21.35	-0.7	20.65
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	InnerFull	17.52	-0.7	16.82
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBLeft	17.75	-0.7	17.05
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	Edge1RBRight	17.75	-0.7	17.05
12-n66	10MHz	15kHz	1715MHz	CP	256QAM	OuterFull	18.38	-0.7	17.68
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.68	-0.7	23.98
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.13	-0.7	23.43
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.16	-0.7	23.46
12-n66	10MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.24	-0.7	23.54
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.63	-0.7	23.93
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.62	-0.7	22.92
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.67	-0.7	22.97
12-n66	10MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.74	-0.7	23.04
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.77	-0.7	23.07
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.49	-0.7	21.79
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.52	-0.7	21.82
12-n66	10MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.70	-0.7	22.00
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.40	-0.7	20.70
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.42	-0.7	21.72
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.90	-0.7	21.20
12-n66	10MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.21	-0.7	21.51

12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.37	-0.7	18.67
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.61	-0.7	18.91
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.61	-0.7	18.91
12-n66	10MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.13	-0.7	19.43
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.16	-0.7	22.46
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.67	-0.7	20.97
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.59	-0.7	20.89
12-n66	10MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.59	-0.7	20.89
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.71	-0.7	22.01
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.77	-0.7	21.07
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.63	-0.7	20.93
12-n66	10MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.69	-0.7	20.99
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.51	-0.7	19.81
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.27	-0.7	20.57
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.23	-0.7	20.53
12-n66	10MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.27	-0.7	20.57
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.46	-0.7	16.76
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.70	-0.7	17.00
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.68	-0.7	16.98
12-n66	10MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.31	-0.7	17.61
12-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	InnerFull	24.75	-0.7	24.05
12-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.19	-0.7	23.49
12-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13	-0.7	23.43
12-n66	10MHz	15kHz	1775MHz	DFT	pi/2 BPSK	OuterFull	24.30	-0.7	23.60
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	InnerFull	24.64	-0.7	23.94
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBLeft	23.64	-0.7	22.94
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	Edge1RBRight	23.62	-0.7	22.92
12-n66	10MHz	15kHz	1775MHz	DFT	QPSK	OuterFull	23.69	-0.7	22.99
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	InnerFull	23.73	-0.7	23.03
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBLeft	22.50	-0.7	21.80
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	Edge1RBRight	22.47	-0.7	21.77
12-n66	10MHz	15kHz	1775MHz	DFT	16QAM	OuterFull	22.73	-0.7	22.03
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	InnerFull	21.37	-0.7	20.67
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBLeft	22.38	-0.7	21.68
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	Edge1RBRight	21.98	-0.7	21.28
12-n66	10MHz	15kHz	1775MHz	DFT	64QAM	OuterFull	22.24	-0.7	21.54
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	InnerFull	19.36	-0.7	18.66
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBLeft	19.62	-0.7	18.92
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	Edge1RBRight	19.62	-0.7	18.92
12-n66	10MHz	15kHz	1775MHz	DFT	256QAM	OuterFull	20.17	-0.7	19.47
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	InnerFull	23.17	-0.7	22.47

12-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBLeft	21.67	-0.7	20.97
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	Edge1RBRight	21.96	-0.7	21.26
12-n66	10MHz	15kHz	1775MHz	CP	QPSK	OuterFull	21.66	-0.7	20.96
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	InnerFull	22.83	-0.7	22.13
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBLeft	21.75	-0.7	21.05
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	Edge1RBRight	21.66	-0.7	20.96
12-n66	10MHz	15kHz	1775MHz	CP	16QAM	OuterFull	21.77	-0.7	21.07
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	InnerFull	20.43	-0.7	19.73
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBLeft	21.14	-0.7	20.44
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	Edge1RBRight	21.18	-0.7	20.48
12-n66	10MHz	15kHz	1775MHz	CP	64QAM	OuterFull	21.27	-0.7	20.57
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	InnerFull	17.35	-0.7	16.65
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBLeft	17.55	-0.7	16.85
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	Edge1RBRight	17.62	-0.7	16.92
12-n66	10MHz	15kHz	1775MHz	CP	256QAM	OuterFull	18.23	-0.7	17.53
12-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	InnerFull	24.71	-0.7	24.01
12-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.21	-0.7	23.51
12-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.73	-0.7	23.03
12-n66	15MHz	15kHz	1717.5MHz	DFT	pi/2 BPSK	OuterFull	24.30	-0.7	23.60
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	InnerFull	24.69	-0.7	23.99
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBLeft	23.72	-0.7	23.02
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	Edge1RBRight	23.74	-0.7	23.04
12-n66	15MHz	15kHz	1717.5MHz	DFT	QPSK	OuterFull	23.83	-0.7	23.13
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	InnerFull	23.69	-0.7	22.99
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBLeft	22.60	-0.7	21.90
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	Edge1RBRight	22.66	-0.7	21.96
12-n66	15MHz	15kHz	1717.5MHz	DFT	16QAM	OuterFull	22.77	-0.7	22.07
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	InnerFull	21.47	-0.7	20.77
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBLeft	21.63	-0.7	20.93
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	Edge1RBRight	21.95	-0.7	21.25
12-n66	15MHz	15kHz	1717.5MHz	DFT	64QAM	OuterFull	22.29	-0.7	21.59
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	InnerFull	19.41	-0.7	18.71
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBLeft	19.70	-0.7	19.00
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	Edge1RBRight	19.76	-0.7	19.06
12-n66	15MHz	15kHz	1717.5MHz	DFT	256QAM	OuterFull	20.28	-0.7	19.58
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	InnerFull	22.78	-0.7	22.08
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBLeft	21.82	-0.7	21.12
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	Edge1RBRight	21.79	-0.7	21.09
12-n66	15MHz	15kHz	1717.5MHz	CP	QPSK	OuterFull	21.68	-0.7	20.98
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	InnerFull	22.59	-0.7	21.89
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBLeft	21.81	-0.7	21.11

12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	Edge1RBRight	21.75	-0.7	21.05
12-n66	15MHz	15kHz	1717.5MHz	CP	16QAM	OuterFull	21.76	-0.7	21.06
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	InnerFull	20.46	-0.7	19.76
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBLeft	21.42	-0.7	20.72
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	Edge1RBRight	21.35	-0.7	20.65
12-n66	15MHz	15kHz	1717.5MHz	CP	64QAM	OuterFull	21.28	-0.7	20.58
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	InnerFull	17.47	-0.7	16.77
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBLeft	17.72	-0.7	17.02
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	Edge1RBRight	17.77	-0.7	17.07
12-n66	15MHz	15kHz	1717.5MHz	CP	256QAM	OuterFull	18.38	-0.7	17.68
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.59	-0.7	23.89
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.15	-0.7	23.45
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.13	-0.7	23.43
12-n66	15MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.24	-0.7	23.54
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.58	-0.7	23.88
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.57	-0.7	22.87
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.64	-0.7	22.94
12-n66	15MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.75	-0.7	23.05
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.66	-0.7	22.96
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.55	-0.7	21.85
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.55	-0.7	21.85
12-n66	15MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.69	-0.7	21.99
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.44	-0.7	20.74
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.47	-0.7	21.77
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.67	-0.7	20.97
12-n66	15MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.17	-0.7	21.47
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.30	-0.7	18.60
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.62	-0.7	18.92
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.60	-0.7	18.90
12-n66	15MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.18	-0.7	19.48
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.21	-0.7	22.51
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.88	-0.7	21.18
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.8	-0.7	21.10
12-n66	15MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.68	-0.7	20.98
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.67	-0.7	21.97
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.67	-0.7	20.97
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.67	-0.7	20.97
12-n66	15MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.75	-0.7	21.05
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.39	-0.7	19.69
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.22	-0.7	20.52
12-n66	15MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.28	-0.7	20.58

12-n66	15MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.18	-0.7	20.48
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.45	-0.7	16.75
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.69	-0.7	16.99
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.70	-0.7	17.00
12-n66	15MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.26	-0.7	17.56
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	InnerFull	24.48	-0.7	23.78
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.04	-0.7	23.34
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.04	-0.7	23.34
12-n66	15MHz	15kHz	1772.5MHz	DFT	pi/2 BPSK	OuterFull	24.09	-0.7	23.39
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	InnerFull	24.45	-0.7	23.75
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBLeft	23.47	-0.7	22.77
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	Edge1RBRight	23.52	-0.7	22.82
12-n66	15MHz	15kHz	1772.5MHz	DFT	QPSK	OuterFull	23.62	-0.7	22.92
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	InnerFull	23.42	-0.7	22.72
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBLeft	22.39	-0.7	21.69
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	Edge1RBRight	22.46	-0.7	21.76
12-n66	15MHz	15kHz	1772.5MHz	DFT	16QAM	OuterFull	22.53	-0.7	21.83
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	InnerFull	21.24	-0.7	20.54
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBLeft	22.06	-0.7	21.36
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	Edge1RBRight	21.66	-0.7	20.96
12-n66	15MHz	15kHz	1772.5MHz	DFT	64QAM	OuterFull	22.07	-0.7	21.37
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	InnerFull	19.18	-0.7	18.48
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBLeft	19.41	-0.7	18.71
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	Edge1RBRight	19.52	-0.7	18.82
12-n66	15MHz	15kHz	1772.5MHz	DFT	256QAM	OuterFull	20.06	-0.7	19.36
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	InnerFull	23.05	-0.7	22.35
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBLeft	21.77	-0.7	21.07
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	Edge1RBRight	21.6	-0.7	20.90
12-n66	15MHz	15kHz	1772.5MHz	CP	QPSK	OuterFull	21.52	-0.7	20.82
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	InnerFull	22.54	-0.7	21.84
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBLeft	21.52	-0.7	20.82
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	Edge1RBRight	21.53	-0.7	20.83
12-n66	15MHz	15kHz	1772.5MHz	CP	16QAM	OuterFull	21.59	-0.7	20.89
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	InnerFull	20.31	-0.7	19.61
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBLeft	21.05	-0.7	20.35
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	Edge1RBRight	21.17	-0.7	20.47
12-n66	15MHz	15kHz	1772.5MHz	CP	64QAM	OuterFull	21.10	-0.7	20.40
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	InnerFull	17.24	-0.7	16.54
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBLeft	17.46	-0.7	16.76
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	Edge1RBRight	17.65	-0.7	16.95
12-n66	15MHz	15kHz	1772.5MHz	CP	256QAM	OuterFull	18.14	-0.7	17.44

12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	InnerFull	24.59	-0.7	23.89
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.24	-0.7	23.54
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	Edge1RBRight	24.14	-0.7	23.44
12-n66	20MHz	15kHz	1720MHz	DFT	pi/2 BPSK	OuterFull	24.32	-0.7	23.62
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	InnerFull	24.41	-0.7	23.71
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBLeft	23.69	-0.7	22.99
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	Edge1RBRight	23.75	-0.7	23.05
12-n66	20MHz	15kHz	1720MHz	DFT	QPSK	OuterFull	23.75	-0.7	23.05
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	InnerFull	23.63	-0.7	22.93
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBLeft	22.60	-0.7	21.90
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	Edge1RBRight	22.62	-0.7	21.92
12-n66	20MHz	15kHz	1720MHz	DFT	16QAM	OuterFull	22.79	-0.7	22.09
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	InnerFull	21.36	-0.7	20.66
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBLeft	21.77	-0.7	21.07
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	Edge1RBRight	22.40	-0.7	21.70
12-n66	20MHz	15kHz	1720MHz	DFT	64QAM	OuterFull	22.30	-0.7	21.60
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	InnerFull	19.37	-0.7	18.67
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBLeft	19.68	-0.7	18.98
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	Edge1RBRight	19.68	-0.7	18.98
12-n66	20MHz	15kHz	1720MHz	DFT	256QAM	OuterFull	20.27	-0.7	19.57
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	InnerFull	22.71	-0.7	22.01
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBLeft	21.98	-0.7	21.28
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	Edge1RBRight	21.85	-0.7	21.15
12-n66	20MHz	15kHz	1720MHz	CP	QPSK	OuterFull	21.74	-0.7	21.04
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	InnerFull	22.40	-0.7	21.70
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBLeft	21.71	-0.7	21.01
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	Edge1RBRight	21.59	-0.7	20.89
12-n66	20MHz	15kHz	1720MHz	CP	16QAM	OuterFull	21.76	-0.7	21.06
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	InnerFull	20.27	-0.7	19.57
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBLeft	21.43	-0.7	20.73
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	Edge1RBRight	21.29	-0.7	20.59
12-n66	20MHz	15kHz	1720MHz	CP	64QAM	OuterFull	21.31	-0.7	20.61
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	InnerFull	17.56	-0.7	16.86
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBLeft	17.72	-0.7	17.02
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	Edge1RBRight	17.67	-0.7	16.97
12-n66	20MHz	15kHz	1720MHz	CP	256QAM	OuterFull	18.36	-0.7	17.66
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	InnerFull	24.71	-0.7	24.01
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.2	-0.7	23.50
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	Edge1RBRight	24.08	-0.7	23.38
12-n66	20MHz	15kHz	1745MHz	DFT	pi/2 BPSK	OuterFull	24.25	-0.7	23.55
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	InnerFull	24.62	-0.7	23.92

12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBLeft	23.65	-0.7	22.95
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	Edge1RBRight	23.72	-0.7	23.02
12-n66	20MHz	15kHz	1745MHz	DFT	QPSK	OuterFull	23.72	-0.7	23.02
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	InnerFull	23.67	-0.7	22.97
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBLeft	22.58	-0.7	21.88
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	Edge1RBRight	22.45	-0.7	21.75
12-n66	20MHz	15kHz	1745MHz	DFT	16QAM	OuterFull	22.75	-0.7	22.05
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	InnerFull	21.39	-0.7	20.69
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBLeft	22.25	-0.7	21.55
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	Edge1RBRight	21.73	-0.7	21.03
12-n66	20MHz	15kHz	1745MHz	DFT	64QAM	OuterFull	22.23	-0.7	21.53
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	InnerFull	19.30	-0.7	18.60
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBLeft	19.60	-0.7	18.90
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	Edge1RBRight	19.57	-0.7	18.87
12-n66	20MHz	15kHz	1745MHz	DFT	256QAM	OuterFull	20.21	-0.7	19.51
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	InnerFull	23.22	-0.7	22.52
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBLeft	21.91	-0.7	21.21
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	Edge1RBRight	21.81	-0.7	21.11
12-n66	20MHz	15kHz	1745MHz	CP	QPSK	OuterFull	21.68	-0.7	20.98
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	InnerFull	22.69	-0.7	21.99
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBLeft	21.75	-0.7	21.05
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	Edge1RBRight	21.62	-0.7	20.92
12-n66	20MHz	15kHz	1745MHz	CP	16QAM	OuterFull	21.69	-0.7	20.99
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	InnerFull	20.37	-0.7	19.67
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBLeft	21.32	-0.7	20.62
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	Edge1RBRight	21.27	-0.7	20.57
12-n66	20MHz	15kHz	1745MHz	CP	64QAM	OuterFull	21.24	-0.7	20.54
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	InnerFull	17.52	-0.7	16.82
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBLeft	17.66	-0.7	16.96
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	Edge1RBRight	17.63	-0.7	16.93
12-n66	20MHz	15kHz	1745MHz	CP	256QAM	OuterFull	18.31	-0.7	17.61
12-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	InnerFull	24.60	-0.7	23.90
12-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.12	-0.7	23.42
12-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	Edge1RBRight	23.99	-0.7	23.29
12-n66	20MHz	15kHz	1770MHz	DFT	pi/2 BPSK	OuterFull	24.17	-0.7	23.47
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	InnerFull	24.44	-0.7	23.74
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBLeft	23.49	-0.7	22.79
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	Edge1RBRight	23.54	-0.7	22.84
12-n66	20MHz	15kHz	1770MHz	DFT	QPSK	OuterFull	23.61	-0.7	22.91
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	InnerFull	23.54	-0.7	22.84
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBLeft	22.43	-0.7	21.73

12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	Edge1RBRight	22.44	-0.7	21.74
12-n66	20MHz	15kHz	1770MHz	DFT	16QAM	OuterFull	22.63	-0.7	21.93
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	InnerFull	21.26	-0.7	20.56
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBLeft	21.94	-0.7	21.24
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	Edge1RBRight	21.70	-0.7	21.00
12-n66	20MHz	15kHz	1770MHz	DFT	64QAM	OuterFull	22.13	-0.7	21.43
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	InnerFull	19.17	-0.7	18.47
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBLeft	19.52	-0.7	18.82
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	Edge1RBRight	19.50	-0.7	18.80
12-n66	20MHz	15kHz	1770MHz	DFT	256QAM	OuterFull	20.15	-0.7	19.45
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	InnerFull	23.09	-0.7	22.39
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBLeft	21.81	-0.7	21.11
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	Edge1RBRight	21.74	-0.7	21.04
12-n66	20MHz	15kHz	1770MHz	CP	QPSK	OuterFull	21.59	-0.7	20.89
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	InnerFull	22.54	-0.7	21.84
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBLeft	21.62	-0.7	20.92
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	Edge1RBRight	21.51	-0.7	20.81
12-n66	20MHz	15kHz	1770MHz	CP	16QAM	OuterFull	21.59	-0.7	20.89
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	InnerFull	20.39	-0.7	19.69
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBLeft	21.19	-0.7	20.49
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	Edge1RBRight	21.09	-0.7	20.39
12-n66	20MHz	15kHz	1770MHz	CP	64QAM	OuterFull	21.19	-0.7	20.49
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	InnerFull	17.43	-0.7	16.73
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBLeft	17.63	-0.7	16.93
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	Edge1RBRight	17.67	-0.7	16.97
12-n66	20MHz	15kHz	1770MHz	CP	256QAM	OuterFull	18.15	-0.7	17.45

LTE Band 66+NR n71

Limits: ≤34.77dBm (3W)

BAND	BW	SCS	FREQ	OFDM	MODULATION	RB ALLOCATION	TOTAL POWER(dBm)	GT (dBi)	Radiated output power (dBm)
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	24.71	-1.1	21.46
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.34	-1.1	21.09
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.21	-1.1	20.96
66-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	24.28	-1.1	21.03
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	24.46	-1.1	21.21
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.7	-1.1	19.45
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.22	-1.1	19.97
66-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	23.26	-1.1	20.01
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.84	-1.1	20.59
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	21.89	-1.1	18.64
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.34	-1.1	19.09
66-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	22.75	-1.1	19.50
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.38	-1.1	19.13
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.55	-1.1	18.30
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.14	-1.1	18.89
66-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.24	-1.1	18.99
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.18	-1.1	16.93
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	19.41	-1.1	16.16
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.43	-1.1	16.18
66-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.13	-1.1	16.88
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.29	-1.1	20.04
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.68	-1.1	18.43
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	21.57	-1.1	18.32
66-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	21.58	-1.1	18.33
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.80	-1.1	19.55
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.77	-1.1	18.52
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	21.52	-1.1	18.27
66-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	21.67	-1.1	18.42
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.26	-1.1	18.01
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.27	-1.1	18.02
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.18	-1.1	17.93
66-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.15	-1.1	17.90
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.12	-1.1	14.87
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.54	-1.1	14.29
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.42	-1.1	14.17
66-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.06	-1.1	14.81
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.47	-1.1	21.22

66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-1.1	20.77
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.07	-1.1	20.82
66-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.08	-1.1	20.83
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.47	-1.1	21.22
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.46	-1.1	20.21
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.58	-1.1	20.33
66-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.57	-1.1	20.32
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.54	-1.1	20.29
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.38	-1.1	19.13
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.49	-1.1	19.24
66-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.65	-1.1	19.40
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.18	-1.1	18.93
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.17	-1.1	18.92
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.19	-1.1	18.94
66-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.20	-1.1	18.95
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.10	-1.1	16.85
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.39	-1.1	16.14
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.44	-1.1	16.19
66-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.94	-1.1	16.69
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	22.98	-1.1	19.73
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.5	-1.1	18.25
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.54	-1.1	18.29
66-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.45	-1.1	18.20
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.57	-1.1	19.32
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.45	-1.1	18.20
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.62	-1.1	18.37
66-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53	-1.1	18.28
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.11	-1.1	17.86
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.04	-1.1	17.79
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.10	-1.1	17.85
66-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.01	-1.1	17.76
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.97	-1.1	14.72
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.35	-1.1	14.10
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.36	-1.1	14.11
66-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.94	-1.1	14.69
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.24	-1.1	20.99
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.90	-1.1	20.65
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82	-1.1	20.57
66-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.88	-1.1	20.63
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	24.35	-1.1	21.10
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.30	-1.1	20.05

66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.27	-1.1	20.02
66-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.39	-1.1	20.14
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.37	-1.1	20.12
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.24	-1.1	18.99
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.14	-1.1	18.89
66-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.41	-1.1	19.16
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	21.95	-1.1	18.70
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22.01	-1.1	18.76
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	21.91	-1.1	18.66
66-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.06	-1.1	18.81
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	19.88	-1.1	16.63
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.24	-1.1	15.99
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.16	-1.1	15.91
66-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	19.93	-1.1	16.68
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	22.85	-1.1	19.60
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.51	-1.1	18.26
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.30	-1.1	18.05
66-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.35	-1.1	18.10
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.33	-1.1	19.08
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.40	-1.1	18.15
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.40	-1.1	18.15
66-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.51	-1.1	18.26
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.03	-1.1	17.78
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	21.03	-1.1	17.78
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	20.89	-1.1	17.64
66-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	20.94	-1.1	17.69
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	17.86	-1.1	14.61
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.29	-1.1	14.04
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.18	-1.1	13.93
66-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.85	-1.1	14.60
66-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	InnerFull	24.56	-1.1	21.31
66-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.41	-1.1	20.16
66-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.02	-1.1	20.77
66-n71	10MHz	15kHz	668MHz	DFT	$\pi/2$ BPSK	OuterFull	24.15	-1.1	20.90
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	24.58	-1.1	21.33
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	23.69	-1.1	20.44
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.53	-1.1	20.28
66-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.64	-1.1	20.39
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.7	-1.1	20.45
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.58	-1.1	19.33
66-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.39	-1.1	19.14

66-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.59	-1.1	19.34
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.31	-1.1	19.06
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.69	-1.1	18.44
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.12	-1.1	18.87
66-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.11	-1.1	18.86
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20.04	-1.1	16.79
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.28	-1.1	16.03
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.42	-1.1	16.17
66-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	19.99	-1.1	16.74
66-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.02	-1.1	19.77
66-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.61	-1.1	18.36
66-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	21.43	-1.1	18.18
66-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	21.68	-1.1	18.43
66-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.68	-1.1	19.43
66-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.64	-1.1	18.39
66-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	21.41	-1.1	18.16
66-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	21.69	-1.1	18.44
66-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.09	-1.1	17.84
66-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.27	-1.1	18.02
66-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	21.02	-1.1	17.77
66-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.13	-1.1	17.88
66-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	18.05	-1.1	14.80
66-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.56	-1.1	14.31
66-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.24	-1.1	13.99
66-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.13	-1.1	14.88
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.45	-1.1	21.20
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.01	-1.1	20.76
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05	-1.1	20.80
66-n71	10MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-1.1	20.86
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.53	-1.1	21.28
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53	-1.1	20.28
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.5	-1.1	20.25
66-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.58	-1.1	20.33
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.68	-1.1	20.43
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.38	-1.1	19.13
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.40	-1.1	19.15
66-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.63	-1.1	19.38
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.22	-1.1	18.97
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.21	-1.1	18.96
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.23	-1.1	18.98
66-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.24	-1.1	18.99

66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.93	-1.1	16.68
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.27	-1.1	16.02
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.31	-1.1	16.06
66-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.98	-1.1	16.73
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.07	-1.1	19.82
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.49	-1.1	18.24
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.48	-1.1	18.23
66-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.43	-1.1	18.18
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.70	-1.1	19.45
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.48	-1.1	18.23
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.47	-1.1	18.22
66-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53	-1.1	18.28
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.05	-1.1	17.80
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.03	-1.1	17.78
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.03	-1.1	17.78
66-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	20.99	-1.1	17.74
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.94	-1.1	14.69
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.24	-1.1	13.99
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.28	-1.1	14.03
66-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97	-1.1	14.72
66-n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	InnerFull	24.29	-1.1	21.04
66-n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.92	-1.1	20.67
66-n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.73	-1.1	20.48
66-n71	10MHz	15kHz	693MHz	DFT	$\pi/2$ BPSK	OuterFull	23.93	-1.1	20.68
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.27	-1.1	21.02
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.44	-1.1	20.19
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.24	-1.1	19.99
66-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.42	-1.1	20.17
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.47	-1.1	20.22
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.34	-1.1	19.09
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	22.1	-1.1	18.85
66-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.48	-1.1	19.23
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.01	-1.1	18.76
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	22.11	-1.1	18.86
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	21.90	-1.1	18.65
66-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22.00	-1.1	18.75
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.86	-1.1	16.61
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.25	-1.1	16.00
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.06	-1.1	15.81
66-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	19.75	-1.1	16.50
66-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	22.90	-1.1	19.65

66-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.54	-1.1	18.29
66-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.28	-1.1	18.03
66-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.40	-1.1	18.15
66-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.47	-1.1	19.22
66-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.45	-1.1	18.20
66-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.15	-1.1	17.90
66-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.35	-1.1	18.10
66-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	20.99	-1.1	17.74
66-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	20.99	-1.1	17.74
66-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	20.73	-1.1	17.48
66-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	20.91	-1.1	17.66
66-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.78	-1.1	14.53
66-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.40	-1.1	14.15
66-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.07	-1.1	13.82
66-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.91	-1.1	14.66
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	24.44	-1.1	21.19
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14	-1.1	20.89
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.92	-1.1	20.67
66-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-1.1	20.86
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	24.46	-1.1	21.21
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.20	-1.1	19.95
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.38	-1.1	20.13
66-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.61	-1.1	20.36
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.56	-1.1	20.31
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	22.2	-1.1	18.95
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	22.32	-1.1	19.07
66-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.58	-1.1	19.33
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.15	-1.1	18.90
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.71	-1.1	18.46
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	22.03	-1.1	18.78
66-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.24	-1.1	18.99
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	19.89	-1.1	16.64
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.56	-1.1	16.31
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	19.42	-1.1	16.17
66-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	19.98	-1.1	16.73
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.13	-1.1	19.88
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.55	-1.1	18.30
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	21.38	-1.1	18.13
66-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	21.47	-1.1	18.22
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	22.59	-1.1	19.34
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.62	-1.1	18.37

66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	21.33	-1.1	18.08
66-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	21.61	-1.1	18.36
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.01	-1.1	17.76
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.19	-1.1	17.94
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	20.96	-1.1	17.71
66-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	21.11	-1.1	17.86
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	17.89	-1.1	14.64
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	17.44	-1.1	14.19
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	17.19	-1.1	13.94
66-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.02	-1.1	14.77
66-n71	15MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.51	-1.1	21.26
66-n71	15MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.92	-1.1	20.67
66-n71	15MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.81	-1.1	20.56
66-n71	15MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.98	-1.1	20.73
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.35	-1.1	21.10
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.43	-1.1	20.18
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.35	-1.1	20.10
66-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.53	-1.1	20.28
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.41	-1.1	20.16
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.28	-1.1	19.03
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.20	-1.1	18.95
66-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.61	-1.1	19.36
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.14	-1.1	18.89
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.07	-1.1	18.82
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.01	-1.1	18.76
66-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.18	-1.1	18.93
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.89	-1.1	16.64
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.35	-1.1	16.10
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.27	-1.1	16.02
66-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.02	-1.1	16.77
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.01	-1.1	19.76
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.34	-1.1	18.09
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.30	-1.1	18.05
66-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.54	-1.1	18.29
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.59	-1.1	19.34
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.06	-1.1	17.81
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.04	-1.1	17.79
66-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.53	-1.1	18.28
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.06	-1.1	17.81
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.78	-1.1	17.53
66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.64	-1.1	17.39

66-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.02	-1.1	17.77
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.89	-1.1	14.64
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.26	-1.1	14.01
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.23	-1.1	13.98
66-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97	-1.1	14.72
66-n71	15MHz	15kHz	690.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.30	-1.1	21.05
66-n71	15MHz	15kHz	690.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	23.96	-1.1	20.71
66-n71	15MHz	15kHz	690.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	23.62	-1.1	20.37
66-n71	15MHz	15kHz	690.5MHz	DFT	$\pi/2$ BPSK	OuterFull	23.89	-1.1	20.64
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	24.35	-1.1	21.10
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.47	-1.1	20.22
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.21	-1.1	19.96
66-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.4	-1.1	20.15
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.35	-1.1	20.10
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	22.11	-1.1	18.86
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	21.81	-1.1	18.56
66-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	22.41	-1.1	19.16
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	21.96	-1.1	18.71
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	21.90	-1.1	18.65
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	21.57	-1.1	18.32
66-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	21.99	-1.1	18.74
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	19.64	-1.1	16.39
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.23	-1.1	15.98
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.04	-1.1	15.79
66-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	19.81	-1.1	16.56
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	22.88	-1.1	19.63
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	21.40	-1.1	18.15
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.01	-1.1	17.76
66-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	21.35	-1.1	18.10
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	22.37	-1.1	19.12
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	21.11	-1.1	17.86
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	20.76	-1.1	17.51
66-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	21.30	-1.1	18.05
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	20.85	-1.1	17.60
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	20.75	-1.1	17.50
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	20.47	-1.1	17.22
66-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	20.78	-1.1	17.53
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	17.70	-1.1	14.45
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.34	-1.1	14.09
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	16.97	-1.1	13.72
66-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	17.76	-1.1	14.51

66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	24.38	-1.1	21.13
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.14	-1.1	20.89
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.91	-1.1	20.66
66-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	23.97	-1.1	20.72
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	24.36	-1.1	21.11
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	23.57	-1.1	20.32
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.35	-1.1	20.10
66-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.58	-1.1	20.33
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.49	-1.1	20.24
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.48	-1.1	19.23
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	22.31	-1.1	19.06
66-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	22.57	-1.1	19.32
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.08	-1.1	18.83
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	22.17	-1.1	18.92
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	22.00	-1.1	18.75
66-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.12	-1.1	18.87
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	19.86	-1.1	16.61
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.28	-1.1	16.03
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.39	-1.1	16.14
66-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	19.97	-1.1	16.72
66-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23.09	-1.1	19.84
66-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.53	-1.1	18.28
66-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	21.35	-1.1	18.10
66-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	21.45	-1.1	18.20
66-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	22.56	-1.1	19.31
66-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.59	-1.1	18.34
66-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	21.34	-1.1	18.09
66-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	21.50	-1.1	18.25
66-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	20.89	-1.1	17.64
66-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.10	-1.1	17.85
66-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	20.83	-1.1	17.58
66-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	20.98	-1.1	17.73
66-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	17.88	-1.1	14.63
66-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	17.50	-1.1	14.25
66-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.36	-1.1	14.11
66-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	17.87	-1.1	14.62
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.51	-1.1	21.26
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.05	-1.1	20.80
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82	-1.1	20.57
66-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.11	-1.1	20.86
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.36	-1.1	21.11

66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53	-1.1	20.28
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.27	-1.1	20.02
66-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.49	-1.1	20.24
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.56	-1.1	20.31
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.15	-1.1	18.90
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	21.94	-1.1	18.69
66-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.59	-1.1	19.34
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.09	-1.1	18.84
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	21.99	-1.1	18.74
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.75	-1.1	18.50
66-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.23	-1.1	18.98
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.91	-1.1	16.66
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.36	-1.1	16.11
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.24	-1.1	15.99
66-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	20.00	-1.1	16.75
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.07	-1.1	19.82
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.41	-1.1	18.16
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.20	-1.1	17.95
66-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.54	-1.1	18.29
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.62	-1.1	19.37
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.44	-1.1	18.19
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.20	-1.1	17.95
66-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.50	-1.1	18.25
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.06	-1.1	17.81
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.95	-1.1	17.70
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.77	-1.1	17.52
66-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.11	-1.1	17.86
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.93	-1.1	14.68
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.43	-1.1	14.18
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.19	-1.1	13.94
66-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.02	-1.1	14.77
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	24.32	-1.1	21.07
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.91	-1.1	20.66
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.59	-1.1	20.34
66-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.96	-1.1	20.71
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	24.34	-1.1	21.09
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.40	-1.1	20.15
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.08	-1.1	19.83
66-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.44	-1.1	20.19
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.48	-1.1	20.23
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	22.30	-1.1	19.05

66-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	21.98	-1.1	18.73
66-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	22.55	-1.1	19.30
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	21.99	-1.1	18.74
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.06	-1.1	18.81
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	21.69	-1.1	18.44
66-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.11	-1.1	18.86
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	19.76	-1.1	16.51
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	19.33	-1.1	16.08
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.08	-1.1	15.83
66-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	19.89	-1.1	16.64
66-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	22.94	-1.1	19.69
66-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	21.4	-1.1	18.15
66-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	20.99	-1.1	17.74
66-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	21.41	-1.1	18.16
66-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	22.48	-1.1	19.23
66-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	21.06	-1.1	17.81
66-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	20.77	-1.1	17.52
66-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	21.39	-1.1	18.14
66-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	20.94	-1.1	17.69
66-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	20.81	-1.1	17.56
66-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	20.41	-1.1	17.16
66-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	20.94	-1.1	17.69
66-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	17.81	-1.1	14.56
66-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	17.31	-1.1	14.06
66-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17.05	-1.1	13.80
66-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	17.83	-1.1	14.58

LTE Band 2+NR n71

Limits: ≤34.77dBm (3W)

BAND	BW	SCS	FREQ	OFDM	MODULATON	RB ALLOCATION	Conduct POWER (dBm)	GT (dBi)	Radiated output power (dBm)
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	InnerFull	24.76	-1.1	21.51
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.31	-1.1	21.06
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	Edge1RBRight	24.27	-1.1	21.02
2-n71	5MHz	15kHz	665.5MHz	DFT	pi/2 BPSK	OuterFull	24.25	-1.1	21
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	InnerFull	24.39	-1.1	21.14
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBLeft	22.61	-1.1	19.36
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	Edge1RBRight	23.13	-1.1	19.88
2-n71	5MHz	15kHz	665.5MHz	DFT	QPSK	OuterFull	22.97	-1.1	19.72
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	InnerFull	23.8	-1.1	20.55
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBLeft	22.04	-1.1	18.79
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	Edge1RBRight	22.53	-1.1	19.28
2-n71	5MHz	15kHz	665.5MHz	DFT	16QAM	OuterFull	22.81	-1.1	19.56
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	InnerFull	22.33	-1.1	19.08
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBLeft	21.59	-1.1	18.34
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	Edge1RBRight	22.14	-1.1	18.89
2-n71	5MHz	15kHz	665.5MHz	DFT	64QAM	OuterFull	22.24	-1.1	18.99
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	InnerFull	20.17	-1.1	16.92
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBLeft	20.2	-1.1	16.95
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	Edge1RBRight	19.48	-1.1	16.23
2-n71	5MHz	15kHz	665.5MHz	DFT	256QAM	OuterFull	20.09	-1.1	16.84
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	InnerFull	23.21	-1.1	19.96
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBLeft	21.7	-1.1	18.45
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	Edge1RBRight	21.61	-1.1	18.36
2-n71	5MHz	15kHz	665.5MHz	CP	QPSK	OuterFull	21.63	-1.1	18.38
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	InnerFull	22.82	-1.1	19.57
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBLeft	21.36	-1.1	18.11
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	Edge1RBRight	21.2	-1.1	17.95
2-n71	5MHz	15kHz	665.5MHz	CP	16QAM	OuterFull	21.63	-1.1	18.38
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	InnerFull	21.16	-1.1	17.91
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBLeft	21.25	-1.1	18
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	Edge1RBRight	21.05	-1.1	17.8
2-n71	5MHz	15kHz	665.5MHz	CP	64QAM	OuterFull	21.21	-1.1	17.96
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	InnerFull	18.13	-1.1	14.88
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBLeft	17.5	-1.1	14.25
2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	Edge1RBRight	17.45	-1.1	14.2

2-n71	5MHz	15kHz	665.5MHz	CP	256QAM	OuterFull	18.08	-1.1	14.83
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.46	-1.1	21.21
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-1.1	20.77
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.97	-1.1	20.72
2-n71	5MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.06	-1.1	20.81
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.46	-1.1	21.21
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.65	-1.1	20.4
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.52	-1.1	20.27
2-n71	5MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.57	-1.1	20.32
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67	-1.1	20.42
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.22	-1.1	18.97
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.16	-1.1	18.91
2-n71	5MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.57	-1.1	19.32
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.19	-1.1	18.94
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.03	-1.1	18.78
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.04	-1.1	18.79
2-n71	5MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.26	-1.1	19.01
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	20.01	-1.1	16.76
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.4	-1.1	16.15
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.43	-1.1	16.18
2-n71	5MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.93	-1.1	16.68
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.08	-1.1	19.83
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.42	-1.1	18.17
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.59	-1.1	18.34
2-n71	5MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.43	-1.1	18.18
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.6	-1.1	19.35
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.34	-1.1	18.09
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.21	-1.1	17.96
2-n71	5MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.5	-1.1	18.25
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.05	-1.1	17.8
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.01	-1.1	17.76
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.9	-1.1	17.65
2-n71	5MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21	-1.1	17.75
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18	-1.1	14.75
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.26	-1.1	14.01
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.36	-1.1	14.11
2-n71	5MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.98	-1.1	14.73
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	InnerFull	24.28	-1.1	21.03
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.88	-1.1	20.63
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.86	-1.1	20.61
2-n71	5MHz	15kHz	695.5MHz	DFT	pi/2 BPSK	OuterFull	23.87	-1.1	20.62

2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	InnerFull	24.32	-1.1	21.07
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBLeft	23.39	-1.1	20.14
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	Edge1RBRight	23.27	-1.1	20.02
2-n71	5MHz	15kHz	695.5MHz	DFT	QPSK	OuterFull	23.39	-1.1	20.14
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	InnerFull	23.39	-1.1	20.14
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBLeft	22.19	-1.1	18.94
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	Edge1RBRight	22.16	-1.1	18.91
2-n71	5MHz	15kHz	695.5MHz	DFT	16QAM	OuterFull	22.47	-1.1	19.22
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	InnerFull	22.04	-1.1	18.79
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBLeft	22	-1.1	18.75
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	Edge1RBRight	21.92	-1.1	18.67
2-n71	5MHz	15kHz	695.5MHz	DFT	64QAM	OuterFull	22.08	-1.1	18.83
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	InnerFull	19.99	-1.1	16.74
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBLeft	19.39	-1.1	16.14
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	Edge1RBRight	19.26	-1.1	16.01
2-n71	5MHz	15kHz	695.5MHz	DFT	256QAM	OuterFull	19.89	-1.1	16.64
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	InnerFull	22.8	-1.1	19.55
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBLeft	21.44	-1.1	18.19
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	Edge1RBRight	21.3	-1.1	18.05
2-n71	5MHz	15kHz	695.5MHz	CP	QPSK	OuterFull	21.4	-1.1	18.15
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	InnerFull	22.42	-1.1	19.17
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBLeft	21.25	-1.1	18
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	Edge1RBRight	21.14	-1.1	17.89
2-n71	5MHz	15kHz	695.5MHz	CP	16QAM	OuterFull	21.48	-1.1	18.23
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	InnerFull	21.01	-1.1	17.76
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBLeft	20.93	-1.1	17.68
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	Edge1RBRight	20.81	-1.1	17.56
2-n71	5MHz	15kHz	695.5MHz	CP	64QAM	OuterFull	20.99	-1.1	17.74
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	InnerFull	17.97	-1.1	14.72
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBLeft	17.26	-1.1	14.01
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	Edge1RBRight	17.15	-1.1	13.9
2-n71	5MHz	15kHz	695.5MHz	CP	256QAM	OuterFull	17.89	-1.1	14.64
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	InnerFull	24.65	-1.1	21.4
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.5	-1.1	20.25
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	Edge1RBRight	24.05	-1.1	20.8
2-n71	10MHz	15kHz	668MHz	DFT	pi/2 BPSK	OuterFull	24.2	-1.1	20.95
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	InnerFull	24.59	-1.1	21.34
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBLeft	23.68	-1.1	20.43
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	Edge1RBRight	23.51	-1.1	20.26
2-n71	10MHz	15kHz	668MHz	DFT	QPSK	OuterFull	23.6	-1.1	20.35
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	InnerFull	23.73	-1.1	20.48

2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBLeft	22.18	-1.1	18.93
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	Edge1RBRight	22.38	-1.1	19.13
2-n71	10MHz	15kHz	668MHz	DFT	16QAM	OuterFull	22.63	-1.1	19.38
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	InnerFull	22.24	-1.1	18.99
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBLeft	21.69	-1.1	18.44
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	Edge1RBRight	22.21	-1.1	18.96
2-n71	10MHz	15kHz	668MHz	DFT	64QAM	OuterFull	22.11	-1.1	18.86
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	InnerFull	20	-1.1	16.75
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBLeft	19.43	-1.1	16.18
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	Edge1RBRight	19.38	-1.1	16.13
2-n71	10MHz	15kHz	668MHz	DFT	256QAM	OuterFull	20.01	-1.1	16.76
2-n71	10MHz	15kHz	668MHz	CP	QPSK	InnerFull	23.17	-1.1	19.92
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBLeft	21.66	-1.1	18.41
2-n71	10MHz	15kHz	668MHz	CP	QPSK	Edge1RBRight	21.37	-1.1	18.12
2-n71	10MHz	15kHz	668MHz	CP	QPSK	OuterFull	21.7	-1.1	18.45
2-n71	10MHz	15kHz	668MHz	CP	16QAM	InnerFull	22.57	-1.1	19.32
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBLeft	21.38	-1.1	18.13
2-n71	10MHz	15kHz	668MHz	CP	16QAM	Edge1RBRight	21.18	-1.1	17.93
2-n71	10MHz	15kHz	668MHz	CP	16QAM	OuterFull	21.58	-1.1	18.33
2-n71	10MHz	15kHz	668MHz	CP	64QAM	InnerFull	21.11	-1.1	17.86
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBLeft	21.12	-1.1	17.87
2-n71	10MHz	15kHz	668MHz	CP	64QAM	Edge1RBRight	20.88	-1.1	17.63
2-n71	10MHz	15kHz	668MHz	CP	64QAM	OuterFull	21.14	-1.1	17.89
2-n71	10MHz	15kHz	668MHz	CP	256QAM	InnerFull	17.99	-1.1	14.74
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBLeft	17.54	-1.1	14.29
2-n71	10MHz	15kHz	668MHz	CP	256QAM	Edge1RBRight	17.33	-1.1	14.08
2-n71	10MHz	15kHz	668MHz	CP	256QAM	OuterFull	18.08	-1.1	14.83
2-n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	InnerFull	24.49	-1.1	21.24
2-n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBLeft	24.06	-1.1	20.81
2-n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	Edge1RBRight	24.1	-1.1	20.85
2-n71	10MHz	15kHz	680.5MHz	DFT	$\pi/2$ BPSK	OuterFull	24.12	-1.1	20.87
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.56	-1.1	21.31
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.56	-1.1	20.31
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.55	-1.1	20.3
2-n71	10MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.6	-1.1	20.35
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.67	-1.1	20.42
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.37	-1.1	19.12
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.38	-1.1	19.13
2-n71	10MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.69	-1.1	19.44
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.24	-1.1	18.99
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.21	-1.1	18.96

2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	22.23	-1.1	18.98
2-n71	10MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.24	-1.1	18.99
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.94	-1.1	16.69
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.37	-1.1	16.12
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.42	-1.1	16.17
2-n71	10MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.92	-1.1	16.67
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.06	-1.1	19.81
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.45	-1.1	18.2
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.51	-1.1	18.26
2-n71	10MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.49	-1.1	18.24
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.67	-1.1	19.42
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.47	-1.1	18.22
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.46	-1.1	18.21
2-n71	10MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.59	-1.1	18.34
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	20.96	-1.1	17.71
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21.1	-1.1	17.85
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	21.06	-1.1	17.81
2-n71	10MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.05	-1.1	17.8
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.87	-1.1	14.62
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.25	-1.1	14
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.31	-1.1	14.06
2-n71	10MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.97	-1.1	14.72
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	InnerFull	24.34	-1.1	21.09
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.02	-1.1	20.77
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	Edge1RBRight	23.86	-1.1	20.61
2-n71	10MHz	15kHz	693MHz	DFT	pi/2 BPSK	OuterFull	23.92	-1.1	20.67
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	InnerFull	24.33	-1.1	21.08
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBLeft	23.51	-1.1	20.26
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	Edge1RBRight	23.32	-1.1	20.07
2-n71	10MHz	15kHz	693MHz	DFT	QPSK	OuterFull	23.42	-1.1	20.17
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	InnerFull	23.46	-1.1	20.21
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBLeft	22.18	-1.1	18.93
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	Edge1RBRight	21.97	-1.1	18.72
2-n71	10MHz	15kHz	693MHz	DFT	16QAM	OuterFull	22.48	-1.1	19.23
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	InnerFull	22.04	-1.1	18.79
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBLeft	21.99	-1.1	18.74
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	Edge6RBRight	21.76	-1.1	18.51
2-n71	10MHz	15kHz	693MHz	DFT	64QAM	OuterFull	22	-1.1	18.75
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	InnerFull	19.88	-1.1	16.63
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBLeft	19.26	-1.1	16.01
2-n71	10MHz	15kHz	693MHz	DFT	256QAM	Edge1RBRight	19.16	-1.1	15.91

2-n71	10MHz	15kHz	693MHz	DFT	256QAM	OuterFull	19.84	-1.1	16.59
2-n71	10MHz	15kHz	693MHz	CP	QPSK	InnerFull	22.95	-1.1	19.7
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBLeft	21.43	-1.1	18.18
2-n71	10MHz	15kHz	693MHz	CP	QPSK	Edge1RBRight	21.18	-1.1	17.93
2-n71	10MHz	15kHz	693MHz	CP	QPSK	OuterFull	21.37	-1.1	18.12
2-n71	10MHz	15kHz	693MHz	CP	16QAM	InnerFull	22.57	-1.1	19.32
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBLeft	21.43	-1.1	18.18
2-n71	10MHz	15kHz	693MHz	CP	16QAM	Edge1RBRight	21.18	-1.1	17.93
2-n71	10MHz	15kHz	693MHz	CP	16QAM	OuterFull	21.5	-1.1	18.25
2-n71	10MHz	15kHz	693MHz	CP	64QAM	InnerFull	21.01	-1.1	17.76
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBLeft	21.03	-1.1	17.78
2-n71	10MHz	15kHz	693MHz	CP	64QAM	Edge1RBRight	20.72	-1.1	17.47
2-n71	10MHz	15kHz	693MHz	CP	64QAM	OuterFull	20.81	-1.1	17.56
2-n71	10MHz	15kHz	693MHz	CP	256QAM	InnerFull	17.88	-1.1	14.63
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBLeft	17.21	-1.1	13.96
2-n71	10MHz	15kHz	693MHz	CP	256QAM	Edge1RBRight	17.02	-1.1	13.77
2-n71	10MHz	15kHz	693MHz	CP	256QAM	OuterFull	17.96	-1.1	14.71
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	InnerFull	24.47	-1.1	21.22
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.16	-1.1	20.91
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.95	-1.1	20.7
2-n71	15MHz	15kHz	670.5MHz	DFT	pi/2 BPSK	OuterFull	23.9	-1.1	20.65
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	InnerFull	24.5	-1.1	21.25
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBLeft	23.73	-1.1	20.48
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	Edge1RBRight	23.52	-1.1	20.27
2-n71	15MHz	15kHz	670.5MHz	DFT	QPSK	OuterFull	23.67	-1.1	20.42
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	InnerFull	23.56	-1.1	20.31
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBLeft	21.99	-1.1	18.74
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	Edge1RBRight	22.12	-1.1	18.87
2-n71	15MHz	15kHz	670.5MHz	DFT	16QAM	OuterFull	22.65	-1.1	19.4
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	InnerFull	22.17	-1.1	18.92
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBLeft	21.59	-1.1	18.34
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	Edge1RBRight	21.98	-1.1	18.73
2-n71	15MHz	15kHz	670.5MHz	DFT	64QAM	OuterFull	22.23	-1.1	18.98
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	InnerFull	19.85	-1.1	16.6
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBLeft	19.54	-1.1	16.29
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	Edge1RBRight	19.45	-1.1	16.2
2-n71	15MHz	15kHz	670.5MHz	DFT	256QAM	OuterFull	20.02	-1.1	16.77
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	InnerFull	23.13	-1.1	19.88
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBLeft	21.57	-1.1	18.32
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	Edge1RBRight	21.4	-1.1	18.15
2-n71	15MHz	15kHz	670.5MHz	CP	QPSK	OuterFull	21.56	-1.1	18.31

2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	InnerFull	22.59	-1.1	19.34
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBLeft	21.63	-1.1	18.38
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	Edge1RBRight	21.44	-1.1	18.19
2-n71	15MHz	15kHz	670.5MHz	CP	16QAM	OuterFull	21.61	-1.1	18.36
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	InnerFull	21.01	-1.1	17.76
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBLeft	21.22	-1.1	17.97
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	Edge1RBRight	20.97	-1.1	17.72
2-n71	15MHz	15kHz	670.5MHz	CP	64QAM	OuterFull	20.94	-1.1	17.69
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	InnerFull	17.89	-1.1	14.64
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBLeft	17.44	-1.1	14.19
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	Edge1RBRight	17.29	-1.1	14.04
2-n71	15MHz	15kHz	670.5MHz	CP	256QAM	OuterFull	18.08	-1.1	14.83
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.52	-1.1	21.27
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.99	-1.1	20.74
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.82	-1.1	20.57
2-n71	15MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.05	-1.1	20.8
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.41	-1.1	21.16
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.53	-1.1	20.28
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.47	-1.1	20.22
2-n71	15MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.5	-1.1	20.25
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.45	-1.1	20.2
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.18	-1.1	18.93
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.08	-1.1	18.83
2-n71	15MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.51	-1.1	19.26
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.14	-1.1	18.89
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	21.94	-1.1	18.69
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.87	-1.1	18.62
2-n71	15MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.1	-1.1	18.85
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.89	-1.1	16.64
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.41	-1.1	16.16
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.33	-1.1	16.08
2-n71	15MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.89	-1.1	16.64
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	23.17	-1.1	19.92
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.4	-1.1	18.15
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.32	-1.1	18.07
2-n71	15MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.49	-1.1	18.24
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.55	-1.1	19.3
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.42	-1.1	18.17
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.29	-1.1	18.04
2-n71	15MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.57	-1.1	18.32
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.07	-1.1	17.82

2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	21	-1.1	17.75
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.82	-1.1	17.57
2-n71	15MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	20.95	-1.1	17.7
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	17.92	-1.1	14.67
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.21	-1.1	13.96
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.2	-1.1	13.95
2-n71	15MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	18.03	-1.1	14.78
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	InnerFull	24.05	-1.1	20.8
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	23.94	-1.1	20.69
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.61	-1.1	20.36
2-n71	15MHz	15kHz	690.5MHz	DFT	pi/2 BPSK	OuterFull	23.89	-1.1	20.64
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	InnerFull	24.3	-1.1	21.05
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBLeft	23.53	-1.1	20.28
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	Edge1RBRight	23.18	-1.1	19.93
2-n71	15MHz	15kHz	690.5MHz	DFT	QPSK	OuterFull	23.38	-1.1	20.13
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	InnerFull	23.35	-1.1	20.1
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBLeft	22.17	-1.1	18.92
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	Edge1RBRight	21.83	-1.1	18.58
2-n71	15MHz	15kHz	690.5MHz	DFT	16QAM	OuterFull	22.42	-1.1	19.17
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	InnerFull	21.96	-1.1	18.71
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBLeft	21.97	-1.1	18.72
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	Edge1RBRight	21.63	-1.1	18.38
2-n71	15MHz	15kHz	690.5MHz	DFT	64QAM	OuterFull	22.02	-1.1	18.77
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	InnerFull	19.65	-1.1	16.4
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBLeft	19.38	-1.1	16.13
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	Edge1RBRight	19.12	-1.1	15.87
2-n71	15MHz	15kHz	690.5MHz	DFT	256QAM	OuterFull	19.81	-1.1	16.56
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	InnerFull	22.97	-1.1	19.72
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBLeft	21.39	-1.1	18.14
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	Edge1RBRight	21.04	-1.1	17.79
2-n71	15MHz	15kHz	690.5MHz	CP	QPSK	OuterFull	21.31	-1.1	18.06
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	InnerFull	22.32	-1.1	19.07
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBLeft	21.39	-1.1	18.14
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	Edge1RBRight	21.03	-1.1	17.78
2-n71	15MHz	15kHz	690.5MHz	CP	16QAM	OuterFull	21.38	-1.1	18.13
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	InnerFull	20.83	-1.1	17.58
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBLeft	20.99	-1.1	17.74
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	Edge1RBRight	20.61	-1.1	17.36
2-n71	15MHz	15kHz	690.5MHz	CP	64QAM	OuterFull	20.77	-1.1	17.52
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	InnerFull	17.69	-1.1	14.44
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBLeft	17.33	-1.1	14.08

2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	Edge1RBRight	17.05	-1.1	13.8
2-n71	15MHz	15kHz	690.5MHz	CP	256QAM	OuterFull	17.78	-1.1	14.53
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	InnerFull	24.39	-1.1	21.14
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBLeft	24.12	-1.1	20.87
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	Edge1RBRight	23.92	-1.1	20.67
2-n71	20MHz	15kHz	673MHz	DFT	pi/2 BPSK	OuterFull	24.08	-1.1	20.83
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	InnerFull	24.43	-1.1	21.18
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBLeft	23.47	-1.1	20.22
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	Edge1RBRight	23.48	-1.1	20.23
2-n71	20MHz	15kHz	673MHz	DFT	QPSK	OuterFull	23.59	-1.1	20.34
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	InnerFull	23.56	-1.1	20.31
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBLeft	22.31	-1.1	19.06
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	Edge1RBRight	22.15	-1.1	18.9
2-n71	20MHz	15kHz	673MHz	DFT	16QAM	OuterFull	22.64	-1.1	19.39
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	InnerFull	22.09	-1.1	18.84
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBLeft	22.06	-1.1	18.81
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	Edge1RBRight	21.9	-1.1	18.65
2-n71	20MHz	15kHz	673MHz	DFT	64QAM	OuterFull	22.21	-1.1	18.96
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	InnerFull	19.85	-1.1	16.6
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBLeft	19.27	-1.1	16.02
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	Edge1RBRight	19.43	-1.1	16.18
2-n71	20MHz	15kHz	673MHz	DFT	256QAM	OuterFull	20.01	-1.1	16.76
2-n71	20MHz	15kHz	673MHz	CP	QPSK	InnerFull	23	-1.1	19.75
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBLeft	21.53	-1.1	18.28
2-n71	20MHz	15kHz	673MHz	CP	QPSK	Edge1RBRight	21.37	-1.1	18.12
2-n71	20MHz	15kHz	673MHz	CP	QPSK	OuterFull	21.49	-1.1	18.24
2-n71	20MHz	15kHz	673MHz	CP	16QAM	InnerFull	22.63	-1.1	19.38
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBLeft	21.33	-1.1	18.08
2-n71	20MHz	15kHz	673MHz	CP	16QAM	Edge1RBRight	21.06	-1.1	17.81
2-n71	20MHz	15kHz	673MHz	CP	16QAM	OuterFull	21.47	-1.1	18.22
2-n71	20MHz	15kHz	673MHz	CP	64QAM	InnerFull	21	-1.1	17.75
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBLeft	21.04	-1.1	17.79
2-n71	20MHz	15kHz	673MHz	CP	64QAM	Edge1RBRight	20.72	-1.1	17.47
2-n71	20MHz	15kHz	673MHz	CP	64QAM	OuterFull	21.05	-1.1	17.8
2-n71	20MHz	15kHz	673MHz	CP	256QAM	InnerFull	17.89	-1.1	14.64
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBLeft	17.44	-1.1	14.19
2-n71	20MHz	15kHz	673MHz	CP	256QAM	Edge1RBRight	17.39	-1.1	14.14
2-n71	20MHz	15kHz	673MHz	CP	256QAM	OuterFull	17.93	-1.1	14.68
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	InnerFull	24.41	-1.1	21.16
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBLeft	24	-1.1	20.75
2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	Edge1RBRight	23.78	-1.1	20.53

2-n71	20MHz	15kHz	680.5MHz	DFT	pi/2 BPSK	OuterFull	24.04	-1.1	20.79
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	InnerFull	24.43	-1.1	21.18
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBLeft	23.47	-1.1	20.22
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	Edge1RBRight	23.31	-1.1	20.06
2-n71	20MHz	15kHz	680.5MHz	DFT	QPSK	OuterFull	23.53	-1.1	20.28
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	InnerFull	23.52	-1.1	20.27
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBLeft	22.41	-1.1	19.16
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	Edge1RBRight	22.19	-1.1	18.94
2-n71	20MHz	15kHz	680.5MHz	DFT	16QAM	OuterFull	22.58	-1.1	19.33
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	InnerFull	22.09	-1.1	18.84
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBLeft	22.14	-1.1	18.89
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	Edge1RBRight	21.93	-1.1	18.68
2-n71	20MHz	15kHz	680.5MHz	DFT	64QAM	OuterFull	22.16	-1.1	18.91
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	InnerFull	19.93	-1.1	16.68
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBLeft	19.4	-1.1	16.15
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	Edge1RBRight	19.28	-1.1	16.03
2-n71	20MHz	15kHz	680.5MHz	DFT	256QAM	OuterFull	19.95	-1.1	16.7
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	InnerFull	22.97	-1.1	19.72
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBLeft	21.4	-1.1	18.15
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	Edge1RBRight	21.14	-1.1	17.89
2-n71	20MHz	15kHz	680.5MHz	CP	QPSK	OuterFull	21.56	-1.1	18.31
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	InnerFull	22.52	-1.1	19.27
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBLeft	21.46	-1.1	18.21
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	Edge1RBRight	21.19	-1.1	17.94
2-n71	20MHz	15kHz	680.5MHz	CP	16QAM	OuterFull	21.59	-1.1	18.34
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	InnerFull	21.02	-1.1	17.77
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBLeft	20.97	-1.1	17.72
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	Edge1RBRight	20.76	-1.1	17.51
2-n71	20MHz	15kHz	680.5MHz	CP	64QAM	OuterFull	21.12	-1.1	17.87
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	InnerFull	18.03	-1.1	14.78
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBLeft	17.35	-1.1	14.1
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	Edge1RBRight	17.14	-1.1	13.89
2-n71	20MHz	15kHz	680.5MHz	CP	256QAM	OuterFull	17.98	-1.1	14.73
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	InnerFull	24.38	-1.1	21.13
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBLeft	24	-1.1	20.75
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	Edge1RBRight	23.64	-1.1	20.39
2-n71	20MHz	15kHz	688MHz	DFT	pi/2 BPSK	OuterFull	23.98	-1.1	20.73
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	InnerFull	24.32	-1.1	21.07
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBLeft	23.47	-1.1	20.22
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	Edge1RBRight	23.12	-1.1	19.87
2-n71	20MHz	15kHz	688MHz	DFT	QPSK	OuterFull	23.47	-1.1	20.22

2-n71	20MHz	15kHz	688MHz	DFT	16QAM	InnerFull	23.48	-1.1	20.23
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBLeft	22.36	-1.1	19.11
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	Edge1RBRight	21.99	-1.1	18.74
2-n71	20MHz	15kHz	688MHz	DFT	16QAM	OuterFull	22.56	-1.1	19.31
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	InnerFull	21.96	-1.1	18.71
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBLeft	22.09	-1.1	18.84
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	Edge1RBRight	21.75	-1.1	18.5
2-n71	20MHz	15kHz	688MHz	DFT	64QAM	OuterFull	22.11	-1.1	18.86
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	InnerFull	19.74	-1.1	16.49
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBLeft	19.33	-1.1	16.08
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	Edge1RBRight	19.15	-1.1	15.9
2-n71	20MHz	15kHz	688MHz	DFT	256QAM	OuterFull	19.91	-1.1	16.66
2-n71	20MHz	15kHz	688MHz	CP	QPSK	InnerFull	22.97	-1.1	19.72
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBLeft	21.34	-1.1	18.09
2-n71	20MHz	15kHz	688MHz	CP	QPSK	Edge1RBRight	21.01	-1.1	17.76
2-n71	20MHz	15kHz	688MHz	CP	QPSK	OuterFull	21.43	-1.1	18.18
2-n71	20MHz	15kHz	688MHz	CP	16QAM	InnerFull	22.49	-1.1	19.24
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBLeft	21.16	-1.1	17.91
2-n71	20MHz	15kHz	688MHz	CP	16QAM	Edge1RBRight	20.76	-1.1	17.51
2-n71	20MHz	15kHz	688MHz	CP	16QAM	OuterFull	21.38	-1.1	18.13
2-n71	20MHz	15kHz	688MHz	CP	64QAM	InnerFull	20.93	-1.1	17.68
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBLeft	20.8	-1.1	17.55
2-n71	20MHz	15kHz	688MHz	CP	64QAM	Edge1RBRight	20.42	-1.1	17.17
2-n71	20MHz	15kHz	688MHz	CP	64QAM	OuterFull	20.94	-1.1	17.69
2-n71	20MHz	15kHz	688MHz	CP	256QAM	InnerFull	17.79	-1.1	14.54
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBLeft	17.33	-1.1	14.08
2-n71	20MHz	15kHz	688MHz	CP	256QAM	Edge1RBRight	17	-1.1	13.75
2-n71	20MHz	15kHz	688MHz	CP	256QAM	OuterFull	17.86	-1.1	14.61

A.2 Emission Limit


A.2.1 Measurement Method

The measurement procedures in TIA-603-E-2016 are used.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment. The spectrum is scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels.

The procedure of radiated spurious emissions is as follows:

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360° and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (P_r).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna and adjusts the level of the signal generator output until the value of the receiver reach the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The

test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain (G_a) should be recorded after test.

A amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{\text{Mea}} + P_{\text{pl}} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $\text{ERP} = \text{EIRP} - 2.15 \text{ dBi}$.

A.2.2 Measurement Limit

SA NR n5: Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

SA NR n2/25: Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

SA NR n41: 27.53(m) (4) specifies " For mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees. "

SA NR n71: 27.53(g) specifies " For operations in the 600 MHz band and the 698-746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed ".

SA NR n66: 27.53(h) specifies " AWS emission limits—(1) General protection levels. Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB."

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this.

A.2.4 Measurement Results Table

Frequency	Channel	Frequency Range	Result
GSM 850MHz	Low	30MHz-10GHz	Pass
	Middle	30MHz-10GHz	Pass
	High	30MHz-10GHz	Pass
GSM 1900MHz	Low	30MHz-20GHz	Pass
	Middle	30MHz-20GHz	Pass
	High	30MHz-20GHz	Pass

A.2.5 Sweep Table

Working Frequency	Subrange (GHz)	RBW	VBW	Sweep time (s)
850MHz	0.03~1	100KHz	300KHz	10
	1-2	1 MHz	3 MHz	2
	2~5	1 MHz	3 MHz	3
	5~8	1 MHz	3 MHz	3
	8~10	1 MHz	3 MHz	3
1900MHz	0.03~1	100KHz	300KHz	10
	1-2	1 MHz	3 MHz	2
	2~5	1 MHz	3 MHz	3
	5~8	1 MHz	3 MHz	3
	8~11	1 MHz	3 MHz	3
	11~14	1 MHz	3 MHz	3
	14~18	1 MHz	3 MHz	3
	18~20	1 MHz	3 MHz	2

SA n25 Mode Channel 372000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3714.00	-55.54	6.39	8.50	-53.43	-25.00	28.43	V
5601.00	-56.11	7.24	10.58	-52.77	-25.00	27.77	V
7438.00	-52.58	8.22	12.13	-48.67	-25.00	23.67	V
9310.00	-53.83	9.14	13.29	-49.68	-25.00	24.68	V
11179.00	-50.99	9.49	13.16	-47.32	-25.00	22.32	V
13041.00	-47.14	10.66	13.56	-44.24	-25.00	19.24	V

SA n25 Mode Channel 376500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3760.00	-55.91	6.26	8.56	-53.61	-25.00	28.61	V
5643.00	-55.35	7.27	10.57	-52.05	-25.00	27.05	V
7528.00	-52.60	8.28	12.22	-48.66	-25.00	23.66	V
9396.00	-53.34	9.04	13.34	-49.04	-25.00	24.04	H
11300.00	-50.48	9.99	13.14	-47.33	-25.00	22.33	V
13171.00	-48.26	10.62	13.74	-45.14	-25.00	20.14	H

SA n25 Mode Channel 381000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3780.00	-56.54	6.20	8.59	-54.15	-25.00	29.15	V
5714.00	-52.91	7.30	10.56	-49.65	-25.00	24.65	H
7619.00	-51.88	8.06	12.30	-47.64	-25.00	22.64	V
9527.00	-53.32	9.45	13.37	-49.40	-25.00	24.40	V
11425.00	-49.72	10.00	13.12	-46.60	-25.00	21.60	V
13365.00	-48.13	10.57	14.01	-44.69	-25.00	19.69	H

SA n41 Mode Channel 509202

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5120.00	-56.31	6.83	10.07	-53.07	-25.00	28.07	V
7626.00	-54.35	8.09	12.30	-50.14	-25.00	25.14	V
10208.00	-51.92	9.33	12.98	-48.27	-25.00	23.27	V
12737.00	-48.57	10.47	13.34	-45.70	-25.00	20.70	V
15277.00	-45.17	11.31	13.83	-42.65	-25.00	17.65	H
17797.00	-43.31	12.71	15.32	-40.70	-25.00	15.70	H

SA n41 Mode Channel 518598

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5279.00	-55.53	6.99	10.24	-52.09	-25.00	27.09	V
7784.00	-53.85	8.31	12.43	-49.00	-25.00	24.00	V
8626.00	-52.83	8.79	12.63	-47.97	-25.00	22.97	V
10390.00	-50.70	9.79	13.06	-47.38	-25.00	22.38	H
10474.00	-50.62	9.81	13.07	-47.35	-25.00	22.35	V
12070.00	-49.02	10.24	13.33	-45.88	-25.00	20.88	H

SA n41 Mode Channel 528000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5299.00	-55.69	6.99	10.32	-51.68	-25.00	26.68	V
7900.00	-54.28	8.43	12.52	-49.40	-25.00	24.40	V
8671.00	-53.44	8.76	12.69	-48.74	-25.00	23.74	V
10325.00	-51.65	9.45	13.06	-47.62	-25.00	22.62	V
10531.00	-51.43	9.54	13.11	-47.41	-25.00	22.41	H
12202.00	-49.53	10.17	13.52	-45.69	-25.00	20.69	V

SA n66 Mode Channel 131979

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3470.00	-56.69	5.47	8.13	-54.03	-25.00	29.03	V
5150.00	-54.15	6.88	10.11	-50.92	-25.00	25.92	V
6863.00	-54.53	7.81	11.44	-50.90	-25.00	25.90	H
8621.00	-53.58	8.46	13.02	-49.02	-25.00	24.02	V
10327.00	-51.07	9.69	13.03	-47.73	-25.00	22.73	V
12070.00	-49.10	10.26	13.03	-46.33	-25.00	21.33	V

SA n66 Mode Channel 349000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3500.00	-56.57	5.52	8.20	-53.89	-25.00	28.89	H
5238.00	-55.62	7.00	10.23	-52.39	-25.00	27.39	V
6951.00	-53.21	7.92	11.54	-49.59	-25.00	24.59	H
8695.00	-54.38	8.37	13.04	-49.71	-25.00	24.71	V
10489.00	-50.76	9.67	13.10	-47.33	-25.00	22.33	V
12220.00	-49.43	10.05	13.09	-46.39	-25.00	21.39	H

SA n66 Mode Channel 354000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3562.00	-56.52	5.95	8.29	-54.18	-25.00	29.18	H
5329.00	-55.66	6.98	10.36	-52.28	-25.00	27.28	H
7066.00	-53.68	8.20	11.68	-50.20	-25.00	25.20	V
8859.00	-53.55	8.77	13.07	-49.25	-25.00	24.25	H
10641.00	-51.50	9.29	13.13	-47.66	-25.00	22.66	V
12386.00	-48.92	10.38	13.15	-46.15	-25.00	21.15	H

NR n71 Mode Channel 130600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1360.01	-58.76	3.19	4.77	2.15	-59.33	-13.00	46.33	H
2013.00	-54.96	4.09	4.64	2.15	-56.56	-13.00	43.56	V
2693.00	-52.12	4.78	6.45	2.15	-52.60	-13.00	39.60	V
3355.02	-54.66	5.32	7.85	2.15	-54.28	-13.00	41.28	V
4034.02	-54.66	6.05	8.93	2.15	-53.93	-13.00	40.93	H
4706.02	-53.88	6.51	9.61	2.15	-52.93	-13.00	39.93	V

NR n71 Mode Channel 133297

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1367.01	-46.85	3.20	4.81	2.15	-47.39	-13.00	34.39	V
2032.00	-54.46	4.13	4.70	2.15	-56.04	-13.00	43.04	V
2715.00	-52.45	4.80	6.49	2.15	-52.91	-13.00	39.91	H
3399.02	-54.98	5.36	7.96	2.15	-54.53	-13.00	41.53	V
4085.02	-54.08	6.04	8.99	2.15	-53.28	-13.00	40.28	V
4760.01	-53.45	6.59	9.66	2.15	-52.53	-13.00	39.53	H

NR n71 Mode Channel 137600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1368.01	-59.48	3.20	4.81	2.15	-60.02	-13.00	47.02	H
2052.00	-55.63	4.15	4.76	2.15	-57.17	-13.00	44.17	V
2754.00	-53.06	4.85	6.56	2.15	-53.50	-13.00	40.50	V
3450.02	-53.83	5.43	8.08	2.15	-53.33	-13.00	40.33	H
4135.02	-54.67	6.06	9.04	2.15	-53.84	-13.00	40.84	V
4811.01	-54.03	6.69	9.71	2.15	-53.16	-13.00	40.16	H

NSA
LTE Band 12+NR n2 Mode Channel 372000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3703.01	-54.72	6.42	8.48	-52.66	-25.00	27.66	V
5558.01	-55.99	7.19	10.59	-52.59	-25.00	27.59	V
7460.01	-54.56	8.28	12.15	-50.69	-25.00	25.69	H
9307.01	-53.96	9.14	13.28	-49.82	-25.00	24.82	V
11184.00	-51.30	9.47	13.16	-47.61	-25.00	22.61	V
13000.00	-47.65	10.47	13.50	-44.62	-25.00	19.62	H

LTE Band 12+NR n2 Mode Channel 376000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3732.01	-55.61	6.35	8.52	-53.44	-25.00	28.44	H
5668.01	-55.89	7.28	10.57	-52.60	-25.00	27.60	V
7546.01	-54.69	8.20	12.24	-50.65	-25.00	25.65	V
9406.01	-53.47	9.07	13.34	-49.20	-25.00	24.20	H
11284.00	-50.79	9.90	13.14	-47.55	-25.00	22.55	V
13162.00	-48.07	10.66	13.73	-45.00	-25.00	20.00	H

LTE Band 12+NR n2 Mode Channel 380000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3810.01	-56.08	6.11	8.63	-53.56	-25.00	28.56	H
5689.01	-55.75	7.29	10.56	-52.48	-25.00	27.48	V
7598.01	-54.12	7.98	12.28	-49.82	-25.00	24.82	H
9505.01	-53.34	9.53	13.39	-49.48	-25.00	24.48	V
11387.00	-50.69	10.06	13.12	-47.63	-25.00	22.63	V
13325.00	-47.56	10.58	13.96	-44.18	-25.00	19.18	H

NSA
LTE Band 2+NR n5 Mode Channel 166800

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1672.01	-55.37	3.58	5.19	2.15	-55.91	-13.00	42.91	H
2509.00	-46.58	4.63	6.12	2.15	-47.24	-13.00	34.24	V
3329.02	-54.49	5.30	7.79	2.15	-54.15	-13.00	41.15	H
4175.02	-54.86	6.15	9.08	2.15	-54.08	-13.00	41.08	V
5008.01	-54.28	6.59	9.91	2.15	-53.11	-13.00	40.11	H
5843.01	-53.49	7.21	10.53	2.15	-52.32	-13.00	39.32	H

LTE Band 2+NR n5 Mode Channel 167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1668.01	-59.76	3.58	5.20	2.15	-60.29	-13.00	47.29	V
2513.00	-53.64	4.64	6.12	2.15	-54.31	-13.00	41.31	V
3342.02	-53.84	5.31	7.82	2.15	-53.48	-13.00	40.48	H
4177.02	-54.47	6.15	9.08	2.15	-53.69	-13.00	40.69	H
5006.01	-54.02	6.59	9.91	2.15	-52.85	-13.00	39.85	H
5859.01	-53.14	7.26	10.53	2.15	-52.02	-13.00	39.02	V

LTE Band 2+NR n5 Mode Channel 167800

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1663.01	-57.76	3.57	5.21	2.15	-58.27	-13.00	45.27	V
2524.00	-54.21	4.65	6.14	2.15	-54.87	-13.00	41.87	H
3354.02	-54.57	5.32	7.85	2.15	-54.19	-13.00	41.19	H
4193.02	-53.97	6.19	9.09	2.15	-53.22	-13.00	40.22	V
5033.01	-54.82	6.58	9.95	2.15	-53.60	-13.00	40.60	V
5879.01	-53.23	7.33	10.52	2.15	-52.19	-13.00	39.19	V

NSA
LTE Band 66+NR n5 Mode Channel 166800

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1656.01	-59.87	3.57	5.22	2.15	-60.37	-13.00	47.37	H
2512.00	-54.21	4.64	6.12	2.15	-54.88	-13.00	41.88	H
3334.02	-50.17	5.30	7.80	2.15	-49.82	-13.00	36.82	H
4183.02	-53.73	6.17	9.08	2.15	-52.97	-13.00	39.97	V
5012.01	-54.56	6.58	9.92	2.15	-53.37	-13.00	40.37	V
5834.01	-53.44	7.18	10.53	2.15	-52.24	-13.00	39.24	V

LTE Band 66+NR n5 Mode Channel 167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1686.01	-59.38	3.59	5.17	2.15	-59.95	-13.00	46.95	V
2524.00	-54.06	4.65	6.14	2.15	-54.72	-13.00	41.72	H
3343.02	-54.20	5.31	7.82	2.15	-53.84	-13.00	40.84	H
4195.02	-54.23	6.19	9.10	2.15	-53.47	-13.00	40.47	V
5014.01	-53.90	6.58	9.92	2.15	-52.71	-13.00	39.71	H
5853.01	-53.59	7.24	10.53	2.15	-52.45	-13.00	39.45	H

LTE Band 66+NR n5 Mode Channel 167800

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1669.01	-59.36	3.58	5.20	2.15	-59.89	-13.00	46.89	V
2524.00	-54.44	4.65	6.14	2.15	-55.10	-13.00	42.10	H
3350.02	-54.66	5.32	7.84	2.15	-54.29	-13.00	41.29	V
4191.02	-54.18	6.19	9.09	2.15	-53.43	-13.00	40.43	V
5041.01	-54.43	6.61	9.96	2.15	-53.23	-13.00	40.23	H
5873.01	-53.24	7.31	10.53	2.15	-52.17	-13.00	39.17	V

NSA
LTE Band 12+NR n25 Mode Channel 372000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3731.01	-56.18	6.35	8.52	-54.01	-25.00	29.01	V
5608.01	-55.34	7.24	10.58	-52.00	-25.00	27.00	V
7459.01	-53.91	8.28	12.15	-50.04	-25.00	25.04	V
9310.01	-53.83	9.14	13.29	-49.68	-25.00	24.68	H
11159.00	-51.38	9.58	13.17	-47.79	-25.00	22.79	V
13019.00	-48.38	10.56	13.53	-45.41	-25.00	20.41	V

LTE Band 12+NR n25 Mode Channel 376500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3737.01	-55.65	6.33	8.53	-53.45	-25.00	28.45	V
5673.01	-55.81	7.28	10.57	-52.52	-25.00	27.52	H
7529.01	-53.30	8.27	12.22	-49.35	-25.00	24.35	H
9435.01	-53.83	9.21	13.36	-49.68	-25.00	24.68	V
11270.00	-51.05	9.82	13.15	-47.72	-25.00	22.72	V
13182.00	-48.22	10.58	13.75	-45.05	-25.00	20.05	H

LTE Band 12+NR n25 Mode Channel 381000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3820.01	-57.01	6.08	8.65	-54.44	-25.00	29.44	V
5727.01	-55.30	7.30	10.55	-52.05	-25.00	27.05	V
7611.01	-54.36	8.02	12.29	-50.09	-25.00	25.09	V
9504.01	-53.13	9.53	13.40	-49.26	-25.00	24.26	V
11418.00	-50.52	10.02	13.12	-47.42	-25.00	22.42	V
13311.00	-48.08	10.58	13.94	-44.72	-25.00	19.72	H

NSA
LTE Band 2+NR n41 Mode Channel 501200

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5025.02	-56.25	6.56	9.94	-52.87	-25.00	27.87	H
7516.01	-53.68	8.33	12.21	-49.80	-25.00	24.80	V
9999.01	-53.09	9.18	12.90	-49.37	-25.00	24.37	V
12522.01	-48.77	10.24	13.21	-45.80	-25.00	20.80	H
15014.00	-45.53	11.23	13.99	-42.77	-25.00	17.77	V
17566.00	-44.71	12.98	14.99	-42.70	-25.00	17.70	H

LTE Band 2+NR n41 Mode Channel 518600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5166.02	-55.61	6.91	10.13	-52.39	-25.00	27.39	V
7799.01	-54.03	8.29	12.44	-49.88	-25.00	24.88	V
10359.01	-50.21	9.74	13.04	-46.91	-25.00	21.91	V
12972.01	-48.12	10.48	13.48	-45.12	-25.00	20.12	V
15544.00	-43.91	11.51	13.70	-41.72	-25.00	16.72	H
16881.00	-41.36	12.02	13.75	-39.63	-25.00	14.63	H

LTE Band 2+NR n41 Mode Channel 536000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5348.02	-55.89	6.94	10.39	-52.44	-25.00	27.44	V
8062.01	-53.84	8.32	12.65	-49.51	-25.00	24.51	V
10715.01	-51.97	9.34	13.14	-48.17	-25.00	23.17	H
13379.01	-48.34	10.57	14.03	-44.88	-25.00	19.88	H
16085.00	-43.50	11.85	13.68	-41.67	-25.00	16.67	H
17424.00	-44.50	12.55	14.73	-42.32	-25.00	17.32	H

NSA
LTE Band 25+NR n41 Mode Channel 501200

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
4993.02	-56.12	6.62	9.89	-52.85	-25.00	27.85	V
7498.01	-54.54	8.39	12.20	-50.73	-25.00	25.73	H
9994.01	-52.18	9.18	12.91	-48.45	-25.00	23.45	V
12556.01	-49.01	10.34	13.23	-46.12	-25.00	21.12	V
15058.00	-45.58	11.29	13.97	-42.90	-25.00	17.90	V
17515.00	-44.08	12.78	14.92	-41.94	-25.00	16.94	V

LTE Band 25+NR n41 Mode Channel 518600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5161.02	-55.24	6.90	10.13	-52.01	-25.00	27.01	V
7776.01	-54.17	8.32	12.42	-50.07	-25.00	25.07	V
10387.01	-50.74	9.78	13.05	-47.47	-25.00	22.47	H
12966.01	-49.26	10.48	13.48	-46.26	-25.00	21.26	H
15546.00	-44.00	11.51	13.70	-41.81	-25.00	16.81	H
16835.00	-41.59	12.07	13.73	-39.93	-25.00	14.93	V

LTE Band 25+NR n41 Mode Channel 536000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5329.02	-55.96	6.98	10.36	-52.58	-25.00	27.58	V
8041.01	-54.34	8.32	12.63	-50.03	-25.00	25.03	V
10700.01	-51.24	9.31	13.14	-47.41	-25.00	22.41	V
13408.01	-47.96	10.57	14.07	-44.46	-25.00	19.46	H
16098.00	-43.03	11.85	13.68	-41.20	-25.00	16.20	H
17405.00	-44.02	12.51	14.69	-41.84	-25.00	16.84	V

NSA
LTE Band 66+NR n41 Mode Channel 501200

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5034.02	-56.41	6.59	9.95	-53.05	-25.00	28.05	H
7506.01	-53.88	8.37	12.20	-50.05	-25.00	25.05	H
10019.01	-52.45	9.23	12.91	-48.77	-25.00	23.77	V
12546.01	-48.17	10.31	13.23	-45.25	-25.00	20.25	H
15064.00	-46.09	11.30	13.96	-43.43	-25.00	18.43	H
17556.00	-44.35	12.94	14.98	-42.31	-25.00	17.31	H

LTE Band 66+NR n41 Mode Channel 518600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5166.02	-55.20	6.91	10.13	-51.98	-25.00	26.98	V
7763.01	-54.35	8.34	12.41	-50.28	-25.00	25.28	V
10348.01	-51.16	9.72	13.04	-47.84	-25.00	22.84	V
12937.01	-48.93	10.49	13.46	-45.96	-25.00	20.96	V
15573.00	-44.02	11.50	13.70	-41.82	-25.00	16.82	V
16841.00	-42.06	12.07	13.74	-40.39	-25.00	15.39	V

LTE Band 66+NR n41 Mode Channel 536000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5373.02	-54.86	6.89	10.42	-51.33	-25.00	26.33	V
8053.01	-54.37	8.32	12.64	-50.05	-25.00	25.05	V
10706.01	-50.97	9.32	13.14	-47.15	-25.00	22.15	V
13421.01	-48.38	10.58	14.09	-44.87	-25.00	19.87	H
16095.00	-43.52	11.85	13.68	-41.69	-25.00	16.69	V
17391.00	-43.54	12.49	14.66	-41.37	-25.00	16.37	H

NSA
LTE Band 12+NR n66 Mode Channel 344000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3462.00	-56.98	5.45	8.11	-54.32	-25.00	29.32	H
5158.00	-55.66	6.89	10.12	-52.43	-25.00	27.43	V
6865.00	-53.57	7.80	11.44	-49.93	-25.00	24.93	V
8604.00	-54.26	8.49	13.02	-49.73	-25.00	24.73	V
10327.00	-51.48	9.69	13.03	-48.14	-25.00	23.14	V
12053.00	-48.93	10.21	13.02	-46.12	-25.00	21.12	V

LTE Band 12+NR n66 Mode Channel 349000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3483.02	-67.21	5.49	8.16	-64.54	-13.00	51.54	H
5255.02	-66.27	7.00	10.26	-63.01	-13.00	50.01	H
6978.01	-64.54	8.13	11.57	-61.10	-13.00	48.10	V
8750.01	-64.74	8.51	13.05	-60.20	-13.00	47.20	V
10499.01	-61.72	9.65	13.10	-58.27	-13.00	45.27	V
12184.01	-59.63	10.11	13.07	-56.67	-13.00	43.67	V

LTE Band 12+NR n66 Mode Channel 354000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3530.00	-56.55	5.62	8.24	-53.93	-25.00	28.93	H
5296.00	-55.54	6.99	10.31	-52.22	-25.00	27.22	V
7073.00	-54.29	8.19	11.69	-50.79	-25.00	25.79	V
8828.00	-53.30	8.71	13.07	-48.94	-25.00	23.94	V
10599.00	-50.82	9.28	13.12	-46.98	-25.00	21.98	V
12363.00	-48.56	10.28	13.15	-45.69	-25.00	20.69	H

NSA
LTE Band 66+NR n71 Mode Channel 130600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1346.01	-45.97	3.17	4.70	2.15	-46.59	-13.00	33.59	H
2024.00	-55.73	4.12	4.67	2.15	-57.33	-13.00	44.33	V
2697.00	-53.01	4.78	6.45	2.15	-53.49	-13.00	40.49	H
3368.02	-55.16	5.33	7.88	2.15	-54.76	-13.00	41.76	H
4034.02	-54.94	6.05	8.93	2.15	-54.21	-13.00	41.21	V
4698.02	-53.79	6.50	9.60	2.15	-52.84	-13.00	39.84	V

LTE Band 66+NR n71 Mode Channel 136100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1347.01	-45.71	3.17	4.70	2.15	-46.33	-13.00	33.33	H
2033.00	-56.44	4.13	4.70	2.15	-58.02	-13.00	45.02	V
2735.00	-53.32	4.82	6.52	2.15	-53.77	-13.00	40.77	H
3406.02	-55.17	5.37	7.97	2.15	-54.72	-13.00	41.72	V
4080.02	-54.91	6.04	8.98	2.15	-54.12	-13.00	41.12	H
4758.01	-54.31	6.59	9.66	2.15	-53.39	-13.00	40.39	V

LTE Band 66+NR n71 Mode Channel 137600

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1673.01	-60.35	3.58	5.19	2.15	-60.89	-13.00	47.89	H
2518.00	-53.24	4.64	6.13	2.15	-53.90	-13.00	40.90	V
3350.02	-54.74	5.32	7.84	2.15	-54.37	-13.00	41.37	H
4186.02	-53.86	6.17	9.09	2.15	-53.09	-13.00	40.09	H
5013.01	-54.07	6.58	9.92	2.15	-52.88	-13.00	39.88	V
5854.01	-53.53	7.25	10.53	2.15	-52.40	-13.00	39.40	V

Sample: 1673.01MHz

Power (EIRP) = P_{Mea} + P_{pl} + G_a

Power (-47.89dBm) = P_{Mea} (-60.35dBm)+ P_{pl} (-3.58dB)+ G_a(5.19 dBi)

Note: Expanded measurement uncertainty is U = 5.16 dB, k = 2.

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of UXM.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the UXM, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the UXM and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

SA

n25, 20MHz bandwidth (worst case)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1850.272	1913.622		
50				-4.2	0.0022
40				-6.8	0.0036
30				-9.4	0.0050
10				-13.2	0.0070
0				-6.9	0.0037
-10				-8.1	0.0043
-20				-7.2	0.0038
-30				-5.7	0.0030

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1850.272	1913.622	-14.3	0.0076
4.45				-4.9	0.0026

n41, 100MHz bandwidth (worst case)

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2496.417	2689.936		
50				-2.1	0.0008
40				1.7	0.0007
30				9.4	0.0036
10				-14.2	0.0055
0				2.2	0.0008
-10				10.7	0.0041
-20				18.5	0.0071
-30				14.5	0.0056

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2496.417	2689.936	3.1	0.0012
4.45				17.7	0.0068

n66, 20MHz bandwidth (worst case)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1710.272	1778.622		
50				-1.1	0.0006
40				-1.4	0.0008
30				0.1	0.0001
10				6.2	0.0036
0				1.0	0.0006
-10				-3.0	0.0017
-20				10.5	0.0060
-30				-0.3	0.0002

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1710.272	1778.622	-3.2	0.0018
4.45				0.4	0.0002

n71, 20MHz bandwidth (worst case)
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	663.433	696.462		
50				6.7	0.0098
40				-0.6	0.0009
30				3.4	0.0050
10				2.9	0.0043
0				-0.9	0.0013
-10				1.8	0.0026
-20				3.6	0.0053
-30				-0.7	0.0010

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	663.433	696.462	-1.7	0.0025
4.45				1.6	0.0024

NSA

LTE Band 12+NR n2

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1850.369	1908.862	10.3	0.0055
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1850.369	1908.862	1.5	0.0008
4.45				10.1	0.0054

LTE Band 66+NR n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	824.545	847.862	1.3	0.0016
50					
40					
30					
10					
0					
-10					
-20					
-30					

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	824.545	847.862	-1.1	0.0013
4.45				-0.7	0.0008

LTE Band 12+NR n25

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1850.417	1913.814		
50				2.0	0.0011
40				-1.1	0.0006
30				2.3	0.0012
10				5.3	0.0028
0				-8.2	0.0044
-10				-2.0	0.0011
-20				-12.7	0.0067
-30				-6.5	0.0035

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1850.417	1913.814	-4.1	0.0022
4.45				1.1	0.0006

LTE Band 66+NR n41

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	2496.450	2689.263		
50				-10.5	0.0040
40				-6.7	0.0026
30				-15.5	0.0060
10				-11.0	0.0042
0				5.3	0.0020
-10				-3.1	0.0012
-20				-0.3	0.0001
-30				-2.3	0.0009

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	2496.450	2689.263	-10.4	0.0040
4.45				0.4	0.0002

LTE Band 12+NR n66

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	1710.321	1779.359		
50				3.4	0.0019
40				10.3	0.0059
30				1.9	0.0011
10				2.2	0.0013
0				7.7	0.0044
-10				4.6	0.0026
-20				8.8	0.0050
-30				-1.8	0.0010

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	1710.321	1779.359	6.3	0.0036
4.45				2.4	0.0014

LTE Band 2+NR n71

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
20	3.87	663.417	696.478		
50				-3.2	0.0047
40				-5.0	0.0073
30				-4.6	0.0068
10				-1.5	0.0022
0				-3.4	0.0050
-10				-3.1	0.0046
-20				-1.8	0.0026
-30				-5.6	0.0082

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	F _L (MHz)	F _H (MHz)	Offset(Hz)	Frequency error(ppm)
3.45	20	663.417	696.478	-2.7	0.0040
4.45				-3.8	0.0056

A.4 Occupied Bandwidth

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

SA
n25, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4543.27	4495.19

n25, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 16:23:10

n25, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:14:49

n25, 10MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9038.46	9038.46

n25, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 16:27:42

n25, 10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 16:28:04

n25, 15MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	13629.81	13629.81

n25, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 16:38:43

n25, 15MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:16:47

n25, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	18076.92	17980.77

n25, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 16:45:08

n25, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 16:45:35

n41, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2592.99	18076.92	18173.08	18173.08

n41, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 19:16:32

n41, 20MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 15.AUG.2020 19:20:58



1. dBm
 VIEW

Ref 30 dBm
 Att 25 dB
 RBW 500 kHz
 VBW 2 MHz
 SWT 2.5 ms

Marker 1 [T1]
 17.78 dBm
 2.584336154 GHz

OBW 18.173074923 MHz
 Temp 1 [T1 OBW]
 17.31 dBm
 2.583663077 GHz
 Temp 2 [T1 OBW]
 17.41 dBm
 2.601836154 GHz


Center 2.59299 GHz
 6 MHz/
 Span 60 MHz

Page 391 of 484

n41, 40MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	36153.85	36346.15

n41, 40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 19:24:14

n41, 40MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 19:23:10

n41, 50MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	46153.85	46153.85

n41, 50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 19:25:49

n41, 50MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 19:27:20

n41, 60MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58269.23	58557.69

n41, 60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 19:31:51

n41, 60MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 19:30:07

n41, 80MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	78076.92	77692.31

n41, 80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 19:34:16

n41, 80MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 19:36:33

n41, 100MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)		
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM
2592.99	97115.38	96634.15	97596.15

n41, 100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




Date: 15.AUG.2020 21:23:51

n41, 100MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 23.SEP.2020 15:04:09

n41, 100MHz Bandwidth,DFT-s-16QAM (99% BW)




Date: 13.NOV.2020 16:19:29

n66, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	4543.27	4543.27

n66, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 17:21:24

n66, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:28:49

n66, 10MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	9038.46	9038.46

n66, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 17:32:52

n66, 10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:31:19

n66, 15MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	13557.69	13629.81

n66, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 17:36:00

n66, 15MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:38:07

n66, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	18076.92	18076.92

n66, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 17:52:05

n66, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 17:49:52

n71, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4519.23	4543.27

n71, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 18:21:01

n71, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 18:25:03

n71, 10MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9038.46	9038.46

n71, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 18:41:34

n71, 10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 18:37:08

n71, 15MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13557.69	13557.69

n71, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 18:44:39

n71, 15MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 18:47:47

n71, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	18076.92	17980.77

n71, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 15.AUG.2020 18:50:29

n71, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 15.AUG.2020 18:50:29

NSA
LTE Band 12+NR n2
n2, 5MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	4519.23	4567.31

n2, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 12:05:59

n2, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 12:07:05

n2, 10MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	9038.46	9038.46

n2, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 12:12:15

n2, 10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 12:12:15

n2, 15MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	13557.69	13557.69

n2, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 12:16:29

n2, 15MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 12:17:45

n2, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	18076.92	18076.92

n2, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 12:21:20

n2, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 12:27:15

LTE Band 66+NR n5 **n5, 5MHz (99%)**


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4519.23	4567.31

n5, 5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 13:06:57

n5, 5MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 13:09:17

n5, 10MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9038.46	9038.46

n5, 10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 13:11:14

n5, 10MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 13:12:23

n5, 15MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13557.69	13557.69

n5, 15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 13:13:40

n5, 15MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 13:15:43

n5, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	18076.92	17980.77

n5, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 13:16:57

n5, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 13:18:06

LTE Band 12+NR n25
n25, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	18076.92	18076.92

n25, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 14:26:04

n25, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 14:35:39

LTE Band 66+NR n41
n41, 100MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	98557.69	98557.69

n41, 100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 16:56:39

n41, 100MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 16:58:27

LTE Band 12+NR n66
n66, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	18076.92	17980.77

n66, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 14:39:08

n66, 20MHz Bandwidth,DFT-s-QPSK (99% BW)




Date: 12.SEP.2020 14:42:38

LTE Band 2+NR n71
n71, 20MHz (99%)


Frequency (MHz)	Occupied Bandwidth (99%) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17980.77	17980.77

n71, 20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



Date: 12.SEP.2020 16:05:40

n71, 20MHz Bandwidth,DFT-s-QPSK (99% BW)



Date: 12.SEP.2020 16:08:32

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

SA

n25, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	5336.54	5168.27

n25, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 16:24:35

n25, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 16:24:35

n25, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9951.92	10000.00

n25, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 16:28:40

n25, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 16:31:37

n25, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14783.65	14855.77

n25, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 16:41:36

n25, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 16:41:58

n25, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19711.54	19615.38

n25, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 16:46:01

n25, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 16:46:54

n41, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	20288.46	20096.15

n41, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 19:18:35

n41, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 19:21:20

n41, 40MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	39423.08	39230.77

n41, 40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 19:24:31

n41, 40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 19:23:26

n41, 50MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	49519.23	49278.85

n41, 50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 19:26:05

n41, 50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 19:27:36

n41, 60MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	61153.85	61730.77

n41, 60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 19:32:27

n41, 60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 19:30:29

n41, 80MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	83461.54	83461.54

n41, 80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 19:34:39

n41, 80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 19:36:50

n41, 100MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	102884.62	102884.62

n41, 100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 21:24:09

n41, 100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 23.SEP.2020 15:04:39

n66, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	5336.54	5216.35

n66, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 17:22:07

n66, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 17:29:04

n66, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	10096.15	10048.08

n66, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 17:33:28

n66, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 17:31:36

n66, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	14855.77	14783.65

n66, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 17:36:38

n66, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 17:38:42

n66, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	19615.38	19807.69

n66, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 17:52:22

n66, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 17:50:17

n71, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	5264.42	5288.46

n71, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 18:25:29

n71, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 18:25:29

n71, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	10000.00	10000.00

n71, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 18:39:31

n71, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 18:39:31

n71, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14639.42	14639.42

n71, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 18:45:53

n71, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 15.AUG.2020 18:48:07

n71, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19711.54	19519.23

n71, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 15.AUG.2020 18:53:26

n71, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



Date: 15.AUG.2020 18:51:54


NSA

LTE Band 12+NR n2

n2, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	5240.38	5216.35

n2, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 12:06:16

n2, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 12:07:21

n2, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	10000.00	9711.54

n2, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 12:10:58

n2, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 12:14:15

n2, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	14711.54	14783.65

n2, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 12:16:44

n2, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 12:18:40

n2, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1880.0	19711.54	19615.38

n2, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 12:27:32

n2, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 12:27:32

LTE Band 66+NR n5
n5, 5MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	5192.31	5240.38

n5, 5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 13:08:18

n5, 5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 13:09:34

n5, 10MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9903.85	9711.54

n5, 10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 13:11:30

n5, 10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 13:12:39

n5, 15MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14711.54	14783.65

n5, 15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 13:14:41

n5, 15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 13:16:00

n5, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19711.54	19519.23

n5, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 13:17:13

n5, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 13:19:34

LTE Band 12+NR n25
n25, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19711.54	19711.54

n25, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 14:26:51

n25, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



Date: 12.SEP.2020 14:35:59

LTE Band 66+NR n41
n41, 100MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101923.08	100961.54

n41, 100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 16:56:58

n41, 100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 16:58:43

LTE Band 12+NR n66
n66, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745.0	19807.69	19615.38

n66, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 14:39:51

n66, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




Date: 12.SEP.2020 14:42:58

LTE Band 2+NR n71
n71, 20MHz (-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (kHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19711.54	19423.08

n71, 20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



Date: 12.SEP.2020 16:06:21

n71, 20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



Date: 12.SEP.2020 16:08:47

A.6 Band Edge Compliance

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.


Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A.6.2 Measurement result

SA


n25

OBW: 1RB-low_offset




Date: 6.SEP.2020 09:47:32

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 6.SEP.2020 09:51:41

OBW: 1RB-high_offset




Date: 6.SEP.2020 09:58:03

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 6.SEP.2020 10:02:02

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 6.SEP.2020 10:09:51


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 6.SEP.2020 10:15:23


n41

OBW: 1RB-low_offset




Date: 19.SEP.2020 17:30:58


LOW BAND EDGE BLOCK-1RB-low_offset



Date: 19.SEP.2020 17:31:31




Date: 19.SEP.2020 17:32:03




Date: 19.SEP.2020 17:32:35

OBW: 1RB-high_offset




Date: 19.SEP.2020 17:37:06


HIGH BAND EDGE BLOCK-1RB-high_offset



Date: 19.SEP.2020 17:37:39




Date: 19.SEP.2020 17:38:11




Date: 19.SEP.2020 17:38:43


LOW BAND EDGE BLOCK-100MHz-100%RB



Date: 19.SEP.2020 17:45:31




Date: 19.SEP.2020 17:46:03




Date: 19.SEP.2020 17:46:35

HIGH BAND EDGE BLOCK-100MHz-100%RB




Date: 19.SEP.2020 17:41:13



Date: 19.SEP.2020 17:41:45


n66

OBW: 1RB-low_offset




Date: 6.SEP.2020 14:08:32

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 6.SEP.2020 14:09:35

OBW: 1RB-high_offset




Date: 6.SEP.2020 14:13:27

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 6.SEP.2020 14:14:29

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 22.SEP.2020 11:11:39


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 22.SEP.2020 11:14:16


n71

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 6.SEP.2020 10:45:28

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 6.SEP.2020 10:43:27

LOW BAND EDGE BLOCK-20MHz-100%RB




Date: 6.SEP.2020 10:49:38

HIGH BAND EDGE BLOCK-20MHz-100%RB




Date: 6.SEP.2020 10:51:32

NSA
LTE Band 12+NR n2
OBW: 1RB-low_offset




Date: 19.SEP.2020 17:10:48

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 19.SEP.2020 17:11:50

OBW: 1RB-high_offset




Date: 19.SEP.2020 17:14:11

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 19.SEP.2020 17:15:13

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 12:55:14


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 12:57:01


LTE Band 66+NR n5

OBW: 1RB-low_offset




Date: 19.SEP.2020 16:17:59

LOW BAND EDGE BLOCK-1RB-low_offset




Date: 19.SEP.2020 16:19:01

OBW: 1RB-high_offset




Date: 19.SEP.2020 16:21:55

HIGH BAND EDGE BLOCK-1RB-high_offset




Date: 19.SEP.2020 16:22:57

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 13:27:02


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 13:34:55


LTE Band 12+NR n25

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 14:30:55

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 14:33:20


RBW 1 MHz
 VBW 3 MHz
 SWT 2.5 ms
 Marker 2 [T1]
 -12.86 dBm
 2.490500000 GHz

Ref 10 dBm
 Att 35 dB


10 Offset 1.1 dB
 Marker 1 [T1]
 2.490500000 GHz
 -12.86 dBm
 -10 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm

Start 2.485 GHz
 1.1 MHz/
 Stop 2.496 GHz

Date: 12.SEP.2020 17:14:42



Date: 12.SEP.2020 17:15:15



Date: 12.SEP.2020 17:15:47

• RBW 1 MHz
 • VBW 3 MHz
 Ref 10 dBm
 Att 35 dB
 SWT 2.5 ms

Marker 3 [T1]
 -33.85 dBm
 2.797884615 GHz


10 Offset 1.1 dB
 0
 -10
 -20
 -30
 -40
 -50
 -60
 -70
 -80
 -90

Marker 1 [T1]
 -12.21 dBm
 2.697784615 GHz
 Marker 2 [T1]
 -12.63 dBm
 2.697784615 GHz

1. MHz
 VBW
 41-100.0
 F1
 F2

Start 2.69 GHz
 11 MHz/
 Stop 2.8 GHz


Date: 12.SEP.2020 17:18:49



Date: 12.SEP.2020 17:19:22


LTE Band 12+NR n66

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 14:54:53


HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 14:56:51


LTE Band 2+NR n71

LOW BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 16:18:12

HIGH BAND EDGE BLOCK-20MHz-100%RB



Date: 12.SEP.2020 16:19:58

A.7 Conducted Spurious Emission

A.7.1 Measurement Method

The following steps outline the procedure used to measure the conducted emissions from the EUT.

1. In measuring unwanted emissions, the spectrum shall be investigated from 30 MHz or the lowest radio frequency signal generated in the equipment, whichever is lower, without going below 9 kHz, up to at least the frequency given below:
 - (a) If the equipment operates below 10 GHz: to the tenth harmonic of the highest fundamental frequency or to 40 GHz, whichever is lower.
 - (b) If the equipment operates at or above 10 GHz: to the fifth harmonic of the highest fundamental frequency or to 100 GHz, whichever is lower.
2. Determine EUT transmit frequencies: below outlines the band edge frequencies pertinent to conducted emissions testing.
3. The number of sweep points of spectrum analyzer is set to 30001 which is greater than span/RBW.

A. 7.2 Measurement Limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.


Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A. 7.3 Measurement result

SA

n25


NOTE: peak above the limit line is the carrier frequency.



Date: 6.SEP.2020 11:02:10

n41


NOTE: peak above the limit line is the carrier frequency.



Date: 6.SEP.2020 11:06:40

n66


NOTE: peak above the limit line is the carrier frequency.



Date: 22.SEP.2020 11:15:28

n71

NOTE: peak above the limit line is the carrier frequency.




Date: 6.SEP.2020 10:58:28

NSA

LTE Band 12+NR n2


NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 17:16:22

LTE Band 66+NR n5


NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 17:03:44

LTE Band 12+NR n25


NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 17:18:47

LTE Band 66+NR n41


NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 16:11:58

LTE Band 12+NR n66


NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 17:20:38

LTE Band 2+NR n71

NOTE: peak above the limit line is the carrier frequency.



Date: 19.SEP.2020 17:06:07

A.8 Peak-to-Average Power Ratio

The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB

- Refer to instrument's analyzer instruction manual for details on how to use the power statistics/CCDF function;
- Set resolution/measurement bandwidth $\geq$ signal's occupied bandwidth;
- Set the number of counts to a value that stabilizes the measured CCDF curve;
- Record the maximum PAPR level associated with a probability of 0.1%.

Measurement results

SA

n25, 20MHz

Frequency (MHz)	PAPR (dB)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1882.5	6.86	6.89	7.12	7.21	7.31	8.17	8.21	8.11	8.53

n41, 100MHz

Frequency (MHz)	PAPR (dB)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
2592.99	12.15	12.28	12.37	12.40	12.37	12.53	12.56	12.44	12.47

n66, 20MHz

Frequency (MHz)	PAPR (dB)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1745.0	6.92	6.96	7.18	7.31	7.31	8.17	8.24	8.11	8.43

n71, 20MHz

Frequency (MHz)	PAPR (dB)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
680.5	6.67	6.73	6.99	7.08	7.15	8.17	8.21	8.08	8.49

NSA

LTE Band 12+NR n2

n2, 20MHz

Frequency (MHz)	PAPR (dB)								
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM	CP-256QAM
1880.0	7.82	7.85	8.04	8.17	9.07	9.13	9.20	9.39	7.82

Annex B: Accreditation Certificate

United States Department of Commerce National Institute of Standards and Technology NVLAP[®]  ilac-MRA	
Certificate of Accreditation to ISO/IEC 17025:2017	
NVLAP LAB CODE: 600118-0	
Telecommunication Technology Labs, CAICT Beijing China	
<i>is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:</i>	
Electromagnetic Compatibility & Telecommunications	
<i>This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017. This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communiqué dated January 2009).</i>	
2020-09-29 through 2021-09-30 <i>Effective Dates</i>	 DEPARTMENT OF COMMERCE UNITED STATES OF AMERICA  _____ <i>For the National Voluntary Laboratory Accreditation Program</i>

END OF REPORT