## LTE Band 13 / 5MHz / 64QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.75425 MHz | -57.47 dBm | -22.47 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.75569 MHz | -44.72 dBm | -31.72 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.99995 MHz | -50.11 dBm | -37.11 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 777.36064 MHz | 20.37 dBm | -9.63 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.03981 MHz | -50.88 dBm | -37.88 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 789.24790 MHz | -44.69 dBm | -31.69 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 805.66883 MHz | -57.24 dBm | -22.24 dB |

Date: 6.AUG.2024 01:30:29

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 763.83317 MHz | -57.29 dBm | -22.29 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.06788 MHz | -45.31 dBm | -32.31 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.91713 MHz | -50.87 dBm | -37.87 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 786.67532 MHz | 19.93 dBm | -10.07 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09436 MHz | -49.73 dBm | -36.73 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.10245 MHz | -44.69 dBm | -31.69 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 800.30519 MHz | -57.40 dBm | -22.40 dB |

Date: 6.AUG.2024 01:39:48

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.93407 MHz | -48.87 dBm | -13.87 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.70534 MHz | -35.04 dBm | -22.04 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.99995 MHz | -41.35 dBm | -28.35 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 780.02198 MHz | 6.15 dBm | -23.85 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.00005 MHz | -48.21 dBm | -35.21 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.16608 MHz | -42.48 dBm | -29.48 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 804.30519 MHz | -57.21 dBm | -22.21 dB |

Date: 6.AUG.2024 01:33:18

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.81419 MHz | -55.18 dBm | -20.18 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.88516 MHz | -42.67 dBm | -29.67 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.96948 MHz | -48.06 dBm | -35.06 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 782.63536 MHz | 6.25 dBm | -23.75 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09995 MHz | -39.91 dBm | -26.91 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.21503 MHz | -33.58 dBm | -20.58 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.09740 MHz | -55.18 dBm | -20.18 dB |

Date: 6.AUG.2024 01:42:38

## LTE Band 13 / 10MHz / QPSK

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.74226 MHz | -63.46 dBm | -28.46 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.88427 MHz | -45.93 dBm | -32.93 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.99995 MHz | -52.20 dBm | -39.20 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 777.60040 MHz | 21.68 dBm | -8.32 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.06858 MHz | -60.76 dBm | -47.76 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.29336 MHz | -54.34 dBm | -41.34 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 797.60390 MHz | -67.08 dBm | -32.08 dB |

Date: 6.AUG.2024 01:45:32

## LTE Band 13 / 10MHz / QPSK

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.68731 MHz | -66.95 dBm | -31.95 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.00045 MHz | -55.15 dBm | -42.15 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.98656 MHz | -60.51 dBm | -47.51 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 786.42358 MHz | 21.94 dBm | -8.06 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.07837 MHz | -51.58 dBm | -38.58 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.14161 MHz | -45.99 dBm | -32.99 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.14935 MHz | -67.08 dBm | -32.08 dB |

Date: 6.AUG.2024 01:48:19

## LTE Band 13 / 10MHz / QPSK

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.94605 MHz | -46.56 dBm | -11.56 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.66129 MHz | -32.46 dBm | -19.46 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.99086 MHz | -38.15 dBm | -25.15 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 781.35265 MHz | 5.30 dBm | -24.70 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09995 MHz | -36.46 dBm | -23.46 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.55769 MHz | -30.85 dBm | -17.85 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.07143 MHz | -50.45 dBm | -15.45 dB |

Date: 6.AUG.2024 01:51:07

## LTE Band 13 / 10MHz / 16QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.44256 MHz | -63.56 dBm | -28.56 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.89955 MHz | -46.82 dBm | -33.82 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.98047 MHz | -52.31 dBm | -39.31 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 777.56444 MHz | 20.72 dBm | -9.28 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09995 MHz | -60.44 dBm | -47.44 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 789.41923 MHz | -54.36 dBm | -41.36 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 796.16234 MHz | -67.19 dBm | -32.19 dB |

Date: 6.AUG.2024 01:46:28

## LTE Band 13 / 10MHz / 16QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.67532 MHz | -66.82 dBm | -31.82 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.43202 MHz | -54.87 dBm | -41.87 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.99845 MHz | -60.51 dBm | -47.51 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 786.41159 MHz | 20.91 dBm | -9.09 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09995 MHz | -50.97 dBm | -37.97 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.10245 MHz | -43.91 dBm | -30.91 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 794.35714 MHz | -66.05 dBm | -31.05 dB |

Date: 6.AUG.2024 01:49:15

## LTE Band 13 / 10MHz / 16QAM

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.98202 MHz | -46.78 dBm | -11.78 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.61813 MHz | -33.67 dBm | -20.67 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.97048 MHz | -38.18 dBm | -25.18 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 779.42258 MHz | 4.34 dBm | -25.66 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.05759 MHz | -37.55 dBm | -24.55 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.32273 MHz | -32.37 dBm | -19.37 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.01948 MHz | -52.50 dBm | -17.50 dB |

Date: 6.AUG.2024 01:52:02

## LTE Band 13 / 10MHz / 64QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.51449 MHz | -66.46 dBm | -31.46 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.89955 MHz | -50.61 dBm | -37.61 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.93751 MHz | -57.26 dBm | -44.26 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 777.62438 MHz | 19.64 dBm | -10.36 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.04011 MHz | -60.73 dBm | -47.73 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.23951 MHz | -54.53 dBm | -41.53 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 800.77273 MHz | -67.34 dBm | -32.34 dB |

Date: 6.AUG.2024 01:47:23

## LTE Band 13 / 10MHz / 64QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.55544 MHz | -67.12 dBm | -32.12 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.08856 MHz | -55.20 dBm | -42.20 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.95869 MHz | -60.46 dBm | -47.46 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 786.41159 MHz | 20.37 dBm | -9.63 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09995 MHz | -57.15 dBm | -44.15 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.31294 MHz | -49.97 dBm | -36.97 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 795.94156 MHz | -67.01 dBm | -32.01 dB |

Date: 6.AUG.2024 01:50:11

## LTE Band 13 / 10MHz / 64QAM

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.82617 MHz | -50.32 dBm | -15.32 dB |
| 775.000 MHz | 775.900 MHz | 100.000 kHz | 775.89146 MHz | -37.12 dBm | -24.12 dB |
| 775.900 MHz | 776.000 MHz | 30.000 kHz | 775.95989 MHz | -43.29 dBm | -30.29 dB |
| 776.000 MHz | 788.000 MHz | 100.000 kHz | 780.77722 MHz | 3.08 dBm | -26.92 dB |
| 788.000 MHz | 788.100 MHz | 30.000 kHz | 788.09156 MHz | -40.81 dBm | -27.81 dB |
| 788.100 MHz | 793.000 MHz | 100.000 kHz | 788.25909 MHz | -34.68 dBm | -21.68 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.16234 MHz | -53.57 dBm | -18.57 dB |

Date: 6.AUG.2024 01:52:58

## IC LTE Band 13 / 5MHz / QPSK

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.71828 MHz | -57.03 dBm | -22.03 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89715 MHz | -26.99 dBm | -13.99 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99965 MHz | -23.64 dBm | -10.64 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.35465 MHz | 21.07 dBm | -8.93 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.07368 MHz | -50.11 dBm | -37.11 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 790.85749 MHz | -46.00 dBm | -33.00 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 799.13636 MHz | -57.62 dBm | -22.62 dB |

Date: 3.SEP.2024 15:51:06

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 763.10190 MHz | -57.51 dBm | -22.51 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 775.91014 MHz | -45.83 dBm | -32.83 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.96518 MHz | -50.36 dBm | -37.36 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.69530 MHz | 21.43 dBm | -8.57 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00235 MHz | -22.18 dBm | -9.18 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10295 MHz | -26.34 dBm | -13.34 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 802.08442 MHz | -57.53 dBm | -22.53 dB |

Date: 3.SEP.2024 15:56:36

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.93407 MHz | -50.01 dBm | -15.01 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89715 MHz | -25.73 dBm | -12.73 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99655 MHz | -27.77 dBm | -14.77 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 779.87213 MHz | 7.47 dBm | -22.53 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.06019 MHz | -46.64 dBm | -33.64 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 789.34271 MHz | -41.58 dBm | -28.58 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 801.81169 MHz | -57.50 dBm | -22.50 dB |

Date: 3.SEP.2024 15:48:21

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.68232 MHz | -53.46 dBm | -18.46 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 775.08447 MHz | -42.09 dBm | -29.09 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.91324 MHz | -47.11 dBm | -34.11 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 783.41858 MHz | 7.45 dBm | -22.55 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00864 MHz | -27.71 dBm | -14.71 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10884 MHz | -26.07 dBm | -13.07 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.51299 MHz | -54.37 dBm | -19.37 dB |

Date: 3.SEP.2024 15:53:51

## IC LTE Band 13 / 5MHz / 16QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.99401 MHz | -57.00 dBm | -22.00 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.88387 MHz | -28.45 dBm | -15.45 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99156 MHz | -23.25 dBm | -10.25 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.35465 MHz | 20.07 dBm | -9.93 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.07617 MHz | -50.31 dBm | -37.31 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 791.04021 MHz | -46.04 dBm | -33.04 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 802.53896 MHz | -57.68 dBm | -22.68 dB |

Date: 3.SEP.2024 15:52:01

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 767.35764 MHz | -57.64 dBm | -22.64 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.11513 MHz | -45.75 dBm | -32.75 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.97118 MHz | -50.51 dBm | -37.51 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.64535 MHz | 20.86 dBm | -9.14 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00255 MHz | -23.97 dBm | -10.97 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10884 MHz | -28.52 dBm | -15.52 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.79870 MHz | -57.55 dBm | -22.55 dB |

Date: 3.SEP.2024 15:57:31

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.86214 MHz | -49.32 dBm | -14.32 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89905 MHz | -27.58 dBm | -14.58 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.98896 MHz | -29.55 dBm | -16.55 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 780.77123 MHz | 6.36 dBm | -23.64 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.01743 MHz | -46.81 dBm | -33.81 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.24441 MHz | -42.67 dBm | -29.67 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 797.31818 MHz | -57.52 dBm | -22.52 dB |

Date: 3.SEP.2024 15:49:16

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.71828 MHz | -55.22 dBm | -20.22 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.79655 MHz | -42.31 dBm | -29.31 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.94061 MHz | -47.20 dBm | -34.20 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 784.17782 MHz | 6.23 dBm | -23.77 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00325 MHz | -28.56 dBm | -15.56 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10295 MHz | -27.77 dBm | -14.77 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.00649 MHz | -55.13 dBm | -20.13 dB |

Date: 3.SEP.2024 15:54:46

## IC LTE Band 13 / 5MHz / 64QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.13586 MHz | -57.59 dBm | -22.59 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89336 MHz | -30.15 dBm | -17.15 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.98686 MHz | -25.90 dBm | -12.90 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.37463 MHz | 18.94 dBm | -11.06 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.08017 MHz | -50.53 dBm | -37.53 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 789.14231 MHz | -46.05 dBm | -33.05 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 800.03247 MHz | -57.60 dBm | -22.60 dB |

Date: 3.SEP.2024 15:52:56

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 764.61239 MHz | -57.72 dBm | -22.72 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 775.07877 MHz | -45.85 dBm | -32.85 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.96349 MHz | -50.39 dBm | -37.39 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.65534 MHz | 19.42 dBm | -10.58 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00345 MHz | -24.30 dBm | -11.30 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10295 MHz | -30.09 dBm | -17.09 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 803.27922 MHz | -57.62 dBm | -22.62 dB |

Date: 3.SEP.2024 15:58:26

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.82617 MHz | -49.59 dBm | -14.59 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.88766 MHz | -29.31 dBm | -16.31 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.98596 MHz | -30.36 dBm | -17.36 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 781.48052 MHz | 5.61 dBm | -24.39 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.08247 MHz | -46.93 dBm | -33.93 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.16778 MHz | -43.04 dBm | -30.04 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 802.11039 MHz | -57.55 dBm | -22.55 dB |

Date: 3.SEP.2024 15:50:11

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.94605 MHz | -55.86 dBm | -20.86 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.79845 MHz | -43.00 dBm | -30.00 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.94680 MHz | -47.06 dBm | -34.06 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 783.05894 MHz | 5.14 dBm | -24.86 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00524 MHz | -29.60 dBm | -16.60 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10295 MHz | -29.50 dBm | -16.50 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.07143 MHz | -55.60 dBm | -20.60 dB |

Date: 3.SEP.2024 15:55:41

## IC LTE Band 13 / 10MHz / QPSK

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.76623 MHz | -62.73 dBm | -27.73 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.84021 MHz | -32.51 dBm | -19.51 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99955 MHz | -34.75 dBm | -21.75 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.60440 MHz | 21.05 dBm | -8.95 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.06698 MHz | -60.14 dBm | -47.14 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 790.40954 MHz | -54.95 dBm | -41.95 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 794.16234 MHz | -67.55 dBm | -32.55 dB |

Date: 3.SEP.2024 16:17:55

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.61538 MHz | -66.34 dBm | -31.34 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.26129 MHz | -55.52 dBm | -42.52 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.93242 MHz | -59.91 dBm | -46.91 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.43556 MHz | 20.94 dBm | -9.06 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00504 MHz | -33.20 dBm | -20.20 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.16778 MHz | -33.30 dBm | -20.30 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.56494 MHz | -67.14 dBm | -32.14 dB |

Date: 3.SEP.2024 16:10:47

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.99401 MHz | -46.80 dBm | -11.80 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.88956 MHz | -30.37 dBm | -17.37 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99795 MHz | -33.43 dBm | -20.43 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 780.99101 MHz | 3.58 dBm | -26.42 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.03701 MHz | -33.90 dBm | -20.90 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.12063 MHz | -30.53 dBm | -17.53 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.01948 MHz | -50.99 dBm | -15.99 dB |

Date: 3.SEP.2024 16:19:16

## IC LTE Band 13 / 10MHz / 16QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.51449 MHz | -62.93 dBm | -27.93 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89336 MHz | -33.07 dBm | -20.07 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99955 MHz | -34.46 dBm | -21.46 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.58442 MHz | 20.31 dBm | -9.69 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.09496 MHz | -59.22 dBm | -46.22 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 790.39186 MHz | -54.18 dBm | -41.18 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 797.16234 MHz | -67.61 dBm | -32.61 dB |

Date: 3.SEP.2024 16:16:35

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.62737 MHz | -66.36 dBm | -31.36 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 775.96329 MHz | -53.14 dBm | -40.14 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.95509 MHz | -58.76 dBm | -45.76 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.40559 MHz | 20.13 dBm | -9.87 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.02552 MHz | -34.32 dBm | -21.32 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.11474 MHz | -33.15 dBm | -20.15 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 805.44805 MHz | -67.05 dBm | -32.05 dB |

Date: 3.SEP.2024 16:12:08

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.88611 MHz | -47.70 dBm | -12.70 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.88387 MHz | -32.16 dBm | -19.16 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.94980 MHz | -35.63 dBm | -22.63 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 780.82118 MHz | 2.62 dBm | -27.38 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.02343 MHz | -34.68 dBm | -21.68 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10884 MHz | -31.84 dBm | -18.84 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.00649 MHz | -53.68 dBm | -18.68 dB |

Date: 3.SEP.2024 16:20:36

## IC LTE Band 13 / 10MHz / 64QAM

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.82617 MHz | -66.30 dBm | -31.30 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.85729 MHz | -36.76 dBm | -23.76 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99306 MHz | -38.19 dBm | -25.19 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 777.57443 MHz | 19.17 dBm | -10.83 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.09505 MHz | -60.11 dBm | -47.11 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 790.40954 MHz | -55.26 dBm | -42.26 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.47403 MHz | -67.31 dBm | -32.31 dB |

Date: 3.SEP.2024 16:15:15

### Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 773.65135 MHz | -67.09 dBm | -32.09 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.88387 MHz | -55.26 dBm | -42.26 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.96768 MHz | -60.41 dBm | -47.41 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 786.40559 MHz | 19.06 dBm | -10.94 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.00345 MHz | -37.57 dBm | -24.57 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.13831 MHz | -36.48 dBm | -23.48 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.31818 MHz | -66.89 dBm | -31.89 dB |

Date: 3.SEP.2024 16:13:44

### Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 763.000 MHz | 775.000 MHz | 6.250 kHz | 774.97003 MHz | -51.05 dBm | -16.05 dB |
| 775.000 MHz | 776.900 MHz | 100.000 kHz | 776.89715 MHz | -35.37 dBm | -22.37 dB |
| 776.900 MHz | 777.000 MHz | 30.000 kHz | 776.99266 MHz | -37.87 dBm | -24.87 dB |
| 777.000 MHz | 787.000 MHz | 100.000 kHz | 781.61039 MHz | 1.63 dBm | -28.37 dB |
| 787.000 MHz | 787.100 MHz | 30.000 kHz | 787.01044 MHz | -36.93 dBm | -23.93 dB |
| 787.100 MHz | 793.000 MHz | 100.000 kHz | 787.10884 MHz | -34.18 dBm | -21.18 dB |
| 793.000 MHz | 806.000 MHz | 6.250 kHz | 793.03247 MHz | -54.13 dBm | -19.13 dB |

Date: 3.SEP.2024 16:22:14

# Conducted Spurious Emission

## LTE Band 13 / 5MHz

### Lowest Channel / QPSK




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 30.000 MHz | 763.000 MHz | 100.000 kHz | 749.53813 MHz | -63.69 dBm | -50.69 dB |
| 806.000 MHz | 1.000 GHz | 100.000 kHz | 991.73282 MHz | -64.31 dBm | -51.31 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 1.55511 GHz | -38.78 dBm | -25.78 dB |
| 3.000 GHz | 8.000 GHz | 1.000 MHz | 6.93486 GHz | -49.29 dBm | -36.29 dB |

Date: 6.AUG.2024 01:34:29

### Middle Channel / QPSK




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 30.000 MHz | 763.000 MHz | 100.000 kHz | 751.93244 MHz | -64.46 dBm | -51.46 dB |
| 806.000 MHz | 1.000 GHz | 100.000 kHz | 910.95201 MHz | -64.09 dBm | -51.09 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 1.56011 GHz | -38.96 dBm | -25.96 dB |
| 3.000 GHz | 8.000 GHz | 1.000 MHz | 7.00585 GHz | -49.40 dBm | -36.40 dB |

Date: 6.AUG.2024 01:35:39

### Highest Channel / QPSK




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 30.000 MHz | 763.000 MHz | 100.000 kHz | 751.73698 MHz | -64.33 dBm | -51.33 dB |
| 806.000 MHz | 1.000 GHz | 100.000 kHz | 998.56961 MHz | -64.29 dBm | -51.29 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 1.56511 GHz | -39.82 dBm | -26.82 dB |
| 3.000 GHz | 8.000 GHz | 1.000 MHz | 6.93686 GHz | -49.29 dBm | -36.29 dB |

Date: 6.AUG.2024 01:43:49

| LTE Band 13 / 10MHz |
|---|
| Middle Channel / QPSK |




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 30.000 MHz | 763.000 MHz | 100.000 kHz | 749.00063 MHz | -63.98 dBm | -50.98 dB |
| 806.000 MHz | 1.000 GHz | 100.000 kHz | 999.83029 MHz | -64.25 dBm | -51.25 dB |
| 1.000 GHz | 3.000 GHz | 1.000 MHz | 1.55561 GHz | -38.28 dBm | -25.28 dB |
| 3.000 GHz | 8.000 GHz | 1.000 MHz | 6.99235 GHz | -49.45 dBm | -36.45 dB |

# Frequency Stability

| Test Conditions | | LTE Band 13 (QPSK) / Middle Channel | Limit |
|---|---|---|---|
| Temperature (°C) | Voltage (Volt) | BW 10MHz | Note 2. |
| | | Deviation (ppm) | Result |
| 50 | Normal Voltage | 0.0006 | PASS |
| 40 | Normal Voltage | 0.0004 | |
| 30 | Normal Voltage | 0.0015 | |
| 20(Ref.) | Normal Voltage | 0.0000 | |
| 10 | Normal Voltage | 0.0003 | |
| 0 | Normal Voltage | 0.0004 | |
| -10 | Normal Voltage | 0.0013 | |
| -20 | Normal Voltage | 0.0009 | |
| -30 | Normal Voltage | 0.0022 | |
| 20 | Maximum Voltage | 0.0024 | |
| 20 | Normal Voltage | 0.0000 | |
| 20 | Battery End Point | 0.0005 | |

**Note:**

1. Normal Voltage = 8.0 V. ; Battery End Point (BEP) = 7.2 V. ; Maximum Voltage = 9.0 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

# LTE Band 26_Part 22H

## Peak-to-Average Ratio

| Mode | LTE Band 26 / 15MHz | | | |
|---|---|---|---|---|
| Mod. | QPSK | 16QAM | 64QAM | Limit: 13dB |
| RB Size | Full RB | Full RB | Full RB | Result |
| Middle CH | 4.64 | 5.54 | 6.43 | PASS |

| LTE Band 26 / 15MHz / QPSK | LTE Band 26 / 15MHz / 16QAM |
|---|---|
| **Middle Channel / Full RB** | **Middle Channel / Full RB** |
|   |   |
| **LTE Band 26 / 15MHz / 64QAM** | |
| **Middle Channel / Full RB** | |
|   | |

# 26dB Bandwidth

| Mode | LTE Band 26 : 26dB BW(MHz) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BW | 1.4MHz | | 3MHz | | 5MHz | | 10MHz | | 15MHz | | 20MHz | |
| Mod. | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM |
| Middle CH | 1.30 | 1.29 | 3.00 | 2.98 | 5.01 | 5.02 | 9.89 | 10.09 | 14.45 | 14.84 | - | - |

## LTE Band 26

### Middle Channel / 1.4MHz / QPSK




### Middle Channel / 1.4MHz / 16QAM




### Middle Channel / 3MHz / QPSK




### Middle Channel / 3MHz / 16QAM




### Middle Channel / 5MHz / QPSK




### Middle Channel / 5MHz / 16QAM



## LTE Band 26

### Middle Channel / 10MHz / QPSK




### Middle Channel / 10MHz / 16QAM




### Middle Channel / 15MHz / QPSK




### Middle Channel / 15MHz / 16QAM



# Occupied Bandwidth

| Mode | LTE Band 26 : 99%OBW(MHz) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| BW | 1.4MHz | | 3MHz | | 5MHz | | 10MHz | | 15MHz | | 20MHz | |
| Mod. | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM | QPSK | 16QAM |
| Middle CH | 1.09 | 1.10 | 2.72 | 2.72 | 4.47 | 4.47 | 9.05 | 8.99 | 13.46 | 13.46 | - | - |

| Mode | LTE Band 26 : 99%OBW(MHz) | |
|---|---|---|
| BW | 15MHz(CH26790) | |
| Mod. | QPSK | QPSK |
| High CH | 13.52 | 13.49 |

## LTE Band 26

### Middle Channel / 1.4MHz / QPSK




### Middle Channel / 1.4MHz / 16QAM




### Middle Channel / 3MHz / QPSK




### Middle Channel / 3MHz / 16QAM




### Middle Channel / 5MHz / QPSK




### Middle Channel / 5MHz / 16QAM



## LTE Band 26

### Middle Channel / 10MHz / QPSK




### Middle Channel / 10MHz / 16QAM




### Middle Channel / 15MHz / QPSK




### Middle Channel / 15MHz / 16QAM




## LTE Band 26 (CH26790)

### High Channel / 15MHz / QPSK




### High Channel / 15MHz / 16QAM



# Conducted Band Edge

## LTE Band 26 / 1.4MHz / QPSK

### Lowest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -44.59 dBm | -31.59 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.98551 MHz | -21.24 dBm | -8.24 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.24875 MHz | 22.22 dBm | -7.78 dB |

Date: 6.AUG.2024 01:59:43

### Highest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.77323 MHz | 21.88 dBm | -8.12 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -19.83 dBm | -6.83 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -44.34 dBm | -31.34 dB |

Date: 6.AUG.2024 02:09:04

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.31668 MHz | -36.06 dBm | -23.06 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.99950 MHz | -23.14 dBm | -10.14 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.50050 MHz | 13.85 dBm | -16.15 dB |

Date: 6.AUG.2024 02:04:24

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.15185 MHz | 13.96 dBm | -16.04 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -25.68 dBm | -12.68 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.12488 MHz | -37.26 dBm | -24.26 dB |

Date: 6.AUG.2024 02:13:45

## LTE Band 26 / 1.4MHz / 16QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -42.27 dBm | -29.27 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.99950 MHz | -20.05 dBm | -7.05 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.25874 MHz | 21.52 dBm | -8.48 dB |

Date: 6.AUG.2024 02:00:39

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.75924 MHz | 21.33 dBm | -8.67 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -19.88 dBm | -6.88 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.01499 MHz | -43.15 dBm | -30.15 dB |

Date: 6.AUG.2024 02:10:00

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.90010 MHz | -35.93 dBm | -22.93 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.99950 MHz | -24.28 dBm | -11.28 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.32268 MHz | 12.94 dBm | -17.06 dB |

Date: 6.AUG.2024 02:03:28

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.35365 MHz | 13.13 dBm | -16.87 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -25.00 dBm | -12.00 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.08492 MHz | -36.80 dBm | -23.80 dB |

Date: 6.AUG.2024 02:12:49

## LTE Band 26 / 1.4MHz / 64QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -46.63 dBm | -33.63 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.99950 MHz | -22.30 dBm | -9.30 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.25874 MHz | 20.15 dBm | -9.85 dB |

Date: 6.AUG.2024 02:01:35

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.74725 MHz | 19.95 dBm | -10.05 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -20.02 dBm | -7.02 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.01499 MHz | -45.65 dBm | -32.65 dB |

Date: 6.AUG.2024 02:10:56

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.91608 MHz | -36.11 dBm | -23.11 dB |
| 823.000 MHz | 824.000 MHz | 20.000 kHz | 823.99950 MHz | -25.40 dBm | -12.40 dB |
| 824.000 MHz | 826.000 MHz | 100.000 kHz | 824.61039 MHz | 12.11 dBm | -17.89 dB |

Date: 6.AUG.2024 02:02:32

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 847.000 MHz | 849.000 MHz | 100.000 kHz | 848.13786 MHz | 12.20 dBm | -17.80 dB |
| 849.000 MHz | 850.000 MHz | 20.000 kHz | 849.00050 MHz | -27.40 dBm | -14.40 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -37.11 dBm | -24.11 dB |

Date: 6.AUG.2024 02:11:52

## LTE Band 26 / 3MHz / QPSK

### Lowest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -41.78 dBm | -28.78 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.99950 MHz | -19.04 dBm | -6.04 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 824.23826 MHz | 21.82 dBm | -8.18 dB |

Date: 6.AUG.2024 02:17:48

### Highest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 848.76474 MHz | 21.61 dBm | -8.39 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.01249 MHz | -19.66 dBm | -6.66 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -42.08 dBm | -29.08 dB |

Date: 6.AUG.2024 02:27:09

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -35.78 dBm | -22.78 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.97353 MHz | -24.33 dBm | -11.33 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 824.81668 MHz | 10.12 dBm | -19.88 dB |

Date: 6.AUG.2024 02:22:30

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 846.70879 MHz | 9.86 dBm | -20.14 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.00050 MHz | -24.66 dBm | -11.66 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.03497 MHz | -36.64 dBm | -23.64 dB |

Date: 6.AUG.2024 02:31:51

## LTE Band 26 / 3MHz / 16QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -41.59 dBm | -28.59 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.99950 MHz | -21.02 dBm | -8.02 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 824.23526 MHz | 21.75 dBm | -8.25 dB |

Date: 6.AUG.2024 02:18:44

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 848.74076 MHz | 21.04 dBm | -8.96 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.00050 MHz | -20.85 dBm | -7.85 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -41.94 dBm | -28.94 dB |

Date: 6.AUG.2024 02:28:05

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -35.81 dBm | -22.81 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.99950 MHz | -25.92 dBm | -12.92 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 825.02647 MHz | 9.32 dBm | -20.68 dB |

Date: 6.AUG.2024 02:21:33

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 847.02048 MHz | 8.99 dBm | -21.01 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.00849 MHz | -26.66 dBm | -13.66 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -35.99 dBm | -22.99 dB |

Date: 6.AUG.2024 02:30:54

## LTE Band 26 / 3MHz / 64QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -46.00 dBm | -33.00 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.99151 MHz | -22.37 dBm | -9.37 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 824.20230 MHz | 20.16 dBm | -9.84 dB |

Date: 6.AUG.2024 02:19:41

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 848.73477 MHz | 19.99 dBm | -10.01 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.00050 MHz | -22.99 dBm | -9.99 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.00500 MHz | -46.00 dBm | -33.00 dB |

Date: 6.AUG.2024 02:29:02

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -35.92 dBm | -22.92 dB |
| 823.000 MHz | 824.000 MHz | 30.000 kHz | 823.99950 MHz | -26.56 dBm | -13.56 dB |
| 824.000 MHz | 827.000 MHz | 100.000 kHz | 826.06643 MHz | 8.44 dBm | -21.56 dB |

Date: 6.AUG.2024 02:20:37

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 846.000 MHz | 849.000 MHz | 100.000 kHz | 846.25025 MHz | 8.28 dBm | -21.72 dB |
| 849.000 MHz | 850.000 MHz | 30.000 kHz | 849.00050 MHz | -27.07 dBm | -14.07 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.03497 MHz | -36.39 dBm | -23.39 dB |

Date: 6.AUG.2024 02:29:58

## LTE Band 26 / 5MHz / QPSK

### Lowest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -43.33 dBm | -30.33 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.98452 MHz | -20.32 dBm | -7.32 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 824.36214 MHz | 22.11 dBm | -7.89 dB |

Date: 6.AUG.2024 02:34:49

### Highest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 848.67782 MHz | 21.95 dBm | -8.05 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.00749 MHz | -20.02 dBm | -7.02 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.83417 MHz | -40.42 dBm | -27.42 dB |

Date: 6.AUG.2024 02:44:10

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -34.11 dBm | -21.11 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.98851 MHz | -25.06 dBm | -12.06 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 826.34515 MHz | 8.11 dBm | -21.89 dB |

Date: 6.AUG.2024 02:39:31

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 846.87463 MHz | 7.99 dBm | -22.01 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.00050 MHz | -25.64 dBm | -12.64 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.03497 MHz | -32.91 dBm | -19.91 dB |

Date: 6.AUG.2024 02:48:52

## LTE Band 26 / 5MHz / 16QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.94805 MHz | -43.29 dBm | -30.29 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.99750 MHz | -20.00 dBm | -7.00 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 824.32717 MHz | 21.62 dBm | -8.38 dB |

Date: 6.AUG.2024 02:35:46

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 848.62787 MHz | 20.95 dBm | -9.05 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.00050 MHz | -19.56 dBm | -6.56 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.84416 MHz | -41.74 dBm | -28.74 dB |

Date: 6.AUG.2024 02:45:07

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.97203 MHz | -33.90 dBm | -20.90 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.99650 MHz | -26.11 dBm | -13.11 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 824.69680 MHz | 7.24 dBm | -22.76 dB |

Date: 6.AUG.2024 02:38:35

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 846.32517 MHz | 7.19 dBm | -22.81 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.02348 MHz | -27.09 dBm | -14.09 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.07493 MHz | -34.37 dBm | -21.37 dB |

Date: 6.AUG.2024 02:47:56

## LTE Band 26 / 5MHz / 64QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98002 MHz | -47.98 dBm | -34.98 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.99451 MHz | -22.17 dBm | -9.17 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 824.32717 MHz | 20.13 dBm | -9.87 dB |

Date: 6.AUG.2024 02:36:42

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 848.69281 MHz | 20.09 dBm | -9.91 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.02048 MHz | -21.82 dBm | -8.82 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.84416 MHz | -43.83 dBm | -30.83 dB |

Date: 6.AUG.2024 02:46:03

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.99600 MHz | -36.54 dBm | -23.54 dB |
| 823.000 MHz | 824.000 MHz | 50.000 kHz | 823.98651 MHz | -26.87 dBm | -13.87 dB |
| 824.000 MHz | 829.000 MHz | 100.000 kHz | 824.50699 MHz | 6.33 dBm | -23.67 dB |

Date: 6.AUG.2024 02:37:38

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 844.000 MHz | 849.000 MHz | 100.000 kHz | 846.25524 MHz | 6.33 dBm | -23.67 dB |
| 849.000 MHz | 850.000 MHz | 50.000 kHz | 849.01049 MHz | -27.13 dBm | -14.13 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.04496 MHz | -35.98 dBm | -22.98 dB |

Date: 6.AUG.2024 02:46:59

## LTE Band 26 / 10MHz / QPSK

### Lowest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98002 MHz | -45.29 dBm | -32.29 dB |
| 823.000 MHz | 824.000 MHz | 100.000 kHz | 823.99151 MHz | -26.70 dBm | -13.70 dB |
| 824.000 MHz | 834.000 MHz | 100.000 kHz | 824.61439 MHz | 21.88 dBm | -8.12 dB |

Date: 6.AUG.2024 02:52:55

### Highest Band Edge / 1RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 839.000 MHz | 849.000 MHz | 100.000 kHz | 848.44555 MHz | 21.95 dBm | -8.05 dB |
| 849.000 MHz | 850.000 MHz | 100.000 kHz | 849.01748 MHz | -26.75 dBm | -13.75 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.01499 MHz | -45.71 dBm | -32.71 dB |

Date: 6.AUG.2024 03:02:16

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.83616 MHz | -32.93 dBm | -19.93 dB |
| 823.000 MHz | 824.000 MHz | 100.000 kHz | 823.96653 MHz | -27.62 dBm | -14.62 dB |
| 824.000 MHz | 834.000 MHz | 100.000 kHz | 827.07193 MHz | 5.32 dBm | -24.68 dB |

Date: 6.AUG.2024 02:57:37

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 839.000 MHz | 849.000 MHz | 100.000 kHz | 844.94905 MHz | 5.04 dBm | -24.96 dB |
| 849.000 MHz | 850.000 MHz | 100.000 kHz | 849.04945 MHz | -27.19 dBm | -14.19 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.03497 MHz | -31.41 dBm | -18.41 dB |

Date: 6.AUG.2024 03:06:58

## LTE Band 26 / 10MHz / 16QAM

### Lowest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.98801 MHz | -45.87 dBm | -32.87 dB |
| 823.000 MHz | 824.000 MHz | 100.000 kHz | 823.97852 MHz | -25.75 dBm | -12.75 dB |
| 824.000 MHz | 834.000 MHz | 100.000 kHz | 824.61439 MHz | 21.48 dBm | -8.52 dB |

Date: 6.AUG.2024 02:53:51

### Highest Band Edge / 1 RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 839.000 MHz | 849.000 MHz | 100.000 kHz | 848.44555 MHz | 20.89 dBm | -9.11 dB |
| 849.000 MHz | 850.000 MHz | 100.000 kHz | 849.01249 MHz | -28.96 dBm | -15.96 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.03497 MHz | -46.64 dBm | -33.64 dB |

Date: 6.AUG.2024 03:03:12

### Lowest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 815.000 MHz | 823.000 MHz | 100.000 kHz | 822.72428 MHz | -34.56 dBm | -21.56 dB |
| 823.000 MHz | 824.000 MHz | 100.000 kHz | 823.94456 MHz | -29.06 dBm | -16.06 dB |
| 824.000 MHz | 834.000 MHz | 100.000 kHz | 826.96204 MHz | 4.35 dBm | -25.65 dB |

Date: 6.AUG.2024 02:56:40

### Highest Band Edge / Full RB




Spurious Emissions

| Range Low | Range Up | RBW | Frequency | Power Abs | ΔLimit |
|---|---|---|---|---|---|
| 839.000 MHz | 849.000 MHz | 100.000 kHz | 842.48152 MHz | 4.08 dBm | -25.92 dB |
| 849.000 MHz | 850.000 MHz | 100.000 kHz | 849.03247 MHz | -29.61 dBm | -16.61 dB |
| 850.000 MHz | 860.000 MHz | 100.000 kHz | 850.05495 MHz | -34.67 dBm | -21.67 dB |

Date: 6.AUG.2024 03:06:01