













11.6. APPENDIX F: FREQUENCY STABILITY

11.6.1. Test Result

Frequency Error vs. Voltage									
802.11a:5200MHz									
Temp	Volt	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5200.0088	1.68	5200.0114	2.20	5200.0181	3.49	5200.0127	2.45
TN	VN	5200.0201	3.87	5200.0147	2.82	5199.9788	-4.07	5199.9777	-4.30
TN	VH	5199.9987	-0.25	5199.9995	-0.10	5199.9817	-3.52	5199.9755	-4.72
Frequency Error vs. Temperature									
802.11a:5200MHz									
Temp	Volt	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5200.0117	2.24	5200.0022	0.43	5199.9807	-3.70	5199.9964	-0.70
60	VN	5200.0193	3.71	5200.0163	3.13	5200.0203	3.91	5199.9947	-1.02
50	VN	5199.9958	-0.80	5199.9807	-3.71	5200.0114	2.19	5199.9822	-3.42
40	VN	5199.9856	-2.77	5199.9843	-3.01	5199.9989	-0.22	5199.9792	-3.99
30	VN	5199.9804	-3.77	5199.9886	-2.20	5199.9917	-1.60	5199.9994	-0.11
20	VN	5199.9991	-0.17	5199.9920	-1.54	5200.0224	4.31	5199.9845	-2.98
10	VN	5200.0218	4.19	5200.0147	2.84	5200.0161	3.09	5199.9966	-0.65
0	VN	5200.0055	1.05	5199.9964	-0.70	5200.0184	3.54	5200.0023	0.44

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.5 TEST ENVIRONMENT.

11.7. APPENDIX G: DUTY CYCLE**11.7.1. Test Result**

Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11A	1.39	2.02	0.6881	68.81	1.62	0.72	1
11N20MIMO	1.30	1.93	0.6736	67.36	1.72	0.77	1
11N40MIMO	0.65	1.27	0.5118	51.18	2.91	1.54	2
11AC80MIMO	0.18	0.80	0.2250	22.50	6.48	5.56	6
11AX20MIMO	0.56	1.19	0.4706	47.06	3.27	1.79	2
11AX40MIMO	0.32	0.95	0.3368	33.68	4.73	3.13	4
11AX80MIMO	0.19	0.82	0.2317	23.17	6.35	5.26	6

Note:


Duty Cycle Correction Factor= $10\log(1/x)$.


Where: x is Duty Cycle (Linear)


Where: T is On Time

If that calculated VBW is not available on the analyzer then the next higher value should be used.

11.7.2. Test Graphs








11.8. APPENDIX H: CALIBRATION

11.8.1. Test Result

Mode	Frequency (MHz)	Type	Result	Verdict
ax80	5530	DFS_FCC_T0	See test Graph	Pass

11.8.2. Test Graphs




11.9. APPENDIX I: SHUTDOWN TIME

11.9.1. Test Result

Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
ax80	5530	0.523	10	0.022	0.26	0.005	0.06	Pass


11.9.2. Test Graphs



11.10. APPENDIX J: NON-OCCUPANCY**11.10.1. Test Result**

Mode	Frequency (MHz)	Result	Verdict
ax80	5530	See test Graph	Pass


11.10.2. Test Graphs



11.11. APPENDIX K: RADIATED EMISSIONS AND BAND EDGE MEASUREMENT

11.11.1. RESTRICTED BANDEDGE

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5147.49	45.00	58.46	13.46	74.00	15.54	PK	Horizontal	PASS
2	5150.00	44.35	57.82	13.47	74.00	16.18	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5147.49	13.46	34.00	47.46	54.00	6.54	Horizontal	PASS
2	5150.00	13.46	33.66	47.12	54.00	6.88	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	4897.44	41.57	55.73	14.16	74.00	18.27	PK	Vertical	PASS
2	5150.00	43.38	56.85	13.47	74.00	17.15	PK	Vertical	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4897.44	14.16	30.68	44.84	54.00	9.16	Vertical	PASS
2	5150.00	13.46	31.85	45.31	54.00	8.69	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	4995.13	42.25	55.63	13.38	74.00	18.37	PK	Horizontal	PASS
2	5150.00	40.07	53.54	13.47	74.00	20.46	PK	Horizontal	PASS
3	5350.00	39.66	54.04	14.38	74.00	19.96	PK	Horizontal	PASS
4	5400.45	40.57	55.70	15.13	74.00	18.30	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4995.13	13.38	30.65	44.03	54.00	9.97	Horizontal	PASS
2	5150.00	13.46	30.54	44.00	54.00	10.00	Horizontal	PASS
3	5350.00	14.38	31.20	45.58	54.00	8.42	Horizontal	PASS
4	5400.45	15.13	29.76	44.89	54.00	9.11	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	4911.09	41.33	55.43	14.10	74.00	18.57	PK	Horizontal	PASS
2	5150.00	39.44	52.91	13.47	74.00	21.09	PK	Horizontal	PASS
3	5350.00	39.24	53.62	14.38	74.00	20.38	PK	Horizontal	PASS
4	5370.20	41.46	56.14	14.68	74.00	17.86	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4911.09	14.10	30.43	44.53	54.00	9.47	Horizontal	PASS
2	5150.00	13.46	30.58	44.04	54.00	9.96	Horizontal	PASS
3	5350.00	14.38	33.02	47.40	54.00	6.60	Horizontal	PASS
4	5370.19	14.68	31.78	46.46	54.00	7.54	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	54.45	68.83	14.38	74.00	5.17	PK	Horizontal	PASS
2	5354.00	56.38	70.82	14.44	74.00	3.18	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	34.78	49.16	54.00	4.84	Horizontal	PASS
2	5354.00	14.44	31.28	45.72	54.00	8.28	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5444.91	44.66	60.63	15.97	74.00	13.37	PK	Horizontal	PASS
2	5460.00	41.96	58.21	16.25	74.00	15.79	PK	Horizontal	PASS
3	5470.00	50.24	66.69	16.45	68.20	1.51	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5444.91	15.97	36.20	52.17	54.00	1.83	Horizontal	PASS
2	5460.00	16.25	36.03	52.28	54.00	1.72	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	47.03	61.20	14.17	68.20	7.00	PK	Horizontal	PASS
2	5726.37	52.36	66.53	14.17	68.20	1.67	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5639.44	50.84	65.83	14.99	68.20	2.37	PK	Horizontal	PASS
2	5725.00	79.09	93.26	14.17	122.20	28.94	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	71.99	86.28	14.29	122.20	35.92	PK	Horizontal	PASS
2	5927.63	49.75	64.09	14.34	68.20	4.11	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5118.36	42.78	56.14	13.36	74.00	17.86	PK	Horizontal	PASS
2	5150.00	40.45	53.92	13.47	74.00	20.08	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5118.36	13.36	32.36	45.72	54.00	8.28	Horizontal	PASS
2	5150.00	13.46	32.31	45.77	54.00	8.23	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	4940.86	41.90	55.74	13.84	74.00	18.26	PK	Horizontal	PASS
2	5150.00	41.71	55.18	13.47	74.00	18.82	PK	Horizontal	PASS
3	5350.00	38.29	52.67	14.38	74.00	21.33	PK	Horizontal	PASS
4	5420.14	39.23	54.73	15.50	74.00	19.27	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4940.86	13.84	30.37	44.21	54.00	9.79	Horizontal	PASS
2	5150.00	13.46	33.31	46.77	54.00	7.23	Horizontal	PASS
3	5420.14	15.50	29.90	45.40	54.00	8.60	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result



PEAK Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5150.00	39.55	53.02	13.47	74.00	20.98	PK	Horizontal	PASS
2	5350.00	37.78	52.16	14.38	74.00	21.84	PK	Horizontal	PASS

AVG Data List

NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5150.00	13.46	31.20	44.66	54.00	9.34	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	50.49	64.87	14.38	74.00	9.13	PK	Horizontal	PASS
2	5352.95	54.63	69.05	14.42	74.00	4.95	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	33.01	47.39	54.00	6.61	Horizontal	PASS
2	5352.95	14.42	31.10	45.52	54.00	8.48	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5442.39	46.24	62.16	15.92	74.00	11.84	PK	Horizontal	PASS
2	5460.00	45.18	61.43	16.25	74.00	12.57	PK	Horizontal	PASS
3	5470.00	46.02	62.47	16.45	68.20	5.73	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5442.39	15.92	36.40	52.32	54.00	1.68	Horizontal	PASS
2	5460.00	16.25	34.66	50.91	54.00	3.09	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	48.08	62.25	14.17	68.20	5.95	PK	Horizontal	PASS
2	5726.37	52.36	66.53	14.17	68.20	1.67	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5613.78	49.41	64.77	15.36	68.20	3.43	PK	Horizontal	PASS
2	5725.00	66.16	80.33	14.17	122.20	41.87	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	63.28	77.57	14.29	122.20	44.63	PK	Horizontal	PASS
2	5975.03	48.57	63.16	14.59	68.20	5.04	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5148.20	49.56	63.02	13.46	74.00	10.98	PK	Horizontal	PASS
2	5150.00	46.99	60.46	13.47	74.00	13.54	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.20	13.46	38.71	52.17	54.00	1.83	Horizontal	PASS
2	5150.00	13.46	39.37	52.83	54.00	1.17	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5109.90	43.65	56.97	13.32	74.00	17.03	PK	Horizontal	PASS
2	5150.00	41.64	55.11	13.47	74.00	18.89	PK	Horizontal	PASS
3	5350.00	39.00	53.38	14.38	74.00	20.62	PK	Horizontal	PASS
4	5427.34	39.29	54.93	15.64	74.00	19.07	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5109.90	13.32	34.73	48.05	54.00	5.95	Horizontal	PASS
2	5150.00	13.46	35.40	48.86	54.00	5.14	Horizontal	PASS
3	5350.00	14.38	29.81	44.19	54.00	9.81	Horizontal	PASS
4	5427.35	15.64	29.46	45.10	54.00	8.90	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5132.96	42.55	55.95	13.40	74.00	18.05	PK	Horizontal	PASS
2	5150.00	41.75	55.22	13.47	74.00	18.78	PK	Horizontal	PASS
3	5350.00	47.15	61.53	14.38	74.00	12.47	PK	Horizontal	PASS
4	5358.67	48.76	63.26	14.50	74.00	10.74	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5132.95	13.40	33.46	46.86	54.00	7.14	Horizontal	PASS
2	5150.00	13.46	34.15	47.61	54.00	6.39	Horizontal	PASS
3	5350.00	14.38	38.06	52.44	54.00	1.56	Horizontal	PASS
4	5358.67	14.50	34.57	49.07	54.00	4.93	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	53.48	67.86	14.38	74.00	6.14	PK	Horizontal	PASS
2	5351.94	58.37	72.78	14.41	74.00	1.22	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	37.54	51.92	54.00	2.08	Horizontal	PASS
2	5351.94	14.41	35.23	49.64	54.00	4.36	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5459.78	45.03	61.28	16.25	74.00	12.72	PK	Horizontal	PASS
2	5460.00	41.98	58.23	16.25	74.00	15.77	PK	Horizontal	PASS
3	5469.19	50.08	66.51	16.43	68.20	1.69	PK	Horizontal	PASS
4	5470.00	44.66	61.11	16.45	68.20	7.09	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5459.78	16.25	33.21	49.46	54.00	4.54	Horizontal	PASS
2	5460.00	16.25	33.07	49.32	54.00	4.68	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	47.58	61.75	14.17	68.20	6.45	PK	Horizontal	PASS
2	5732.76	50.45	64.65	14.20	68.20	3.55	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5610.84	49.68	65.08	15.40	68.20	3.12	PK	Horizontal	PASS
2	5725.00	69.38	83.55	14.17	122.20	38.65	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	58.56	72.85	14.29	122.20	49.35	PK	Horizontal	PASS
2	5927.05	51.42	65.76	14.34	68.20	2.44	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5137.88	52.29	65.72	13.43	74.00	8.28	PK	Horizontal	PASS
2	5150.00	49.50	62.97	13.47	74.00	11.03	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5137.88	13.43	38.45	51.88	54.00	2.12	Horizontal	PASS
2	5150.00	13.46	38.96	52.42	54.00	1.58	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	48.08	62.46	14.38	74.00	11.54	PK	Horizontal	PASS
2	5363.59	49.94	64.53	14.59	74.00	9.47	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	31.21	45.59	54.00	8.41	Horizontal	PASS
2	5363.59	14.59	28.05	42.64	54.00	11.36	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5458.27	46.65	62.87	16.22	74.00	11.13	PK	Horizontal	PASS
2	5460.00	41.94	58.19	16.25	74.00	15.81	PK	Horizontal	PASS
3	5468.51	47.60	64.02	16.42	68.20	4.18	PK	Horizontal	PASS
4	5470.00	44.98	61.43	16.45	68.20	6.77	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5458.27	16.22	33.33	49.55	54.00	4.45	Horizontal	PASS
2	5460.00	16.25	32.91	49.16	54.00	4.84	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	45.93	60.10	14.17	68.20	8.10	PK	Horizontal	PASS
2	5733.09	52.17	66.37	14.20	68.20	1.83	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5628.61	51.06	66.20	15.14	68.20	2.00	PK	Horizontal	PASS
2	5725.00	62.53	76.70	14.17	122.20	45.50	PK	Horizontal	PASS
3	5850.00	58.52	72.81	14.29	122.20	49.39	PK	Horizontal	PASS
4	5934.57	51.88	66.26	14.38	68.20	1.94	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5135.41	44.22	57.63	13.41	74.00	16.37	PK	Horizontal	PASS
2	5150.00	41.36	54.83	13.47	74.00	19.17	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5135.41	13.41	35.34	48.75	54.00	5.25	Horizontal	PASS
2	5150.00	13.46	34.86	48.32	54.00	5.68	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5129.59	42.40	55.79	13.39	74.00	18.21	PK	Horizontal	PASS
2	5150.00	39.87	53.34	13.47	74.00	20.66	PK	Horizontal	PASS
3	5350.00	38.30	52.68	14.38	74.00	21.32	PK	Horizontal	PASS
4	5449.43	39.33	55.38	16.05	74.00	18.62	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5129.60	13.39	32.82	46.21	54.00	7.79	Horizontal	PASS
2	5150.00	13.46	31.22	44.68	54.00	9.32	Horizontal	PASS
3	5350.00	14.38	29.82	44.20	54.00	9.80	Horizontal	PASS
4	5449.43	16.05	28.97	45.02	54.00	8.98	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5130.08	43.75	57.14	13.39	74.00	16.86	PK	Horizontal	PASS
2	5150.00	40.92	54.39	13.47	74.00	19.61	PK	Horizontal	PASS
3	5350.00	39.63	54.01	14.38	74.00	19.99	PK	Horizontal	PASS
4	5420.14	40.57	56.07	15.50	74.00	17.93	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5130.08	13.39	34.43	47.82	54.00	6.18	Horizontal	PASS
2	5150.00	13.46	30.80	44.26	54.00	9.74	Horizontal	PASS
3	5350.00	14.38	32.53	46.91	54.00	7.09	Horizontal	PASS
4	5420.14	15.50	30.32	45.82	54.00	8.18	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	53.35	67.73	14.38	74.00	6.27	PK	Horizontal	PASS
2	5350.92	56.93	71.32	14.39	74.00	2.68	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	33.10	47.48	54.00	6.52	Horizontal	PASS
2	5350.91	14.39	32.07	46.46	54.00	7.54	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5457.51	43.19	59.39	16.20	74.00	14.61	PK	Horizontal	PASS
2	5460.00	40.14	56.39	16.25	74.00	17.61	PK	Horizontal	PASS
3	5468.50	49.99	66.41	16.42	68.20	1.79	PK	Horizontal	PASS
4	5470.00	45.45	61.90	16.45	68.20	6.30	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5457.51	16.20	32.88	49.08	54.00	4.92	Horizontal	PASS
2	5460.00	16.25	34.45	50.70	54.00	3.30	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	45.17	59.34	14.17	68.20	8.86	PK	Horizontal	PASS
2	5733.57	48.29	62.49	14.20	68.20	5.71	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5641.92	49.40	64.35	14.95	68.20	3.85	PK	Horizontal	PASS
2	5725.00	67.39	81.56	14.17	122.20	40.64	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	61.58	75.87	14.29	122.20	46.33	PK	Horizontal	PASS
2	5943.74	49.42	63.84	14.42	68.20	4.36	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5150.00	45.12	58.59	13.47	74.00	15.41	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5150.00	13.46	36.17	49.63	54.00	4.37	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5126.71	43.21	56.59	13.38	74.00	17.41	PK	Horizontal	PASS
2	5150.00	39.97	53.44	13.47	74.00	20.56	PK	Horizontal	PASS
3	5350.00	37.45	51.83	14.38	74.00	22.17	PK	Horizontal	PASS
4	5442.71	39.51	55.44	15.93	74.00	18.56	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5126.71	13.38	32.86	46.24	54.00	7.76	Horizontal	PASS
2	5150.00	13.46	30.74	44.20	54.00	9.80	Horizontal	PASS
3	5350.00	14.38	29.51	43.89	54.00	10.11	Horizontal	PASS
4	5442.71	15.93	29.28	45.21	54.00	8.79	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5148.32	42.25	55.71	13.46	74.00	18.29	PK	Horizontal	PASS
2	5150.00	40.85	54.32	13.47	74.00	19.68	PK	Horizontal	PASS
3	5350.00	49.17	63.55	14.38	74.00	10.45	PK	Horizontal	PASS
4	5369.23	48.78	63.45	14.67	74.00	10.55	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5148.33	13.46	32.85	46.31	54.00	7.69	Horizontal	PASS
2	5150.00	13.46	34.04	47.50	54.00	6.50	Horizontal	PASS
3	5350.00	14.38	37.88	52.26	54.00	1.74	Horizontal	PASS
4	5369.23	14.67	35.09	49.76	54.00	4.24	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	52.33	66.71	14.38	74.00	7.29	PK	Horizontal	PASS
2	5351.62	58.16	72.56	14.40	74.00	1.44	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	34.21	48.59	54.00	5.41	Horizontal	PASS
2	5351.62	14.40	33.44	47.84	54.00	6.16	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5450.37	43.83	59.90	16.07	74.00	14.10	PK	Horizontal	PASS
2	5460.00	40.14	56.39	16.25	74.00	17.61	PK	Horizontal	PASS
3	5467.38	46.94	63.34	16.40	68.20	4.86	PK	Horizontal	PASS
4	5470.00	45.80	62.25	16.45	68.20	5.95	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5450.37	16.07	32.02	48.09	54.00	5.91	Horizontal	PASS
2	5460.00	16.25	32.47	48.72	54.00	5.28	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	50.55	64.72	14.17	68.20	3.48	PK	Horizontal	PASS
2	5728.66	51.60	65.78	14.18	68.20	2.42	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5636.59	49.92	64.94	15.02	68.20	3.26	PK	Horizontal	PASS
2	5725.00	64.16	78.33	14.17	122.20	43.87	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5850.00	55.62	69.91	14.29	122.20	52.29	PK	Horizontal	PASS
2	5955.47	50.07	64.56	14.49	68.20	3.64	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5127.09	50.98	64.36	13.38	74.00	9.64	PK	Horizontal	PASS
2	5150.00	48.71	62.18	13.47	74.00	11.82	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5127.09	13.38	38.40	51.78	54.00	2.22	Horizontal	PASS
2	5150.00	13.46	39.41	52.87	53.91	1.04	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5350.00	45.41	59.79	14.38	74.00	14.21	PK	Horizontal	PASS
2	5353.69	48.84	63.27	14.43	74.00	10.73	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5350.00	14.38	30.07	44.45	54.00	9.55	Horizontal	PASS
2	5353.69	14.43	28.74	43.17	54.00	10.83	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5459.42	47.97	64.21	16.24	74.00	9.79	PK	Horizontal	PASS
2	5460.00	46.82	63.07	16.25	74.00	10.93	PK	Horizontal	PASS
3	5467.93	50.10	66.51	16.41	68.20	1.69	PK	Horizontal	PASS
4	5470.00	44.89	61.34	16.45	68.20	6.86	PK	Horizontal	PASS

AVG Data List								
NO.	Frequency [MHz]	Factor [dB/m]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	5459.42	16.24	35.15	51.39	54.00	2.61	Horizontal	PASS
2	5460.00	16.25	35.21	51.46	54.00	2.54	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5725.00	45.08	59.25	14.17	68.20	8.95	PK	Horizontal	PASS
2	5738.64	50.25	64.47	14.22	68.20	3.73	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level

TX Radiated Test Result




PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	5631.22	47.92	63.03	15.11	68.20	5.17	PK	Horizontal	PASS
2	5725.00	58.83	73.00	14.17	122.20	49.20	PK	Horizontal	PASS
3	5850.00	55.03	69.32	14.29	122.20	52.88	PK	Horizontal	PASS
4	5931.17	50.44	64.80	14.36	68.20	3.40	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level

11.11.2. SPURIOUS EMISSIONS(1 GHz~8 GHz)


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1724.86	70.38	49.42	-20.96	68.20	18.78	PK	Horizontal	PASS
2	2400.70	59.88	40.76	-19.12	68.20	27.44	PK	Horizontal	PASS
3	4284.64	57.40	41.41	-15.99	74.00	32.59	PK	Horizontal	PASS
4	4974.49	59.96	43.95	-16.01	74.00	30.05	PK	Horizontal	PASS
5	6700.85	55.41	42.69	-12.72	68.20	25.51	PK	Horizontal	PASS
6	7964.98	54.56	42.16	-12.40	68.20	26.04	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1710.86	70.44	49.38	-21.06	68.20	18.82	PK	Vertical	PASS
2	2400.70	66.25	47.13	-19.12	68.20	21.07	PK	Vertical	PASS
3	4151.58	56.48	40.29	-16.19	74.00	33.71	PK	Vertical	PASS
4	6000.50	56.46	42.86	-13.60	68.20	25.34	PK	Vertical	PASS
5	6963.48	54.52	42.36	-12.16	68.20	25.84	PK	Vertical	PASS
6	7912.46	54.33	42.05	-12.28	68.20	26.15	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	60.22	37.92	-22.30	74.00	36.08	PK	Horizontal	PASS
2	1717.86	65.60	44.58	-21.02	68.20	23.62	PK	Horizontal	PASS
3	2624.81	58.59	40.44	-18.15	68.20	27.76	PK	Horizontal	PASS
4	4970.99	59.45	43.44	-16.01	74.00	30.56	PK	Horizontal	PASS
5	6375.19	55.86	41.97	-13.89	68.20	26.23	PK	Horizontal	PASS
6	7429.21	54.72	41.69	-13.03	74.00	32.31	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1714.36	69.80	48.75	-21.05	68.20	19.45	PK	Vertical	PASS
2	2425.21	62.79	43.75	-19.04	68.20	24.45	PK	Vertical	PASS
3	3125.56	57.49	40.39	-17.10	68.20	27.81	PK	Vertical	PASS
4	4981.49	55.96	39.94	-16.02	74.00	34.06	PK	Vertical	PASS
5	6294.65	56.83	42.85	-13.98	68.20	25.35	PK	Vertical	PASS
6	7201.60	55.14	41.78	-13.36	68.20	26.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2425.21	59.47	40.43	-19.04	68.20	27.77	PK	Horizontal	PASS
2	2988.99	57.41	40.73	-16.68	68.20	27.47	PK	Horizontal	PASS
3	4515.76	57.56	40.70	-16.86	74.00	33.30	PK	Horizontal	PASS
4	5982.99	55.50	41.70	-13.80	68.20	26.50	PK	Horizontal	PASS
5	7408.20	54.34	41.41	-12.93	74.00	32.59	PK	Horizontal	PASS
6	7915.96	54.30	42.02	-12.28	68.20	26.18	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2208.10	57.85	38.83	-19.02	74.00	35.17	PK	Vertical	PASS
2	3377.69	57.18	39.97	-17.21	68.20	28.23	PK	Vertical	PASS
3	4893.95	56.00	39.99	-16.01	74.00	34.01	PK	Vertical	PASS
4	6200.10	55.72	41.46	-14.26	68.20	26.74	PK	Vertical	PASS
5	7096.55	55.66	42.81	-12.85	68.20	25.39	PK	Vertical	PASS
6	7957.98	54.48	42.09	-12.39	68.20	26.11	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1714.36	62.18	41.13	-21.05	68.20	27.07	PK	Horizontal	PASS
2	2400.70	66.94	47.82	-19.12	68.20	20.38	PK	Horizontal	PASS
3	4193.60	56.95	40.98	-15.97	74.00	33.02	PK	Horizontal	PASS
4	4956.98	57.80	41.81	-15.99	74.00	32.19	PK	Horizontal	PASS
5	6000.50	55.15	41.55	-13.60	68.20	26.65	PK	Horizontal	PASS
6	7964.98	54.54	42.14	-12.40	68.20	26.06	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2124.06	57.94	39.01	-18.93	68.20	29.19	PK	Vertical	PASS
2	3045.02	57.30	40.45	-16.85	68.20	27.75	PK	Vertical	PASS
3	4400.20	56.58	39.92	-16.66	68.20	28.28	PK	Vertical	PASS
4	5258.13	55.48	39.98	-15.50	68.20	28.22	PK	Vertical	PASS
5	6494.25	54.63	42.00	-12.63	68.20	26.20	PK	Vertical	PASS
6	7929.96	55.42	43.11	-12.31	68.20	25.09	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	2400.70	68.20	49.08	-19.12	68.20	19.12	PK	Horizontal	PASS
2	3419.71	57.07	39.86	-17.21	68.20	28.34	PK	Horizontal	PASS
3	4284.64	57.31	41.32	-15.99	74.00	32.68	PK	Horizontal	PASS
4	5265.13	55.22	39.76	-15.46	68.20	28.44	PK	Horizontal	PASS
5	6214.11	55.64	41.42	-14.22	68.20	26.78	PK	Horizontal	PASS
6	7376.69	55.51	42.57	-12.94	74.00	31.43	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1822.91	59.70	39.47	-20.23	68.20	28.73	PK	Vertical	PASS
2	2610.81	59.31	41.07	-18.24	68.20	27.13	PK	Vertical	PASS
3	4186.59	55.74	39.73	-16.01	74.00	34.27	PK	Vertical	PASS
4	5709.85	53.37	39.12	-14.25	68.20	29.08	PK	Vertical	PASS
5	7282.14	55.48	42.32	-13.16	74.00	31.68	PK	Vertical	PASS
6	7670.84	55.21	41.88	-13.33	74.00	32.12	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	59.85	37.53	-22.32	74.00	36.47	PK	Horizontal	PASS
2	2425.21	67.92	48.88	-19.04	68.20	19.32	PK	Horizontal	PASS
3	3573.79	57.56	40.13	-17.43	68.20	28.07	PK	Horizontal	PASS
4	4389.69	57.52	40.93	-16.59	74.00	33.07	PK	Horizontal	PASS
5	5321.16	57.97	42.56	-15.41	68.20	25.64	PK	Horizontal	PASS
6	6973.99	54.55	42.46	-12.09	68.20	25.74	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1203.10	58.96	36.64	-22.32	74.00	37.36	PK	Vertical	PASS
2	1822.91	61.18	40.95	-20.23	68.20	27.25	PK	Vertical	PASS
3	2400.70	66.43	47.31	-19.12	68.20	20.89	PK	Vertical	PASS
4	5321.16	55.73	40.32	-15.41	68.20	27.88	PK	Vertical	PASS
5	6494.25	54.82	42.19	-12.63	68.20	26.01	PK	Vertical	PASS
6	7376.69	54.52	41.58	-12.94	74.00	32.42	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	60.02	37.72	-22.30	74.00	36.28	PK	Horizontal	PASS
2	2400.70	68.21	49.09	-19.12	68.20	19.11	PK	Horizontal	PASS
3	4120.06	56.13	39.79	-16.34	74.00	34.21	PK	Horizontal	PASS
4	5496.25	60.03	44.65	-15.38	68.20	23.55	PK	Horizontal	PASS
5	6956.48	54.74	42.53	-12.21	68.20	25.67	PK	Horizontal	PASS
6	7761.88	54.95	41.62	-13.33	68.20	26.58	PK	Horizontal	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	59.05	36.75	-22.30	74.00	37.25	PK	Vertical	PASS
2	1822.91	61.16	40.93	-20.23	68.20	27.27	PK	Vertical	PASS
3	2964.48	57.43	40.70	-16.73	68.20	27.50	PK	Vertical	PASS
4	4358.18	57.54	41.16	-16.38	74.00	32.84	PK	Vertical	PASS
5	5496.25	55.92	40.54	-15.38	68.20	27.66	PK	Vertical	PASS
6	6963.48	54.53	42.37	-12.16	68.20	25.83	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	59.56	37.26	-22.30	74.00	36.74	PK	Horizontal	PASS
2	2400.70	69.90	50.78	-19.12	68.20	17.42	PK	Horizontal	PASS
3	3941.47	57.47	39.63	-17.84	74.00	34.37	PK	Horizontal	PASS
4	5583.79	59.59	44.60	-14.99	68.20	23.60	PK	Horizontal	PASS
5	6480.24	55.11	42.29	-12.82	68.20	25.91	PK	Horizontal	PASS
6	7912.46	54.16	41.88	-12.28	68.20	26.32	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1822.91	59.50	39.27	-20.23	68.20	28.93	PK	Vertical	PASS
2	2425.21	61.68	42.64	-19.04	68.20	25.56	PK	Vertical	PASS
3	4193.60	56.45	40.48	-15.97	74.00	33.52	PK	Vertical	PASS
4	5580.29	57.12	42.12	-15.00	68.20	26.08	PK	Vertical	PASS
5	6963.48	54.10	41.94	-12.16	68.20	26.26	PK	Vertical	PASS
6	7978.99	53.93	41.51	-12.42	68.20	26.69	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level


TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1199.60	60.75	38.45	-22.30	74.00	35.55	PK	Horizontal	PASS
2	2530.27	58.02	39.35	-18.67	68.20	28.85	PK	Horizontal	PASS
3	4151.58	57.08	40.89	-16.19	74.00	33.11	PK	Horizontal	PASS
4	5706.35	58.26	44.04	-14.22	68.20	24.16	PK	Horizontal	PASS
5	5972.49	57.72	43.79	-13.93	68.20	24.41	PK	Horizontal	PASS
6	6984.49	53.93	41.92	-12.01	68.20	26.28	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

TX Radiated Test Result



PEAK Data List									
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	Verdict
1	1822.91	60.80	40.57	-20.23	68.20	27.63	PK	Vertical	PASS
2	2554.78	59.13	40.59	-18.54	68.20	27.61	PK	Vertical	PASS
3	4253.13	56.92	40.96	-15.96	74.00	33.04	PK	Vertical	PASS
4	5699.35	58.04	43.85	-14.19	68.20	24.35	PK	Vertical	PASS
5	6004.00	55.92	42.28	-13.64	68.20	25.92	PK	Vertical	PASS
6	7082.54	54.37	41.66	-12.71	68.20	26.54	PK	Vertical	PASS

Note: (1) Level = Reading + Factor
(2) Margin = Limit - Level