



1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	40.65	Pass	401
0.15	30	0.01	RMS	0.15	-58.21	-13	45.21	Pass	5971
30	1000	0.1	RMS	876.5	-61.46	-13	48.46	Pass	19401
1000	1700	1	RMS	1565	-50.61	-13	37.61	Pass	1401
1700	1790	1	RMS	1754.45	20.06	60	39.94	Pass	401
1790	3000	1	RMS	2682	-47.26	-13	34.26	Pass	2421
3000	7000	1	RMS	6965	-65.42	-13	52.42	Pass	8001
7000	20000	1	RMS	19952	-51.28	-13	38.28	Pass	26001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.06	-13	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	45.01	Pass	5971
30	1000	0.1	RMS	891.4	-61.44	-13	48.44	Pass	19401
1000	1700	1	RMS	1700	-50.47	-13	37.47	Pass	1401
1700	1790	1	RMS	1772.45	8.03	60	51.97	Pass	401
1790	3000	1	RMS	1790	-40.49	-13	27.49	Pass	2421
3000	7000	1	RMS	6967	-65.42	-13	52.42	Pass	8001
7000	20000	1	RMS	19945	-51.23	-13	38.23	Pass	26001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.96	-13	41.96	Pass	401
0.15	30	0.01	RMS	0.15	-58.11	-13	45.11	Pass	5971
30	1000	0.1	RMS	935.2	-61.53	-13	48.53	Pass	19401
1000	1700	1	RMS	1562	-50.61	-13	37.61	Pass	1401
1700	1790	1	RMS	1760.525	20.14	60	39.86	Pass	401
1790	3000	1	RMS	2681	-47.26	-13	34.26	Pass	2421
3000	7000	1	RMS	6964	-65.43	-13	52.43	Pass	8001
7000	20000	1	RMS	19933	-51.24	-13	38.24	Pass	26001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.84	-13	41.84	Pass	401
0.15	30	0.01	RMS	0.15	-58.76	-13	45.76	Pass	5971
30	1000	0.1	RMS	907.9	-61.56	-13	48.56	Pass	19401
1000	1700	1	RMS	1575	-50.59	-13	37.59	Pass	1401
1700	1790	1	RMS	1779.425	20.05	60	39.95	Pass	401
1790	3000	1	RMS	2691	-47.25	-13	34.25	Pass	2421
3000	7000	1	RMS	3559	-64.88	-13	51.88	Pass	8001
7000	20000	1	RMS	19937	-51.22	-13	38.22	Pass	26001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.92	-13	41.92	Pass	401
0.15	30	0.01	RMS	0.15	-57.83	-13	44.83	Pass	5971
30	1000	0.1	RMS	901.3	-61.6	-13	48.6	Pass	19401
1000	1700	1	RMS	1700	-40.08	-13	27.08	Pass	1401
1700	1790	1	RMS	1738.025	6.22	60	53.78	Pass	401
1790	3000	1	RMS	2685	-47.19	-13	34.19	Pass	2421
3000	7000	1	RMS	6962	-65.4	-13	52.4	Pass	8001
7000	20000	1	RMS	19933	-51.29	-13	38.29	Pass	26001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.35	-13	42.35	Pass	401
0.15	30	0.01	RMS	0.15	-58.83	-13	45.83	Pass	5971
30	1000	0.1	RMS	882.8	-61.59	-13	48.59	Pass	19401
1000	1700	1	RMS	1699	-50.1	-13	37.1	Pass	1401
1700	1790	1	RMS	1710.575	19.94	60	40.06	Pass	401
1790	3000	1	RMS	2691	-47.21	-13	34.21	Pass	2421
3000	7000	1	RMS	6964	-65.38	-13	52.38	Pass	8001
7000	20000	1	RMS	19954	-51.2	-13	38.2	Pass	26001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-13	44.36	Pass	5971
30	1000	0.1	RMS	912.5	-61.42	-13	48.42	Pass	19401
1000	1700	1	RMS	1699	-50.47	-13	37.47	Pass	1401
1700	1790	1	RMS	1739.375	19.93	60	40.07	Pass	401
1790	3000	1	RMS	2680	-47.29	-13	34.29	Pass	2421
3000	7000	1	RMS	6963	-65.41	-13	52.41	Pass	8001
7000	20000	1	RMS	19931	-51.26	-13	38.26	Pass	26001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.21	-13	61.21	Pass	401
0.15	30	0.01	RMS	0.32	-71.36	-13	58.36	Pass	5971
30	1000	0.1	RMS	1000	-63.04	-13	50.04	Pass	19401
1000	1700	1	RMS	1700	-45.63	-13	32.63	Pass	1401
1700	1790	1	RMS	1745.9	6.24	60	53.76	Pass	401
1790	3000	1	RMS	1790	-45.55	-13	32.55	Pass	2421
3000	7000	1	RMS	6995	-62.5	-13	49.5	Pass	8001
7000	20000	1	RMS	17493	-49.93	-13	36.93	Pass	26001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.84	-13	41.84	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	44.73	Pass	5971
30	1000	0.1	RMS	871.7	-61.59	-13	48.59	Pass	19401
1000	1700	1	RMS	1587	-50.61	-13	37.61	Pass	1401
1700	1790	1	RMS	1730.6	19.94	60	40.06	Pass	401
1790	3000	1	RMS	2676	-47.23	-13	34.23	Pass	2421
3000	7000	1	RMS	6963	-65.44	-13	52.44	Pass	8001
7000	20000	1	RMS	19936	-51.19	-13	38.19	Pass	26001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.57	-13	42.57	Pass	401
0.15	30	0.01	RMS	0.16	-58.67	-13	45.67	Pass	5971
30	1000	0.1	RMS	885.2	-61.49	-13	48.49	Pass	19401
1000	1700	1	RMS	1568	-50.58	-13	37.58	Pass	1401
1700	1790	1	RMS	1759.4	19.84	60	40.16	Pass	401
1790	3000	1	RMS	2686	-47.24	-13	34.24	Pass	2421
3000	7000	1	RMS	6968	-65.39	-13	52.39	Pass	8001
7000	20000	1	RMS	19936	-51.27	-13	38.27	Pass	26001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.36	-13	42.36	Pass	401
0.15	30	0.01	RMS	0.16	-58.81	-13	45.81	Pass	5971
30	1000	0.1	RMS	918.2	-61.53	-13	48.53	Pass	19401
1000	1700	1	RMS	1700	-48.47	-13	35.47	Pass	1401
1700	1790	1	RMS	1773.575	6.3	60	53.7	Pass	401
1790	3000	1	RMS	1790	-40.18	-13	27.18	Pass	2421
3000	7000	1	RMS	6967	-65.42	-13	52.42	Pass	8001
7000	20000	1	RMS	19932	-51.27	-13	38.27	Pass	26001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	41.74	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	44.96	Pass	5971
30	1000	0.1	RMS	888.8	-61.56	-13	48.56	Pass	19401
1000	1700	1	RMS	1564	-50.63	-13	37.63	Pass	1401
1700	1790	1	RMS	1750.625	19.98	60	40.02	Pass	401
1790	3000	1	RMS	2679	-47.22	-13	34.22	Pass	2421
3000	7000	1	RMS	6960	-65.42	-13	52.42	Pass	8001
7000	20000	1	RMS	19946	-51.22	-13	38.22	Pass	26001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-13	42.38	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	45.4	Pass	5971
30	1000	0.1	RMS	917.3	-61.66	-13	48.66	Pass	19401
1000	1700	1	RMS	1563	-50.6	-13	37.6	Pass	1401
1700	1790	1	RMS	1779.2	19.85	60	40.15	Pass	401
1790	3000	1	RMS	2675	-47.27	-13	34.27	Pass	2421
3000	7000	1	RMS	6960	-65.41	-13	52.41	Pass	8001
7000	20000	1	RMS	19930	-51.12	-13	38.12	Pass	26001



1. n71 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.94	-13	44.94	Pass	5971
30	653	0.1	RMS	493.9	-63.07	-13	50.07	Pass	12461
653	708	0.1	RMS	667.4	4.15	60	55.85	Pass	1101
708	1000	0.1	RMS	890.6	-61.73	-13	48.73	Pass	5841
1000	3000	1	RMS	2678	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9952	-40.34	-13	27.34	Pass	14001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.36	-13	43.36	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	44.26	Pass	5971
30	653	0.1	RMS	639.7	-63.15	-13	50.15	Pass	12461
653	708	0.1	RMS	663.3	17.49	60	42.51	Pass	1101
708	1000	0.1	RMS	881.3	-61.57	-13	48.57	Pass	5841
1000	3000	1	RMS	2687	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9973	-40.45	-13	27.45	Pass	14001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.68	-13	42.68	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	653	0.1	RMS	489	-63.08	-13	50.08	Pass	12461
653	708	0.1	RMS	667.6	17.16	60	42.84	Pass	1101
708	1000	0.1	RMS	875.9	-61.66	-13	48.66	Pass	5841
1000	3000	1	RMS	2675	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9982	-40.39	-13	27.39	Pass	14001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.41	-13	42.41	Pass	401
0.15	30	0.01	RMS	0.15	-57.37	-13	44.37	Pass	5971
30	653	0.1	RMS	495.2	-62.9	-13	49.9	Pass	12461
653	708	0.1	RMS	682.3	4.17	60	55.83	Pass	1101
708	1000	0.1	RMS	891.1	-61.73	-13	48.73	Pass	5841
1000	3000	1	RMS	2691	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9949	-40.42	-13	27.42	Pass	14001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.99	-13	41.99	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	44.85	Pass	5971
30	653	0.1	RMS	490	-63.04	-13	50.04	Pass	12461
653	708	0.1	RMS	678.3	17.47	60	42.53	Pass	1101
708	1000	0.1	RMS	897.3	-61.76	-13	48.76	Pass	5841
1000	3000	1	RMS	2689	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9940	-40.43	-13	27.43	Pass	14001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.41	-13	42.41	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	45.13	Pass	5971
30	653	0.1	RMS	494.2	-63.03	-13	50.03	Pass	12461
653	708	0.1	RMS	682.6	16.94	60	43.06	Pass	1101
708	1000	0.1	RMS	874.9	-61.78	-13	48.78	Pass	5841
1000	3000	1	RMS	2683	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9966	-40.38	-13	27.38	Pass	14001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.46	-13	42.46	Pass	401
0.15	30	0.01	RMS	0.16	-58.3	-13	45.3	Pass	5971
30	653	0.1	RMS	511.3	-63.05	-13	50.05	Pass	12461
653	708	0.1	RMS	693.5	4.62	60	55.38	Pass	1101
708	1000	0.1	RMS	893.2	-61.62	-13	48.62	Pass	5841
1000	3000	1	RMS	2676	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9994	-40.39	-13	27.39	Pass	14001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-13	45.18	Pass	5971
30	653	0.1	RMS	500.6	-63.04	-13	50.04	Pass	12461
653	708	0.1	RMS	693.3	17.29	60	42.71	Pass	1101
708	1000	0.1	RMS	889.5	-61.48	-13	48.48	Pass	5841
1000	3000	1	RMS	2687	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9970	-40.39	-13	27.39	Pass	14001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.15	-13	41.15	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	44.23	Pass	5971
30	653	0.1	RMS	489.9	-63.06	-13	50.06	Pass	12461
653	708	0.1	RMS	697.7	16.73	60	43.27	Pass	1101
708	1000	0.1	RMS	893.4	-61.73	-13	48.73	Pass	5841
1000	3000	1	RMS	2687	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9972	-40.43	-13	27.43	Pass	14001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	41.55	Pass	401
0.15	30	0.01	RMS	0.15	-58.39	-13	45.39	Pass	5971
30	653	0.1	RMS	486.5	-63.02	-13	50.02	Pass	12461
653	708	0.1	RMS	667.5	-0.62	60	60.62	Pass	1101
708	1000	0.1	RMS	866	-61.84	-13	48.84	Pass	5841
1000	3000	1	RMS	2672	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9959	-40.4	-13	27.4	Pass	14001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	45.57	Pass	5971
30	653	0.1	RMS	476.4	-63.08	-13	50.08	Pass	12461
653	708	0.1	RMS	663.5	17.67	60	42.33	Pass	1101
708	1000	0.1	RMS	895.2	-61.8	-13	48.8	Pass	5841
1000	3000	1	RMS	1327	-46.65	-13	33.65	Pass	4001
3000	10000	1	RMS	9970	-40.4	-13	27.4	Pass	14001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.9	-13	41.9	Pass	401
0.15	30	0.01	RMS	0.15	-58.14	-13	45.14	Pass	5971
30	653	0.1	RMS	647.9	-63.07	-13	50.07	Pass	12461
653	708	0.1	RMS	677.5	17.6	60	42.4	Pass	1101
708	1000	0.1	RMS	885.2	-61.62	-13	48.62	Pass	5841
1000	3000	1	RMS	2693	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9984	-40.35	-13	27.35	Pass	14001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.2	-13	42.2	Pass	401
0.15	30	0.01	RMS	0.16	-58.61	-13	45.61	Pass	5971
30	653	0.1	RMS	486.2	-63.1	-13	50.1	Pass	12461
653	708	0.1	RMS	685.8	-0.43	60	60.43	Pass	1101
708	1000	0.1	RMS	853.9	-61.51	-13	48.51	Pass	5841
1000	3000	1	RMS	2687	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9952	-40.37	-13	27.37	Pass	14001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-58.88	-13	45.88	Pass	5971
30	653	0.1	RMS	492.5	-63.02	-13	50.02	Pass	12461
653	708	0.1	RMS	673.5	17.49	60	42.51	Pass	1101
708	1000	0.1	RMS	904.1	-61.68	-13	48.68	Pass	5841
1000	3000	1	RMS	1347	-46.74	-13	33.74	Pass	4001
3000	10000	1	RMS	9953	-40.42	-13	27.42	Pass	14001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	44.57	Pass	5971
30	653	0.1	RMS	496.1	-62.99	-13	49.99	Pass	12461
653	708	0.1	RMS	687.5	17.71	60	42.29	Pass	1101
708	1000	0.1	RMS	898.8	-61.64	-13	48.64	Pass	5841
1000	3000	1	RMS	2680	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9975	-40.41	-13	27.41	Pass	14001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.53	-13	42.53	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	44.43	Pass	5971
30	653	0.1	RMS	507.4	-63.05	-13	50.05	Pass	12461
653	708	0.1	RMS	692.3	-0.67	60	60.67	Pass	1101
708	1000	0.1	RMS	887.5	-61.63	-13	48.63	Pass	5841
1000	3000	1	RMS	2680	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9956	-40.41	-13	27.41	Pass	14001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.88	-13	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	44.66	Pass	5971
30	653	0.1	RMS	485.6	-63.11	-13	50.11	Pass	12461
653	708	0.1	RMS	683.5	17.6	60	42.4	Pass	1101
708	1000	0.1	RMS	904.6	-61.76	-13	48.76	Pass	5841
1000	3000	1	RMS	2684	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9984	-40.4	-13	27.4	Pass	14001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.69	-13	41.69	Pass	401
0.15	30	0.01	RMS	0.16	-57.69	-13	44.69	Pass	5971
30	653	0.1	RMS	489	-63.03	-13	50.03	Pass	12461
653	708	0.1	RMS	697.5	17.5	60	42.5	Pass	1101
708	1000	0.1	RMS	884.6	-61.64	-13	48.64	Pass	5841
1000	3000	1	RMS	2676	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9962	-40.41	-13	27.41	Pass	14001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	41.98	Pass	401
0.15	30	0.01	RMS	0.17	-58.79	-13	45.79	Pass	5971
30	653	0.1	RMS	499.8	-63.09	-13	50.09	Pass	12461
653	708	0.1	RMS	676.3	-1.87	60	61.87	Pass	1101
708	1000	0.1	RMS	912.5	-61.67	-13	48.67	Pass	5841
1000	3000	1	RMS	2673	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9985	-40.39	-13	27.39	Pass	14001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.44	-13	41.44	Pass	401
0.15	30	0.01	RMS	0.15	-58.36	-13	45.36	Pass	5971
30	653	0.1	RMS	493.4	-63.14	-13	50.14	Pass	12461
653	708	0.1	RMS	663.5	17.33	60	42.67	Pass	1101
708	1000	0.1	RMS	921.1	-61.78	-13	48.78	Pass	5841
1000	3000	1	RMS	1327	-46.62	-13	33.62	Pass	4001
3000	10000	1	RMS	9959	-40.43	-13	27.43	Pass	14001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	42.5	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	44.58	Pass	5971
30	653	0.1	RMS	633.9	-63.08	-13	50.08	Pass	12461
653	708	0.1	RMS	682.4	17.35	60	42.65	Pass	1101
708	1000	0.1	RMS	891.5	-61.62	-13	48.62	Pass	5841
1000	3000	1	RMS	2678	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9983	-40.39	-13	27.39	Pass	14001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	41.76	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	45.33	Pass	5971
30	653	0.1	RMS	504.4	-63.03	-13	50.03	Pass	12461
653	708	0.1	RMS	682.7	-1.66	60	61.66	Pass	1101
708	1000	0.1	RMS	889.6	-61.61	-13	48.61	Pass	5841
1000	3000	1	RMS	2680	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9971	-40.42	-13	27.42	Pass	14001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.15	-13	44.15	Pass	5971
30	653	0.1	RMS	482.6	-63.13	-13	50.13	Pass	12461
653	708	0.1	RMS	671	17.32	60	42.68	Pass	1101
708	1000	0.1	RMS	907.2	-61.78	-13	48.78	Pass	5841
1000	3000	1	RMS	1342	-46.68	-13	33.68	Pass	4001
3000	10000	1	RMS	9985	-40.44	-13	27.44	Pass	14001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.72	-13	41.72	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-13	44.22	Pass	5971
30	653	0.1	RMS	491.8	-62.97	-13	49.97	Pass	12461
653	708	0.1	RMS	689.9	17.15	60	42.85	Pass	1101
708	1000	0.1	RMS	903.1	-61.7	-13	48.7	Pass	5841
1000	3000	1	RMS	2690	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	10000	-40.4	-13	27.4	Pass	14001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.85	-13	41.85	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	45.03	Pass	5971
30	653	0.1	RMS	496.6	-62.98	-13	49.98	Pass	12461
653	708	0.1	RMS	690.3	-1.73	60	61.73	Pass	1101
708	1000	0.1	RMS	899.3	-61.69	-13	48.69	Pass	5841
1000	3000	1	RMS	2695	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9950	-40.36	-13	27.36	Pass	14001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-13	41.65	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	45.15	Pass	5971
30	653	0.1	RMS	485.7	-63.06	-13	50.06	Pass	12461
653	708	0.1	RMS	678.5	17.37	60	42.63	Pass	1101
708	1000	0.1	RMS	882.2	-61.77	-13	48.77	Pass	5841
1000	3000	1	RMS	2682	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9957	-40.37	-13	27.37	Pass	14001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.68	-13	41.68	Pass	401
0.15	30	0.01	RMS	0.15	-58.34	-13	45.34	Pass	5971
30	653	0.1	RMS	496.6	-63.14	-13	50.14	Pass	12461
653	708	0.1	RMS	697.4	17.05	60	42.95	Pass	1101
708	1000	0.1	RMS	902.3	-61.71	-13	48.71	Pass	5841
1000	3000	1	RMS	2692	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9975	-40.43	-13	27.43	Pass	14001



4. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.39	-67.71	-13	54.71	Pass	5971
30	1000	0.1	RMS	948.666	-60.64	-13	47.64	Pass	19401
1000	3000	1	RMS	2992	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3440	-25.84	-13	12.84	Pass	881
3440	3560	1	RMS	3465.5	10.62	60	49.38	Pass	401
3560	7000	1	RMS	3687	-59.4	-13	46.4	Pass	6881
7000	26500	1	RMS	25527	-44.91	-13	31.91	Pass	39001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.94	-13	57.94	Pass	401
0.15	30	0.01	RMS	0.16	-68.99	-13	55.99	Pass	5971
30	1000	0.1	RMS	928.252	-60.14	-13	47.14	Pass	19401
1000	3000	1	RMS	2988	-47.89	-13	34.89	Pass	4001
3000	3440	1	RMS	3433	-45.62	-13	32.62	Pass	881
3440	3560	1	RMS	3451.1	21.9	60	38.1	Pass	401
3560	7000	1	RMS	3758	-50.78	-13	37.78	Pass	6881
7000	26500	1	RMS	25898	-44.81	-13	31.81	Pass	39001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.33	-13	60.33	Pass	401
0.15	30	0.01	RMS	0.51	-68.8	-13	55.8	Pass	5971
30	1000	0.1	RMS	988.092	-60.15	-13	47.15	Pass	19401
1000	3000	1	RMS	3000	-47.81	-13	34.81	Pass	4001
3000	3440	1	RMS	3002	-45.77	-13	32.77	Pass	881
3440	3560	1	RMS	3469.1	22.06	60	37.94	Pass	401
3560	7000	1	RMS	3776	-51.3	-13	38.3	Pass	6881
7000	26500	1	RMS	25560	-44.98	-13	31.98	Pass	39001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.07	-13	60.07	Pass	401
0.15	30	0.01	RMS	0.33	-69.72	-13	56.72	Pass	5971
30	1000	0.1	RMS	800	-59.75	-13	46.75	Pass	19401
1000	3000	1	RMS	2970	-47.83	-13	34.83	Pass	4001
3000	3440	1	RMS	3002	-45.55	-13	32.55	Pass	881
3440	3560	1	RMS	3504.8	10.82	60	49.18	Pass	401
3560	7000	1	RMS	3725	-59.07	-13	46.07	Pass	6881
7000	26500	1	RMS	25919	-44.93	-13	31.93	Pass	39001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.85	-13	60.85	Pass	401
0.15	30	0.01	RMS	1.06	-67.99	-13	54.99	Pass	5971
30	1000	0.1	RMS	830.2	-60.21	-13	47.21	Pass	19401
1000	3000	1	RMS	2976	-47.87	-13	34.87	Pass	4001
3000	3440	1	RMS	3006	-45.6	-13	32.6	Pass	881
3440	3560	1	RMS	3491	22.35	60	37.65	Pass	401
3560	7000	1	RMS	3721	-50.83	-13	37.83	Pass	6881
7000	26500	1	RMS	25512	-44.86	-13	31.86	Pass	39001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.2	-68.87	-13	55.87	Pass	5971
30	1000	0.1	RMS	884.023	-59.86	-13	46.86	Pass	19401
1000	3000	1	RMS	2986	-47.8	-13	34.8	Pass	4001
3000	3440	1	RMS	3107	-45.72	-13	32.72	Pass	881
3440	3560	1	RMS	3509	22.36	60	37.64	Pass	401
3560	7000	1	RMS	3816	-50.72	-13	37.72	Pass	6881
7000	26500	1	RMS	25506	-44.54	-13	31.54	Pass	39001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.88	-13	60.88	Pass	401
0.15	30	0.01	RMS	0.62	-68.95	-13	55.95	Pass	5971
30	1000	0.1	RMS	516.1	-60.11	-13	47.11	Pass	19401
1000	3000	1	RMS	2961	-47.81	-13	34.81	Pass	4001
3000	3440	1	RMS	3019	-45.7	-13	32.7	Pass	881
3440	3560	1	RMS	3535.7	10.61	60	49.39	Pass	401
3560	7000	1	RMS	3560	-29.85	-13	16.85	Pass	6881
7000	26500	1	RMS	25509	-44.83	-13	31.83	Pass	39001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.32	-69.35	-13	56.35	Pass	5971
30	1000	0.1	RMS	991.194	-60.14	-13	47.14	Pass	19401
1000	3000	1	RMS	2969	-47.85	-13	34.85	Pass	4001
3000	3440	1	RMS	3301	-45.57	-13	32.57	Pass	881
3440	3560	1	RMS	3530.9	22.15	60	37.85	Pass	401
3560	7000	1	RMS	3838	-50.48	-13	37.48	Pass	6881
7000	26500	1	RMS	25907	-44.8	-13	31.8	Pass	39001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.07	-13	61.07	Pass	401
0.15	30	0.01	RMS	0.36	-69.25	-13	56.25	Pass	5971
30	1000	0.1	RMS	989.693	-59.29	-13	46.29	Pass	19401
1000	3000	1	RMS	2983	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3001	-45.62	-13	32.62	Pass	881
3440	3560	1	RMS	3548.9	22.05	60	37.95	Pass	401
3560	7000	1	RMS	3779	-51.19	-13	38.19	Pass	6881
7000	26500	1	RMS	25892	-44.62	-13	31.62	Pass	39001




3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.84	-13	48.84	Pass	401
0.15	30	0.01	RMS	1.06	-69.07	-13	56.07	Pass	5971
30	1000	0.1	RMS	837.8	-60.7	-13	47.7	Pass	19401
1000	3000	1	RMS	2998	-47.88	-13	34.88	Pass	4001
3000	3440	1	RMS	3440	-28.79	-13	15.79	Pass	881
3440	3560	1	RMS	3506.6	5.83	60	54.17	Pass	401
3560	7000	1	RMS	3560	-41.15	-13	28.15	Pass	6881
7000	26500	1	RMS	25524	-44.59	-13	31.59	Pass	39001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.79	-13	48.79	Pass	401
0.15	30	0.01	RMS	0.32	-69.94	-13	56.94	Pass	5971
30	1000	0.1	RMS	879.82	-60.38	-13	47.38	Pass	19401
1000	3000	1	RMS	2986	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3422	-45.01	-13	32.01	Pass	881
3440	3560	1	RMS	3451.1	22.07	60	37.93	Pass	401
3560	7000	1	RMS	3681	-48.43	-13	35.43	Pass	6881
7000	26500	1	RMS	25503	-44.7	-13	31.7	Pass	39001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.65	-13	50.65	Pass	401
0.15	30	0.01	RMS	0.91	-69.5	-13	56.5	Pass	5971
30	1000	0.1	RMS	710.4	-60.79	-13	47.79	Pass	19401
1000	3000	1	RMS	2976	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3279	-45.14	-13	32.14	Pass	881
3440	3560	1	RMS	3509	22.34	60	37.66	Pass	401
3560	7000	1	RMS	3739	-47.68	-13	34.68	Pass	6881
7000	26500	1	RMS	25900	-44.46	-13	31.46	Pass	39001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.97	-13	51.97	Pass	401
0.15	30	0.01	RMS	0.84	-68.01	-13	55.01	Pass	5971
30	1000	0.1	RMS	895.131	-60.77	-13	47.77	Pass	19401
1000	3000	1	RMS	2985	-47.84	-13	34.84	Pass	4001
3000	3440	1	RMS	3440	-34.36	-13	21.36	Pass	881
3440	3560	1	RMS	3517.7	5.94	60	54.06	Pass	401
3560	7000	1	RMS	3560	-35.17	-13	22.17	Pass	6881
7000	26500	1	RMS	25921	-44.68	-13	31.68	Pass	39001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.82	-13	49.82	Pass	401
0.15	30	0.01	RMS	0.48	-69.6	-13	56.6	Pass	5971
30	1000	0.1	RMS	900.534	-60.88	-13	47.88	Pass	19401
1000	3000	1	RMS	2994	-47.73	-13	34.73	Pass	4001
3000	3440	1	RMS	3241	-45.27	-13	32.27	Pass	881
3440	3560	1	RMS	3470.9	21.86	60	38.14	Pass	401
3560	7000	1	RMS	3701	-48.61	-13	35.61	Pass	6881
7000	26500	1	RMS	25927	-44.7	-13	31.7	Pass	39001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.36	-13	50.36	Pass	401
0.15	30	0.01	RMS	0.28	-69.84	-13	56.84	Pass	5971
30	1000	0.1	RMS	867.212	-60.51	-13	47.51	Pass	19401
1000	3000	1	RMS	2999	-47.72	-13	34.72	Pass	4001
3000	3440	1	RMS	3299	-45	-13	32	Pass	881
3440	3560	1	RMS	3528.8	21.93	60	38.07	Pass	401
3560	7000	1	RMS	3759	-47.8	-13	34.8	Pass	6881
7000	26500	1	RMS	25887	-44.55	-13	31.55	Pass	39001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.97	-13	48.97	Pass	401
0.15	30	0.01	RMS	0.66	-69.88	-13	56.88	Pass	5971
30	1000	0.1	RMS	892.929	-60.8	-13	47.8	Pass	19401
1000	3000	1	RMS	2971	-47.67	-13	34.67	Pass	4001
3000	3440	1	RMS	3440	-41.41	-13	28.41	Pass	881
3440	3560	1	RMS	3520.1	5.82	60	54.18	Pass	401
3560	7000	1	RMS	3560	-31.6	-13	18.6	Pass	6881
7000	26500	1	RMS	25918	-44.29	-13	31.29	Pass	39001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.11	-13	50.11	Pass	401
0.15	30	0.01	RMS	1.49	-66.4	-13	53.4	Pass	5971
30	1000	0.1	RMS	787.7	-60.29	-13	47.29	Pass	19401
1000	3000	1	RMS	2974	-47.75	-13	34.75	Pass	4001
3000	3440	1	RMS	3261	-45.22	-13	32.22	Pass	881
3440	3560	1	RMS	3491	22.16	60	37.84	Pass	401
3560	7000	1	RMS	3721	-48.93	-13	35.93	Pass	6881
7000	26500	1	RMS	25891	-44.52	-13	31.52	Pass	39001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-64.02	-13	51.02	Pass	401
0.15	30	0.01	RMS	0.37	-69.92	-13	56.92	Pass	5971
30	1000	0.1	RMS	868.713	-60.06	-13	47.06	Pass	19401
1000	3000	1	RMS	2982	-47.68	-13	34.68	Pass	4001
3000	3440	1	RMS	3319	-45.13	-13	32.13	Pass	881
3440	3560	1	RMS	3548.9	21.97	60	38.03	Pass	401
3560	7000	1	RMS	3779	-47.86	-13	34.86	Pass	6881
7000	26500	1	RMS	25491	-44.75	-13	31.75	Pass	39001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.48	-13	40.48	Pass	401
0.15	30	0.01	RMS	0.18	-59.36	-13	46.36	Pass	5971
30	1000	0.1	RMS	977.8	-59.24	-13	46.24	Pass	19401
1000	3000	1	RMS	2679	-46.7	-13	33.7	Pass	4001
3000	3440	1	RMS	3440	-32.21	-13	19.21	Pass	881
3440	3560	1	RMS	3530	2.84	60	57.16	Pass	401
3560	7000	1	RMS	3560	-32.69	-13	19.69	Pass	6881
7000	26500	1	RMS	25582	-40.97	-13	27.97	Pass	39001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.86	-13	41.86	Pass	401
0.15	30	0.01	RMS	0.16	-55.58	-13	42.58	Pass	5971
30	1000	0.1	RMS	960.2	-59.03	-13	46.03	Pass	19401
1000	3000	1	RMS	2664	-46.71	-13	33.71	Pass	4001
3000	3440	1	RMS	3402	-46.06	-13	33.06	Pass	881
3440	3560	1	RMS	3451.1	21.13	60	38.87	Pass	401
3560	7000	1	RMS	3681	-49.05	-13	36.05	Pass	6881
7000	26500	1	RMS	25573	-40.93	-13	27.93	Pass	39001



4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	40.43	Pass	401
0.15	30	0.01	RMS	0.16	-59.51	-13	46.51	Pass	5971
30	1000	0.1	RMS	835	-59.49	-13	46.49	Pass	19401
1000	3000	1	RMS	2684	-46.72	-13	33.72	Pass	4001
3000	3440	1	RMS	3318	-46	-13	33	Pass	881
3440	3560	1	RMS	3548.9	21.08	60	38.92	Pass	401
3560	7000	1	RMS	3779	-48.94	-13	35.94	Pass	6881
7000	26500	1	RMS	25560	-40.81	-13	27.81	Pass	39001



5. n78(3450-3550)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.38	-13	61.38	Pass	401
0.15	30	0.01	RMS	0.32	-69.05	-13	56.05	Pass	5971
30	1000	0.1	RMS	852.102	-59.68	-13	46.68	Pass	19401
1000	3000	1	RMS	2986	-47.93	-13	34.93	Pass	4001
3000	3440	1	RMS	3440	-26.64	-13	13.64	Pass	881
3440	3560	1	RMS	3466.1	10.53	60	49.47	Pass	401
3560	7000	1	RMS	3696	-59.61	-13	46.61	Pass	6881
7000	26500	1	RMS	25507	-45	-13	32	Pass	39001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.73	-68.87	-13	55.87	Pass	5971
30	1000	0.1	RMS	884.123	-60.46	-13	47.46	Pass	19401
1000	3000	1	RMS	2993	-47.74	-13	34.74	Pass	4001
3000	3440	1	RMS	3440	-45.59	-13	32.59	Pass	881
3440	3560	1	RMS	3451.1	21.82	60	38.18	Pass	401
3560	7000	1	RMS	3758	-50.51	-13	37.51	Pass	6881
7000	26500	1	RMS	25905	-44.63	-13	31.63	Pass	39001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.9	-13	60.9	Pass	401
0.15	30	0.01	RMS	2.24	-68.51	-13	55.51	Pass	5971
30	1000	0.1	RMS	842.7	-60.79	-13	47.79	Pass	19401
1000	3000	1	RMS	2969	-47.8	-13	34.8	Pass	4001
3000	3440	1	RMS	3001	-45.72	-13	32.72	Pass	881
3440	3560	1	RMS	3469.1	22.13	60	37.87	Pass	401
3560	7000	1	RMS	3776	-51.04	-13	38.04	Pass	6881
7000	26500	1	RMS	25574	-44.85	-13	31.85	Pass	39001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	59.94	Pass	401
0.15	30	0.01	RMS	0.42	-70.19	-13	57.19	Pass	5971
30	1000	0.1	RMS	897.332	-60.36	-13	47.36	Pass	19401
1000	3000	1	RMS	2988	-47.89	-13	34.89	Pass	4001
3000	3440	1	RMS	3122	-45.86	-13	32.86	Pass	881
3440	3560	1	RMS	3501.8	10.9	60	49.1	Pass	401
3560	7000	1	RMS	3736	-58.84	-13	45.84	Pass	6881
7000	26500	1	RMS	25918	-44.56	-13	31.56	Pass	39001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.31	-13	61.31	Pass	401
0.15	30	0.01	RMS	0.52	-69.63	-13	56.63	Pass	5971
30	1000	0.1	RMS	608	-60.26	-13	47.26	Pass	19401
1000	3000	1	RMS	2994	-47.89	-13	34.89	Pass	4001
3000	3440	1	RMS	3016	-45.69	-13	32.69	Pass	881
3440	3560	1	RMS	3491	22.31	60	37.69	Pass	401
3560	7000	1	RMS	3798	-50.82	-13	37.82	Pass	6881
7000	26500	1	RMS	25910	-44.79	-13	31.79	Pass	39001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.41	-68.61	-13	55.61	Pass	5971
30	1000	0.1	RMS	883.022	-59.9	-13	46.9	Pass	19401
1000	3000	1	RMS	2992	-47.92	-13	34.92	Pass	4001
3000	3440	1	RMS	3101	-45.69	-13	32.69	Pass	881
3440	3560	1	RMS	3509	22.46	60	37.54	Pass	401
3560	7000	1	RMS	3739	-51.06	-13	38.06	Pass	6881
7000	26500	1	RMS	25909	-44.86	-13	31.86	Pass	39001



2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.03	-13	57.03	Pass	5971
30	1000	0.1	RMS	928.653	-60.44	-13	47.44	Pass	19401
1000	3000	1	RMS	2982	-47.91	-13	34.91	Pass	4001
3000	3440	1	RMS	3001	-45.7	-13	32.7	Pass	881
3440	3560	1	RMS	3535.4	10.71	60	49.29	Pass	401
3560	7000	1	RMS	3560	-30.56	-13	17.56	Pass	6881
7000	26500	1	RMS	25928	-44.94	-13	31.94	Pass	39001



2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.71	-13	59.71	Pass	401
0.15	30	0.01	RMS	0.55	-68.68	-13	55.68	Pass	5971
30	1000	0.1	RMS	802.2	-60.53	-13	47.53	Pass	19401
1000	3000	1	RMS	2967	-47.79	-13	34.79	Pass	4001
3000	3440	1	RMS	3117	-45.8	-13	32.8	Pass	881
3440	3560	1	RMS	3530.9	22.08	60	37.92	Pass	401
3560	7000	1	RMS	3838	-50.42	-13	37.42	Pass	6881
7000	26500	1	RMS	25898	-44.48	-13	31.48	Pass	39001

