



**1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.09	-13	42.09	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	45.2	Pass	5971
30	804	0.1	RMS	800.4	-62.12	-13	49.12	Pass	15481
804	834	0.1	RMS	821.175	4.29	60	55.71	Pass	601
834	1000	0.1	RMS	834.1	-53.14	-13	40.14	Pass	3321
1000	3000	1	RMS	2681	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9959	-63.7	-13	50.7	Pass	14001




**1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.79	-13	41.79	Pass	401
0.15	30	0.01	RMS	0.15	-57.53	-13	44.53	Pass	5971
30	804	0.1	RMS	768.7	-62.05	-13	49.05	Pass	15481
804	834	0.1	RMS	819.3	17.56	60	42.44	Pass	601
834	1000	0.1	RMS	838.7	-61.83	-13	48.83	Pass	3321
1000	3000	1	RMS	2689	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9957	-63.64	-13	50.64	Pass	14001




**1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.99	-13	41.99	Pass	401
0.15	30	0.01	RMS	0.15	-57.91	-13	44.91	Pass	5971
30	804	0.1	RMS	786.2	-62.12	-13	49.12	Pass	15481
804	834	0.1	RMS	823.65	17.74	60	42.26	Pass	601
834	1000	0.1	RMS	836.9	-62.03	-13	49.03	Pass	3321
1000	3000	1	RMS	2678	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9956	-63.68	-13	50.68	Pass	14001




**1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:52, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.83	-13	41.83	Pass	401
0.15	30	0.01	RMS	0.15	-59.01	-13	46.01	Pass	5971
30	804	0.1	RMS	793.3	-62.12	-13	49.12	Pass	15481
804	834	0.1	RMS	821.025	1.37	60	58.63	Pass	601
834	1000	0.1	RMS	834.2	-46.82	-13	33.82	Pass	3321
1000	3000	1	RMS	2677	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9980	-63.65	-13	50.65	Pass	14001




**1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.31	-13	41.31	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	44.46	Pass	5971
30	804	0.1	RMS	784.7	-62.05	-13	49.05	Pass	15481
804	834	0.1	RMS	814.425	17.73	60	42.27	Pass	601
834	1000	0.1	RMS	877.7	-61.87	-13	48.87	Pass	3321
1000	3000	1	RMS	2689	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9998	-63.69	-13	50.69	Pass	14001



**1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:51)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.16	-58.42	-13	45.42	Pass	5971
30	804	0.1	RMS	798.1	-62.12	-13	49.12	Pass	15481
804	834	0.1	RMS	823.575	17.81	60	42.19	Pass	601
834	1000	0.1	RMS	891.2	-62	-13	49	Pass	3321
1000	3000	1	RMS	2678	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9968	-63.63	-13	50.63	Pass	14001




--BLANK BELOW--

3. n5


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.96	-13	41.96	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-13	43.69	Pass	5971
30	814	0.1	RMS	813.9	-52.72	-13	39.72	Pass	15681
814	859	0.1	RMS	824.7	4.4	60	55.6	Pass	901
859	1000	0.1	RMS	888	-61.97	-13	48.97	Pass	2821
1000	3000	1	RMS	2685	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9952	-63.7	-13	50.7	Pass	14001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	40.49	Pass	401
0.15	30	0.01	RMS	0.16	-57.54	-13	44.54	Pass	5971
30	814	0.1	RMS	813.3	-61.66	-13	48.66	Pass	15681
814	859	0.1	RMS	824.3	17.35	60	42.65	Pass	901
859	1000	0.1	RMS	892.7	-61.99	-13	48.99	Pass	2821
1000	3000	1	RMS	2685	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9979	-63.69	-13	50.69	Pass	14001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	40.78	Pass	401
0.15	30	0.01	RMS	0.16	-58.04	-13	45.04	Pass	5971
30	814	0.1	RMS	810.1	-61.89	-13	48.89	Pass	15681
814	859	0.1	RMS	828.7	16.98	60	43.02	Pass	901
859	1000	0.1	RMS	913.9	-62.06	-13	49.06	Pass	2821
1000	3000	1	RMS	2681	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9994	-63.64	-13	50.64	Pass	14001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	40.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	44.99	Pass	5971
30	814	0.1	RMS	813.1	-61.56	-13	48.56	Pass	15681
814	859	0.1	RMS	834.9	4.19	60	55.81	Pass	901
859	1000	0.1	RMS	893.2	-62.07	-13	49.07	Pass	2821
1000	3000	1	RMS	2686	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9977	-63.7	-13	50.7	Pass	14001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	42.55	Pass	401
0.15	30	0.01	RMS	0.15	-58.7	-13	45.7	Pass	5971
30	814	0.1	RMS	813.2	-62.05	-13	49.05	Pass	15681
814	859	0.1	RMS	834.3	17.37	60	42.63	Pass	901
859	1000	0.1	RMS	912.8	-61.79	-13	48.79	Pass	2821
1000	3000	1	RMS	2680	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9972	-63.68	-13	50.68	Pass	14001




**3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.61	-13	42.61	Pass	401
0.15	30	0.01	RMS	0.15	-57.73	-13	44.73	Pass	5971
30	814	0.1	RMS	811.6	-62.05	-13	49.05	Pass	15681
814	859	0.1	RMS	838.6	16.9	60	43.1	Pass	901
859	1000	0.1	RMS	895.3	-61.93	-13	48.93	Pass	2821
1000	3000	1	RMS	2677	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9959	-63.66	-13	50.66	Pass	14001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.98	-13	44.98	Pass	5971
30	814	0.1	RMS	769.6	-62.04	-13	49.04	Pass	15681
814	859	0.1	RMS	848.4	4.6	60	55.4	Pass	901
859	1000	0.1	RMS	893.5	-62.02	-13	49.02	Pass	2821
1000	3000	1	RMS	2677	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9964	-63.68	-13	50.68	Pass	14001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.16	-58.3	-13	45.3	Pass	5971
30	814	0.1	RMS	795.1	-62.13	-13	49.13	Pass	15681
814	859	0.1	RMS	844.3	17.46	60	42.54	Pass	901
859	1000	0.1	RMS	906.6	-61.96	-13	48.96	Pass	2821
1000	3000	1	RMS	2677	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9961	-63.66	-13	50.66	Pass	14001




**3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	41.2	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	44.6	Pass	5971
30	814	0.1	RMS	807.7	-62.01	-13	49.01	Pass	15681
814	859	0.1	RMS	848.6	16.96	60	43.04	Pass	901
859	1000	0.1	RMS	884.9	-62.05	-13	49.05	Pass	2821
1000	3000	1	RMS	2676	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9969	-63.66	-13	50.66	Pass	14001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.9	-13	42.9	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	44.54	Pass	5971
30	814	0.1	RMS	813.8	-47.04	-13	34.04	Pass	15681
814	859	0.1	RMS	826.8	-0.2	60	60.2	Pass	901
859	1000	0.1	RMS	903.8	-62.06	-13	49.06	Pass	2821
1000	3000	1	RMS	2673	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9953	-63.68	-13	50.68	Pass	14001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.47	-13	43.47	Pass	401
0.15	30	0.01	RMS	0.15	-59.01	-13	46.01	Pass	5971
30	814	0.1	RMS	812	-61.78	-13	48.78	Pass	15681
814	859	0.1	RMS	824.5	17.6	60	42.4	Pass	901
859	1000	0.1	RMS	886.4	-61.99	-13	48.99	Pass	2821
1000	3000	1	RMS	2678	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9960	-63.69	-13	50.69	Pass	14001




**3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.07	-13	43.07	Pass	401
0.15	30	0.01	RMS	0.15	-58.25	-13	45.25	Pass	5971
30	814	0.1	RMS	809.9	-62.03	-13	49.03	Pass	15681
814	859	0.1	RMS	838.5	17.79	60	42.21	Pass	901
859	1000	0.1	RMS	903.5	-62.02	-13	49.02	Pass	2821
1000	3000	1	RMS	2677	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9969	-63.65	-13	50.65	Pass	14001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.22	-13	42.22	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	44.58	Pass	5971
30	814	0.1	RMS	813.9	-49.36	-13	36.36	Pass	15681
814	859	0.1	RMS	829.7	-0.29	60	60.29	Pass	901
859	1000	0.1	RMS	879	-62.04	-13	49.04	Pass	2821
1000	3000	1	RMS	2687	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9962	-63.61	-13	50.61	Pass	14001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.03	-13	41.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	44.75	Pass	5971
30	814	0.1	RMS	812.3	-62.03	-13	49.03	Pass	15681
814	859	0.1	RMS	829.5	17.61	60	42.39	Pass	901
859	1000	0.1	RMS	901.2	-62.01	-13	49.01	Pass	2821
1000	3000	1	RMS	2676	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9949	-63.66	-13	50.66	Pass	14001




**3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.57	-13	41.57	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	44.65	Pass	5971
30	814	0.1	RMS	790.7	-62.08	-13	49.08	Pass	15681
814	859	0.1	RMS	843.5	17.7	60	42.3	Pass	901
859	1000	0.1	RMS	918.7	-62.11	-13	49.11	Pass	2821
1000	3000	1	RMS	2695	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9947	-63.67	-13	50.67	Pass	14001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.46	-13	42.46	Pass	401
0.15	30	0.01	RMS	0.15	-57.99	-13	44.99	Pass	5971
30	814	0.1	RMS	813.4	-51.11	-13	38.11	Pass	15681
814	859	0.1	RMS	836.8	-0.32	60	60.32	Pass	901
859	1000	0.1	RMS	887.6	-62.1	-13	49.1	Pass	2821
1000	3000	1	RMS	2693	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9984	-63.7	-13	50.7	Pass	14001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	42.03	Pass	401
0.15	30	0.01	RMS	0.15	-57.55	-13	44.55	Pass	5971
30	814	0.1	RMS	811.6	-61.95	-13	48.95	Pass	15681
814	859	0.1	RMS	834.5	17.55	60	42.45	Pass	901
859	1000	0.1	RMS	887	-61.97	-13	48.97	Pass	2821
1000	3000	1	RMS	2693	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9956	-63.71	-13	50.71	Pass	14001




**3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:78)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	44.54	Pass	5971
30	814	0.1	RMS	784.1	-62.09	-13	49.09	Pass	15681
814	859	0.1	RMS	848.5	17.54	60	42.46	Pass	901
859	1000	0.1	RMS	905.3	-62.07	-13	49.07	Pass	2821
1000	3000	1	RMS	2682	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9959	-63.69	-13	50.69	Pass	14001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.7	-13	41.7	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	45.68	Pass	5971
30	814	0.1	RMS	813.9	-47.25	-13	34.25	Pass	15681
814	859	0.1	RMS	835.5	-1.67	60	61.67	Pass	901
859	1000	0.1	RMS	877.9	-61.99	-13	48.99	Pass	2821
1000	3000	1	RMS	2691	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9952	-63.7	-13	50.7	Pass	14001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.01	-13	43.01	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	44.62	Pass	5971
30	814	0.1	RMS	813.4	-61.73	-13	48.73	Pass	15681
814	859	0.1	RMS	824.5	17.35	60	42.65	Pass	901
859	1000	0.1	RMS	878.8	-61.92	-13	48.92	Pass	2821
1000	3000	1	RMS	2675	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9964	-63.68	-13	50.68	Pass	14001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.95	-13	41.95	Pass	401
0.15	30	0.01	RMS	0.16	-58.41	-13	45.41	Pass	5971
30	814	0.1	RMS	812.8	-61.94	-13	48.94	Pass	15681
814	859	0.1	RMS	843.4	17.24	60	42.76	Pass	901
859	1000	0.1	RMS	925.1	-61.87	-13	48.87	Pass	2821
1000	3000	1	RMS	2685	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9995	-63.69	-13	50.69	Pass	14001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.77	-13	40.77	Pass	401
0.15	30	0.01	RMS	0.16	-59.13	-13	46.13	Pass	5971
30	814	0.1	RMS	813.9	-48.29	-13	35.29	Pass	15681
814	859	0.1	RMS	838	-1.48	60	61.48	Pass	901
859	1000	0.1	RMS	896.9	-62.01	-13	49.01	Pass	2821
1000	3000	1	RMS	2690	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9967	-63.67	-13	50.67	Pass	14001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.52	-13	42.52	Pass	401
0.15	30	0.01	RMS	0.15	-58.6	-13	45.6	Pass	5971
30	814	0.1	RMS	813.4	-61.56	-13	48.56	Pass	15681
814	859	0.1	RMS	827	17.28	60	42.72	Pass	901
859	1000	0.1	RMS	908	-61.96	-13	48.96	Pass	2821
1000	3000	1	RMS	2682	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9964	-63.69	-13	50.69	Pass	14001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.04	-13	42.04	Pass	401
0.15	30	0.01	RMS	0.15	-58.72	-13	45.72	Pass	5971
30	814	0.1	RMS	802.6	-61.99	-13	48.99	Pass	15681
814	859	0.1	RMS	845.9	17.18	60	42.82	Pass	901
859	1000	0.1	RMS	902.5	-61.98	-13	48.98	Pass	2821
1000	3000	1	RMS	2687	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9960	-63.65	-13	50.65	Pass	14001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.42	-13	41.42	Pass	401
0.15	30	0.01	RMS	0.15	-58.03	-13	45.03	Pass	5971
30	814	0.1	RMS	813.4	-49.04	-13	36.04	Pass	15681
814	859	0.1	RMS	840.6	-1.45	60	61.45	Pass	901
859	1000	0.1	RMS	914.2	-62.03	-13	49.03	Pass	2821
1000	3000	1	RMS	2679	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9968	-63.7	-13	50.7	Pass	14001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	5971
30	814	0.1	RMS	810.1	-61.82	-13	48.82	Pass	15681
814	859	0.1	RMS	829.5	17.37	60	42.63	Pass	901
859	1000	0.1	RMS	892.6	-61.98	-13	48.98	Pass	2821
1000	3000	1	RMS	2690	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9963	-63.71	-13	50.71	Pass	14001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-13	41.61	Pass	401
0.15	30	0.01	RMS	0.15	-58.61	-13	45.61	Pass	5971
30	814	0.1	RMS	801.1	-62.08	-13	49.08	Pass	15681
814	859	0.1	RMS	848.4	17.17	60	42.83	Pass	901
859	1000	0.1	RMS	914.3	-61.98	-13	48.98	Pass	2821
1000	3000	1	RMS	2681	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9953	-63.72	-13	50.72	Pass	14001



4. n12 15kHz


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.63	-13	41.63	Pass	401
0.15	30	0.01	RMS	0.15	-58.49	-13	45.49	Pass	5971
30	689	0.1	RMS	682.8	-63.04	-13	50.04	Pass	13181
689	726	0.1	RMS	699.823	3.27	60	56.73	Pass	741
726	1000	0.1	RMS	960.8	-61.84	-13	48.84	Pass	5481
1000	3000	1	RMS	2682	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9963	-63.64	-13	50.64	Pass	14001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	40.83	Pass	401
0.15	30	0.01	RMS	0.15	-58.66	-13	45.66	Pass	5971
30	689	0.1	RMS	676	-62.97	-13	49.97	Pass	13181
689	726	0.1	RMS	699.36	16.17	60	43.83	Pass	741
726	1000	0.1	RMS	888.6	-61.83	-13	48.83	Pass	5481
1000	3000	1	RMS	2683	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9950	-63.68	-13	50.68	Pass	14001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.65	-13	42.65	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	43.96	Pass	5971
30	689	0.1	RMS	665.9	-63.08	-13	50.08	Pass	13181
689	726	0.1	RMS	703.615	15.9	60	44.1	Pass	741
726	1000	0.1	RMS	887.5	-61.82	-13	48.82	Pass	5481
1000	3000	1	RMS	2686	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9965	-63.67	-13	50.67	Pass	14001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	41.04	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	45.13	Pass	5971
30	689	0.1	RMS	683.2	-63.01	-13	50.01	Pass	13181
689	726	0.1	RMS	709.165	3.4	60	56.6	Pass	741
726	1000	0.1	RMS	887.3	-61.56	-13	48.56	Pass	5481
1000	3000	1	RMS	2683	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9980	-63.59	-13	50.59	Pass	14001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.39	-13	41.39	Pass	401
0.15	30	0.01	RMS	0.16	-57.7	-13	44.7	Pass	5971
30	689	0.1	RMS	678.7	-63	-13	50	Pass	13181
689	726	0.1	RMS	705.373	15.73	60	44.27	Pass	741
726	1000	0.1	RMS	915.2	-61.9	-13	48.9	Pass	5481
1000	3000	1	RMS	2692	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9970	-63.67	-13	50.67	Pass	14001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	42.55	Pass	401
0.15	30	0.01	RMS	0.15	-59.15	-13	46.15	Pass	5971
30	689	0.1	RMS	686.1	-63.07	-13	50.07	Pass	13181
689	726	0.1	RMS	709.628	16.03	60	43.97	Pass	741
726	1000	0.1	RMS	889.7	-61.69	-13	48.69	Pass	5481
1000	3000	1	RMS	2677	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9988	-63.75	-13	50.75	Pass	14001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.44	-13	42.44	Pass	401
0.15	30	0.01	RMS	0.15	-58.91	-13	45.91	Pass	5971
30	689	0.1	RMS	675.4	-63.06	-13	50.06	Pass	13181
689	726	0.1	RMS	711.478	3.67	60	56.33	Pass	741
726	1000	0.1	RMS	874.2	-61.56	-13	48.56	Pass	5481
1000	3000	1	RMS	2690	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9981	-63.74	-13	50.74	Pass	14001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-13	40.8	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-13	44.62	Pass	5971
30	689	0.1	RMS	505.3	-63.06	-13	50.06	Pass	13181
689	726	0.1	RMS	711.293	15.79	60	44.21	Pass	741
726	1000	0.1	RMS	895.2	-61.81	-13	48.81	Pass	5481
1000	3000	1	RMS	2678	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9986	-63.67	-13	50.67	Pass	14001




**4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3,
Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-13	44.57	Pass	5971
30	689	0.1	RMS	688.9	-62.99	-13	49.99	Pass	13181
689	726	0.1	RMS	715.64	15.99	60	44.01	Pass	741
726	1000	0.1	RMS	894.8	-61.69	-13	48.69	Pass	5481
1000	3000	1	RMS	2677	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9993	-63.71	-13	50.71	Pass	14001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.27	-13	42.27	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	44.69	Pass	5971
30	689	0.1	RMS	687.8	-63.02	-13	50.02	Pass	13181
689	726	0.1	RMS	708.148	0.7	60	59.3	Pass	741
726	1000	0.1	RMS	883.9	-61.7	-13	48.7	Pass	5481
1000	3000	1	RMS	2680	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9966	-63.63	-13	50.63	Pass	14001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.25	-13	43.25	Pass	401
0.15	30	0.01	RMS	0.15	-58.88	-13	45.88	Pass	5971
30	689	0.1	RMS	680.8	-62.89	-13	49.89	Pass	13181
689	726	0.1	RMS	699.36	15.96	60	44.04	Pass	741
726	1000	0.1	RMS	891	-61.61	-13	48.61	Pass	5481
1000	3000	1	RMS	2683	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9970	-63.68	-13	50.68	Pass	14001




4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	42.4	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	45.24	Pass	5971
30	689	0.1	RMS	677.3	-63.07	-13	50.07	Pass	13181
689	726	0.1	RMS	708.61	15.96	60	44.04	Pass	741
726	1000	0.1	RMS	894.1	-61.77	-13	48.77	Pass	5481
1000	3000	1	RMS	2683	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9966	-63.65	-13	50.65	Pass	14001




4.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.16	-13	42.16	Pass	401
0.15	30	0.01	RMS	0.15	-58.59	-13	45.59	Pass	5971
30	689	0.1	RMS	686.5	-63.01	-13	50.01	Pass	13181
689	726	0.1	RMS	709.535	0.65	60	59.35	Pass	741
726	1000	0.1	RMS	907.6	-61.82	-13	48.82	Pass	5481
1000	3000	1	RMS	2690	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9973	-63.72	-13	50.72	Pass	14001




4.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.45	-13	42.45	Pass	401
0.15	30	0.01	RMS	0.15	-58.24	-13	45.24	Pass	5971
30	689	0.1	RMS	678.3	-63.1	-13	50.1	Pass	13181
689	726	0.1	RMS	702.875	16.1	60	43.9	Pass	741
726	1000	0.1	RMS	879.9	-61.62	-13	48.62	Pass	5481
1000	3000	1	RMS	2676	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9952	-63.64	-13	50.64	Pass	14001




4.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	40.87	Pass	401
0.15	30	0.01	RMS	0.15	-58.68	-13	45.68	Pass	5971
30	689	0.1	RMS	679.7	-62.95	-13	49.95	Pass	13181
689	726	0.1	RMS	712.125	15.57	60	44.43	Pass	741
726	1000	0.1	RMS	909.6	-61.81	-13	48.81	Pass	5481
1000	3000	1	RMS	2681	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9967	-63.69	-13	50.69	Pass	14001




4.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.47	-13	42.47	Pass	401
0.15	30	0.01	RMS	0.15	-57.93	-13	44.93	Pass	5971
30	689	0.1	RMS	506.3	-63.06	-13	50.06	Pass	13181
689	726	0.1	RMS	708.98	0.69	60	59.31	Pass	741
726	1000	0.1	RMS	906.9	-61.73	-13	48.73	Pass	5481
1000	3000	1	RMS	2682	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9966	-63.7	-13	50.7	Pass	14001




4.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.3	-13	42.3	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	44.25	Pass	5971
30	689	0.1	RMS	680.9	-63.06	-13	50.06	Pass	13181
689	726	0.1	RMS	706.39	16.2	60	43.8	Pass	741
726	1000	0.1	RMS	863.6	-61.86	-13	48.86	Pass	5481
1000	3000	1	RMS	2683	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9950	-63.69	-13	50.69	Pass	14001




4.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	45.57	Pass	5971
30	689	0.1	RMS	491	-63.06	-13	50.06	Pass	13181
689	726	0.1	RMS	715.548	15.79	60	44.21	Pass	741
726	1000	0.1	RMS	891.5	-61.59	-13	48.59	Pass	5481
1000	3000	1	RMS	2692	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9970	-63.56	-13	50.56	Pass	14001




4.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-13	40.99	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	44.81	Pass	5971
30	689	0.1	RMS	680	-63.16	-13	50.16	Pass	13181
689	726	0.1	RMS	709.258	-0.71	60	60.71	Pass	741
726	1000	0.1	RMS	887.2	-61.77	-13	48.77	Pass	5481
1000	3000	1	RMS	2677	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9962	-63.68	-13	50.68	Pass	14001




4.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-13	40.94	Pass	401
0.15	30	0.01	RMS	0.16	-59.55	-13	46.55	Pass	5971
30	689	0.1	RMS	678.2	-63.13	-13	50.13	Pass	13181
689	726	0.1	RMS	699.453	16.54	60	43.46	Pass	741
726	1000	0.1	RMS	920.2	-61.63	-13	48.63	Pass	5481
1000	3000	1	RMS	2695	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9953	-63.69	-13	50.69	Pass	14001




4.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.08	-13	42.08	Pass	401
0.15	30	0.01	RMS	0.15	-57.68	-13	44.68	Pass	5971
30	689	0.1	RMS	687.3	-63.11	-13	50.11	Pass	13181
689	726	0.1	RMS	713.513	16.36	60	43.64	Pass	741
726	1000	0.1	RMS	896.2	-61.64	-13	48.64	Pass	5481
1000	3000	1	RMS	2674	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9951	-63.62	-13	50.62	Pass	14001




4.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.92	-13	42.92	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	45.2	Pass	5971
30	689	0.1	RMS	688	-63.1	-13	50.1	Pass	13181
689	726	0.1	RMS	709.443	-0.67	60	60.67	Pass	741
726	1000	0.1	RMS	888.9	-61.57	-13	48.57	Pass	5481
1000	3000	1	RMS	2684	-46.82	-13	33.82	Pass	4001
3000	10000	1	RMS	9968	-63.65	-13	50.65	Pass	14001




4.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.08	-13	43.08	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	44.67	Pass	5971
30	689	0.1	RMS	689	-63.05	-13	50.05	Pass	13181
689	726	0.1	RMS	700.47	16.51	60	43.49	Pass	741
726	1000	0.1	RMS	915.9	-61.83	-13	48.83	Pass	5481
1000	3000	1	RMS	2690	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9960	-63.69	-13	50.69	Pass	14001




4.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.66	-13	42.66	Pass	401
0.15	30	0.01	RMS	0.15	-57.6	-13	44.6	Pass	5971
30	689	0.1	RMS	647.9	-63.04	-13	50.04	Pass	13181
689	726	0.1	RMS	714.53	16.21	60	43.79	Pass	741
726	1000	0.1	RMS	901.8	-61.65	-13	48.65	Pass	5481
1000	3000	1	RMS	2696	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9960	-63.69	-13	50.69	Pass	14001




4.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.58	-13	41.58	Pass	401
0.15	30	0.01	RMS	0.15	-59.05	-13	46.05	Pass	5971
30	689	0.1	RMS	495.5	-62.99	-13	49.99	Pass	13181
689	726	0.1	RMS	709.443	-0.88	60	60.88	Pass	741
726	1000	0.1	RMS	903.7	-61.65	-13	48.65	Pass	5481
1000	3000	1	RMS	2689	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	10000	-63.64	-13	50.64	Pass	14001




4.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.87	-13	41.87	Pass	401
0.15	30	0.01	RMS	0.15	-58.26	-13	45.26	Pass	5971
30	689	0.1	RMS	686.6	-63.07	-13	50.07	Pass	13181
689	726	0.1	RMS	701.488	16.42	60	43.58	Pass	741
726	1000	0.1	RMS	904	-61.73	-13	48.73	Pass	5481
1000	3000	1	RMS	2672	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9962	-63.71	-13	50.71	Pass	14001



4.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	41.25	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	44.8	Pass	5971
30	689	0.1	RMS	679.9	-62.99	-13	49.99	Pass	13181
689	726	0.1	RMS	715.548	15.77	60	44.23	Pass	741
726	1000	0.1	RMS	865.9	-61.69	-13	48.69	Pass	5481
1000	3000	1	RMS	2674	-46.83	-13	33.83	Pass	4001
3000	10000	1	RMS	9991	-63.7	-13	50.7	Pass	14001



1. n14


1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-57.96	-13	44.96	Pass	5971
30	778	0.1	RMS	777.8	-52.85	-13	39.85	Pass	14961
778	808	0.1	RMS	788.875	4.62	60	55.38	Pass	601
808	1000	0.1	RMS	898.9	-61.85	-13	48.85	Pass	3841
1000	3000	1	RMS	2688	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9961	-63.46	-13	50.46	Pass	14001




**1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.59	-13	42.59	Pass	401
0.15	30	0.01	RMS	0.15	-58.8	-13	45.8	Pass	5971
30	778	0.1	RMS	777.3	-62.03	-13	49.03	Pass	14961
778	808	0.1	RMS	788.35	17.84	60	42.16	Pass	601
808	1000	0.1	RMS	926.2	-61.85	-13	48.85	Pass	3841
1000	3000	1	RMS	2671	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9996	-63.44	-13	50.44	Pass	14001




**1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-57.85	-13	44.85	Pass	5971
30	778	0.1	RMS	771.4	-62.23	-13	49.23	Pass	14961
778	808	0.1	RMS	792.625	17.66	60	42.34	Pass	601
808	1000	0.1	RMS	883.9	-61.84	-13	48.84	Pass	3841
1000	3000	1	RMS	2673	-46.77	-13	33.77	Pass	4001
3000	10000	1	RMS	9986	-63.45	-13	50.45	Pass	14001




**1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.58	-13	42.58	Pass	401
0.15	30	0.01	RMS	0.15	-57.58	-13	44.58	Pass	5971
30	778	0.1	RMS	778	-55.61	-13	42.61	Pass	14961
778	808	0.1	RMS	791.275	4.67	60	55.33	Pass	601
808	1000	0.1	RMS	890.5	-61.81	-13	48.81	Pass	3841
1000	3000	1	RMS	2689	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9987	-63.5	-13	50.5	Pass	14001




**1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.11	-13	43.11	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	45.57	Pass	5971
30	778	0.1	RMS	764.7	-62.14	-13	49.14	Pass	14961
778	808	0.1	RMS	790.825	17.78	60	42.22	Pass	601
808	1000	0.1	RMS	907.3	-61.85	-13	48.85	Pass	3841
1000	3000	1	RMS	2676	-46.8	-13	33.8	Pass	4001
3000	10000	1	RMS	9950	-63.49	-13	50.49	Pass	14001




**1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	42.32	Pass	401
0.15	30	0.01	RMS	0.15	-57.61	-13	44.61	Pass	5971
30	778	0.1	RMS	777.1	-62.08	-13	49.08	Pass	14961
778	808	0.1	RMS	795.175	17.77	60	42.23	Pass	601
808	1000	0.1	RMS	914.6	-61.94	-13	48.94	Pass	3841
1000	3000	1	RMS	2677	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9975	-63.42	-13	50.42	Pass	14001




**1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1,
Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55	-13	42	Pass	401
0.15	30	0.01	RMS	0.15	-58.46	-13	45.46	Pass	5971
30	778	0.1	RMS	777.4	-58.46	-13	45.46	Pass	14961
778	808	0.1	RMS	797.425	4.36	60	55.64	Pass	601
808	1000	0.1	RMS	808.1	-61.74	-13	48.74	Pass	3841
1000	3000	1	RMS	2687	-46.76	-13	33.76	Pass	4001
3000	10000	1	RMS	9977	-63.54	-13	50.54	Pass	14001




**1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	40.02	Pass	401
0.15	30	0.01	RMS	0.15	-58.41	-13	45.41	Pass	5971
30	778	0.1	RMS	776.7	-62.07	-13	49.07	Pass	14961
778	808	0.1	RMS	793.3	17.58	60	42.42	Pass	601
808	1000	0.1	RMS	885.2	-62.02	-13	49.02	Pass	3841
1000	3000	1	RMS	2672	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9977	-63.5	-13	50.5	Pass	14001




**1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3,
Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:24)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-13	41.94	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	44.56	Pass	5971
30	778	0.1	RMS	766.2	-62.16	-13	49.16	Pass	14961
778	808	0.1	RMS	797.65	17.89	60	42.11	Pass	601
808	1000	0.1	RMS	892.2	-61.87	-13	48.87	Pass	3841
1000	3000	1	RMS	2676	-46.79	-13	33.79	Pass	4001
3000	10000	1	RMS	9980	-63.45	-13	50.45	Pass	14001



1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.71	-13	42.71	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-13	45.38	Pass	5971
30	778	0.1	RMS	777.3	-48.12	-13	35.12	Pass	14961
778	808	0.1	RMS	789.775	1.66	60	58.34	Pass	601
808	1000	0.1	RMS	808	-59.57	-13	46.57	Pass	3841
1000	3000	1	RMS	2678	-46.78	-13	33.78	Pass	4001
3000	10000	1	RMS	9988	-63.47	-13	50.47	Pass	14001



**1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2,
Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:1, RB Position:0)(NTNV)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.88	-13	41.88	Pass	401
0.15	30	0.01	RMS	0.15	-57.95	-13	44.95	Pass	5971
30	778	0.1	RMS	776.3	-62.01	-13	49.01	Pass	14961
778	808	0.1	RMS	788.425	17.79	60	42.21	Pass	601
808	1000	0.1	RMS	911.3	-61.82	-13	48.82	Pass	3841
1000	3000	1	RMS	2680	-46.81	-13	33.81	Pass	4001
3000	10000	1	RMS	9958	-63.47	-13	50.47	Pass	14001

