



1.10. LTE Band Edge_Part90(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.44	-13	13.44	Pass	100
813.9625	814	0.03	RMS	814	-25.61	-20	5.61	Pass	5
814	819	0.1	RMS	814.788	8.47	30	21.53	Pass	401




1.11. LTE Band Edge_Part90(Subtest:11, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.19	-13	13.19	Pass	100
813.9625	814	0.002	RMS	813.999	-34.09	-20	14.09	Pass	39
814	819	0.1	RMS	814.238	19.88	30	10.12	Pass	401




1.12. LTE Band Edge_Part90(Subtest:12, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-22.29	-13	9.29	Pass	401
813.9625	814	0.03	RMS	814	-25.87	-20	5.87	Pass	5
814	819	0.1	RMS	814.725	7.47	30	22.53	Pass	401




1.13. LTE Band Edge_Part90(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.84	30	9.16	Pass	401
824	824.0375	0.002	RMS	824.003	-33.11	-20	13.11	Pass	401
824.0375	829	0.1	RMS	824.038	-20.17	-13	7.17	Pass	100




1.14. LTE Band Edge_Part90(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823	8.54	30	21.46	Pass	401
824	824.0375	0.03	RMS	824	-25.8	-20	5.8	Pass	5
824.0375	829	0.1	RMS	824.038	-22.48	-13	9.48	Pass	401




1.15. LTE Band Edge_Part90(Subtest:15, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.775	20.06	30	9.94	Pass	401
824	824.0375	0.002	RMS	824.001	-33.08	-20	13.08	Pass	401
824.0375	829	0.1	RMS	824.038	-20.66	-13	7.66	Pass	100




1.16. LTE Band Edge_Part90(Subtest:16, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	7.56	30	22.44	Pass	401
824	824.0375	0.03	RMS	824.001	-26.18	-20	6.18	Pass	401
824.0375	829	0.1	RMS	824.038	-23.13	-13	10.13	Pass	401




1.17. LTE Band Edge_Part90(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.85	-13	15.85	Pass	100
813.9625	814	0.002	RMS	813.999	-33.44	-20	13.44	Pass	401
814	819	0.1	RMS	814.338	20.77	30	9.23	Pass	401




1.18. LTE Band Edge_Part90(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.04	-13	12.04	Pass	401
813.9625	814	0.05	RMS	814	-27.52	-20	7.52	Pass	3
814	819	0.1	RMS	815.038	6.25	30	23.75	Pass	401




1.19. LTE Band Edge_Part90(Subtest:19, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.91	-13	16.91	Pass	100
813.9625	814	0.002	RMS	814	-34.77	-20	14.77	Pass	401
814	819	0.1	RMS	814.325	19.8	30	10.2	Pass	401




1.20. LTE Band Edge_Part90(Subtest:20, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.53	-13	12.53	Pass	401
813.9625	814	0.05	RMS	814	-26.82	-20	6.82	Pass	401
814	819	0.1	RMS	815.625	5.37	30	24.63	Pass	401




1.21. LTE Band Edge_Part90(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.697	20.94	30	9.06	Pass	100
824	824.0375	0.002	RMS	824	-33.77	-20	13.77	Pass	401
824.0375	829	0.1	RMS	824.038	-21.59	-13	8.59	Pass	401




1.22. LTE Band Edge_Part90(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.425	6.32	30	23.68	Pass	401
824	824.0375	0.05	RMS	824	-27.61	-20	7.61	Pass	3
824.0375	829	0.1	RMS	824.038	-24.86	-13	11.86	Pass	401




1.23. LTE Band Edge_Part90(Subtest:23, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.697	20.15	30	9.85	Pass	100
824	824.0375	0.002	RMS	824.001	-35.03	-20	15.03	Pass	401
824.0375	829	0.1	RMS	824.038	-24.35	-13	11.35	Pass	100




1.24. LTE Band Edge_Part90(Subtest:24, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.325	5.32	30	24.68	Pass	401
824	824.0375	0.05	RMS	824	-27.75	-20	7.75	Pass	3
824.0375	829	0.1	RMS	824.038	-25.78	-13	12.78	Pass	401




1.25. LTE Band Edge_Part90(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.04	-13	21.04	Pass	401
813.9625	814	0.02	RMS	814	-39.01	-20	19.01	Pass	401
814	819	0.1	RMS	814.6	20.92	30	9.08	Pass	401




1.26. LTE Band Edge_Part90(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.15	-13	19.15	Pass	401
813.9625	814	0.1	RMS	813.999	-31.1	-20	11.1	Pass	401
814	819	0.1	RMS	816.875	3.31	30	26.69	Pass	401




1.27. LTE Band Edge_Part90(Subtest:27, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.93	-13	20.93	Pass	401
813.9625	814	0.02	RMS	813.997	-38.85	-20	18.85	Pass	401
814	819	0.1	RMS	814.588	20.06	30	9.94	Pass	401




1.28. LTE Band Edge_Part90(Subtest:28, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.95	-32.82	-13	19.82	Pass	401
813.9625	814	0.1	RMS	813.998	-31.76	-20	11.76	Pass	401
814	819	0.1	RMS	817.1	2.3	30	27.7	Pass	401




1.29. LTE Band Edge_Part90(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.425	20.8	30	9.2	Pass	401
824	824.0375	0.01	RMS	824.002	-42.13	-20	22.13	Pass	401
824.0375	829	0.1	RMS	824.038	-33.85	-13	20.85	Pass	401




1.30. LTE Band Edge_Part90(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.05	3.31	30	26.69	Pass	401
824	824.0375	0.1	RMS	824.003	-30.9	-20	10.9	Pass	401
824.0375	829	0.1	RMS	824.05	-32.05	-13	19.05	Pass	401




1.31. LTE Band Edge_Part90(Subtest:31, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	19.95	30	10.05	Pass	401
824	824.0375	0.01	RMS	824.002	-41.22	-20	21.22	Pass	401
824.0375	829	0.1	RMS	824.038	-34.22	-13	21.22	Pass	401



1.32. LTE Band Edge_Part90(Subtest:32, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821	2.39	30	27.61	Pass	401
824	824.0375	0.1	RMS	824.014	-31.17	-20	11.17	Pass	401
824.0375	829	0.1	RMS	824.038	-32.15	-13	19.15	Pass	401



7. LTE_Band14


7.1. LTE Band Edge_Part90(Subtest:1, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	771.267	-73.52	-35	38.52	Pass	1936
775	787.9	0.1	RMS	787.9	-28.75	-13	15.75	Pass	401
787.9	788	0.03	RMS	788	-24.66	-13	11.66	Pass	401
788	798	0.1	RMS	788.325	20.71	30	9.29	Pass	401




7.2. LTE Band Edge_Part90(Subtest:2, Channel:23305, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	769.019	-73.68	-35	38.68	Pass	1936
775	787.9	0.1	RMS	787.9	-26.97	-13	13.97	Pass	401
787.9	788	0.03	RMS	787.998	-28.3	-13	15.3	Pass	401
788	798	0.1	RMS	788.475	6.63	30	23.37	Pass	401




7.3. LTE Band Edge_Part90(Subtest:3, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	771.887	-73.17	-35	38.17	Pass	1936
775	787.9	0.1	RMS	787.9	-28.99	-13	15.99	Pass	401
787.9	788	0.03	RMS	788	-25.43	-13	12.43	Pass	401
788	798	0.1	RMS	788.35	19.67	30	10.33	Pass	401




7.4. LTE Band Edge_Part90(Subtest:4, Channel:23305, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	774.795	-73.82	-35	38.82	Pass	1936
775	787.9	0.1	RMS	787.9	-27.76	-13	14.76	Pass	401
787.9	788	0.03	RMS	787.997	-28.96	-13	15.96	Pass	401
788	798	0.1	RMS	788.5	5.72	30	24.28	Pass	401




7.5. LTE Band Edge_Part90(Subtest:5, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	20.63	30	9.37	Pass	401
798	798.1	0.03	RMS	798.002	-24.92	-13	11.92	Pass	401
798.1	799	0.1	RMS	798.1	-28.77	-13	15.77	Pass	401
799	806	0.00625	RMS	799.043	-56.45	-35	21.45	Pass	2259
806	810	0.1	RMS	806.03	-63.34	-13	50.34	Pass	401




7.6. LTE Band Edge_Part90(Subtest:6, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.5	6.26	30	23.74	Pass	401
798	798.1	0.03	RMS	798.007	-28.88	-13	15.88	Pass	401
798.1	799	0.1	RMS	798.105	-27.39	-13	14.39	Pass	401
799	806	0.00625	RMS	799.127	-46.17	-35	11.17	Pass	2259
806	810	0.1	RMS	806.04	-58.57	-13	45.57	Pass	401




7.7. LTE Band Edge_Part90(Subtest:7, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	19.6	30	10.4	Pass	401
798	798.1	0.03	RMS	798.004	-26.22	-13	13.22	Pass	401
798.1	799	0.1	RMS	798.105	-29.39	-13	16.39	Pass	401
799	806	0.00625	RMS	799.09	-58.37	-35	23.37	Pass	2259
806	810	0.1	RMS	806.05	-63.42	-13	50.42	Pass	401




7.8. LTE Band Edge_Part90(Subtest:8, Channel:23355, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.475	5.21	30	24.79	Pass	401
798	798.1	0.03	RMS	798.005	-29.54	-13	16.54	Pass	401
798.1	799	0.1	RMS	798.1	-27.7	-13	14.7	Pass	401
799	806	0.00625	RMS	799.316	-46	-35	11	Pass	2259
806	810	0.1	RMS	806.03	-60.31	-13	47.31	Pass	401




7.9. LTE Band Edge_Part90(Subtest:9, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	771.493	-73.62	-35	38.62	Pass	1936
775	787.9	0.1	RMS	787.868	-36.18	-13	23.18	Pass	401
787.9	788	0.03	RMS	787.997	-37.33	-13	24.33	Pass	401
788	798	0.1	RMS	788.575	20.64	30	9.36	Pass	401




7.10. LTE Band Edge_Part90(Subtest:10, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	770.491	-73.15	-35	38.15	Pass	1936
775	787.9	0.1	RMS	787.9	-32.79	-13	19.79	Pass	401
787.9	788	0.03	RMS	787.999	-35.76	-13	22.76	Pass	401
788	798	0.1	RMS	788.7	3.78	30	26.22	Pass	401




7.11. LTE Band Edge_Part90(Subtest:11, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	769.288	-73.77	-35	38.77	Pass	1936
775	787.9	0.1	RMS	787.868	-37.22	-13	24.22	Pass	401
787.9	788	0.03	RMS	788	-37.03	-13	24.03	Pass	401
788	798	0.1	RMS	788.6	19.81	30	10.19	Pass	401




7.12. LTE Band Edge_Part90(Subtest:12, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.00625	RMS	772.687	-73.82	-35	38.82	Pass	1936
775	787.9	0.1	RMS	787.868	-33.17	-13	20.17	Pass	401
787.9	788	0.03	RMS	787.999	-36.24	-13	23.24	Pass	401
788	798	0.1	RMS	789.15	2.75	30	27.25	Pass	401




7.13. LTE Band Edge_Part90(Subtest:13, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	20.57	30	9.43	Pass	401
798	798.1	0.03	RMS	798.003	-37.85	-13	24.85	Pass	401
798.1	799	0.1	RMS	798.116	-36.75	-13	23.75	Pass	401
799	806	0.00625	RMS	800.386	-61.14	-35	26.14	Pass	2259
806	810	0.1	RMS	808.54	-63.38	-13	50.38	Pass	401




7.14. LTE Band Edge_Part90(Subtest:14, Channel:23330, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	789.075	3.75	30	26.25	Pass	401
798	798.1	0.03	RMS	798.003	-37.03	-13	24.03	Pass	401
798.1	799	0.1	RMS	798.111	-33.46	-13	20.46	Pass	401
799	806	0.00625	RMS	799.009	-47.58	-35	12.58	Pass	2259
806	810	0.1	RMS	806.07	-52.77	-13	39.77	Pass	401




7.15. LTE Band Edge_Part90(Subtest:15, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.4	19.57	30	10.43	Pass	401
798	798.1	0.03	RMS	798.009	-37.73	-13	24.73	Pass	401
798.1	799	0.1	RMS	798.12	-36.95	-13	23.95	Pass	401
799	806	0.00625	RMS	799.084	-60.84	-35	25.84	Pass	2259
806	810	0.1	RMS	806.33	-63.37	-13	50.37	Pass	401



7.16. LTE Band Edge_Part90(Subtest:16, Channel:23330, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	788.875	2.74	30	27.26	Pass	401
798	798.1	0.03	RMS	798.002	-37.18	-13	24.18	Pass	401
798.1	799	0.1	RMS	798.102	-33.49	-13	20.49	Pass	401
799	806	0.00625	RMS	799.127	-47.15	-35	12.15	Pass	2259
806	810	0.1	RMS	806.05	-55.49	-13	42.49	Pass	401



1. n2


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-27.29	-13	14.29	Pass	401
1849	1850	0.051	RMS	1850	-18.36	-13	5.36	Pass	401
1850	1855	1	RMS	1850.375	19.96	30	10.04	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848.5	1	RMS	1848.5	-29.3	-13	16.3	Pass	401
1849	1850	0.051	RMS	1850	-27.62	-13	14.62	Pass	401
1850	1855	1	RMS	1853.713	13.89	30	16.11	Pass	401



1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1909.6	19.81	30	10.19	Pass	401
1910	1911	0.02	RMS	1910	-23.42	-13	10.42	Pass	401
1911.5	1920	1	RMS	1911.5	-28.95	-13	15.95	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1910	1	RMS	1908.763	13.73	30	16.27	Pass	401
1910	1911	0.051	RMS	1910	-27.74	-13	14.74	Pass	401
1911.5	1920	1	RMS	1911.5	-28.13	-13	15.13	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1848.5	1	RMS	1848.5	-35.81	-13	22.81	Pass	401
1849	1850	0.051	RMS	1849.998	-23.19	-13	10.19	Pass	401
1850	1865	1	RMS	1850.488	20.13	30	9.87	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-25.83	-13	12.83	Pass	401
1849	1850	0.15	RMS	1850	-32.53	-13	19.53	Pass	401
1850	1865	1	RMS	1862.788	9.59	30	20.41	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1909.513	20.01	30	9.99	Pass	401
1910	1911	0.051	RMS	1910	-24.1	-13	11.1	Pass	401
1911.5	1930	1	RMS	1911.5	-37	-13	24	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1910	1	RMS	1896.388	10.06	30	19.94	Pass	401
1910	1911	0.15	RMS	1910	-34.42	-13	21.42	Pass	401
1911	1930	1	RMS	1911	-26.57	-13	13.57	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1848.5	1	RMS	1848.5	-39.36	-13	26.36	Pass	401
1849	1850	0.2	RMS	1850	-19.05	-13	6.05	Pass	401
1850	1870	1	RMS	1850.55	20.17	30	9.83	Pass	401




1.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-29.86	-13	16.86	Pass	401
1849	1850	0.2	RMS	1850	-34.66	-13	21.66	Pass	401
1850	1870	1	RMS	1867.1	8.23	30	21.77	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1909.4	19.96	30	10.04	Pass	401
1910	1911	0.2	RMS	1910	-20.07	-13	7.07	Pass	401
1911.5	1935	1	RMS	1911.5	-40.29	-13	27.29	Pass	401



1.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1890	1910	1	RMS	1894.1	8.58	30	21.42	Pass	401
1910	1911	0.2	RMS	1910.003	-35.06	-13	22.06	Pass	401
1911	1935	1	RMS	1911	-30.03	-13	17.03	Pass	401



2. n5


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	822.145	-49.55	-13	36.55	Pass	401
823	824	0.02	RMS	824	-22.05	-13	9.05	Pass	401
824	829	0.1	RMS	824.325	17.45	30	12.55	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
814	823	0.1	RMS	823	-38.1	-13	25.1	Pass	401
823	824	0.051	RMS	824	-27.85	-13	14.85	Pass	401
824	829	0.1	RMS	824.738	4.08	30	25.92	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.4	30	12.6	Pass	401
849	850	0.02	RMS	849	-22.71	-13	9.71	Pass	401
850	859	0.1	RMS	850	-52.1	-13	39.1	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.5	4.19	30	25.81	Pass	401
849	850	0.051	RMS	849	-29.9	-13	16.9	Pass	401
850	859	0.1	RMS	850.158	-36.54	-13	23.54	Pass	401




2.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	823	-51.01	-13	38.01	Pass	401
823	824	0.02	RMS	824	-27.17	-13	14.17	Pass	401
824	839	0.1	RMS	824.45	17.41	30	12.59	Pass	401




2.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
804	823	0.1	RMS	822.953	-41.18	-13	28.18	Pass	401
823	824	0.15	RMS	824	-30.82	-13	17.82	Pass	401
824	839	0.1	RMS	825.313	-0.58	30	30.58	Pass	401




2.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.4	30	12.6	Pass	401
849	850	0.02	RMS	849	-27.94	-13	14.94	Pass	401
850	869	0.1	RMS	850	-52.2	-13	39.2	Pass	401




2.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	836.888	-0.69	30	30.69	Pass	401
849	850	0.15	RMS	849.003	-33.49	-13	20.49	Pass	401
850	869	0.1	RMS	850.143	-38.97	-13	25.97	Pass	401




2.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.15	-13	38.15	Pass	401
823	824	0.02	RMS	824	-30.75	-13	17.75	Pass	401
824	844	0.1	RMS	824.55	17.46	30	12.54	Pass	401




2.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-42.4	-13	29.4	Pass	401
823	824	0.2	RMS	824	-32.69	-13	19.69	Pass	401
824	844	0.1	RMS	835.55	-1.95	30	31.95	Pass	401




2.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.36	30	12.64	Pass	401
849	850	0.02	RMS	849	-31.36	-13	18.36	Pass	401
850	874	0.1	RMS	850	-52.39	-13	39.39	Pass	401



2.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
829	849	0.1	RMS	840.45	-1.92	30	31.92	Pass	401
849	850	0.2	RMS	849.003	-33.33	-13	20.33	Pass	401
850	874	0.1	RMS	850	-39.5	-13	26.5	Pass	401



3. n12 15kHz


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-22.24	-13	9.24	Pass	401
698.9	699	0.03	RMS	698.999	-21.65	-13	8.65	Pass	401
699	704	0.1	RMS	699.338	16.18	30	13.82	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-28.99	-13	15.99	Pass	401
698.9	699	0.03	RMS	699	-30.68	-13	17.68	Pass	401
699	704	0.1	RMS	699.8	2.95	30	27.05	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	15.84	30	14.16	Pass	401
716	716.1	0.03	RMS	716	-22.81	-13	9.81	Pass	401
716.1	726	0.1	RMS	716.1	-23.36	-13	10.36	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
711	716	0.1	RMS	711.5	3.33	30	26.67	Pass	401
716	716.1	0.03	RMS	716	-33.75	-13	20.75	Pass	401
716.1	726	0.1	RMS	716.1	-31.55	-13	18.55	Pass	401




3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-23.42	-13	10.42	Pass	401
698.9	699	0.03	RMS	699	-23.93	-13	10.93	Pass	401
699	709	0.1	RMS	699.4	16.22	30	13.78	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-33.34	-13	20.34	Pass	401
698.9	699	0.03	RMS	699	-36.36	-13	23.36	Pass	401
699	709	0.1	RMS	708.15	0.25	30	29.75	Pass	401




3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	15.76	30	14.24	Pass	401
716	716.1	0.03	RMS	716.001	-25.21	-13	12.21	Pass	401
716.1	731	0.1	RMS	716.1	-25.04	-13	12.04	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	709.85	0.37	30	29.63	Pass	401
716	716.1	0.03	RMS	716	-37.58	-13	24.58	Pass	401
716.1	731	0.1	RMS	716.1	-34.95	-13	21.95	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-26.92	-13	13.92	Pass	401
698.9	699	0.03	RMS	699	-27.01	-13	14.01	Pass	401
699	714	0.1	RMS	699.488	16.19	30	13.81	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-37.79	-13	24.79	Pass	401
698.9	699	0.03	RMS	698.999	-41.19	-13	28.19	Pass	401
699	714	0.1	RMS	709.8	-1.22	30	31.22	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	15.84	30	14.16	Pass	401
716	716.1	0.03	RMS	716	-28.07	-13	15.07	Pass	401
716.1	736	0.1	RMS	716.1	-27.87	-13	14.87	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
701	716	0.1	RMS	709.7	-1.24	30	31.24	Pass	401
716	716.1	0.03	RMS	716.001	-42.76	-13	29.76	Pass	401
716.1	736	0.1	RMS	716.1	-38.86	-13	25.86	Pass	401



4. n13

4.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-22	-13	9	Pass	401
776.9	777	0.03	RMS	777	-21.02	-13	8.02	Pass	401
777	782	0.1	RMS	777.325	17.32	30	12.68	Pass	401



4.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
767	776.9	0.1	RMS	776.9	-28.42	-13	15.42	Pass	401
776.9	777	0.03	RMS	777	-30.36	-13	17.36	Pass	401
777	782	0.1	RMS	781.588	4.59	30	25.41	Pass	401

