



1.3. Band Edge for SA_Part90(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	17.73	30	12.27	Pass	401
798	798.1	0.051	RMS	798	-18.32	-13	5.32	Pass	401
798.1	808	0.1	RMS	798.1	-21.26	-13	8.26	Pass	401




1.4. Band Edge for SA_Part90(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
793	798	0.1	RMS	793.763	4.29	30	25.71	Pass	401
798	798.1	0.051	RMS	798	-28.57	-13	15.57	Pass	401
798.1	808	0.1	RMS	798.1	-28.55	-13	15.55	Pass	401




1.5. Band Edge for SA_Part90(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	769.236	-73.81	-35	38.81	Pass	968




1.6. Band Edge for SA_Part90(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	774.355	-73.86	-35	38.86	Pass	968




1.7. Band Edge for SA_Part90(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.031	-61.92	-35	26.92	Pass	1130




1.8. Band Edge for SA_Part90(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.13	-45.64	-35	10.64	Pass	1130




1.9. Band Edge for SA_Part90(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-21.92	-13	8.92	Pass	401
787.9	787.95	0.1	RMS	787.948	-19.13	-13	6.13	Pass	401
788	798	0.1	RMS	788.4	17.84	30	12.16	Pass	401




1.10. Band Edge for SA_Part90(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-32.42	-13	19.42	Pass	401
787.9	788	0.1	RMS	787.998	-29.67	-13	16.67	Pass	401
788	798	0.1	RMS	789.475	1.79	30	28.21	Pass	401




1.11. Band Edge for SA_Part90(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	17.71	30	12.29	Pass	401
798	798.1	0.1	RMS	798	-17.03	-13	4.03	Pass	401
798.1	813	0.1	RMS	798.1	-22.25	-13	9.25	Pass	401




1.12. Band Edge for SA_Part90(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
788	798	0.1	RMS	789.525	1.8	30	28.2	Pass	401
798	798.1	0.1	RMS	798.001	-29.27	-13	16.27	Pass	401
798.1	813	0.1	RMS	798.1	-32.03	-13	19.03	Pass	401




1.13. Band Edge for SA_Part90(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	773.3	-73.78	-35	38.78	Pass	968




1.14. Band Edge for SA_Part90(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
769	775	0.0062	RMS	772.537	-73.67	-35	38.67	Pass	968




1.15. Band Edge for SA_Part90(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.025	-62.59	-35	27.59	Pass	1130



1.16. Band Edge for SA_Part90(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
799	806	0.0062	RMS	799.025	-48.05	-35	13.05	Pass	1130



3. n38_PC3


3.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.863	-47.89	-25	22.89	Pass	401
2550	2565	1	RMS	2562	-46.21	-13	33.21	Pass	401
2565	2569	1	RMS	2569	-25.56	-10	15.56	Pass	401
2569	2570	0.051	RMS	2569.993	-25.86	-10	15.86	Pass	401
2570	2590	1	RMS	2571	20.05	30	9.95	Pass	401




3.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-40.47	-25	15.47	Pass	401
2550	2565	1	RMS	2564.888	-31.02	-13	18.02	Pass	401
2565	2569	1	RMS	2568.97	-26.84	-10	16.84	Pass	401
2569	2570	0.4	RMS	2569.998	-26.39	-10	16.39	Pass	401
2570	2590	1	RMS	2583.7	8.06	30	21.94	Pass	401



3.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2618.95	20.11	30	9.89	Pass	401
2620	2621	0.051	RMS	2620	-28.63	-10	18.63	Pass	401
2621	2625	1	RMS	2621	-29.02	-10	19.02	Pass	401
2625	2640	1	RMS	2627.663	-46.11	-13	33.11	Pass	401
2640	2645	1	RMS	2642.938	-47.61	-25	22.61	Pass	401




3.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	1	RMS	2604.55	8.25	30	21.75	Pass	401
2620	2621	0.4	RMS	2620.005	-27.51	-10	17.51	Pass	401
2621	2625	1	RMS	2621.01	-26.71	-10	16.71	Pass	401
2625	2640	1	RMS	2625	-31.6	-13	18.6	Pass	401
2640	2645	1	RMS	2640.1	-41.19	-25	16.19	Pass	401




1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.238	-50.02	-25	25.02	Pass	401
2540	2565	1	RMS	2557.375	-47.9	-13	34.9	Pass	401
2565	2569	1	RMS	2569	-33.66	-10	23.66	Pass	401
2569	2570	0.051	RMS	2569.998	-32.22	-10	22.22	Pass	401
2570	2600	1	RMS	2571.125	19.86	30	10.14	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2535	2540	1	RMS	2539.775	-42.14	-25	17.14	Pass	401
2540	2565	1	RMS	2564.875	-31.68	-13	18.68	Pass	401
2565	2569	1	RMS	2569	-28.06	-10	18.06	Pass	401
2569	2570	0.62	RMS	2569.995	-26.52	-10	16.52	Pass	401
2570	2600	1	RMS	2572.025	6.18	30	23.82	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2618.8	20.29	30	9.71	Pass	401
2620	2621	0.051	RMS	2620.003	-32.37	-10	22.37	Pass	401
2621	2625	1	RMS	2621	-33.32	-10	23.32	Pass	401
2625	2650	1	RMS	2632.75	-47.08	-13	34.08	Pass	401
2650	2655	1	RMS	2650.063	-49.52	-25	24.52	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2620	1	RMS	2592.175	6.41	30	23.59	Pass	401
2620	2621	0.62	RMS	2620.003	-27.04	-10	17.04	Pass	401
2621	2625	1	RMS	2621.02	-27.39	-10	17.39	Pass	401
2625	2650	1	RMS	2625.125	-32.77	-13	19.77	Pass	401
2650	2655	1	RMS	2650.3	-43.33	-25	18.33	Pass	401




3.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.363	-48.3	-25	23.3	Pass	401
2530	2565	1	RMS	2564.563	-47.09	-13	34.09	Pass	401
2565	2569	1	RMS	2568.99	-30.68	-10	20.68	Pass	401
2569	2570	0.051	RMS	2569.995	-31.34	-10	21.34	Pass	401
2570	2610	1	RMS	2571.1	19.98	30	10.02	Pass	401




3.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2525	2530	1	RMS	2529.988	-42.84	-25	17.84	Pass	401
2530	2565	1	RMS	2564.913	-32.06	-13	19.06	Pass	401
2565	2569	1	RMS	2568.96	-29.59	-10	19.59	Pass	401
2569	2570	0.82	RMS	2570	-19.51	-10	9.51	Pass	401
2570	2610	1	RMS	2579.9	5.17	30	24.83	Pass	401




3.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.17	30	9.83	Pass	401
2620	2621	0.051	RMS	2620.005	-31.33	-10	21.33	Pass	401
2621	2625	1	RMS	2621	-31.23	-10	21.23	Pass	401
2625	2660	1	RMS	2637.688	-46.94	-13	33.94	Pass	401
2660	2665	1	RMS	2664.825	-47.54	-25	22.54	Pass	401



3.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2580	2620	1	RMS	2587.1	5.16	30	24.84	Pass	401
2620	2621	0.82	RMS	2620	-22.04	-10	12.04	Pass	401
2621	2625	1	RMS	2621.03	-31.58	-10	21.58	Pass	401
2625	2660	1	RMS	2625	-33.98	-13	20.98	Pass	401
2660	2665	1	RMS	2661.163	-43.19	-25	18.19	Pass	401



4. n77(3450-3550)


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3442	-44.87	-13	31.87	Pass	401
3445	3449	0.62	RMS	3448.99	-36.43	-13	23.43	Pass	401
3449	3450	0.051	RMS	3449.998	-26.08	-13	13.08	Pass	401
3450	3470	1	RMS	3451	22.08	40	17.92	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-21.46	-13	8.46	Pass	401
3445	3449	0.62	RMS	3449	-20.11	-13	7.11	Pass	401
3449	3450	0.2	RMS	3449.998	-23.57	-13	10.57	Pass	401
3450	3470	1	RMS	3465.8	10.71	40	29.29	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549	22.25	40	17.75	Pass	401
3550	3551	0.051	RMS	3550.005	-26.68	-13	13.68	Pass	401
3551	3555	0.62	RMS	3551	-36.42	-13	23.42	Pass	401
3555	3575	1	RMS	3557.95	-44.9	-13	31.9	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545.55	10.65	40	29.35	Pass	401
3550	3551	0.2	RMS	3550	-25.38	-13	12.38	Pass	401
3551	3555	0.62	RMS	3551.03	-22.5	-13	9.5	Pass	401
3555	3575	1	RMS	3555	-24.65	-13	11.65	Pass	401




3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-44.86	-13	31.86	Pass	401
3445	3449	0.62	RMS	3449	-35.99	-13	22.99	Pass	401
3449	3450	0.2	RMS	3450	-19.76	-13	6.76	Pass	401
3450	3510	1	RMS	3451.05	22.21	40	17.79	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-27.25	-13	14.25	Pass	401
3445	3449	0.62	RMS	3449	-28.13	-13	15.13	Pass	401
3449	3450	0.2	RMS	3449.993	-31.09	-13	18.09	Pass	401
3450	3510	1	RMS	3505.95	5.91	40	34.09	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	22.08	40	17.92	Pass	401
3550	3551	0.2	RMS	3550	-21.56	-13	8.56	Pass	401
3551	3555	0.62	RMS	3551.01	-37.09	-13	24.09	Pass	401
3555	3615	1	RMS	3555.3	-45.2	-13	32.2	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3520	5.85	40	34.15	Pass	401
3550	3551	0.2	RMS	3550.01	-32.21	-13	19.21	Pass	401
3551	3555	0.62	RMS	3551.02	-29.79	-13	16.79	Pass	401
3555	3615	1	RMS	3555	-29.61	-13	16.61	Pass	401




4.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.62	-13	32.62	Pass	401
3445	3449	0.62	RMS	3449	-36.83	-13	23.83	Pass	401
3449	3450	0.051	RMS	3449.99	-27.19	-13	14.19	Pass	401
3450	3550	1	RMS	3451	21.45	40	18.55	Pass	401




4.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-31.4	-13	18.4	Pass	401
3445	3449	0.62	RMS	3448.89	-32.39	-13	19.39	Pass	401
3449	3450	0.2	RMS	3449.993	-34.94	-13	21.94	Pass	401
3450	3550	1	RMS	3528.75	2.81	40	37.19	Pass	401




4.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	21.02	40	18.98	Pass	401
3550	3551	0.2	RMS	3550	-24.78	-13	11.78	Pass	401
3551	3555	0.62	RMS	3551.01	-38.65	-13	25.65	Pass	401
3555	3655	1	RMS	3555	-45.2	-13	32.2	Pass	401



4.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3526.75	2.8	40	37.2	Pass	401
3550	3551	0.2	RMS	3550.018	-35.09	-13	22.09	Pass	401
3551	3555	0.62	RMS	3551.01	-32.36	-13	19.36	Pass	401
3555	3655	1	RMS	3555	-31.3	-13	18.3	Pass	401



5. n78(3450-3550)


2.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3442.2	-44.8	-13	31.8	Pass	401
3445	3449	0.62	RMS	3449	-36.04	-13	23.04	Pass	401
3449	3450	0.051	RMS	3449.998	-26.4	-13	13.4	Pass	401
3450	3470	1	RMS	3451	22.02	40	17.98	Pass	401




2.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3425	3445	1	RMS	3445	-21.75	-13	8.75	Pass	401
3445	3449	0.62	RMS	3448.95	-20.29	-13	7.29	Pass	401
3449	3450	0.2	RMS	3449.998	-23.78	-13	10.78	Pass	401
3450	3470	1	RMS	3466.55	10.56	40	29.44	Pass	401




2.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3549.05	22.12	40	17.88	Pass	401
3550	3551	0.051	RMS	3550.005	-26.51	-13	13.51	Pass	401
3551	3555	0.62	RMS	3551	-36.47	-13	23.47	Pass	401
3555	3575	1	RMS	3557.85	-45.01	-13	32.01	Pass	401




2.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3530	3550	1	RMS	3545	10.7	40	29.3	Pass	401
3550	3551	0.2	RMS	3550	-25.52	-13	12.52	Pass	401
3551	3555	0.62	RMS	3551.12	-22.79	-13	9.79	Pass	401
3555	3575	1	RMS	3555	-24.86	-13	11.86	Pass	401




3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-44.86	-13	31.86	Pass	401
3445	3449	0.62	RMS	3449	-35.99	-13	22.99	Pass	401
3449	3450	0.2	RMS	3450	-19.76	-13	6.76	Pass	401
3450	3510	1	RMS	3451.05	22.21	40	17.79	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3385	3445	1	RMS	3445	-27.25	-13	14.25	Pass	401
3445	3449	0.62	RMS	3449	-28.13	-13	15.13	Pass	401
3449	3450	0.2	RMS	3449.993	-31.09	-13	18.09	Pass	401
3450	3510	1	RMS	3505.95	5.91	40	34.09	Pass	401




3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3548.95	22.08	40	17.92	Pass	401
3550	3551	0.2	RMS	3550	-21.56	-13	8.56	Pass	401
3551	3555	0.62	RMS	3551.01	-37.09	-13	24.09	Pass	401
3555	3615	1	RMS	3555.3	-45.2	-13	32.2	Pass	401




3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3490	3550	1	RMS	3520	5.85	40	34.15	Pass	401
3550	3551	0.2	RMS	3550.01	-32.21	-13	19.21	Pass	401
3551	3555	0.62	RMS	3551.02	-29.79	-13	16.79	Pass	401
3555	3615	1	RMS	3555	-29.61	-13	16.61	Pass	401




5.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-45.7	-13	32.7	Pass	401
3445	3449	0.62	RMS	3449	-37.4	-13	24.4	Pass	401
3449	3450	0.051	RMS	3450	-27.46	-13	14.46	Pass	401
3450	3550	1	RMS	3451	21.11	40	18.89	Pass	401




5.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3345	3445	1	RMS	3445	-31.87	-13	18.87	Pass	401
3445	3449	0.62	RMS	3448.98	-32.7	-13	19.7	Pass	401
3449	3450	0.2	RMS	3450	-35.48	-13	22.48	Pass	401
3450	3550	1	RMS	3530.25	2.69	40	37.31	Pass	401




5.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3549	20.85	40	19.15	Pass	401
3550	3551	0.2	RMS	3550.003	-22.97	-13	9.97	Pass	401
3551	3555	0.62	RMS	3551	-38.44	-13	25.44	Pass	401
3555	3655	1	RMS	3555	-45.27	-13	32.27	Pass	401



5.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3450	3550	1	RMS	3530.25	2.67	40	37.33	Pass	401
3550	3551	0.2	RMS	3550.005	-35.45	-13	22.45	Pass	401
3551	3555	0.62	RMS	3551.03	-32.78	-13	19.78	Pass	401
3555	3655	1	RMS	3555	-31.8	-13	18.8	Pass	401



6. n41


5.2. Band Edge for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490.5	1	RMS	2487.965	-45.96	-25	20.96	Pass	401
2490.5	2495	1	RMS	2494.989	-28.21	-13	15.21	Pass	401
2495	2496	0.051	RMS	2495.998	-26.84	-13	13.84	Pass	401
2496	2516	1	RMS	2497.05	21.54	40	18.46	Pass	401




5.3. Band Edge for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2471	2490	1	RMS	2489.953	-27.06	-25	2.06	Pass	401
2490.5	2494.5	1	RMS	2494.43	-22.21	-13	9.21	Pass	401
2495	2496	0.4	RMS	2495.96	-23.12	-13	10.12	Pass	401
2496	2516	1	RMS	2500.4	9.89	40	30.11	Pass	401




5.4. Band Edge for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2689.05	21.35	40	18.65	Pass	401
2690	2691	0.051	RMS	2690	-27.01	-10	17.01	Pass	401
2691	2695	1	RMS	2691	-28.18	-10	18.18	Pass	401
2695	2710	1	RMS	2698.225	-46.18	-13	33.18	Pass	401
2710	2715	1	RMS	2710.913	-49.06	-25	24.06	Pass	401




5.5. Band Edge for SA_Part22-24-27(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	1	RMS	2685.55	9.92	40	30.08	Pass	401
2690	2691	0.4	RMS	2690.01	-23.62	-10	13.62	Pass	401
2691.5	2695	1	RMS	2691.509	-23.53	-10	13.53	Pass	401
2695.5	2710	1	RMS	2695.536	-27.58	-13	14.58	Pass	401
2710	2715	1	RMS	2710.138	-36.72	-25	11.72	Pass	401




6.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490.5	1	RMS	2490.5	-48.1	-25	23.1	Pass	401
2490.5	2495	1	RMS	2495	-33.57	-13	20.57	Pass	401
2495	2496	0.051	RMS	2496	-33.39	-13	20.39	Pass	401
2496	2546	1	RMS	2497.25	21.4	40	18.6	Pass	401




6.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2441	2490	1	RMS	2490	-30.38	-25	5.38	Pass	401
2490.5	2495	1	RMS	2494.933	-27.56	-13	14.56	Pass	401
2495	2496	1	RMS	2496	-16.3	-13	3.3	Pass	401
2496	2546	1	RMS	2498.625	5.98	40	34.02	Pass	401




6.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2688.75	21.1	40	18.9	Pass	401
2690	2691	0.051	RMS	2690	-35.04	-10	25.04	Pass	401
2691	2695	1	RMS	2691	-34.37	-10	24.37	Pass	401
2695	2740	1	RMS	2695.113	-46.97	-13	33.97	Pass	401
2740	2745	1	RMS	2740.425	-48.19	-25	23.19	Pass	401




6.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2690	1	RMS	2686.25	6.18	40	33.82	Pass	401
2690	2691	1	RMS	2690	-17.19	-10	7.19	Pass	401
2691	2695	1	RMS	2691.02	-28.21	-10	18.21	Pass	401
2695	2740	1	RMS	2695.563	-30.18	-13	17.18	Pass	401
2740	2745	1	RMS	2740.063	-41.23	-25	16.23	Pass	401




6.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490.5	1	RMS	2489.754	-48.05	-25	23.05	Pass	401
2490.5	2495	1	RMS	2495	-27.51	-13	14.51	Pass	401
2495	2496	0.051	RMS	2496	-27.74	-13	14.74	Pass	401
2496	2596	1	RMS	2497	21.11	40	18.89	Pass	401




6.10. Band Edge for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.06	-25	8.06	Pass	401
2490.5	2495	1	RMS	2494.955	-31.08	-13	18.08	Pass	401
2495	2495.5	1	RMS	2495.5	-28.15	-13	15.15	Pass	401
2496	2596	1	RMS	2579.75	2.82	40	37.18	Pass	401




6.11. Band Edge for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.84	40	19.16	Pass	401
2690	2691	0.051	RMS	2690.005	-29.67	-10	19.67	Pass	401
2691	2695	1	RMS	2691	-29.55	-10	19.55	Pass	401
2695	2790	1	RMS	2695	-46.89	-13	33.89	Pass	401
2790	2795	1	RMS	2790.738	-48.13	-25	23.13	Pass	401



6.12. Band Edge for SA_Part22-24-27(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2590	2690	1	RMS	2592	3.11	40	36.89	Pass	401
2690.5	2691	1	RMS	2690.5	-28.21	-10	18.21	Pass	401
2691	2695	1	RMS	2691.01	-31.67	-10	21.67	Pass	401
2695	2790	1	RMS	2695	-32.89	-13	19.89	Pass	401
2790	2795	1	RMS	2791.375	-48.09	-25	23.09	Pass	401



1. n66


1.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-27.13	-13	14.13	Pass	401
1709	1710	0.02	RMS	1710	-22.07	-13	9.07	Pass	401
1710	1715	1	RMS	1710.338	20.04	30	9.96	Pass	401




1.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.61	-13	16.61	Pass	401
1709	1710	0.051	RMS	1710	-27.44	-13	14.44	Pass	401
1710	1715	1	RMS	1713.463	13.83	30	16.17	Pass	401




1.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1779.663	19.96	30	10.04	Pass	401
1780	1781	0.051	RMS	1780	-19.61	-13	6.61	Pass	401
1781.5	1790	1	RMS	1781.5	-28.98	-13	15.98	Pass	401




1.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1775	1780	1	RMS	1776.25	13.86	30	16.14	Pass	401
1780	1781	0.051	RMS	1780	-28.28	-13	15.28	Pass	401
1781.5	1790	1	RMS	1781.5	-29.04	-13	16.04	Pass	401




1.5. Band Edge for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-47.59	-13	34.59	Pass	401
1709	1710	0.2	RMS	1709.998	-28.73	-13	15.73	Pass	401
1710	1730	1	RMS	1710.5	10.65	30	19.35	Pass	401




1.6. Band Edge for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-31.93	-13	18.93	Pass	401
1709	1710	0.2	RMS	1710	-32.94	-13	19.94	Pass	401
1710	1730	1	RMS	1713.7	8.01	30	21.99	Pass	401




1.7. Band Edge for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20	30	10	Pass	401
1780	1781	0.2	RMS	1780	-20.59	-13	7.59	Pass	401
1781.5	1805	1	RMS	1781.5	-41.48	-13	28.48	Pass	401




1.8. Band Edge for SA_Part22-24-27(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1760	1780	1	RMS	1772.25	8.01	30	21.99	Pass	401
1780	1781	0.2	RMS	1780	-34.96	-13	21.96	Pass	401
1781.5	1805	1	RMS	1781.5	-35.64	-13	22.64	Pass	401




1.9. Band Edge for SA_Part22-24-27(Subtest:1, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1675	1709	1	RMS	1709	-42.09	-13	29.09	Pass	401
1709	1710	0.3	RMS	1709.998	-46.61	-13	33.61	Pass	401
1710	1740	1	RMS	1739.85	5.93	30	24.07	Pass	401




1.11. Band Edge for SA_Part22-24-27(Subtest:2, Channel:345000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1675	1709	1	RMS	1709	-34.1	-13	21.1	Pass	401
1709	1710	0.3	RMS	1709.998	-35.65	-13	22.65	Pass	401
1710	1740	1	RMS	1737.9	6.1	30	23.9	Pass	401




1.12. Band Edge for SA_Part22-24-27(Subtest:3, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:159)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1780	1	RMS	1779.325	19.89	30	10.11	Pass	401
1780	1781	0.3	RMS	1780	-22.95	-13	9.95	Pass	401
1781	1815	1	RMS	1781	-19.53	-13	6.53	Pass	401



1.13. Band Edge for SA_Part22-24-27(Subtest:4, Channel:353000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1750	1780	1	RMS	1772.575	6.24	30	23.76	Pass	401
1780	1781	0.3	RMS	1780	-36.84	-13	23.84	Pass	401
1781	1815	1	RMS	1781	-34.43	-13	21.43	Pass	401



1. n77(3700-3980)


3.1. Band Edge for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3695	-45.23	-13	32.23	Pass	401
3695	3699	0.62	RMS	3699	-36.06	-13	23.06	Pass	401
3699	3700	0.051	RMS	3700	-25.95	-13	12.95	Pass	401
3700	3720	1	RMS	3701	21.49	40	18.51	Pass	401




3.2. Band Edge for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3675	3695	1	RMS	3694.85	-29.08	-13	16.08	Pass	401
3695	3699	0.62	RMS	3698.99	-25.91	-13	12.91	Pass	401
3699	3700	0.4	RMS	3699.995	-24.24	-13	11.24	Pass	401
3700	3720	1	RMS	3715.75	9.95	40	30.05	Pass	401



3.3. Band Edge for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3978.95	21.93	40	18.07	Pass	401
3980	3981	0.051	RMS	3980.005	-25.09	-13	12.09	Pass	401
3981	3985	0.62	RMS	3981.01	-35.34	-13	22.34	Pass	401
3985	4005	1	RMS	3987.8	-44.19	-13	31.19	Pass	401



3.4. Band Edge for SA_Part22-24-27(Subtest:4, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3960	3980	1	RMS	3965.05	10.55	40	29.45	Pass	401
3980	3981	0.4	RMS	3980.003	-22.71	-13	9.71	Pass	401
3981	3985	0.62	RMS	3981.11	-23.3	-13	10.3	Pass	401
3985	4005	1	RMS	3985.2	-25.15	-13	12.15	Pass	401

