



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China
Tel: +86-755-27521059 Fax: +86-755-27521011 [Http://www.sz-ctc.org.cn](http://www.sz-ctc.org.cn)

Appendix for LTE Band 25

**Applicant: HONGKONG UCLOUDLINK NETWORK TECHNOLOGY
LIMITED**

**Address: Suite 603, 6/F, Laws Commercial Plaza, 788 Cheung
Sha Wan Road, Kowloon, Hong Kong**

Product Name: 4G LTE Wireless Router

Model: GLMR21A02

FCC ID: 2AC88-GLMR21A02

TABLE OF CONTENTS

1	Summary of Test Results Data and Graph.....	3
1.1.	Appendix A: Conducted Power Output Data	3
1.2.	Appendix B: Peak-to-Average Ratio(CCDF)	10
1.3.	Appendix C: 26dB Bandwidth and Occupied Bandwidth.....	36
1.4.	Appendix D: Band Edge	50
1.5.	Appendix E: Conducted Spurious Emission	78
1.6.	Appendix F: Frequency Stability	117

1 Summary of Test Results Data and Graph

1.1. Appendix A: Conducted Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	24.85	PASS
Band25	1.4MHz	QPSK	26047	1RB#2	24.88	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	24.76	PASS
Band25	1.4MHz	QPSK	26047	3RB#0	24.96	PASS
Band25	1.4MHz	QPSK	26047	3RB#1	24.93	PASS
Band25	1.4MHz	QPSK	26047	3RB#3	25.03	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	23.93	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	25.00	PASS
Band25	1.4MHz	QPSK	26365	1RB#2	25.19	PASS
Band25	1.4MHz	QPSK	26365	1RB#5	24.88	PASS
Band25	1.4MHz	QPSK	26365	3RB#0	25.02	PASS
Band25	1.4MHz	QPSK	26365	3RB#1	25.00	PASS
Band25	1.4MHz	QPSK	26365	3RB#3	25.26	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	24.03	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	24.89	PASS
Band25	1.4MHz	QPSK	26683	1RB#2	25.04	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	25.27	PASS
Band25	1.4MHz	QPSK	26683	3RB#0	25.15	PASS
Band25	1.4MHz	QPSK	26683	3RB#1	25.16	PASS
Band25	1.4MHz	QPSK	26683	3RB#3	25.06	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	24.24	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	23.63	PASS
Band25	1.4MHz	16QAM	26047	1RB#2	23.89	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	23.48	PASS
Band25	1.4MHz	16QAM	26047	3RB#0	24.94	PASS
Band25	1.4MHz	16QAM	26047	3RB#1	25.01	PASS
Band25	1.4MHz	16QAM	26047	3RB#3	24.94	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	23.09	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	24.73	PASS
Band25	1.4MHz	16QAM	26365	1RB#2	24.71	PASS
Band25	1.4MHz	16QAM	26365	1RB#5	24.68	PASS
Band25	1.4MHz	16QAM	26365	3RB#0	25.01	PASS
Band25	1.4MHz	16QAM	26365	3RB#1	25.09	PASS

Band25	1.4MHz	16QAM	26365	3RB#3	25.07	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	23.13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	23.93	PASS
Band25	1.4MHz	16QAM	26683	1RB#2	24.37	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	24.24	PASS
Band25	1.4MHz	16QAM	26683	3RB#0	25.19	PASS
Band25	1.4MHz	16QAM	26683	3RB#1	25.16	PASS
Band25	1.4MHz	16QAM	26683	3RB#3	25.08	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	23.14	PASS
Band25	3MHz	QPSK	26055	1RB#0	25.13	PASS
Band25	3MHz	QPSK	26055	1RB#8	24.90	PASS
Band25	3MHz	QPSK	26055	1RB#14	25.22	PASS
Band25	3MHz	QPSK	26055	8RB#0	23.92	PASS
Band25	3MHz	QPSK	26055	8RB#4	24.07	PASS
Band25	3MHz	QPSK	26055	8RB#7	23.60	PASS
Band25	3MHz	QPSK	26055	15RB#0	24.03	PASS
Band25	3MHz	QPSK	26365	1RB#0	25.23	PASS
Band25	3MHz	QPSK	26365	1RB#8	25.18	PASS
Band25	3MHz	QPSK	26365	1RB#14	24.98	PASS
Band25	3MHz	QPSK	26365	8RB#0	24.92	PASS
Band25	3MHz	QPSK	26365	8RB#4	24.80	PASS
Band25	3MHz	QPSK	26365	8RB#7	24.58	PASS
Band25	3MHz	QPSK	26365	15RB#0	24.11	PASS
Band25	3MHz	QPSK	26675	1RB#0	24.93	PASS
Band25	3MHz	QPSK	26675	1RB#8	25.00	PASS
Band25	3MHz	QPSK	26675	1RB#14	25.07	PASS
Band25	3MHz	QPSK	26675	8RB#0	23.97	PASS
Band25	3MHz	QPSK	26675	8RB#4	23.98	PASS
Band25	3MHz	QPSK	26675	8RB#7	24.25	PASS
Band25	3MHz	QPSK	26675	15RB#0	24.38	PASS
Band25	3MHz	16QAM	26055	1RB#0	24.04	PASS
Band25	3MHz	16QAM	26055	1RB#8	23.69	PASS
Band25	3MHz	16QAM	26055	1RB#14	23.88	PASS
Band25	3MHz	16QAM	26055	8RB#0	24.02	PASS
Band25	3MHz	16QAM	26055	8RB#4	23.67	PASS
Band25	3MHz	16QAM	26055	8RB#7	23.60	PASS
Band25	3MHz	16QAM	26055	15RB#0	22.80	PASS
Band25	3MHz	16QAM	26365	1RB#0	23.91	PASS

Band25	3MHz	16QAM	26365	1RB#8	24.61	PASS
Band25	3MHz	16QAM	26365	1RB#14	23.93	PASS
Band25	3MHz	16QAM	26365	8RB#0	24.93	PASS
Band25	3MHz	16QAM	26365	8RB#4	24.78	PASS
Band25	3MHz	16QAM	26365	8RB#7	24.73	PASS
Band25	3MHz	16QAM	26365	15RB#0	23.01	PASS
Band25	3MHz	16QAM	26675	1RB#0	24.43	PASS
Band25	3MHz	16QAM	26675	1RB#8	24.05	PASS
Band25	3MHz	16QAM	26675	1RB#14	24.43	PASS
Band25	3MHz	16QAM	26675	8RB#0	24.01	PASS
Band25	3MHz	16QAM	26675	8RB#4	24.04	PASS
Band25	3MHz	16QAM	26675	8RB#7	24.22	PASS
Band25	3MHz	16QAM	26675	15RB#0	23.49	PASS
Band25	5MHz	QPSK	26065	1RB#0	24.91	PASS
Band25	5MHz	QPSK	26065	1RB#12	25.07	PASS
Band25	5MHz	QPSK	26065	1RB#24	24.87	PASS
Band25	5MHz	QPSK	26065	12RB#0	23.98	PASS
Band25	5MHz	QPSK	26065	12RB#6	23.98	PASS
Band25	5MHz	QPSK	26065	12RB#13	23.93	PASS
Band25	5MHz	QPSK	26065	25RB#0	23.96	PASS
Band25	5MHz	QPSK	26365	1RB#0	25.02	PASS
Band25	5MHz	QPSK	26365	1RB#12	25.11	PASS
Band25	5MHz	QPSK	26365	1RB#24	24.94	PASS
Band25	5MHz	QPSK	26365	12RB#0	24.16	PASS
Band25	5MHz	QPSK	26365	12RB#6	24.16	PASS
Band25	5MHz	QPSK	26365	12RB#13	24.03	PASS
Band25	5MHz	QPSK	26365	25RB#0	24.05	PASS
Band25	5MHz	QPSK	26665	1RB#0	25.02	PASS
Band25	5MHz	QPSK	26665	1RB#12	25.29	PASS
Band25	5MHz	QPSK	26665	1RB#24	25.08	PASS
Band25	5MHz	QPSK	26665	12RB#0	24.20	PASS
Band25	5MHz	QPSK	26665	12RB#6	24.21	PASS
Band25	5MHz	QPSK	26665	12RB#13	24.28	PASS
Band25	5MHz	QPSK	26665	25RB#0	24.21	PASS
Band25	5MHz	16QAM	26065	1RB#0	23.80	PASS
Band25	5MHz	16QAM	26065	1RB#12	23.92	PASS
Band25	5MHz	16QAM	26065	1RB#24	23.70	PASS
Band25	5MHz	16QAM	26065	12RB#0	23.98	PASS

Band25	5MHz	16QAM	26065	12RB#6	23.99	PASS
Band25	5MHz	16QAM	26065	12RB#13	24.02	PASS
Band25	5MHz	16QAM	26065	25RB#0	23.01	PASS
Band25	5MHz	16QAM	26365	1RB#0	24.04	PASS
Band25	5MHz	16QAM	26365	1RB#12	24.30	PASS
Band25	5MHz	16QAM	26365	1RB#24	24.04	PASS
Band25	5MHz	16QAM	26365	12RB#0	24.16	PASS
Band25	5MHz	16QAM	26365	12RB#6	24.08	PASS
Band25	5MHz	16QAM	26365	12RB#13	24.02	PASS
Band25	5MHz	16QAM	26365	25RB#0	23.06	PASS
Band25	5MHz	16QAM	26665	1RB#0	23.65	PASS
Band25	5MHz	16QAM	26665	1RB#12	23.97	PASS
Band25	5MHz	16QAM	26665	1RB#24	24.12	PASS
Band25	5MHz	16QAM	26665	12RB#0	24.21	PASS
Band25	5MHz	16QAM	26665	12RB#6	24.22	PASS
Band25	5MHz	16QAM	26665	12RB#13	24.27	PASS
Band25	5MHz	16QAM	26665	25RB#0	23.26	PASS
Band25	10MHz	QPSK	26090	1RB#0	24.87	PASS
Band25	10MHz	QPSK	26090	1RB#24	25.10	PASS
Band25	10MHz	QPSK	26090	1RB#49	24.88	PASS
Band25	10MHz	QPSK	26090	25RB#0	24.02	PASS
Band25	10MHz	QPSK	26090	25RB#12	24.01	PASS
Band25	10MHz	QPSK	26090	25RB#25	24.14	PASS
Band25	10MHz	QPSK	26090	50RB#0	24.02	PASS
Band25	10MHz	QPSK	26365	1RB#0	25.04	PASS
Band25	10MHz	QPSK	26365	1RB#24	25.21	PASS
Band25	10MHz	QPSK	26365	1RB#49	24.98	PASS
Band25	10MHz	QPSK	26365	25RB#0	24.19	PASS
Band25	10MHz	QPSK	26365	25RB#12	24.10	PASS
Band25	10MHz	QPSK	26365	25RB#25	24.08	PASS
Band25	10MHz	QPSK	26365	50RB#0	24.07	PASS
Band25	10MHz	QPSK	26640	1RB#0	25.01	PASS
Band25	10MHz	QPSK	26640	1RB#24	25.19	PASS
Band25	10MHz	QPSK	26640	1RB#49	24.92	PASS
Band25	10MHz	QPSK	26640	25RB#0	24.23	PASS
Band25	10MHz	QPSK	26640	25RB#12	24.21	PASS
Band25	10MHz	QPSK	26640	25RB#25	24.09	PASS
Band25	10MHz	QPSK	26640	50RB#0	24.14	PASS

Band25	10MHz	16QAM	26090	1RB#0	23.89	PASS
Band25	10MHz	16QAM	26090	1RB#24	23.79	PASS
Band25	10MHz	16QAM	26090	1RB#49	23.87	PASS
Band25	10MHz	16QAM	26090	25RB#0	24.02	PASS
Band25	10MHz	16QAM	26090	25RB#12	24.01	PASS
Band25	10MHz	16QAM	26090	25RB#25	24.12	PASS
Band25	10MHz	16QAM	26090	50RB#0	23.11	PASS
Band25	10MHz	16QAM	26365	1RB#0	23.94	PASS
Band25	10MHz	16QAM	26365	1RB#24	24.67	PASS
Band25	10MHz	16QAM	26365	1RB#49	24.89	PASS
Band25	10MHz	16QAM	26365	25RB#0	24.09	PASS
Band25	10MHz	16QAM	26365	25RB#12	24.11	PASS
Band25	10MHz	16QAM	26365	25RB#25	24.07	PASS
Band25	10MHz	16QAM	26365	50RB#0	23.13	PASS
Band25	10MHz	16QAM	26640	1RB#0	24.06	PASS
Band25	10MHz	16QAM	26640	1RB#24	24.26	PASS
Band25	10MHz	16QAM	26640	1RB#49	24.26	PASS
Band25	10MHz	16QAM	26640	25RB#0	24.22	PASS
Band25	10MHz	16QAM	26640	25RB#12	24.20	PASS
Band25	10MHz	16QAM	26640	25RB#25	24.06	PASS
Band25	10MHz	16QAM	26640	50RB#0	23.29	PASS
Band25	15MHz	QPSK	26115	1RB#0	25.15	PASS
Band25	15MHz	QPSK	26115	1RB#38	25.02	PASS
Band25	15MHz	QPSK	26115	1RB#74	24.76	PASS
Band25	15MHz	QPSK	26115	38RB#0	23.84	PASS
Band25	15MHz	QPSK	26115	38RB#18	24.12	PASS
Band25	15MHz	QPSK	26115	38RB#37	23.68	PASS
Band25	15MHz	QPSK	26115	75RB#0	24.20	PASS
Band25	15MHz	QPSK	26365	1RB#0	25.14	PASS
Band25	15MHz	QPSK	26365	1RB#38	25.32	PASS
Band25	15MHz	QPSK	26365	1RB#74	25.09	PASS
Band25	15MHz	QPSK	26365	38RB#0	24.55	PASS
Band25	15MHz	QPSK	26365	38RB#18	24.88	PASS
Band25	15MHz	QPSK	26365	38RB#37	24.89	PASS
Band25	15MHz	QPSK	26365	75RB#0	24.34	PASS
Band25	15MHz	QPSK	26615	1RB#0	24.98	PASS
Band25	15MHz	QPSK	26615	1RB#38	25.23	PASS
Band25	15MHz	QPSK	26615	1RB#74	25.18	PASS

Band25	15MHz	QPSK	26615	38RB#0	24.61	PASS
Band25	15MHz	QPSK	26615	38RB#18	24.19	PASS
Band25	15MHz	QPSK	26615	38RB#37	24.37	PASS
Band25	15MHz	QPSK	26615	75RB#0	24.39	PASS
Band25	15MHz	16QAM	26115	1RB#0	24.29	PASS
Band25	15MHz	16QAM	26115	1RB#38	24.13	PASS
Band25	15MHz	16QAM	26115	1RB#74	24.00	PASS
Band25	15MHz	16QAM	26115	38RB#0	23.84	PASS
Band25	15MHz	16QAM	26115	38RB#18	24.12	PASS
Band25	15MHz	16QAM	26115	38RB#37	23.88	PASS
Band25	15MHz	16QAM	26115	75RB#0	23.26	PASS
Band25	15MHz	16QAM	26365	1RB#0	23.95	PASS
Band25	15MHz	16QAM	26365	1RB#38	24.09	PASS
Band25	15MHz	16QAM	26365	1RB#74	24.09	PASS
Band25	15MHz	16QAM	26365	38RB#0	24.54	PASS
Band25	15MHz	16QAM	26365	38RB#18	24.86	PASS
Band25	15MHz	16QAM	26365	38RB#37	24.86	PASS
Band25	15MHz	16QAM	26365	75RB#0	23.45	PASS
Band25	15MHz	16QAM	26615	1RB#0	24.06	PASS
Band25	15MHz	16QAM	26615	1RB#38	24.14	PASS
Band25	15MHz	16QAM	26615	1RB#74	24.76	PASS
Band25	15MHz	16QAM	26615	38RB#0	24.65	PASS
Band25	15MHz	16QAM	26615	38RB#18	24.18	PASS
Band25	15MHz	16QAM	26615	38RB#37	24.71	PASS
Band25	15MHz	16QAM	26615	75RB#0	23.36	PASS
Band25	20MHz	QPSK	26140	1RB#0	25.07	PASS
Band25	20MHz	QPSK	26140	1RB#49	25.38	PASS
Band25	20MHz	QPSK	26140	1RB#99	25.16	PASS
Band25	20MHz	QPSK	26140	50RB#0	24.17	PASS
Band25	20MHz	QPSK	26140	50RB#25	24.23	PASS
Band25	20MHz	QPSK	26140	50RB#50	24.34	PASS
Band25	20MHz	QPSK	26140	100RB#0	24.20	PASS
Band25	20MHz	QPSK	26365	1RB#0	24.92	PASS
Band25	20MHz	QPSK	26365	1RB#49	25.62	PASS
Band25	20MHz	QPSK	26365	1RB#99	25.45	PASS
Band25	20MHz	QPSK	26365	50RB#0	24.38	PASS
Band25	20MHz	QPSK	26365	50RB#25	24.31	PASS
Band25	20MHz	QPSK	26365	50RB#50	24.25	PASS

Band25	20MHz	QPSK	26365	100RB#0	24.31	PASS
Band25	20MHz	QPSK	26590	1RB#0	25.09	PASS
Band25	20MHz	QPSK	26590	1RB#49	25.59	PASS
Band25	20MHz	QPSK	26590	1RB#99	25.65	PASS
Band25	20MHz	QPSK	26590	50RB#0	24.40	PASS
Band25	20MHz	QPSK	26590	50RB#25	24.39	PASS
Band25	20MHz	QPSK	26590	50RB#50	24.35	PASS
Band25	20MHz	QPSK	26590	100RB#0	24.41	PASS
Band25	20MHz	16QAM	26140	1RB#0	24.18	PASS
Band25	20MHz	16QAM	26140	1RB#49	24.61	PASS
Band25	20MHz	16QAM	26140	1RB#99	24.29	PASS
Band25	20MHz	16QAM	26140	50RB#0	24.14	PASS
Band25	20MHz	16QAM	26140	50RB#25	24.21	PASS
Band25	20MHz	16QAM	26140	50RB#50	24.33	PASS
Band25	20MHz	16QAM	26140	100RB#0	23.23	PASS
Band25	20MHz	16QAM	26365	1RB#0	23.84	PASS
Band25	20MHz	16QAM	26365	1RB#49	24.49	PASS
Band25	20MHz	16QAM	26365	1RB#99	23.99	PASS
Band25	20MHz	16QAM	26365	50RB#0	24.32	PASS
Band25	20MHz	16QAM	26365	50RB#25	24.32	PASS
Band25	20MHz	16QAM	26365	50RB#50	24.23	PASS
Band25	20MHz	16QAM	26365	100RB#0	23.37	PASS
Band25	20MHz	16QAM	26590	1RB#0	24.50	PASS
Band25	20MHz	16QAM	26590	1RB#49	24.64	PASS
Band25	20MHz	16QAM	26590	1RB#99	24.82	PASS
Band25	20MHz	16QAM	26590	50RB#0	24.38	PASS
Band25	20MHz	16QAM	26590	50RB#25	24.31	PASS
Band25	20MHz	16QAM	26590	50RB#50	24.43	PASS
Band25	20MHz	16QAM	26590	100RB#0	23.28	PASS

1.2. Appendix B: Peak-to-Average Ratio(CCDF)


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	3.74	13	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	4.49	13	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	4.26	13	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	4.84	13	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	2.55	13	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	3.10	13	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	4.72	13	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	5.42	13	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	5.25	13	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	5.77	13	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	2.78	13	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	3.97	13	PASS
Band25	3MHz	QPSK	26055	1RB#0	3.65	13	PASS
Band25	3MHz	QPSK	26055	15RB#0	4.55	13	PASS
Band25	3MHz	QPSK	26365	1RB#0	4.20	13	PASS
Band25	3MHz	QPSK	26365	15RB#0	4.84	13	PASS
Band25	3MHz	QPSK	26675	1RB#0	3.01	13	PASS
Band25	3MHz	QPSK	26675	15RB#0	3.19	13	PASS
Band25	3MHz	16QAM	26055	1RB#0	4.67	13	PASS
Band25	3MHz	16QAM	26055	15RB#0	5.51	13	PASS
Band25	3MHz	16QAM	26365	1RB#0	5.16	13	PASS
Band25	3MHz	16QAM	26365	15RB#0	5.68	13	PASS
Band25	3MHz	16QAM	26675	1RB#0	3.88	13	PASS
Band25	3MHz	16QAM	26675	15RB#0	4.12	13	PASS
Band25	5MHz	QPSK	26065	1RB#0	3.86	13	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.67	13	PASS
Band25	5MHz	QPSK	26365	1RB#0	4.17	13	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.78	13	PASS
Band25	5MHz	QPSK	26665	1RB#0	3.74	13	PASS
Band25	5MHz	QPSK	26665	25RB#0	3.71	13	PASS
Band25	5MHz	16QAM	26065	1RB#0	4.67	13	PASS
Band25	5MHz	16QAM	26065	25RB#0	5.48	13	PASS
Band25	5MHz	16QAM	26365	1RB#0	5.07	13	PASS
Band25	5MHz	16QAM	26365	25RB#0	5.65	13	PASS

Band25	5MHz	16QAM	26665	1RB#0	4.70	13	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.70	13	PASS
Band25	10MHz	QPSK	26090	1RB#0	3.77	13	PASS
Band25	10MHz	QPSK	26090	50RB#0	4.75	13	PASS
Band25	10MHz	QPSK	26365	1RB#0	4.12	13	PASS
Band25	10MHz	QPSK	26365	50RB#0	4.58	13	PASS
Band25	10MHz	QPSK	26640	1RB#0	4.03	13	PASS
Band25	10MHz	QPSK	26640	50RB#0	4.17	13	PASS
Band25	10MHz	16QAM	26090	1RB#0	4.55	13	PASS
Band25	10MHz	16QAM	26090	50RB#0	5.68	13	PASS
Band25	10MHz	16QAM	26365	1RB#0	4.99	13	PASS
Band25	10MHz	16QAM	26365	50RB#0	5.54	13	PASS
Band25	10MHz	16QAM	26640	1RB#0	4.72	13	PASS
Band25	10MHz	16QAM	26640	50RB#0	5.16	13	PASS
Band25	15MHz	QPSK	26115	1RB#0	3.74	13	PASS
Band25	15MHz	QPSK	26115	75RB#0	4.93	13	PASS
Band25	15MHz	QPSK	26365	1RB#0	4.09	13	PASS
Band25	15MHz	QPSK	26365	75RB#0	4.70	13	PASS
Band25	15MHz	QPSK	26615	1RB#0	3.68	13	PASS
Band25	15MHz	QPSK	26615	75RB#0	4.49	13	PASS
Band25	15MHz	16QAM	26115	1RB#0	4.70	13	PASS
Band25	15MHz	16QAM	26115	75RB#0	5.77	13	PASS
Band25	15MHz	16QAM	26365	1RB#0	5.13	13	PASS
Band25	15MHz	16QAM	26365	75RB#0	5.57	13	PASS
Band25	15MHz	16QAM	26615	1RB#0	4.64	13	PASS
Band25	15MHz	16QAM	26615	75RB#0	5.36	13	PASS
Band25	20MHz	QPSK	26140	1RB#0	3.77	13	PASS
Band25	20MHz	QPSK	26140	100RB#0	4.72	13	PASS
Band25	20MHz	QPSK	26365	1RB#0	4.06	13	PASS
Band25	20MHz	QPSK	26365	100RB#0	4.58	13	PASS
Band25	20MHz	QPSK	26590	1RB#0	3.71	13	PASS
Band25	20MHz	QPSK	26590	100RB#0	4.52	13	PASS
Band25	20MHz	16QAM	26140	1RB#0	4.64	13	PASS
Band25	20MHz	16QAM	26140	100RB#0	5.74	13	PASS
Band25	20MHz	16QAM	26365	1RB#0	5.10	13	PASS
Band25	20MHz	16QAM	26365	100RB#0	5.54	13	PASS
Band25	20MHz	16QAM	26590	1RB#0	4.90	13	PASS
Band25	20MHz	16QAM	26590	100RB#0	5.54	13	PASS

Test Graphs


Band25-1.4MHz-QPSK-26047-1RB#0



Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26365-1RB#0




Band25-1.4MHz-QPSK-26365-6RB#0



Band25-1.4MHz-QPSK-26683-1RB#0



Band25-1.4MHz-QPSK-26683-6RB#0



Band25-1.4MHz-16QAM-26047-1RB#0



Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26365-1RB#0




Band25-1.4MHz-16QAM-26365-6RB#0




Band25-1.4MHz-16QAM-26683-1RB#0



Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-1RB#0



Band25-3MHz-QPSK-26055-15RB#0



Band25-3MHz-QPSK-26365-1RB#0




Band25-3MHz-QPSK-26365-15RB#0




Band25-3MHz-QPSK-26675-1RB#0




Band25-3MHz-QPSK-26675-15RB#0



Band25-3MHz-16QAM-26055-1RB#0



Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26365-1RB#0




Band25-3MHz-16QAM-26365-15RB#0




Band25-3MHz-16QAM-26675-1RB#0



Band25-3MHz-16QAM-26675-15RB#0




Band25-5MHz-QPSK-26065-1RB#0



Band25-5MHz-QPSK-26065-25RB#0




Band25-5MHz-QPSK-26365-1RB#0



Band25-5MHz-QPSK-26365-25RB#0



Band25-5MHz-QPSK-26665-1RB#0



Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-1RB#0




Band25-5MHz-16QAM-26065-25RB#0



Band25-5MHz-16QAM-26365-1RB#0




Band25-5MHz-16QAM-26365-25RB#0




Band25-5MHz-16QAM-26665-1RB#0




Band25-5MHz-16QAM-26665-25RB#0



Band25-10MHz-QPSK-26090-1RB#0



Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26365-1RB#0




Band25-10MHz-QPSK-26365-50RB#0



Band25-10MHz-QPSK-26640-1RB#0



Band25-10MHz-QPSK-26640-50RB#0



Band25-10MHz-16QAM-26090-1RB#0



Band25-10MHz-16QAM-26090-50RB#0



Band25-10MHz-16QAM-26365-1RB#0



Band25-10MHz-16QAM-26365-50RB#0




Band25-10MHz-16QAM-26640-1RB#0



Band25-10MHz-16QAM-26640-50RB#0



Band25-15MHz-QPSK-26115-1RB#0



Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26365-1RB#0




Band25-15MHz-QPSK-26365-75RB#0



Band25-15MHz-QPSK-26615-1RB#0



Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-1RB#0



Band25-15MHz-16QAM-26115-75RB#0



Band25-15MHz-16QAM-26365-1RB#0



Band25-15MHz-16QAM-26365-75RB#0




Band25-15MHz-16QAM-26615-1RB#0




Band25-15MHz-16QAM-26615-75RB#0




Band25-20MHz-QPSK-26140-1RB#0




Band25-20MHz-QPSK-26140-100RB#0




Band25-20MHz-QPSK-26365-1RB#0




Band25-20MHz-QPSK-26365-100RB#0



Band25-20MHz-QPSK-26590-1RB#0




Band25-20MHz-QPSK-26590-100RB#0



Band25-20MHz-16QAM-26140-1RB#0




Band25-20MHz-16QAM-26140-100RB#0




Band25-20MHz-16QAM-26365-1RB#0



Band25-20MHz-16QAM-26365-100RB#0



Band25-20MHz-16QAM-26590-1RB#0



Band25-20MHz-16QAM-26590-100RB#0



1.3. Appendix C: 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	1.096	1.236	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	1.096	1.221	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	1.096	1.308	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	1.096	1.236	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	1.091	1.226	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	1.096	1.341	PASS
Band25	3MHz	QPSK	26055	15RB#0	2.702	2.952	PASS
Band25	3MHz	QPSK	26365	15RB#0	2.702	2.875	PASS
Band25	3MHz	QPSK	26675	15RB#0	2.702	2.913	PASS
Band25	3MHz	16QAM	26055	15RB#0	2.692	2.885	PASS
Band25	3MHz	16QAM	26365	15RB#0	2.702	2.865	PASS
Band25	3MHz	16QAM	26675	15RB#0	2.692	2.875	PASS
Band25	5MHz	QPSK	26065	25RB#0	4.487	4.904	PASS
Band25	5MHz	QPSK	26365	25RB#0	4.504	4.792	PASS
Band25	5MHz	QPSK	26665	25RB#0	4.496	4.816	PASS
Band25	5MHz	16QAM	26065	25RB#0	4.504	4.784	PASS
Band25	5MHz	16QAM	26365	25RB#0	4.52	4.784	PASS
Band25	5MHz	16QAM	26665	25RB#0	4.512	4.784	PASS
Band25	10MHz	QPSK	26090	50RB#0	9.006	9.872	PASS
Band25	10MHz	QPSK	26365	50RB#0	8.974	9.647	PASS
Band25	10MHz	QPSK	26640	50RB#0	8.974	9.647	PASS
Band25	10MHz	16QAM	26090	50RB#0	8.974	9.647	PASS
Band25	10MHz	16QAM	26365	50RB#0	8.974	9.615	PASS
Band25	10MHz	16QAM	26640	50RB#0	8.942	9.647	PASS
Band25	15MHz	QPSK	26115	75RB#0	13.51	14.615	PASS
Band25	15MHz	QPSK	26365	75RB#0	13.462	14.471	PASS
Band25	15MHz	QPSK	26615	75RB#0	13.462	14.519	PASS
Band25	15MHz	16QAM	26115	75RB#0	13.462	14.423	PASS
Band25	15MHz	16QAM	26365	75RB#0	13.462	14.471	PASS
Band25	15MHz	16QAM	26615	75RB#0	13.413	14.471	PASS
Band25	20MHz	QPSK	26140	100RB#0	18.077	19.487	PASS
Band25	20MHz	QPSK	26365	100RB#0	18.013	19.551	PASS
Band25	20MHz	QPSK	26590	100RB#0	17.949	19.487	PASS

Band25	20MHz	16QAM	26140	100RB#0	18.013	19.551	PASS
Band25	20MHz	16QAM	26365	100RB#0	18.013	19.551	PASS
Band25	20MHz	16QAM	26590	100RB#0	17.949	19.551	PASS


Test Graphs

Band25-1.4MHz-QPSK-26047-6RB#0-1.096




Date: 17.JUL.2021 15:52:15

Band25-1.4MHz-QPSK-26365-6RB#0-1.096




Date: 17.JUL.2021 15:52:40

Band25-1.4MHz-QPSK-26683-6RB#0-1.096




Date: 17.JUL.2021 15:53:05

Band25-1.4MHz-16QAM-26047-6RB#0-1.096




Date: 17.JUL.2021 15:52:27

Band25-1.4MHz-16QAM-26365-6RB#0-1.091




Date: 17.JUL.2021 15:52:51

Band25-1.4MHz-16QAM-26683-6RB#0-1.096




Date: 17.JUL.2021 15:53:16


Band25-3MHz-QPSK-26055-15RB#0-2.702




Band25-3MHz-QPSK-26365-15RB#0-2.702



Band25-3MHz-QPSK-26675-15RB#0-2.702




Band25-3MHz-16QAM-26055-15RB#0-2.692




Date: 17.JUL.2021 16:14:12

Band25-3MHz-16QAM-26365-15RB#0-2.702




Date: 17.JUL.2021 16:14:37

Band25-3MHz-16QAM-26675-15RB#0-2.692




Date: 17.JUL.2021 16:15:01


Band25-5MHz-QPSK-26065-25RB#0-4.487




Band25-5MHz-QPSK-26365-25RB#0-4.504



Band25-5MHz-QPSK-26665-25RB#0-4.496




Band25-5MHz-16QAM-26065-25RB#0-4.504




Date: 17.JUL.2021 16:33:49

Band25-5MHz-16QAM-26365-25RB#0-4.52




Date: 17.JUL.2021 16:34:28

Band25-5MHz-16QAM-26665-25RB#0-4.512




Date: 17.JUL.2021 16:35:07


Band25-10MHz-QPSK-26090-50RB#0-9.006




Band25-10MHz-QPSK-26365-50RB#0-8.974




Band25-10MHz-QPSK-26640-50RB#0-8.974




Band25-10MHz-16QAM-26090-50RB#0-8.974




Band25-10MHz-16QAM-26365-50RB#0-8.974



Band25-10MHz-16QAM-26640-50RB#0-8.942




Band25-15MHz-QPSK-26115-75RB#0-13.51




Date: 17.JUL.2021 17:13:54

Band25-15MHz-QPSK-26365-75RB#0-13.462




Date: 17.JUL.2021 17:14:19

Band25-15MHz-QPSK-26615-75RB#0-13.462




Date: 17.JUL.2021 17:14:44


Band25-15MHz-16QAM-26115-75RB#0-13.462




Band25-15MHz-16QAM-26365-75RB#0-13.462




Band25-15MHz-16QAM-26615-75RB#0-13.413




Band25-20MHz-QPSK-26140-100RB#0-18.077




Band25-20MHz-QPSK-26365-100RB#0-18.013



Band25-20MHz-QPSK-26590-100RB#0-17.949




Band25-20MHz-16QAM-26140-100RB#0-18.013




Date: 17.JUL.2021 17:58:53

Band25-20MHz-16QAM-26365-100RB#0-18.013



Date: 17.JUL.2021 17:59:18

Band25-20MHz-16QAM-26590-100RB#0-17.949



Date: 17.JUL.2021 17:59:42

1.4. Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	-17.43	PASS
Band25	1.4MHz	QPSK	26047	1RB#5	-29.57	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	-22.58	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	-27.66	PASS
Band25	1.4MHz	QPSK	26683	1RB#5	-15.52	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	-14.78	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	-19.05	PASS
Band25	1.4MHz	16QAM	26047	1RB#5	-31.87	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	-24.25	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	-27.64	PASS
Band25	1.4MHz	16QAM	26683	1RB#5	-14.25	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	-17.07	PASS
Band25	3MHz	QPSK	26055	1RB#0	-24.39	PASS
Band25	3MHz	QPSK	26055	1RB#14	-48.98	PASS
Band25	3MHz	QPSK	26055	15RB#0	-32.71	PASS
Band25	3MHz	QPSK	26675	1RB#0	-51.25	PASS
Band25	3MHz	QPSK	26675	1RB#14	-19.12	PASS
Band25	3MHz	QPSK	26675	15RB#0	-24.95	PASS
Band25	3MHz	16QAM	26055	1RB#0	-25.42	PASS
Band25	3MHz	16QAM	26055	1RB#14	-50.00	PASS
Band25	3MHz	16QAM	26055	15RB#0	-33.75	PASS
Band25	3MHz	16QAM	26675	1RB#0	-51.75	PASS
Band25	3MHz	16QAM	26675	1RB#14	-22.00	PASS
Band25	3MHz	16QAM	26675	15RB#0	-27.67	PASS
Band25	5MHz	QPSK	26065	1RB#0	-17.50	PASS
Band25	5MHz	QPSK	26065	1RB#24	-47.83	PASS
Band25	5MHz	QPSK	26065	25RB#0	-24.68	PASS
Band25	5MHz	QPSK	26665	1RB#0	-47.73	PASS
Band25	5MHz	QPSK	26665	1RB#24	-15.71	PASS
Band25	5MHz	QPSK	26665	25RB#0	-17.03	PASS
Band25	5MHz	16QAM	26065	1RB#0	-19.95	PASS
Band25	5MHz	16QAM	26065	1RB#24	-48.58	PASS
Band25	5MHz	16QAM	26065	25RB#0	-25.54	PASS

Band25	5MHz	16QAM	26665	1RB#0	-47.76	PASS
Band25	5MHz	16QAM	26665	1RB#24	-16.11	PASS
Band25	5MHz	16QAM	26665	25RB#0	-19.81	PASS
Band25	10MHz	QPSK	26090	1RB#0	-27.61	PASS
Band25	10MHz	QPSK	26090	1RB#49	-46.82	PASS
Band25	10MHz	QPSK	26090	50RB#0	-26.84	PASS
Band25	10MHz	QPSK	26640	1RB#0	-48.09	PASS
Band25	10MHz	QPSK	26640	1RB#49	-24.03	PASS
Band25	10MHz	QPSK	26640	50RB#0	-21.93	PASS
Band25	10MHz	16QAM	26090	1RB#0	-28.17	PASS
Band25	10MHz	16QAM	26090	1RB#49	-47.72	PASS
Band25	10MHz	16QAM	26090	50RB#0	-27.58	PASS
Band25	10MHz	16QAM	26640	1RB#0	-48.33	PASS
Band25	10MHz	16QAM	26640	1RB#49	-24.42	PASS
Band25	10MHz	16QAM	26640	50RB#0	-23.50	PASS
Band25	15MHz	QPSK	26115	1RB#0	-27.84	PASS
Band25	15MHz	QPSK	26115	1RB#74	-46.81	PASS
Band25	15MHz	QPSK	26115	75RB#0	-26.36	PASS
Band25	15MHz	QPSK	26615	1RB#0	-47.06	PASS
Band25	15MHz	QPSK	26615	1RB#74	-25.84	PASS
Band25	15MHz	QPSK	26615	75RB#0	-21.76	PASS
Band25	15MHz	16QAM	26115	1RB#0	-28.96	PASS
Band25	15MHz	16QAM	26115	1RB#74	-46.81	PASS
Band25	15MHz	16QAM	26115	75RB#0	-28.89	PASS
Band25	15MHz	16QAM	26615	1RB#0	-47.57	PASS
Band25	15MHz	16QAM	26615	1RB#74	-27.02	PASS
Band25	15MHz	16QAM	26615	75RB#0	-24.96	PASS
Band25	20MHz	QPSK	26140	1RB#0	-24.16	PASS
Band25	20MHz	QPSK	26140	1RB#99	-45.60	PASS
Band25	20MHz	QPSK	26140	100RB#0	-27.72	PASS
Band25	20MHz	QPSK	26590	1RB#0	-45.79	PASS
Band25	20MHz	QPSK	26590	1RB#99	-23.29	PASS
Band25	20MHz	QPSK	26590	100RB#0	-24.22	PASS
Band25	20MHz	16QAM	26140	1RB#0	-25.39	PASS
Band25	20MHz	16QAM	26140	1RB#99	-45.76	PASS
Band25	20MHz	16QAM	26140	100RB#0	-28.25	PASS
Band25	20MHz	16QAM	26590	1RB#0	-45.89	PASS
Band25	20MHz	16QAM	26590	1RB#99	-23.71	PASS


Band25	20MHz	16QAM	26590	100RB#0	-26.65	PASS
--------	-------	-------	-------	---------	--------	------

Test Graphs


Band25-1.4MHz-QPSK-26047-1RB#0




Band25-1.4MHz-QPSK-26047-1RB#5




Band25-1.4MHz-QPSK-26047-6RB#0




Band25-1.4MHz-QPSK-26683-1RB#0




Band25-1.4MHz-QPSK-26683-1RB#5




Band25-1.4MHz-QPSK-26683-6RB#0




Band25-1.4MHz-16QAM-26047-1RB#0




Band25-1.4MHz-16QAM-26047-1RB#5




Band25-1.4MHz-16QAM-26047-6RB#0




Band25-1.4MHz-16QAM-26683-1RB#0




Band25-1.4MHz-16QAM-26683-1RB#5




Band25-1.4MHz-16QAM-26683-6RB#0




Band25-3MHz-QPSK-26055-1RB#0




Band25-3MHz-QPSK-26055-1RB#14




Band25-3MHz-QPSK-26055-15RB#0




Band25-3MHz-QPSK-26675-1RB#0




Band25-3MHz-QPSK-26675-1RB#14




Band25-3MHz-QPSK-26675-15RB#0




Band25-3MHz-16QAM-26055-1RB#0




Band25-3MHz-16QAM-26055-1RB#14




Band25-3MHz-16QAM-26055-15RB#0




Band25-3MHz-16QAM-26675-1RB#0




Band25-3MHz-16QAM-26675-1RB#14




Band25-3MHz-16QAM-26675-15RB#0




Band25-5MHz-QPSK-26065-1RB#0




Band25-5MHz-QPSK-26065-1RB#24




Band25-5MHz-QPSK-26065-25RB#0



Band25-5MHz-QPSK-26665-1RB#0




Band25-5MHz-QPSK-26665-1RB#24




Band25-5MHz-QPSK-26665-25RB#0




Band25-5MHz-16QAM-26065-1RB#0




Band25-5MHz-16QAM-26065-1RB#24




Band25-5MHz-16QAM-26065-25RB#0




Band25-5MHz-16QAM-26665-1RB#0



Band25-5MHz-16QAM-26665-1RB#24



Band25-5MHz-16QAM-26665-25RB#0




Band25-10MHz-QPSK-26090-1RB#0




Band25-10MHz-QPSK-26090-1RB#49



Band25-10MHz-QPSK-26090-50RB#0




Band25-10MHz-QPSK-26640-1RB#0



Band25-10MHz-QPSK-26640-1RB#49




Band25-10MHz-QPSK-26640-50RB#0




Band25-10MHz-16QAM-26090-1RB#0




Band25-10MHz-16QAM-26090-1RB#49



Band25-10MHz-16QAM-26090-50RB#0




Band25-10MHz-16QAM-26640-1RB#0




Band25-10MHz-16QAM-26640-1RB#49




Band25-10MHz-16QAM-26640-50RB#0



Band25-15MHz-QPSK-26115-1RB#0




Band25-15MHz-QPSK-26115-1RB#74



Band25-15MHz-QPSK-26115-75RB#0




Band25-15MHz-QPSK-26615-1RB#0



Band25-15MHz-QPSK-26615-1RB#74



Band25-15MHz-QPSK-26615-75RB#0




Band25-15MHz-16QAM-26115-1RB#0




Band25-15MHz-16QAM-26115-1RB#74



Band25-15MHz-16QAM-26115-75RB#0




Band25-15MHz-16QAM-26615-1RB#0




Band25-15MHz-16QAM-26615-1RB#74




Band25-15MHz-16QAM-26615-75RB#0



Band25-20MHz-QPSK-26140-1RB#0




Band25-20MHz-QPSK-26140-1RB#99



Band25-20MHz-QPSK-26140-100RB#0




Band25-20MHz-QPSK-26590-1RB#0




Band25-20MHz-QPSK-26590-1RB#99




Band25-20MHz-QPSK-26590-100RB#0




Band25-20MHz-16QAM-26140-1RB#0




Band25-20MHz-16QAM-26140-1RB#99



Band25-20MHz-16QAM-26140-100RB#0




Band25-20MHz-16QAM-26590-1RB#0



Band25-20MHz-16QAM-26590-1RB#99



Band25-20MHz-16QAM-26590-100RB#0



1.5. Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band25	1.4MHz	QPSK	26047	1RB#0	Range1:30~1000MHz	-42.73	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	Range2:1000~2000MHz	-36.01	PASS
Band25	1.4MHz	QPSK	26047	1RB#0	Range3:2000~20000MHz	-30.92	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.34	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-35.75	PASS
Band25	1.4MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-30.72	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	Range1:30~1000MHz	-42.61	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	Range2:1000~2000MHz	-35.51	PASS
Band25	1.4MHz	QPSK	26683	1RB#0	Range3:2000~20000MHz	-29.32	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	Range1:30~1000MHz	-42.45	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	Range2:1000~2000MHz	-35.83	PASS
Band25	1.4MHz	16QAM	26047	1RB#0	Range3:2000~20000MHz	-30.23	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-42.3	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-35.78	PASS
Band25	1.4MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-29.7	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	Range1:30~1000MHz	-41.11	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	Range2:1000~2000MHz	-35.72	PASS
Band25	1.4MHz	16QAM	26683	1RB#0	Range3:2000~20000MHz	-22.51	PASS
Band25	3MHz	QPSK	26055	1RB#0	Range1:30~1000MHz	-41.93	PASS
Band25	3MHz	QPSK	26055	1RB#0	Range2:1000~2000MHz	-35.51	PASS
Band25	3MHz	QPSK	26055	1RB#0	Range3:2000~20000MHz	-30.09	PASS
Band25	3MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.59	PASS
Band25	3MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-34.97	PASS
Band25	3MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-31.09	PASS
Band25	3MHz	QPSK	26675	1RB#0	Range1:30~1000MHz	-42.16	PASS
Band25	3MHz	QPSK	26675	1RB#0	Range2:1000~2000MHz	-35.76	PASS
Band25	3MHz	QPSK	26675	1RB#0	Range3:2000~20000MHz	-27.08	PASS
Band25	3MHz	16QAM	26055	1RB#0	Range1:30~1000MHz	-42.78	PASS
Band25	3MHz	16QAM	26055	1RB#0	Range2:1000~2000MHz	-35.29	PASS
Band25	3MHz	16QAM	26055	1RB#0	Range3:2000~20000MHz	-30.27	PASS
Band25	3MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-42.25	PASS
Band25	3MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-34.85	PASS
Band25	3MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-30.2	PASS

Band25	3MHz	16QAM	26675	1RB#0	Range1:30~1000MHz	-42.3	PASS
Band25	3MHz	16QAM	26675	1RB#0	Range2:1000~2000MHz	-35.38	PASS
Band25	3MHz	16QAM	26675	1RB#0	Range3:2000~20000MHz	-29.43	PASS
Band25	5MHz	QPSK	26065	1RB#0	Range1:30~1000MHz	-41.88	PASS
Band25	5MHz	QPSK	26065	1RB#0	Range2:1000~2000MHz	-35.72	PASS
Band25	5MHz	QPSK	26065	1RB#0	Range3:2000~20000MHz	-30.67	PASS
Band25	5MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.62	PASS
Band25	5MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-35.4	PASS
Band25	5MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-29.52	PASS
Band25	5MHz	QPSK	26665	1RB#0	Range1:30~1000MHz	-42.48	PASS
Band25	5MHz	QPSK	26665	1RB#0	Range2:1000~2000MHz	-35.97	PASS
Band25	5MHz	QPSK	26665	1RB#0	Range3:2000~20000MHz	-30.28	PASS
Band25	5MHz	16QAM	26065	1RB#0	Range1:30~1000MHz	-42.66	PASS
Band25	5MHz	16QAM	26065	1RB#0	Range2:1000~2000MHz	-35.95	PASS
Band25	5MHz	16QAM	26065	1RB#0	Range3:2000~20000MHz	-30.24	PASS
Band25	5MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-42.12	PASS
Band25	5MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-36.09	PASS
Band25	5MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-30.05	PASS
Band25	5MHz	16QAM	26665	1RB#0	Range1:30~1000MHz	-42.29	PASS
Band25	5MHz	16QAM	26665	1RB#0	Range2:1000~2000MHz	-35.28	PASS
Band25	5MHz	16QAM	26665	1RB#0	Range3:2000~20000MHz	-28.73	PASS
Band25	10MHz	QPSK	26090	1RB#0	Range1:30~1000MHz	-42.14	PASS
Band25	10MHz	QPSK	26090	1RB#0	Range2:1000~2000MHz	-34.73	PASS
Band25	10MHz	QPSK	26090	1RB#0	Range3:2000~20000MHz	-30.41	PASS
Band25	10MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.18	PASS
Band25	10MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-35.11	PASS
Band25	10MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-29.84	PASS
Band25	10MHz	QPSK	26640	1RB#0	Range1:30~1000MHz	-42.68	PASS
Band25	10MHz	QPSK	26640	1RB#0	Range2:1000~2000MHz	-35.52	PASS
Band25	10MHz	QPSK	26640	1RB#0	Range3:2000~20000MHz	-30.09	PASS
Band25	10MHz	16QAM	26090	1RB#0	Range1:30~1000MHz	-42.16	PASS
Band25	10MHz	16QAM	26090	1RB#0	Range2:1000~2000MHz	-35.74	PASS
Band25	10MHz	16QAM	26090	1RB#0	Range3:2000~20000MHz	-28.32	PASS
Band25	10MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-41.85	PASS
Band25	10MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-35.67	PASS
Band25	10MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-30.44	PASS
Band25	10MHz	16QAM	26640	1RB#0	Range1:30~1000MHz	-42.61	PASS
Band25	10MHz	16QAM	26640	1RB#0	Range2:1000~2000MHz	-35.41	PASS

Band25	10MHz	16QAM	26640	1RB#0	Range3:2000~20000MHz	-29.39	PASS
Band25	15MHz	QPSK	26115	1RB#0	Range1:30~1000MHz	-42.13	PASS
Band25	15MHz	QPSK	26115	1RB#0	Range2:1000~2000MHz	-35.24	PASS
Band25	15MHz	QPSK	26115	1RB#0	Range3:2000~20000MHz	-29.96	PASS
Band25	15MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.55	PASS
Band25	15MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-36.31	PASS
Band25	15MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-30.45	PASS
Band25	15MHz	QPSK	26615	1RB#0	Range1:30~1000MHz	-42.49	PASS
Band25	15MHz	QPSK	26615	1RB#0	Range2:1000~2000MHz	-35.74	PASS
Band25	15MHz	QPSK	26615	1RB#0	Range3:2000~20000MHz	-31.25	PASS
Band25	15MHz	16QAM	26115	1RB#0	Range1:30~1000MHz	-42.39	PASS
Band25	15MHz	16QAM	26115	1RB#0	Range2:1000~2000MHz	-35.95	PASS
Band25	15MHz	16QAM	26115	1RB#0	Range3:2000~20000MHz	-29.91	PASS
Band25	15MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-42.42	PASS
Band25	15MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-35.84	PASS
Band25	15MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-30.48	PASS
Band25	15MHz	16QAM	26615	1RB#0	Range1:30~1000MHz	-42.27	PASS
Band25	15MHz	16QAM	26615	1RB#0	Range2:1000~2000MHz	-35.14	PASS
Band25	15MHz	16QAM	26615	1RB#0	Range3:2000~20000MHz	-30	PASS
Band25	20MHz	QPSK	26140	1RB#0	Range1:30~1000MHz	-42.41	PASS
Band25	20MHz	QPSK	26140	1RB#0	Range2:1000~2000MHz	-35.54	PASS
Band25	20MHz	QPSK	26140	1RB#0	Range3:2000~20000MHz	-30.68	PASS
Band25	20MHz	QPSK	26365	1RB#0	Range1:30~1000MHz	-42.32	PASS
Band25	20MHz	QPSK	26365	1RB#0	Range2:1000~2000MHz	-35.82	PASS
Band25	20MHz	QPSK	26365	1RB#0	Range3:2000~20000MHz	-30.4	PASS
Band25	20MHz	QPSK	26590	1RB#0	Range1:30~1000MHz	-42.35	PASS
Band25	20MHz	QPSK	26590	1RB#0	Range2:1000~2000MHz	-35.59	PASS
Band25	20MHz	QPSK	26590	1RB#0	Range3:2000~20000MHz	-30.64	PASS
Band25	20MHz	16QAM	26140	1RB#0	Range1:30~1000MHz	-42.41	PASS
Band25	20MHz	16QAM	26140	1RB#0	Range2:1000~2000MHz	-35.45	PASS
Band25	20MHz	16QAM	26140	1RB#0	Range3:2000~20000MHz	-29.5	PASS
Band25	20MHz	16QAM	26365	1RB#0	Range1:30~1000MHz	-42.67	PASS
Band25	20MHz	16QAM	26365	1RB#0	Range2:1000~2000MHz	-35.99	PASS
Band25	20MHz	16QAM	26365	1RB#0	Range3:2000~20000MHz	-30.34	PASS
Band25	20MHz	16QAM	26590	1RB#0	Range1:30~1000MHz	-42.46	PASS
Band25	20MHz	16QAM	26590	1RB#0	Range2:1000~2000MHz	-35.05	PASS
Band25	20MHz	16QAM	26590	1RB#0	Range3:2000~20000MHz	-30.31	PASS


Test Graphs

Band25-1.4MHz-QPSK-26047-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 15:58:23

Band25-1.4MHz-QPSK-26047-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 15:58:32

Band25-1.4MHz-QPSK-26047-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 15:58:43


Band25-1.4MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Band25-1.4MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz




Band25-1.4MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Band25-1.4MHz-QPSK-26683-1RB#0-Range1:30~1000MHz




Band25-1.4MHz-QPSK-26683-1RB#0-Range2:1000~2000MHz




Band25-1.4MHz-QPSK-26683-1RB#0-Range3:2000~20000MHz




Band25-1.4MHz-16QAM-26047-1RB#0-Range1:30~1000MHz




Band25-1.4MHz-16QAM-26047-1RB#0-Range2:1000~2000MHz




Band25-1.4MHz-16QAM-26047-1RB#0-Range3:2000~20000MHz




Band25-1.4MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Band25-1.4MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz



Band25-1.4MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Band25-1.4MHz-16QAM-26683-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:01:21

Band25-1.4MHz-16QAM-26683-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:01:31

Band25-1.4MHz-16QAM-26683-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:01:41

Band25-3MHz-QPSK-26055-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:17:42

Band25-3MHz-QPSK-26055-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:17:51

Band25-3MHz-QPSK-26055-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:18:02

Band25-3MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:18:53

Band25-3MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:19:03

Band25-3MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:19:14

Band25-3MHz-QPSK-26675-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:20:05

Band25-3MHz-QPSK-26675-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:20:14

Band25-3MHz-QPSK-26675-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:20:25


Band25-3MHz-16QAM-26055-1RB#0-Range1:30~1000MHz




Band25-3MHz-16QAM-26055-1RB#0-Range2:1000~2000MHz




Band25-3MHz-16QAM-26055-1RB#0-Range3:2000~20000MHz




Band25-3MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Band25-3MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz




Band25-3MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Band25-3MHz-16QAM-26675-1RB#0-Range1:30~1000MHz




Band25-3MHz-16QAM-26675-1RB#0-Range2:1000~2000MHz



Band25-3MHz-16QAM-26675-1RB#0-Range3:2000~20000MHz




Band25-5MHz-QPSK-26065-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:37:49

Band25-5MHz-QPSK-26065-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:37:59

Band25-5MHz-QPSK-26065-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:38:09

Band25-5MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:39:01

Band25-5MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:39:11

Band25-5MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:39:21

Band25-5MHz-QPSK-26665-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:40:13

Band25-5MHz-QPSK-26665-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:40:22

Band25-5MHz-QPSK-26665-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:40:33


Band25-5MHz-16QAM-26065-1RB#0-Range1:30~1000MHz




Band25-5MHz-16QAM-26065-1RB#0-Range2:1000~2000MHz



Band25-5MHz-16QAM-26065-1RB#0-Range3:2000~20000MHz




Band25-5MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:39:36

Band25-5MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:39:45

Band25-5MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:39:56


Band25-5MHz-16QAM-26665-1RB#0-Range1:30~1000MHz




Band25-5MHz-16QAM-26665-1RB#0-Range2:1000~2000MHz




Band25-5MHz-16QAM-26665-1RB#0-Range3:2000~20000MHz




Band25-10MHz-QPSK-26090-1RB#0-Range1:30~1000MHz




Band25-10MHz-QPSK-26090-1RB#0-Range2:1000~2000MHz



Band25-10MHz-QPSK-26090-1RB#0-Range3:2000~20000MHz




Band25-10MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 16:58:45

Band25-10MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 16:58:55

Band25-10MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 16:59:05


Band25-10MHz-QPSK-26640-1RB#0-Range1:30~1000MHz




Band25-10MHz-QPSK-26640-1RB#0-Range2:1000~2000MHz




Band25-10MHz-QPSK-26640-1RB#0-Range3:2000~20000MHz




Band25-10MHz-16QAM-26090-1RB#0-Range1:30~1000MHz




Band25-10MHz-16QAM-26090-1RB#0-Range2:1000~2000MHz




Band25-10MHz-16QAM-26090-1RB#0-Range3:2000~20000MHz




Band25-10MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Band25-10MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz




Band25-10MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Band25-10MHz-16QAM-26640-1RB#0-Range1:30~1000MHz




Band25-10MHz-16QAM-26640-1RB#0-Range2:1000~2000MHz




Band25-10MHz-16QAM-26640-1RB#0-Range3:2000~20000MHz




Band25-15MHz-QPSK-26115-1RB#0-Range1:30~1000MHz




Band25-15MHz-QPSK-26115-1RB#0-Range2:1000~2000MHz




Band25-15MHz-QPSK-26115-1RB#0-Range3:2000~20000MHz




Band25-15MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Band25-15MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz



Band25-15MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Band25-15MHz-QPSK-26615-1RB#0-Range1:30~1000MHz




Date: 17-JUL-2021 17:19:59

Band25-15MHz-QPSK-26615-1RB#0-Range2:1000~2000MHz




Date: 17-JUL-2021 17:20:09

Band25-15MHz-QPSK-26615-1RB#0-Range3:2000~20000MHz




Date: 17-JUL-2021 17:20:20


Band25-15MHz-16QAM-26115-1RB#0-Range1:30~1000MHz




Band25-15MHz-16QAM-26115-1RB#0-Range2:1000~2000MHz




Band25-15MHz-16QAM-26115-1RB#0-Range3:2000~20000MHz




Band25-15MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Band25-15MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz




Band25-15MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Band25-15MHz-16QAM-26615-1RB#0-Range1:30~1000MHz




Band25-15MHz-16QAM-26615-1RB#0-Range2:1000~2000MHz



Band25-15MHz-16QAM-26615-1RB#0-Range3:2000~20000MHz




Band25-20MHz-QPSK-26140-1RB#0-Range1:30~1000MHz




Date: 17.JUL.2021 18:02:26

Band25-20MHz-QPSK-26140-1RB#0-Range2:1000~2000MHz




Date: 17.JUL.2021 18:02:36

Band25-20MHz-QPSK-26140-1RB#0-Range3:2000~20000MHz




Date: 17.JUL.2021 18:02:46


Band25-20MHz-QPSK-26365-1RB#0-Range1:30~1000MHz




Band25-20MHz-QPSK-26365-1RB#0-Range2:1000~2000MHz




Band25-20MHz-QPSK-26365-1RB#0-Range3:2000~20000MHz




Band25-20MHz-QPSK-26590-1RB#0-Range1:30~1000MHz




Band25-20MHz-QPSK-26590-1RB#0-Range2:1000~2000MHz




Band25-20MHz-QPSK-26590-1RB#0-Range3:2000~20000MHz




Band25-20MHz-16QAM-26140-1RB#0-Range1:30~1000MHz




Band25-20MHz-16QAM-26140-1RB#0-Range2:1000~2000MHz




Band25-20MHz-16QAM-26140-1RB#0-Range3:2000~20000MHz




Band25-20MHz-16QAM-26365-1RB#0-Range1:30~1000MHz




Band25-20MHz-16QAM-26365-1RB#0-Range2:1000~2000MHz




Band25-20MHz-16QAM-26365-1RB#0-Range3:2000~20000MHz




Band25-20MHz-16QAM-26590-1RB#0-Range1:30~1000MHz



Band25-20MHz-16QAM-26590-1RB#0-Range2:1000~2000MHz



Band25-20MHz-16QAM-26590-1RB#0-Range3:2000~20000MHz



1.6. Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	VL	NT	-5.84	-0.003156	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	VN	NT	-4.51	-0.002437	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	VH	NT	-4.12	-0.002226	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	VL	NT	5.19	0.002757	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	VN	NT	4.65	0.002470	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	VH	NT	2.26	0.001201	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	VL	NT	-6.14	-0.003207	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	VN	NT	-7.35	-0.003840	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	VH	NT	-6.14	-0.003207	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	VL	NT	-4.76	-0.002572	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	VN	NT	-5.61	-0.003031	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	VH	NT	-5.61	-0.003031	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	VL	NT	2.86	0.001519	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	VN	NT	1.82	0.000967	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	VH	NT	4.19	0.002226	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	VL	NT	-5.21	-0.002722	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	VN	NT	-3.68	-0.001922	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	VH	NT	-6.21	-0.003244	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	VL	NT	-3.92	-0.002117	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	VN	NT	-4.22	-0.002279	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	VH	NT	-2.72	-0.001469	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	VL	NT	4.94	0.002624	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	VN	NT	4.39	0.002332	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	VH	NT	2.53	0.001344	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	VL	NT	-5.79	-0.003026	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	VN	NT	-6.49	-0.003392	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	VH	NT	-5.41	-0.002827	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	VL	NT	-5.32	-0.002873	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	VN	NT	-5.16	-0.002787	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	VH	NT	-4.46	-0.002409	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	VL	NT	4.81	0.002555	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	VN	NT	1.60	0.000850	±2.5	PASS

Band25	3MHz	16QAM	26365	15RB#0	VH	NT	2.83	0.001503	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	VL	NT	-6.42	-0.003355	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	VN	NT	-6.31	-0.003298	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	VH	NT	-5.16	-0.002697	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	VL	NT	-3.30	-0.001781	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	VN	NT	-4.23	-0.002283	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	VH	NT	-3.89	-0.002100	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	VL	NT	-2.19	-0.001163	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	VN	NT	3.46	0.001838	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	VH	NT	3.06	0.001625	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	VL	NT	-7.15	-0.003739	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	VN	NT	-4.78	-0.002499	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	VH	NT	-6.78	-0.003545	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	VL	NT	-2.57	-0.001387	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	VN	NT	-3.83	-0.002067	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	VH	NT	-2.49	-0.001344	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	VL	NT	-3.36	-0.001785	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	VN	NT	2.62	0.001392	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	VH	NT	2.16	0.001147	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	VL	NT	-3.82	-0.001997	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	VN	NT	-5.82	-0.003043	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	VH	NT	-3.88	-0.002029	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	VL	NT	-4.18	-0.002253	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	VN	NT	-5.76	-0.003105	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	VH	NT	-5.69	-0.003067	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	VL	NT	3.43	0.001822	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	VN	NT	4.18	0.002220	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	VH	NT	3.26	0.001732	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VL	NT	-6.29	-0.003293	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VN	NT	-2.99	-0.001565	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	VH	NT	-4.31	-0.002257	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	VL	NT	-4.65	-0.002507	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	VN	NT	-3.40	-0.001833	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	VH	NT	-5.05	-0.002722	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	VL	NT	3.85	0.002045	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	VN	NT	3.60	0.001912	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	VH	NT	2.98	0.001583	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	VL	NT	-5.98	-0.003131	±2.5	PASS

Band25	10MHz	16QAM	26640	50RB#0	VN	NT	-5.65	-0.002958	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	VH	NT	-5.62	-0.002942	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	VL	NT	-5.64	-0.003036	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	VN	NT	-8.44	-0.004544	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	VH	NT	-8.11	-0.004366	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	VL	NT	-2.65	-0.001408	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	VN	NT	4.11	0.002183	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	VH	NT	4.76	0.002529	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	VL	NT	-2.37	-0.001242	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	VN	NT	2.85	0.001494	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	VH	NT	-2.46	-0.001290	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	VL	NT	-7.71	-0.004151	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	VN	NT	-6.65	-0.003580	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	VH	NT	-6.39	-0.003440	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	VL	NT	-3.71	-0.001971	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	VN	NT	-4.76	-0.002529	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	VH	NT	-4.13	-0.002194	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	VL	NT	-3.76	-0.001971	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	VN	NT	-2.33	-0.001221	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	VH	NT	-3.08	-0.001615	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	VL	NT	3.08	0.001656	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	VN	NT	-3.58	-0.001925	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	VH	NT	2.63	0.001414	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VL	NT	-3.55	-0.001886	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VN	NT	3.55	0.001886	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	VH	NT	2.25	0.001195	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VL	NT	-3.22	-0.001690	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VN	NT	2.89	0.001517	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	VH	NT	3.45	0.001811	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	VL	NT	1.70	0.000914	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	VN	NT	2.72	0.001462	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	VH	NT	3.36	0.001806	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	VL	NT	5.06	0.002688	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	VN	NT	5.21	0.002768	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	VH	NT	4.53	0.002406	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	VL	NT	4.63	0.002430	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	VN	NT	4.26	0.002236	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	VH	NT	-3.15	-0.001654	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band25	1.4MHz	QPSK	26047	6RB#0	NV	0	-4.86	-0.002626	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	NV	10	-4.21	-0.002275	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	NV	20	-3.59	-0.001940	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	NV	30	-4.63	-0.002502	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	NV	40	-3.00	-0.001621	±2.5	PASS
Band25	1.4MHz	QPSK	26047	6RB#0	NV	45	-4.26	-0.002302	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	0	2.86	0.001519	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	10	2.16	0.001147	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	20	5.44	0.002890	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	30	-1.42	-0.000754	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	40	2.63	0.001397	±2.5	PASS
Band25	1.4MHz	QPSK	26365	6RB#0	NV	45	5.24	0.002784	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	0	-6.01	-0.003140	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	10	-7.61	-0.003975	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	20	-7.62	-0.003981	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	30	-8.64	-0.004513	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	40	-6.59	-0.003443	±2.5	PASS
Band25	1.4MHz	QPSK	26683	6RB#0	NV	45	-6.82	-0.003563	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	0	-3.35	-0.001810	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	10	-4.12	-0.002226	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	20	-2.96	-0.001599	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	30	-4.56	-0.002464	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	40	-5.01	-0.002707	±2.5	PASS
Band25	1.4MHz	16QAM	26047	6RB#0	NV	45	-5.18	-0.002799	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	0	2.98	0.001583	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	10	2.46	0.001307	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	20	4.51	0.002396	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	30	3.52	0.001870	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	40	2.23	0.001185	±2.5	PASS
Band25	1.4MHz	16QAM	26365	6RB#0	NV	45	2.79	0.001482	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	NV	0	-5.42	-0.002831	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	NV	10	-7.12	-0.003719	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	NV	20	-5.66	-0.002957	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	NV	30	-6.51	-0.003401	±2.5	PASS
Band25	1.4MHz	16QAM	26683	6RB#0	NV	40	-4.22	-0.002204	±2.5	PASS

Band25	1.4MHz	16QAM	26683	6RB#0	NV	45	-6.22	-0.003249	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	0	-3.49	-0.001885	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	10	-6.74	-0.003640	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	20	-5.09	-0.002749	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	30	-7.05	-0.003808	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	40	-5.09	-0.002749	±2.5	PASS
Band25	3MHz	QPSK	26055	15RB#0	NV	45	-3.76	-0.002031	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	0	2.69	0.001429	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	10	4.05	0.002151	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	20	-2.68	-0.001424	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	30	-2.92	-0.001551	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	40	2.46	0.001307	±2.5	PASS
Band25	3MHz	QPSK	26365	15RB#0	NV	45	-1.69	-0.000898	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	0	-5.95	-0.003109	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	10	-5.14	-0.002686	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	20	-5.49	-0.002869	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	30	-5.68	-0.002968	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	40	-5.51	-0.002880	±2.5	PASS
Band25	3MHz	QPSK	26675	15RB#0	NV	45	-6.74	-0.003522	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	0	-5.87	-0.003170	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	10	-3.10	-0.001674	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	20	-5.01	-0.002706	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	30	-5.54	-0.002992	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	40	-1.57	-0.000848	±2.5	PASS
Band25	3MHz	16QAM	26055	15RB#0	NV	45	-2.92	-0.001577	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	0	-5.46	-0.002900	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	10	3.20	0.001700	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	20	-4.18	-0.002220	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	30	-3.38	-0.001795	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	40	-3.02	-0.001604	±2.5	PASS
Band25	3MHz	16QAM	26365	15RB#0	NV	45	3.25	0.001726	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	0	-5.51	-0.002880	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	10	-2.96	-0.001547	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	20	-6.25	-0.003266	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	30	-6.18	-0.003230	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	40	-3.96	-0.002070	±2.5	PASS
Band25	3MHz	16QAM	26675	15RB#0	NV	45	-3.29	-0.001719	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	NV	0	-7.67	-0.004140	±2.5	PASS

Band25	5MHz	QPSK	26065	25RB#0	NV	10	-5.32	-0.002872	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	NV	20	-5.36	-0.002893	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	NV	30	-3.38	-0.001825	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	NV	40	-3.49	-0.001884	±2.5	PASS
Band25	5MHz	QPSK	26065	25RB#0	NV	45	-5.02	-0.002710	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	0	2.70	0.001434	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	10	4.18	0.002220	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	20	3.53	0.001875	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	30	5.94	0.003155	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	40	5.49	0.002916	±2.5	PASS
Band25	5MHz	QPSK	26365	25RB#0	NV	45	4.13	0.002194	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	0	-6.42	-0.003357	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	10	-3.93	-0.002055	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	20	-4.96	-0.002593	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	30	-3.86	-0.002018	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	40	-6.15	-0.003216	±2.5	PASS
Band25	5MHz	QPSK	26665	25RB#0	NV	45	-7.21	-0.003770	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	0	-5.22	-0.002818	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	10	-2.95	-0.001592	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	20	-3.42	-0.001846	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	30	-3.75	-0.002024	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	40	-4.42	-0.002386	±2.5	PASS
Band25	5MHz	16QAM	26065	25RB#0	NV	45	-3.35	-0.001808	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	0	3.03	0.001610	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	10	3.12	0.001657	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	20	4.03	0.002141	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	30	5.16	0.002741	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	40	-3.53	-0.001875	±2.5	PASS
Band25	5MHz	16QAM	26365	25RB#0	NV	45	3.35	0.001780	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	0	-5.51	-0.002881	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	10	-2.39	-0.001250	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	20	-3.08	-0.001610	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	30	-3.22	-0.001684	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	40	-5.44	-0.002844	±2.5	PASS
Band25	5MHz	16QAM	26665	25RB#0	NV	45	-5.92	-0.003095	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	0	-6.18	-0.003332	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	10	-6.54	-0.003526	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	20	-5.85	-0.003154	±2.5	PASS

Band25	10MHz	QPSK	26090	50RB#0	NV	30	-4.86	-0.002620	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	40	-3.22	-0.001736	±2.5	PASS
Band25	10MHz	QPSK	26090	50RB#0	NV	45	-5.16	-0.002782	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	0	-2.19	-0.001163	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	10	3.36	0.001785	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	20	6.49	0.003448	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	30	-3.35	-0.001780	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	40	1.73	0.000919	±2.5	PASS
Band25	10MHz	QPSK	26365	50RB#0	NV	45	-3.36	-0.001785	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	0	-6.21	-0.003251	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	10	-5.62	-0.002942	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	20	-4.66	-0.002440	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	30	-4.29	-0.002246	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	40	-3.62	-0.001895	±2.5	PASS
Band25	10MHz	QPSK	26640	50RB#0	NV	45	-2.95	-0.001545	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	0	-5.81	-0.003132	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	10	-6.32	-0.003407	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	20	-5.59	-0.003013	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	30	-5.45	-0.002938	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	40	-4.35	-0.002345	±2.5	PASS
Band25	10MHz	16QAM	26090	50RB#0	NV	45	-4.56	-0.002458	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	0	3.00	0.001594	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	10	-3.22	-0.001710	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	20	1.76	0.000935	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	30	2.96	0.001572	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	40	3.03	0.001610	±2.5	PASS
Band25	10MHz	16QAM	26365	50RB#0	NV	45	3.92	0.002082	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	0	-3.73	-0.001953	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	10	-3.75	-0.001963	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	20	-4.65	-0.002435	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	30	-4.29	-0.002246	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	40	-4.32	-0.002262	±2.5	PASS
Band25	10MHz	16QAM	26640	50RB#0	NV	45	-5.88	-0.003079	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	NV	0	-6.04	-0.003252	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	NV	10	-6.71	-0.003612	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	NV	20	-6.44	-0.003467	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	NV	30	-6.19	-0.003332	±2.5	PASS
Band25	15MHz	QPSK	26115	75RB#0	NV	40	-6.65	-0.003580	±2.5	PASS

Band25	15MHz	QPSK	26115	75RB#0	NV	45	-7.42	-0.003995	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	0	2.57	0.001365	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	10	-1.86	-0.000988	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	20	1.29	0.000685	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	30	-2.22	-0.001179	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	40	-2.05	-0.001089	±2.5	PASS
Band25	15MHz	QPSK	26365	75RB#0	NV	45	3.10	0.001647	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	0	2.40	0.001258	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	10	-2.30	-0.001206	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	20	-1.54	-0.000807	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	30	-3.19	-0.001672	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	40	2.52	0.001321	±2.5	PASS
Band25	15MHz	QPSK	26615	75RB#0	NV	45	2.30	0.001206	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	0	-7.12	-0.003833	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	10	-5.28	-0.002843	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	20	-6.42	-0.003456	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	30	-4.66	-0.002509	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	40	-8.94	-0.004813	±2.5	PASS
Band25	15MHz	16QAM	26115	75RB#0	NV	45	-5.69	-0.003063	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	0	-3.53	-0.001875	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	10	4.09	0.002173	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	20	-4.86	-0.002582	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	30	3.76	0.001997	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	40	2.50	0.001328	±2.5	PASS
Band25	15MHz	16QAM	26365	75RB#0	NV	45	-1.89	-0.001004	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	0	5.15	0.002700	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	10	4.26	0.002233	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	20	-2.35	-0.001232	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	30	4.46	0.002338	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	40	1.85	0.000970	±2.5	PASS
Band25	15MHz	16QAM	26615	75RB#0	NV	45	1.53	0.000802	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	0	2.02	0.001086	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	10	3.20	0.001720	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	20	4.38	0.002355	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	30	-3.16	-0.001699	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	40	2.86	0.001538	±2.5	PASS
Band25	20MHz	QPSK	26140	100RB#0	NV	45	2.73	0.001468	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	0	3.99	0.002120	±2.5	PASS

Band25	20MHz	QPSK	26365	100RB#0	NV	10	-3.18	-0.001689	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	20	-3.16	-0.001679	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	30	3.79	0.002013	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	40	3.55	0.001886	±2.5	PASS
Band25	20MHz	QPSK	26365	100RB#0	NV	45	-4.09	-0.002173	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	0	2.39	0.001255	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	10	3.02	0.001585	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	20	2.05	0.001076	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	30	3.23	0.001696	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	40	2.89	0.001517	±2.5	PASS
Band25	20MHz	QPSK	26590	100RB#0	NV	45	-2.13	-0.001118	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	0	-2.96	-0.001591	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	10	3.86	0.002075	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	20	4.61	0.002478	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	30	3.23	0.001737	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	40	3.58	0.001925	±2.5	PASS
Band25	20MHz	16QAM	26140	100RB#0	NV	45	3.05	0.001640	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	0	-3.08	-0.001636	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	10	-4.92	-0.002614	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	20	-4.33	-0.002300	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	30	2.33	0.001238	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	40	-3.22	-0.001710	±2.5	PASS
Band25	20MHz	16QAM	26365	100RB#0	NV	45	-3.06	-0.001625	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	0	-3.52	-0.001848	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	10	-2.78	-0.001459	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	20	3.69	0.001937	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	30	-3.62	-0.001900	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	40	4.81	0.002525	±2.5	PASS
Band25	20MHz	16QAM	26590	100RB#0	NV	45	3.66	0.001921	±2.5	PASS

-----END-----