

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 30_M_10M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 10MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2501.01	Edge_1RB_Left	19.33	19.64	22.50	16.96	18.22	20.65	<=33.01	Pass
		Edge_1RB_Right	19.23	19.60	22.43	16.86	18.18	20.58	<=33.01	Pass
		Outer_Full	20.92	21.25	24.10	18.55	19.83	22.25	<=33.01	Pass
		Inner_Full	23.60	23.84	26.73	21.23	22.42	24.88	<=33.01	Pass
		Inner_1RB_Left	23.18	23.82	26.52	20.81	22.40	24.69	<=33.01	Pass
		Inner_1RB_Right	23.34	23.80	26.59	20.97	22.38	24.74	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.38	19.93	22.67	17.01	18.51	20.83	<=33.01	Pass
		Edge_1RB_Right	19.67	20.19	22.95	17.30	18.77	21.11	<=33.01	Pass
		Outer_Full	21.46	21.81	24.65	19.09	20.39	22.80	<=33.01	Pass
		Inner_Full	23.87	24.47	27.19	21.50	23.05	25.35	<=33.01	Pass
		Inner_1RB_Left	23.77	24.14	26.97	21.40	22.72	25.12	<=33.01	Pass
		Inner_1RB_Right	23.77	24.41	27.11	21.40	22.99	25.28	<=33.01	Pass
	2685	Edge_1RB_Left	19.30	19.92	22.63	16.93	18.50	20.80	<=33.01	Pass
		Edge_1RB_Right	19.14	19.32	22.24	16.77	17.90	20.38	<=33.01	Pass
		Outer_Full	21.08	21.34	24.22	18.71	19.92	22.37	<=33.01	Pass
		Inner_Full	23.69	23.80	26.76	21.32	22.38	24.89	<=33.01	Pass
		Inner_1RB_Left	23.53	23.89	26.73	21.16	22.47	24.87	<=33.01	Pass
		Inner_1RB_Right	23.42	23.59	26.51	21.05	22.17	24.66	<=33.01	Pass
CP-OFDM 16 QAM	2501.01	Edge_1RB_Left	19.09	19.68	22.41	16.72	18.26	20.57	<=33.01	Pass
		Edge_1RB_Right	19.45	19.69	22.58	17.08	18.27	20.73	<=33.01	Pass
		Outer_Full	21.04	21.27	24.16	18.67	19.85	22.31	<=33.01	Pass
		Inner_Full	23.06	23.38	26.23	20.69	21.96	24.38	<=33.01	Pass
		Inner_1RB_Left	22.96	23.36	26.18	20.59	21.94	24.33	<=33.01	Pass
		Inner_1RB_Right	23.02	23.48	26.27	20.65	22.06	24.42	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.40	20.08	22.76	17.03	18.66	20.93	<=33.01	Pass
		Edge_1RB_Right	19.32	20.32	22.86	16.95	18.90	21.04	<=33.01	Pass
		Outer_Full	21.35	21.92	24.65	18.98	20.50	22.82	<=33.01	Pass
		Inner_Full	23.39	24.03	26.73	21.02	22.61	24.90	<=33.01	Pass
		Inner_1RB_Left	23.41	23.53	26.48	21.04	22.11	24.62	<=33.01	Pass
		Inner_1RB_Right	23.29	23.86	26.59	20.92	22.44	24.76	<=33.01	Pass
	2685	Edge_1RB_Left	19.26	19.89	22.60	16.89	18.47	20.76	<=33.01	Pass
		Edge_1RB_Right	19.30	19.57	22.45	16.93	18.15	20.59	<=33.01	Pass
		Outer_Full	21.10	21.27	24.20	18.73	19.85	22.34	<=33.01	Pass
		Inner_Full	23.15	23.39	26.28	20.78	21.97	24.43	<=33.01	Pass
		Inner_1RB_Left	23.12	23.60	26.38	20.75	22.18	24.53	<=33.01	Pass
		Inner_1RB_Right	23.13	23.06	26.10	20.76	21.64	24.23	<=33.01	Pass
CP-OFDM 64 QAM	2501.01	Edge_1RB_Left	19.23	19.65	22.46	16.86	18.23	20.61	<=33.01	Pass
		Edge_1RB_Right	19.40	19.60	22.51	17.03	18.18	20.65	<=33.01	Pass
		Outer_Full	20.50	20.83	23.68	18.13	19.41	21.83	<=33.01	Pass
		Inner_Full	20.99	21.39	24.20	18.62	19.97	22.36	<=33.01	Pass
		Inner_1RB_Left	21.08	21.46	24.28	18.71	20.04	22.44	<=33.01	Pass
		Inner_1RB_Right	21.27	21.41	24.35	18.90	19.99	22.49	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.43	20.06	22.77	17.06	18.64	20.93	<=33.01	Pass
		Edge_1RB_Right	19.59	20.29	22.97	17.22	18.87	21.13	<=33.01	Pass
		Outer_Full	20.85	21.35	24.12	18.48	19.93	22.28	<=33.01	Pass
		Inner_Full	21.31	22.02	24.69	18.94	20.60	22.86	<=33.01	Pass
		Inner_1RB_Left	21.24	21.89	24.59	18.87	20.47	22.75	<=33.01	Pass
		Inner_1RB_Right	21.42	22.20	24.84	19.05	20.78	23.01	<=33.01	Pass
	2685	Edge_1RB_Left	19.15	19.69	22.44	16.78	18.27	20.60	<=33.01	Pass

CP-OFDM 256 QAM	2501.01	Edge 1RB Right	19.27	19.32	22.31	16.90	17.90	20.44	<=33.01	Pass
		Outer Full	20.63	20.93	23.79	18.26	19.51	21.94	<=33.01	Pass
		Inner Full	21.02	21.45	24.25	18.65	20.03	22.40	<=33.01	Pass
		Inner 1RB Left	21.16	21.59	24.39	18.79	20.17	22.54	<=33.01	Pass
		Inner 1RB Right	21.13	21.22	24.19	18.76	19.80	22.32	<=33.01	Pass
	2592.99	Edge 1RB Left	17.10	17.67	20.41	14.73	16.25	18.57	<=33.01	Pass
		Edge 1RB Right	17.45	17.80	20.64	15.08	16.38	18.79	<=33.01	Pass
		Outer Full	16.91	17.47	20.21	14.54	16.05	18.37	<=33.01	Pass
		Inner Full	17.09	17.46	20.29	14.72	16.04	18.44	<=33.01	Pass
		Inner 1RB Left	17.21	17.78	20.51	14.84	16.36	18.68	<=33.01	Pass
	2685	Inner 1RB Right	17.45	17.74	20.61	15.08	16.32	18.75	<=33.01	Pass
		Edge 1RB Left	17.79	18.10	20.96	15.42	16.68	19.11	<=33.01	Pass
		Edge 1RB Right	17.69	18.36	21.05	15.32	16.94	19.22	<=33.01	Pass
		Outer Full	17.28	18.02	20.68	14.91	16.60	18.85	<=33.01	Pass
		Inner Full	17.45	18.22	20.86	15.08	16.80	19.03	<=33.01	Pass
	2685	Inner 1RB Left	17.76	18.14	20.96	15.39	16.72	19.12	<=33.01	Pass
		Inner 1RB Right	17.75	18.35	21.07	15.38	16.93	19.23	<=33.01	Pass
		Edge 1RB Left	17.45	17.93	20.71	15.08	16.51	18.86	<=33.01	Pass
		Edge 1RB Right	17.40	17.65	20.53	15.03	16.23	18.68	<=33.01	Pass
		Outer Full	17.01	17.41	20.23	14.64	15.99	18.38	<=33.01	Pass
Inner Full		17.17	17.66	20.44	14.80	16.24	18.59	<=33.01	Pass	
2685	Inner 1RB Left	17.47	17.95	20.73	15.10	16.53	18.88	<=33.01	Pass	
	Inner 1RB Right	17.41	17.60	20.52	15.04	16.18	18.66	<=33.01	Pass	
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.2 30_M_15M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2503.5	Edge 1RB Left	18.98	19.64	22.34	16.61	18.22	20.50	<=33.01	Pass
		Edge 1RB Right	19.35	19.59	22.48	16.98	18.17	20.63	<=33.01	Pass
		Outer Full	21.08	21.37	24.24	18.71	19.95	22.38	<=33.01	Pass
		Inner Full	23.52	23.89	26.72	21.15	22.47	24.87	<=33.01	Pass
		Inner 1RB Left	23.22	23.86	26.56	20.85	22.44	24.73	<=33.01	Pass
		Inner 1RB Right	23.55	23.87	26.72	21.18	22.45	24.87	<=33.01	Pass
	2592.99	Edge 1RB Left	19.81	19.98	22.90	17.44	18.56	21.05	<=33.01	Pass
		Edge 1RB Right	19.58	20.49	23.07	17.21	19.07	21.25	<=33.01	Pass
		Outer Full	21.39	22.10	24.77	19.02	20.68	22.94	<=33.01	Pass
		Inner Full	23.73	24.58	27.19	21.36	23.16	25.36	<=33.01	Pass
		Inner 1RB Left	23.73	24.15	26.96	21.36	22.73	25.11	<=33.01	Pass
		Inner 1RB Right	23.63	24.47	27.08	21.26	23.05	25.26	<=33.01	Pass
	2682.48	Edge 1RB Left	19.37	20.12	22.77	17.00	18.70	20.94	<=33.01	Pass
		Edge 1RB Right	19.26	19.59	22.44	16.89	18.17	20.59	<=33.01	Pass
		Outer Full	21.26	21.66	24.47	18.89	20.24	22.63	<=33.01	Pass
		Inner Full	23.70	24.09	26.91	21.33	22.67	25.06	<=33.01	Pass
		Inner 1RB Left	23.67	24.09	26.90	21.30	22.67	25.05	<=33.01	Pass
		Inner 1RB Right	23.47	23.76	26.63	21.10	22.34	24.77	<=33.01	Pass
CP-OFDM 16 QAM	2503.5	Edge 1RB Left	19.05	20.17	22.66	16.68	18.75	20.85	<=33.01	Pass
		Edge 1RB Right	19.36	19.90	22.65	16.99	18.48	20.81	<=33.01	Pass
		Outer Full	21.00	21.52	24.27	18.63	20.10	22.44	<=33.01	Pass
		Inner Full	23.04	23.43	26.25	20.67	22.01	24.40	<=33.01	Pass
		Inner 1RB Left	23.00	23.41	26.22	20.63	21.99	24.37	<=33.01	Pass
		Inner 1RB Right	23.30	23.36	26.34	20.93	21.94	24.47	<=33.01	Pass
	2592.99	Edge 1RB Left	19.52	20.13	22.84	17.15	18.71	21.01	<=33.01	Pass
		Edge 1RB Right	19.42	20.61	23.06	17.05	19.19	21.26	<=33.01	Pass

		Outer_Full	21.30	22.11	24.73	18.93	20.69	22.91	<=33.01	Pass
		Inner_Full	23.18	24.14	26.70	20.81	22.72	24.88	<=33.01	Pass
		Inner_1RB_Left	23.28	23.70	26.51	20.91	22.28	24.66	<=33.01	Pass
		Inner_1RB_Right	23.17	23.82	26.52	20.80	22.40	24.68	<=33.01	Pass
	2682.48	Edge_1RB_Left	19.36	20.30	22.86	16.99	18.88	21.05	<=33.01	Pass
		Edge_1RB_Right	19.44	19.82	22.65	17.07	18.40	20.80	<=33.01	Pass
		Outer_Full	21.16	21.68	24.44	18.79	20.26	22.60	<=33.01	Pass
		Inner_Full	23.15	23.62	26.40	20.78	22.20	24.56	<=33.01	Pass
		Inner_1RB_Left	23.25	23.85	26.57	20.88	22.43	24.73	<=33.01	Pass
		Inner_1RB_Right	23.17	23.28	26.24	20.80	21.86	24.37	<=33.01	Pass
CP-OFDM 64 QAM	2503.5	Edge_1RB_Left	18.99	19.60	22.31	16.62	18.18	20.48	<=33.01	Pass
		Edge_1RB_Right	19.63	19.54	22.60	17.26	18.12	20.72	<=33.01	Pass
		Outer_Full	20.59	20.93	23.77	18.22	19.51	21.92	<=33.01	Pass
		Inner_Full	21.11	21.49	24.31	18.74	20.07	22.47	<=33.01	Pass
		Inner_1RB_Left	20.98	21.55	24.28	18.61	20.13	22.45	<=33.01	Pass
		Inner_1RB_Right	21.51	21.43	24.48	19.14	20.01	22.61	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.62	20.05	22.85	17.25	18.63	21.00	<=33.01	Pass
		Edge_1RB_Right	19.67	20.42	23.07	17.30	19.00	21.24	<=33.01	Pass
		Outer_Full	20.91	21.56	24.26	18.54	20.14	22.42	<=33.01	Pass
		Inner_Full	21.31	22.06	24.71	18.94	20.64	22.88	<=33.01	Pass
		Inner_1RB_Left	21.52	21.90	24.72	19.15	20.48	22.88	<=33.01	Pass
		Inner_1RB_Right	21.31	22.25	24.82	18.94	20.83	23.00	<=33.01	Pass
	2682.48	Edge_1RB_Left	19.40	20.09	22.77	17.03	18.67	20.94	<=33.01	Pass
		Edge_1RB_Right	19.37	19.52	22.46	17.00	18.10	20.60	<=33.01	Pass
		Outer_Full	20.72	21.18	23.97	18.35	19.76	22.12	<=33.01	Pass
		Inner_Full	21.26	21.63	24.46	18.89	20.21	22.61	<=33.01	Pass
		Inner_1RB_Left	21.37	21.85	24.63	19.00	20.43	22.78	<=33.01	Pass
		Inner_1RB_Right	21.33	21.29	24.32	18.96	19.87	22.45	<=33.01	Pass
CP-OFDM 256 QAM	2503.5	Edge_1RB_Left	17.16	17.95	20.58	14.79	16.53	18.76	<=33.01	Pass
		Edge_1RB_Right	17.55	17.81	20.69	15.18	16.39	18.84	<=33.01	Pass
		Outer_Full	17.18	17.54	20.37	14.81	16.12	18.52	<=33.01	Pass
		Inner_Full	17.11	17.60	20.37	14.74	16.18	18.53	<=33.01	Pass
		Inner_1RB_Left	17.16	17.88	20.54	14.79	16.46	18.72	<=33.01	Pass
		Inner_1RB_Right	17.50	17.81	20.67	15.13	16.39	18.82	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.73	18.18	20.97	15.36	16.76	19.13	<=33.01	Pass
		Edge_1RB_Right	17.64	18.59	21.15	15.27	17.17	19.33	<=33.01	Pass
		Outer_Full	17.55	18.25	20.92	15.18	16.83	19.09	<=33.01	Pass
		Inner_Full	17.42	18.18	20.83	15.05	16.76	19.00	<=33.01	Pass
		Inner_1RB_Left	17.77	18.18	20.99	15.40	16.76	19.14	<=33.01	Pass
		Inner_1RB_Right	17.61	18.50	21.09	15.24	17.08	19.27	<=33.01	Pass
	2682.48	Edge_1RB_Left	17.54	18.30	20.94	15.17	16.88	19.12	<=33.01	Pass
		Edge_1RB_Right	17.52	17.83	20.69	15.15	16.41	18.84	<=33.01	Pass
		Outer_Full	17.36	17.70	20.54	14.99	16.28	18.69	<=33.01	Pass
		Inner_Full	17.30	17.78	20.56	14.93	16.36	18.71	<=33.01	Pass
		Inner_1RB_Left	17.57	18.24	20.93	15.20	16.82	19.10	<=33.01	Pass
		Inner_1RB_Right	17.50	17.71	20.62	15.13	16.29	18.76	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.3 30_M_20M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2506.02	Edge_1RB_Left	19.17	19.50	22.35	16.80	18.08	20.50	<=33.01	Pass
		Edge_1RB_Right	19.23	19.29	22.27	16.86	17.87	20.40	<=33.01	Pass
		Outer Full	21.03	21.26	24.15	18.66	19.84	22.30	<=33.01	Pass

		Inner_Full	23.52	23.66	26.60	21.15	22.24	24.74	<=33.01	Pass
		Inner_1RB_Left	23.27	23.76	26.53	20.90	22.34	24.69	<=33.01	Pass
		Inner_1RB_Right	23.45	23.56	26.52	21.08	22.14	24.65	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.46	19.93	22.71	17.09	18.51	20.87	<=33.01	Pass
		Edge_1RB_Right	19.79	20.53	23.19	17.42	19.11	21.36	<=33.01	Pass
		Outer_Full	21.38	22.11	24.77	19.01	20.69	22.94	<=33.01	Pass
		Inner_Full	23.83	24.45	27.16	21.46	23.03	25.33	<=33.01	Pass
		Inner_1RB_Left	23.77	24.25	27.02	21.40	22.83	25.18	<=33.01	Pass
		Inner_1RB_Right	23.76	24.68	27.25	21.39	23.26	25.44	<=33.01	Pass
	2679.99	Edge_1RB_Left	19.39	20.20	22.82	17.02	18.78	21.00	<=33.01	Pass
		Edge_1RB_Right	19.52	19.61	22.57	17.15	18.19	20.71	<=33.01	Pass
		Outer_Full	21.27	21.72	24.51	18.90	20.30	22.67	<=33.01	Pass
		Inner_Full	23.82	24.20	27.03	21.45	22.78	25.18	<=33.01	Pass
		Inner_1RB_Left	23.52	24.31	26.94	21.15	22.89	25.12	<=33.01	Pass
		Inner_1RB_Right	23.53	23.79	26.67	21.16	22.37	24.82	<=33.01	Pass
CP-OFDM 16 QAM	2506.02	Edge_1RB_Left	19.13	19.87	22.53	16.76	18.45	20.70	<=33.01	Pass
		Edge_1RB_Right	19.26	19.75	22.52	16.89	18.33	20.68	<=33.01	Pass
		Outer_Full	21.05	21.37	24.22	18.68	19.95	22.37	<=33.01	Pass
		Inner_Full	23.03	23.34	26.20	20.66	21.92	24.35	<=33.01	Pass
		Inner_1RB_Left	22.95	23.36	26.17	20.58	21.94	24.32	<=33.01	Pass
		Inner_1RB_Right	23.11	23.19	26.16	20.74	21.77	24.30	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.55	20.08	22.84	17.18	18.66	20.99	<=33.01	Pass
		Edge_1RB_Right	19.45	20.77	23.17	17.08	19.35	21.37	<=33.01	Pass
		Outer_Full	21.45	22.09	24.79	19.08	20.67	22.96	<=33.01	Pass
		Inner_Full	23.24	24.11	26.70	20.87	22.69	24.88	<=33.01	Pass
		Inner_1RB_Left	23.33	23.41	26.38	20.96	21.99	24.52	<=33.01	Pass
		Inner_1RB_Right	23.19	23.94	26.59	20.82	22.52	24.76	<=33.01	Pass
	2679.99	Edge_1RB_Left	19.52	20.48	23.04	17.15	19.06	21.22	<=33.01	Pass
		Edge_1RB_Right	19.38	20.02	22.73	17.01	18.60	20.89	<=33.01	Pass
		Outer_Full	21.23	21.78	24.53	18.86	20.36	22.68	<=33.01	Pass
		Inner_Full	23.21	23.76	26.51	20.84	22.34	24.66	<=33.01	Pass
		Inner_1RB_Left	23.36	23.90	26.65	20.99	22.48	24.81	<=33.01	Pass
		Inner_1RB_Right	23.17	23.34	26.27	20.80	21.92	24.41	<=33.01	Pass
CP-OFDM 64 QAM	2506.02	Edge_1RB_Left	19.19	19.49	22.35	16.82	18.07	20.50	<=33.01	Pass
		Edge_1RB_Right	19.36	19.41	22.39	16.99	17.99	20.53	<=33.01	Pass
		Outer_Full	20.53	20.73	23.64	18.16	19.31	21.78	<=33.01	Pass
		Inner_Full	21.09	21.33	24.22	18.72	19.91	22.37	<=33.01	Pass
		Inner_1RB_Left	21.02	21.43	24.24	18.65	20.01	22.39	<=33.01	Pass
		Inner_1RB_Right	21.19	21.25	24.23	18.82	19.83	22.36	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.59	19.93	22.77	17.22	18.51	20.92	<=33.01	Pass
		Edge_1RB_Right	19.43	20.55	23.04	17.06	19.13	21.23	<=33.01	Pass
		Outer_Full	20.85	21.52	24.21	18.48	20.10	22.38	<=33.01	Pass
		Inner_Full	21.36	22.05	24.73	18.99	20.63	22.90	<=33.01	Pass
		Inner_1RB_Left	21.65	21.81	24.74	19.28	20.39	22.88	<=33.01	Pass
		Inner_1RB_Right	21.44	22.36	24.94	19.07	20.94	23.12	<=33.01	Pass
	2679.99	Edge_1RB_Left	19.48	20.14	22.83	17.11	18.72	21.00	<=33.01	Pass
		Edge_1RB_Right	19.50	19.56	22.54	17.13	18.14	20.67	<=33.01	Pass
		Outer_Full	20.75	21.24	24.01	18.38	19.82	22.17	<=33.01	Pass
		Inner_Full	21.32	21.70	24.53	18.95	20.28	22.68	<=33.01	Pass
		Inner_1RB_Left	21.36	22.08	24.74	18.99	20.66	22.92	<=33.01	Pass
		Inner_1RB_Right	21.35	21.50	24.44	18.98	20.08	22.58	<=33.01	Pass
CP-OFDM 256 QAM	2506.02	Edge_1RB_Left	17.13	17.92	20.55	14.76	16.50	18.73	<=33.01	Pass
		Edge_1RB_Right	17.27	17.62	20.46	14.90	16.20	18.61	<=33.01	Pass
		Outer_Full	17.16	17.37	20.28	14.79	15.95	18.42	<=33.01	Pass
		Inner_Full	17.16	17.48	20.33	14.79	16.06	18.48	<=33.01	Pass
		Inner_1RB_Left	17.20	17.77	20.50	14.83	16.35	18.67	<=33.01	Pass
		Inner_1RB_Right	17.31	17.57	20.45	14.94	16.15	18.60	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.84	18.11	20.99	15.47	16.69	19.13	<=33.01	Pass
		Edge_1RB_Right	17.70	18.73	21.25	15.33	17.31	19.44	<=33.01	Pass

		Outer_Full	17.56	18.27	20.94	15.19	16.85	19.11	<=33.01	Pass
		Inner_Full	17.51	18.28	20.92	15.14	16.86	19.09	<=33.01	Pass
		Inner_1RB_Left	17.76	18.13	20.96	15.39	16.71	19.11	<=33.01	Pass
		Inner_1RB_Right	17.66	18.66	21.19	15.29	17.24	19.38	<=33.01	Pass
	2679.99	Edge_1RB_Left	17.63	18.37	21.02	15.26	16.95	19.20	<=33.01	Pass
		Edge_1RB_Right	17.51	17.85	20.69	15.14	16.43	18.84	<=33.01	Pass
		Outer_Full	17.37	17.87	20.64	15.00	16.45	18.80	<=33.01	Pass
		Inner_Full	17.35	18.04	20.72	14.98	16.62	18.89	<=33.01	Pass
		Inner_1RB_Left	17.61	18.43	21.05	15.24	17.01	19.22	<=33.01	Pass
		Inner_1RB_Right	17.53	17.80	20.67	15.16	16.38	18.82	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.4 30_M_25M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 25MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2508.51	Edge_1RB_Left	18.99	19.74	22.39	16.62	18.32	20.56	<=33.01	Pass
		Edge_1RB_Right	19.11	19.22	22.17	16.74	17.80	20.31	<=33.01	Pass
		Outer Full	21.12	21.29	24.21	18.75	19.87	22.36	<=33.01	Pass
		Inner Full	23.52	23.75	26.64	21.15	22.33	24.79	<=33.01	Pass
		Inner_1RB_Left	23.25	23.74	26.51	20.88	22.32	24.67	<=33.01	Pass
		Inner_1RB_Right	23.25	23.37	26.32	20.88	21.95	24.46	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.40	19.67	22.55	17.03	18.25	20.69	<=33.01	Pass
		Edge_1RB_Right	19.58	20.44	23.04	17.21	19.02	21.22	<=33.01	Pass
		Outer Full	21.35	22.02	24.71	18.98	20.60	22.88	<=33.01	Pass
		Inner Full	23.71	24.51	27.14	21.34	23.09	25.31	<=33.01	Pass
		Inner_1RB_Left	23.70	24.04	26.88	21.33	22.62	25.03	<=33.01	Pass
		Inner_1RB_Right	23.51	24.72	27.16	21.14	23.30	25.36	<=33.01	Pass
	2677.5	Edge_1RB_Left	19.53	20.18	22.88	17.16	18.76	21.04	<=33.01	Pass
		Edge_1RB_Right	19.27	19.50	22.39	16.90	18.08	20.54	<=33.01	Pass
		Outer Full	21.21	21.64	24.44	18.84	20.22	22.59	<=33.01	Pass
		Inner Full	23.76	24.16	26.98	21.39	22.74	25.13	<=33.01	Pass
		Inner_1RB_Left	23.48	24.31	26.92	21.11	22.89	25.10	<=33.01	Pass
		Inner_1RB_Right	23.39	23.75	26.58	21.02	22.33	24.73	<=33.01	Pass
CP-OFDM 16 QAM	2508.51	Edge_1RB_Left	19.14	19.89	22.54	16.77	18.47	20.71	<=33.01	Pass
		Edge_1RB_Right	19.05	19.63	22.36	16.68	18.21	20.52	<=33.01	Pass
		Outer Full	21.08	21.30	24.20	18.71	19.88	22.34	<=33.01	Pass
		Inner Full	23.04	23.29	26.18	20.67	21.87	24.32	<=33.01	Pass
		Inner_1RB_Left	22.92	23.26	26.10	20.55	21.84	24.25	<=33.01	Pass
		Inner_1RB_Right	22.93	23.00	25.98	20.56	21.58	24.11	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.42	20.07	22.77	17.05	18.65	20.93	<=33.01	Pass
		Edge_1RB_Right	19.32	21.07	23.29	16.95	19.65	21.52	<=33.01	Pass
		Outer Full	21.39	22.10	24.77	19.02	20.68	22.94	<=33.01	Pass
		Inner Full	23.25	24.04	26.67	20.88	22.62	24.85	<=33.01	Pass
		Inner_1RB_Left	23.42	23.31	26.37	21.05	21.89	24.50	<=33.01	Pass
		Inner_1RB_Right	23.24	24.03	26.67	20.87	22.61	24.84	<=33.01	Pass
	2677.5	Edge_1RB_Left	9.15	8.95	12.06	6.78	7.53	10.18	<=33.01	Pass
		Edge_1RB_Right	19.16	19.58	22.39	16.79	18.16	20.54	<=33.01	Pass
		Outer Full	21.20	21.69	24.46	18.83	20.27	22.62	<=33.01	Pass
		Inner Full	23.27	23.74	26.52	20.90	22.32	24.68	<=33.01	Pass
		Inner_1RB_Left	23.18	23.83	26.53	20.81	22.41	24.69	<=33.01	Pass
		Inner_1RB_Right	22.99	23.15	26.08	20.62	21.73	24.22	<=33.01	Pass
CP-OFDM 64 QAM	2508.51	Edge_1RB_Left	19.19	19.58	22.40	16.82	18.16	20.55	<=33.01	Pass
		Edge_1RB_Right	19.28	19.19	22.24	16.91	17.77	20.37	<=33.01	Pass
		Outer Full	20.64	20.83	23.75	18.27	19.41	21.89	<=33.01	Pass

		Inner_Full	21.14	21.29	24.23	18.77	19.87	22.37	<=33.01	Pass
		Inner_1RB_Left	21.04	21.52	24.30	18.67	20.10	22.45	<=33.01	Pass
		Inner_1RB_Right	21.30	20.94	24.14	18.93	19.52	22.25	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.71	19.81	22.77	17.34	18.39	20.91	<=33.01	Pass
		Edge_1RB_Right	19.53	20.55	23.08	17.16	19.13	21.27	<=33.01	Pass
		Outer_Full	20.86	21.61	24.26	18.49	20.19	22.43	<=33.01	Pass
		Inner_Full	21.31	22.06	24.71	18.94	20.64	22.88	<=33.01	Pass
		Inner_1RB_Left	21.49	21.69	24.60	19.12	20.27	22.74	<=33.01	Pass
		Inner_1RB_Right	21.28	22.39	24.88	18.91	20.97	23.07	<=33.01	Pass
	2677.5	Edge_1RB_Left	19.46	20.21	22.86	17.09	18.79	21.03	<=33.01	Pass
		Edge_1RB_Right	19.19	19.49	22.35	16.82	18.07	20.50	<=33.01	Pass
		Outer_Full	20.74	21.23	24.00	18.37	19.81	22.16	<=33.01	Pass
		Inner_Full	21.30	21.72	24.53	18.93	20.30	22.68	<=33.01	Pass
		Inner_1RB_Left	21.15	22.04	24.63	18.78	20.62	22.81	<=33.01	Pass
		Inner_1RB_Right	21.19	21.30	24.26	18.82	19.88	22.39	<=33.01	Pass
CP-OFDM 256 QAM	2508.51	Edge_1RB_Left	17.36	17.91	20.65	14.99	16.49	18.81	<=33.01	Pass
		Edge_1RB_Right	17.26	17.34	20.31	14.89	15.92	18.45	<=33.01	Pass
		Outer_Full	17.23	17.38	20.31	14.86	15.96	18.46	<=33.01	Pass
		Inner_Full	17.18	17.47	20.34	14.81	16.05	18.48	<=33.01	Pass
		Inner_1RB_Left	17.26	17.94	20.62	14.89	16.52	18.79	<=33.01	Pass
		Inner_1RB_Right	17.30	17.47	20.39	14.93	16.05	18.54	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.67	18.03	20.87	15.30	16.61	19.01	<=33.01	Pass
		Edge_1RB_Right	17.56	18.66	21.16	15.19	17.24	19.35	<=33.01	Pass
		Outer_Full	17.51	18.19	20.88	15.14	16.77	19.04	<=33.01	Pass
		Inner_Full	17.52	18.16	20.86	15.15	16.74	19.03	<=33.01	Pass
		Inner_1RB_Left	17.68	17.91	20.81	15.31	16.49	18.95	<=33.01	Pass
		Inner_1RB_Right	17.53	18.74	21.19	15.16	17.32	19.38	<=33.01	Pass
	2677.5	Edge_1RB_Left	17.59	18.60	21.13	15.22	17.18	19.32	<=33.01	Pass
		Edge_1RB_Right	17.44	17.73	20.60	15.07	16.31	18.74	<=33.01	Pass
		Outer_Full	17.34	17.83	20.60	14.97	16.41	18.76	<=33.01	Pass
		Inner_Full	17.30	17.89	20.62	14.93	16.47	18.78	<=33.01	Pass
		Inner_1RB_Left	17.57	18.65	21.15	15.20	17.23	19.34	<=33.01	Pass
		Inner_1RB_Right	17.31	17.90	20.63	14.94	16.48	18.79	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.19 30_M_30M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 30MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2511	Edge_1RB_Left	19.25	19.63	22.46	16.88	18.21	20.61	<=33.01	Pass
		Edge_1RB_Right	19.15	19.05	22.11	16.78	17.63	20.24	<=33.01	Pass
		Outer_Full	21.26	21.27	24.28	18.89	19.85	22.41	<=33.01	Pass
		Inner_Full	23.64	23.85	26.76	21.27	22.43	24.90	<=33.01	Pass
		Inner_1RB_Left	23.30	24.12	26.74	20.93	22.70	24.91	<=33.01	Pass
		Inner_1RB_Right	23.42	23.51	26.47	21.05	22.09	24.61	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.47	19.60	22.54	17.10	18.18	20.68	<=33.01	Pass
		Edge_1RB_Right	19.41	20.68	23.10	17.04	19.26	21.30	<=33.01	Pass
		Outer_Full	21.46	22.05	24.78	19.09	20.63	22.94	<=33.01	Pass
		Inner_Full	23.77	24.61	27.22	21.40	23.19	25.40	<=33.01	Pass
		Inner_1RB_Left	23.68	23.71	26.71	21.31	22.29	24.84	<=33.01	Pass
		Inner_1RB_Right	23.69	24.81	27.30	21.32	23.39	25.49	<=33.01	Pass
	2674.98	Edge_1RB_Left	19.50	20.55	23.07	17.13	19.13	21.25	<=33.01	Pass
		Edge_1RB_Right	19.50	19.66	22.59	17.13	18.24	20.73	<=33.01	Pass
		Outer_Full	21.38	21.97	24.70	19.01	20.55	22.86	<=33.01	Pass
		Inner_Full	23.93	24.54	27.25	21.56	23.12	25.42	<=33.01	Pass

Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi;
 Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP
 Ant 1+EIRP Ant 2

1.1.20 30_M_35M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 35MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2513.52	Edge 1RB Left	19.12	19.63	22.39	16.75	18.21	20.55	<=33.01	Pass
		Edge 1RB Right	19.38	19.11	22.26	17.01	17.69	20.37	<=33.01	Pass
		Outer Full	21.20	21.29	24.25	18.83	19.87	22.39	<=33.01	Pass
		Inner Full	23.64	23.74	26.70	21.27	22.32	24.84	<=33.01	Pass
		Inner 1RB Left	23.47	23.87	26.68	21.10	22.45	24.84	<=33.01	Pass
		Inner 1RB Right	23.37	23.45	26.42	21.00	22.03	24.56	<=33.01	Pass
	2592.99	Edge 1RB Left	19.46	19.52	22.50	17.09	18.10	20.63	<=33.01	Pass
		Edge 1RB Right	19.55	20.61	23.12	17.18	19.19	21.31	<=33.01	Pass
		Outer Full	21.43	22.06	24.77	19.06	20.64	22.93	<=33.01	Pass
		Inner Full	23.76	24.63	27.23	21.39	23.21	25.40	<=33.01	Pass
		Inner 1RB Left	23.86	23.77	26.83	21.49	22.35	24.95	<=33.01	Pass
		Inner 1RB Right	23.60	24.87	27.29	21.23	23.45	25.49	<=33.01	Pass
	2672.49	Edge 1RB Left	19.48	20.59	23.08	17.11	19.17	21.27	<=33.01	Pass
		Edge 1RB Right	19.30	19.60	22.46	16.93	18.18	20.61	<=33.01	Pass
		Outer Full	21.40	22.03	24.74	19.03	20.61	22.90	<=33.01	Pass
		Inner Full	23.85	24.38	27.13	21.48	22.96	25.29	<=33.01	Pass
		Inner 1RB Left	23.56	24.87	27.27	21.19	23.45	25.48	<=33.01	Pass
		Inner 1RB Right	23.60	24.05	26.84	21.23	22.63	25.00	<=33.01	Pass
CP-OFDM 16 QAM	2513.52	Edge 1RB Left	19.34	20.07	22.73	16.97	18.65	20.90	<=33.01	Pass
		Edge 1RB Right	19.31	19.79	22.57	16.94	18.37	20.72	<=33.01	Pass
		Outer Full	21.18	21.31	24.25	18.81	19.89	22.39	<=33.01	Pass
		Inner Full	23.12	23.31	26.23	20.75	21.89	24.37	<=33.01	Pass
		Inner 1RB Left	23.15	23.55	26.37	20.78	22.13	24.52	<=33.01	Pass
		Inner 1RB Right	23.20	23.13	26.18	20.83	21.71	24.30	<=33.01	Pass
	2592.99	Edge 1RB Left	19.51	19.70	22.62	17.14	18.28	20.76	<=33.01	Pass
		Edge 1RB Right	19.52	20.82	23.23	17.15	19.40	21.43	<=33.01	Pass
		Outer Full	21.38	22.06	24.74	19.01	20.64	22.91	<=33.01	Pass
		Inner Full	23.28	24.20	26.77	20.91	22.78	24.96	<=33.01	Pass
		Inner 1RB Left	23.28	23.20	26.25	20.91	21.78	24.38	<=33.01	Pass
		Inner 1RB Right	23.21	24.44	26.88	20.84	23.02	25.08	<=33.01	Pass
	2672.49	Edge 1RB Left	19.41	21.03	23.30	17.04	19.61	21.52	<=33.01	Pass
		Edge 1RB Right	19.37	19.98	22.70	17.00	18.56	20.86	<=33.01	Pass
		Outer Full	21.34	22.05	24.72	18.97	20.63	22.89	<=33.01	Pass
		Inner Full	23.41	24.02	26.74	21.04	22.60	24.90	<=33.01	Pass
		Inner 1RB Left	23.19	24.44	26.87	20.82	23.02	25.07	<=33.01	Pass
		Inner 1RB Right	23.33	23.38	26.36	20.96	21.96	24.50	<=33.01	Pass
CP-OFDM 64 QAM	2513.52	Edge 1RB Left	19.39	19.70	22.56	17.02	18.28	20.71	<=33.01	Pass
		Edge 1RB Right	19.57	19.26	22.43	17.20	17.84	20.54	<=33.01	Pass
		Outer Full	20.73	20.81	23.78	18.36	19.39	21.92	<=33.01	Pass
		Inner Full	21.24	21.32	24.29	18.87	19.90	22.43	<=33.01	Pass
		Inner 1RB Left	21.18	21.62	24.41	18.81	20.20	22.57	<=33.01	Pass
		Inner 1RB Right	21.29	21.15	24.23	18.92	19.73	22.35	<=33.01	Pass
	2592.99	Edge 1RB Left	19.62	19.59	22.61	17.25	18.17	20.74	<=33.01	Pass
		Edge 1RB Right	19.50	20.72	23.16	17.13	19.30	21.36	<=33.01	Pass
		Outer Full	20.93	21.60	24.29	18.56	20.18	22.46	<=33.01	Pass
		Inner Full	21.37	22.10	24.76	19.00	20.68	22.93	<=33.01	Pass
		Inner 1RB Left	21.29	21.40	24.35	18.92	19.98	22.49	<=33.01	Pass
		Inner 1RB Right	21.33	22.62	25.03	18.96	21.20	23.23	<=33.01	Pass
	2672.49	Edge 1RB Left	19.36	20.61	23.04	16.99	19.19	21.24	<=33.01	Pass
		Edge 1RB Right	19.40	19.61	22.52	17.03	18.19	20.66	<=33.01	Pass
		Outer Full	20.87	21.53	24.22	18.50	20.11	22.39	<=33.01	Pass
		Inner Full	21.45	22.12	24.81	19.08	20.70	22.98	<=33.01	Pass

		Inner 1RB Left	21.21	22.52	24.93	18.84	21.10	23.13	<=33.01	Pass
		Inner 1RB Right	21.39	21.54	24.47	19.02	20.12	22.62	<=33.01	Pass
CP-OFDM 256 QAM	2513.52	Edge 1RB Left	17.29	18.08	20.71	14.92	16.66	18.89	<=33.01	Pass
		Edge 1RB Right	17.42	17.53	20.49	15.05	16.11	18.62	<=33.01	Pass
		Outer Full	17.30	17.45	20.39	14.93	16.03	18.53	<=33.01	Pass
		Inner Full	17.29	17.53	20.43	14.92	16.11	18.57	<=33.01	Pass
		Inner 1RB Left	17.34	18.12	20.76	14.97	16.70	18.93	<=33.01	Pass
		Inner 1RB Right	17.42	17.48	20.46	15.05	16.06	18.59	<=33.01	Pass
	2592.99	Edge 1RB Left	17.67	17.72	20.71	15.30	16.30	18.84	<=33.01	Pass
		Edge 1RB Right	17.59	18.98	21.35	15.22	17.56	19.56	<=33.01	Pass
		Outer Full	17.43	18.21	20.85	15.06	16.79	19.02	<=33.01	Pass
		Inner Full	17.38	18.24	20.84	15.01	16.82	19.02	<=33.01	Pass
		Inner 1RB Left	17.71	17.85	20.79	15.34	16.43	18.93	<=33.01	Pass
		Inner 1RB Right	17.61	18.99	21.37	15.24	17.57	19.57	<=33.01	Pass
	2672.49	Edge 1RB Left	17.50	18.92	21.28	15.13	17.50	19.49	<=33.01	Pass
		Edge 1RB Right	17.49	17.93	20.73	15.12	16.51	18.88	<=33.01	Pass
		Outer Full	17.45	18.15	20.83	15.08	16.73	18.99	<=33.01	Pass
		Inner Full	17.39	18.18	20.82	15.02	16.76	18.99	<=33.01	Pass
		Inner 1RB Left	17.52	18.95	21.30	15.15	17.53	19.51	<=33.01	Pass
		Inner 1RB Right	17.50	17.99	20.76	15.13	16.57	18.92	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.21 30_M_40M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 40MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2516.01	Edge 1RB Left	19.04	19.57	22.32	16.67	18.15	20.48	<=33.01	Pass
		Edge 1RB Right	19.19	19.11	22.16	16.82	17.69	20.29	<=33.01	Pass
		Outer Full	21.10	21.17	24.15	18.73	19.75	22.28	<=33.01	Pass
		Inner Full	23.44	23.55	26.50	21.07	22.13	24.64	<=33.01	Pass
		Inner 1RB Left	23.41	23.79	26.61	21.04	22.37	24.77	<=33.01	Pass
		Inner 1RB Right	23.34	23.36	26.36	20.97	21.94	24.49	<=33.01	Pass
	2592.99	Edge 1RB Left	19.35	19.37	22.37	16.98	17.95	20.50	<=33.01	Pass
		Edge 1RB Right	19.52	20.74	23.18	17.15	19.32	21.38	<=33.01	Pass
		Outer Full	21.41	22.07	24.76	19.04	20.65	22.93	<=33.01	Pass
		Inner Full	23.74	24.57	27.19	21.37	23.15	25.36	<=33.01	Pass
		Inner 1RB Left	23.70	23.70	26.71	21.33	22.28	24.84	<=33.01	Pass
		Inner 1RB Right	23.64	25.03	27.40	21.27	23.61	25.61	<=33.01	Pass
	2670	Edge 1RB Left	19.38	20.72	23.11	17.01	19.30	21.31	<=33.01	Pass
		Edge 1RB Right	19.42	19.65	22.55	17.05	18.23	20.69	<=33.01	Pass
		Outer Full	21.29	22.02	24.68	18.92	20.60	22.85	<=33.01	Pass
		Inner Full	23.74	24.48	27.13	21.37	23.06	25.31	<=33.01	Pass
		Inner 1RB Left	23.53	24.95	27.31	21.16	23.53	25.52	<=33.01	Pass
		Inner 1RB Right	23.52	23.89	26.72	21.15	22.47	24.87	<=33.01	Pass
CP-OFDM 16 QAM	2516.01	Edge 1RB Left	19.25	20.01	22.66	16.88	18.59	20.83	<=33.01	Pass
		Edge 1RB Right	19.28	19.72	22.52	16.91	18.30	20.67	<=33.01	Pass
		Outer Full	21.12	21.18	24.16	18.75	19.76	22.29	<=33.01	Pass
		Inner Full	23.05	23.20	26.13	20.68	21.78	24.28	<=33.01	Pass
		Inner 1RB Left	23.02	23.46	26.26	20.65	22.04	24.41	<=33.01	Pass
		Inner 1RB Right	23.00	23.05	26.03	20.63	21.63	24.17	<=33.01	Pass
	2592.99	Edge 1RB Left	19.51	19.91	22.72	17.14	18.49	20.88	<=33.01	Pass
		Edge 1RB Right	19.43	21.07	23.34	17.06	19.65	21.56	<=33.01	Pass
		Outer Full	21.41	22.09	24.77	19.04	20.67	22.94	<=33.01	Pass
		Inner Full	23.32	24.16	26.77	20.95	22.74	24.95	<=33.01	Pass
		Inner 1RB Left	23.31	23.31	26.32	20.94	21.89	24.45	<=33.01	Pass

		Inner 1RB Right	23.36	24.30	26.86	20.99	22.88	25.05	<=33.01	Pass	
	2670	Edge 1RB Left	19.25	21.13	23.30	16.88	19.71	21.53	<=33.01	Pass	
		Edge 1RB Right	19.39	19.73	22.58	17.02	18.31	20.72	<=33.01	Pass	
		Outer Full	21.38	22.12	24.78	19.01	20.70	22.95	<=33.01	Pass	
		Inner Full	23.41	24.15	26.81	21.04	22.73	24.98	<=33.01	Pass	
		Inner 1RB Left	23.06	24.55	26.88	20.69	23.13	25.09	<=33.01	Pass	
		Inner 1RB Right	23.26	23.43	26.36	20.89	22.01	24.50	<=33.01	Pass	
CP-OFDM 64 QAM	2516.01	Edge 1RB Left	19.33	19.71	22.54	16.96	18.29	20.69	<=33.01	Pass	
		Edge 1RB Right	19.46	19.24	22.36	17.09	17.82	20.48	<=33.01	Pass	
		Outer Full	20.61	20.63	23.63	18.24	19.21	21.76	<=33.01	Pass	
		Inner Full	21.11	21.14	24.14	18.74	19.72	22.27	<=33.01	Pass	
		Inner 1RB Left	21.23	21.54	24.40	18.86	20.12	22.55	<=33.01	Pass	
		Inner 1RB Right	21.49	21.05	24.29	19.12	19.63	22.39	<=33.01	Pass	
	2592.99	Edge 1RB Left	19.58	19.53	22.56	17.21	18.11	20.69	<=33.01	Pass	
		Edge 1RB Right	19.48	20.79	23.19	17.11	19.37	21.40	<=33.01	Pass	
		Outer Full	20.84	21.56	24.22	18.47	20.14	22.40	<=33.01	Pass	
		Inner Full	21.39	22.09	24.76	19.02	20.67	22.93	<=33.01	Pass	
		Inner 1RB Left	21.39	21.42	24.41	19.02	20.00	22.55	<=33.01	Pass	
		Inner 1RB Right	21.35	22.64	25.05	18.98	21.22	23.25	<=33.01	Pass	
	2670	Edge 1RB Left	19.32	20.77	23.12	16.95	19.35	21.32	<=33.01	Pass	
		Edge 1RB Right	19.39	19.59	22.50	17.02	18.17	20.64	<=33.01	Pass	
		Outer Full	20.83	21.56	24.22	18.46	20.14	22.39	<=33.01	Pass	
		Inner Full	21.41	22.11	24.79	19.04	20.69	22.95	<=33.01	Pass	
		Inner 1RB Left	21.09	22.71	24.99	18.72	21.29	23.20	<=33.01	Pass	
		Inner 1RB Right	21.38	21.51	24.46	19.01	20.09	22.59	<=33.01	Pass	
	CP-OFDM 256 QAM	2516.01	Edge 1RB Left	17.24	18.03	20.66	14.87	16.61	18.84	<=33.01	Pass
			Edge 1RB Right	17.33	17.43	20.39	14.96	16.01	18.53	<=33.01	Pass
			Outer Full	17.27	17.29	20.29	14.90	15.87	18.42	<=33.01	Pass
Inner Full			17.15	17.26	20.21	14.78	15.84	18.35	<=33.01	Pass	
Inner 1RB Left			17.32	18.02	20.69	14.95	16.60	18.86	<=33.01	Pass	
Inner 1RB Right			17.36	17.46	20.42	14.99	16.04	18.56	<=33.01	Pass	
2592.99		Edge 1RB Left	17.67	17.69	20.69	15.30	16.27	18.82	<=33.01	Pass	
		Edge 1RB Right	17.67	19.08	21.44	15.30	17.66	19.65	<=33.01	Pass	
		Outer Full	17.53	18.20	20.89	15.16	16.78	19.06	<=33.01	Pass	
		Inner Full	17.43	18.22	20.85	15.06	16.80	19.03	<=33.01	Pass	
		Inner 1RB Left	17.65	17.71	20.69	15.28	16.29	18.82	<=33.01	Pass	
		Inner 1RB Right	17.66	19.08	21.44	15.29	17.66	19.65	<=33.01	Pass	
2670		Edge 1RB Left	17.35	19.11	21.33	14.98	17.69	19.55	<=33.01	Pass	
		Edge 1RB Right	17.47	17.91	20.71	15.10	16.49	18.86	<=33.01	Pass	
		Outer Full	17.41	18.22	20.85	15.04	16.80	19.02	<=33.01	Pass	
		Inner Full	17.42	18.26	20.87	15.05	16.84	19.05	<=33.01	Pass	
		Inner 1RB Left	17.42	19.13	21.37	15.05	17.71	19.59	<=33.01	Pass	
		Inner 1RB Right	17.45	17.99	20.74	15.08	16.57	18.90	<=33.01	Pass	
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2											

1.1.22 30_M_45M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 45MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2518.5	Edge 1RB Left	19.13	19.75	22.46	16.76	18.33	20.63	<=33.01	Pass
		Edge 1RB Right	19.45	19.48	22.47	17.08	18.06	20.61	<=33.01	Pass
		Outer Full	21.11	21.14	24.14	18.74	19.72	22.27	<=33.01	Pass
		Inner Full	23.49	23.64	26.58	21.12	22.22	24.72	<=33.01	Pass
		Inner 1RB Left	23.25	23.90	26.60	20.88	22.48	24.76	<=33.01	Pass
		Inner 1RB Right	23.48	23.75	26.63	21.11	22.33	24.77	<=33.01	Pass

	2592.99	Edge 1RB Left	19.66	19.33	22.51	17.29	17.91	20.62	<=33.01	Pass
		Edge 1RB Right	19.44	20.85	23.21	17.07	19.43	21.42	<=33.01	Pass
		Outer Full	21.38	22.03	24.73	19.01	20.61	22.89	<=33.01	Pass
		Inner Full	23.79	24.60	27.22	21.42	23.18	25.40	<=33.01	Pass
		Inner 1RB Left	23.70	23.60	26.66	21.33	22.18	24.79	<=33.01	Pass
		Inner 1RB Right	23.74	25.17	27.52	21.37	23.75	25.73	<=33.01	Pass
	2667.48	Edge 1RB Left	19.34	20.83	23.16	16.97	19.41	21.37	<=33.01	Pass
		Edge 1RB Right	19.39	19.74	22.58	17.02	18.32	20.73	<=33.01	Pass
		Outer Full	21.28	22.15	24.75	18.91	20.73	22.92	<=33.01	Pass
		Inner Full	23.75	24.65	27.23	21.38	23.23	25.41	<=33.01	Pass
		Inner 1RB Left	23.46	25.12	27.38	21.09	23.70	25.60	<=33.01	Pass
		Inner 1RB Right	23.47	23.94	26.72	21.10	22.52	24.88	<=33.01	Pass
CP-OFDM 16 QAM	2518.5	Edge 1RB Left	19.35	20.34	22.88	16.98	18.92	21.07	<=33.01	Pass
		Edge 1RB Right	19.52	19.61	22.58	17.15	18.19	20.71	<=33.01	Pass
		Outer Full	21.16	21.30	24.24	18.79	19.88	22.38	<=33.01	Pass
		Inner Full	23.08	23.17	26.14	20.71	21.75	24.27	<=33.01	Pass
		Inner 1RB Left	23.12	23.62	26.39	20.75	22.20	24.55	<=33.01	Pass
		Inner 1RB Right	23.21	23.24	26.23	20.84	21.82	24.37	<=33.01	Pass
	2592.99	Edge 1RB Left	19.52	19.73	22.64	17.15	18.31	20.78	<=33.01	Pass
		Edge 1RB Right	19.60	21.18	23.47	17.23	19.76	21.69	<=33.01	Pass
		Outer Full	21.37	22.10	24.76	19.00	20.68	22.93	<=33.01	Pass
		Inner Full	23.30	24.16	26.76	20.93	22.74	24.94	<=33.01	Pass
		Inner 1RB Left	23.23	23.24	26.24	20.86	21.82	24.38	<=33.01	Pass
		Inner 1RB Right	23.23	24.38	26.85	20.86	22.96	25.05	<=33.01	Pass
	2667.48	Edge 1RB Left	19.40	21.26	23.44	17.03	19.84	21.67	<=33.01	Pass
		Edge 1RB Right	19.64	19.99	22.83	17.27	18.57	20.98	<=33.01	Pass
		Outer Full	21.32	22.19	24.78	18.95	20.77	22.96	<=33.01	Pass
		Inner Full	23.36	24.15	26.78	20.99	22.73	24.96	<=33.01	Pass
		Inner 1RB Left	23.00	24.52	26.84	20.63	23.10	25.05	<=33.01	Pass
		Inner 1RB Right	23.30	23.40	26.36	20.93	21.98	24.50	<=33.01	Pass
CP-OFDM 64 QAM	2518.5	Edge 1RB Left	19.36	19.71	22.55	16.99	18.29	20.70	<=33.01	Pass
		Edge 1RB Right	19.54	19.45	22.51	17.17	18.03	20.63	<=33.01	Pass
		Outer Full	20.71	20.76	23.75	18.34	19.34	21.88	<=33.01	Pass
		Inner Full	21.09	21.18	24.14	18.72	19.76	22.28	<=33.01	Pass
		Inner 1RB Left	21.27	21.66	24.48	18.90	20.24	22.63	<=33.01	Pass
		Inner 1RB Right	21.40	21.28	24.35	19.03	19.86	22.48	<=33.01	Pass
	2592.99	Edge 1RB Left	19.53	19.41	22.48	17.16	17.99	20.61	<=33.01	Pass
		Edge 1RB Right	19.34	20.85	23.17	16.97	19.43	21.38	<=33.01	Pass
		Outer Full	20.93	21.63	24.30	18.56	20.21	22.47	<=33.01	Pass
		Inner Full	21.35	22.10	24.75	18.98	20.68	22.92	<=33.01	Pass
		Inner 1RB Left	21.46	21.34	24.41	19.09	19.92	22.54	<=33.01	Pass
		Inner 1RB Right	21.28	22.76	25.09	18.91	21.34	23.30	<=33.01	Pass
	2667.48	Edge 1RB Left	19.29	20.85	23.15	16.92	19.43	21.36	<=33.01	Pass
		Edge 1RB Right	19.53	19.58	22.57	17.16	18.16	20.70	<=33.01	Pass
		Outer Full	20.79	21.69	24.27	18.42	20.27	22.45	<=33.01	Pass
		Inner Full	21.36	22.13	24.77	18.99	20.71	22.94	<=33.01	Pass
		Inner 1RB Left	21.08	22.73	25.00	18.71	21.31	23.21	<=33.01	Pass
		Inner 1RB Right	21.27	21.48	24.38	18.90	20.06	22.53	<=33.01	Pass
CP-OFDM 256 QAM	2518.5	Edge 1RB Left	17.28	18.13	20.73	14.91	16.71	18.91	<=33.01	Pass
		Edge 1RB Right	17.47	17.69	20.59	15.10	16.27	18.73	<=33.01	Pass
		Outer Full	17.30	17.36	20.34	14.93	15.94	18.47	<=33.01	Pass
		Inner Full	17.26	17.38	20.33	14.89	15.96	18.47	<=33.01	Pass
		Inner 1RB Left	17.33	18.11	20.75	14.96	16.69	18.92	<=33.01	Pass
		Inner 1RB Right	17.47	17.66	20.58	15.10	16.24	18.72	<=33.01	Pass
	2592.99	Edge 1RB Left	17.60	17.67	20.65	15.23	16.25	18.78	<=33.01	Pass
		Edge 1RB Right	17.68	19.20	21.52	15.31	17.78	19.73	<=33.01	Pass
		Outer Full	17.52	18.21	20.89	15.15	16.79	19.06	<=33.01	Pass
		Inner Full	17.49	18.24	20.89	15.12	16.82	19.06	<=33.01	Pass
		Inner 1RB Left	17.60	17.71	20.67	15.23	16.29	18.80	<=33.01	Pass

		Inner 1RB Right	17.69	19.18	21.51	15.32	17.76	19.72	<=33.01	Pass
	2667.48	Edge 1RB Left	17.35	19.23	21.40	14.98	17.81	19.63	<=33.01	Pass
		Edge 1RB Right	17.53	18.02	20.79	15.16	16.60	18.95	<=33.01	Pass
		Outer Full	17.34	18.31	20.86	14.97	16.89	19.05	<=33.01	Pass
		Inner Full	17.53	18.35	20.97	15.16	16.93	19.14	<=33.01	Pass
		Inner 1RB Left	17.40	19.23	21.42	15.03	17.81	19.65	<=33.01	Pass
		Inner 1RB Right	17.48	18.02	20.77	15.11	16.60	18.93	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.23 30_M_50M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 50MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2521.02	Edge 1RB Left	19.12	19.86	22.52	16.75	18.44	20.69	<=33.01	Pass
		Edge 1RB Right	19.50	19.46	22.49	17.13	18.04	20.62	<=33.01	Pass
		Outer Full	21.21	21.24	24.24	18.84	19.82	22.37	<=33.01	Pass
		Inner Full	23.57	23.67	26.63	21.20	22.25	24.77	<=33.01	Pass
		Inner 1RB Left	23.34	23.97	26.68	20.97	22.55	24.84	<=33.01	Pass
		Inner 1RB Right	23.62	23.73	26.69	21.25	22.31	24.82	<=33.01	Pass
	2592.99	Edge 1RB Left	19.81	19.30	22.57	17.44	17.88	20.68	<=33.01	Pass
		Edge 1RB Right	19.94	20.89	23.45	17.57	19.47	21.63	<=33.01	Pass
		Outer Full	21.44	22.04	24.76	19.07	20.62	22.92	<=33.01	Pass
		Inner Full	23.82	24.57	27.22	21.45	23.15	25.39	<=33.01	Pass
		Inner 1RB Left	23.71	23.56	26.65	21.34	22.14	24.77	<=33.01	Pass
		Inner 1RB Right	23.75	25.10	27.49	21.38	23.68	25.69	<=33.01	Pass
	2664.99	Edge 1RB Left	19.27	21.04	23.26	16.90	19.62	21.48	<=33.01	Pass
		Edge 1RB Right	19.53	19.86	22.71	17.16	18.44	20.86	<=33.01	Pass
		Outer Full	21.40	22.28	24.87	19.03	20.86	23.05	<=33.01	Pass
		Inner Full	23.89	24.76	27.36	21.52	23.34	25.53	<=33.01	Pass
		Inner 1RB Left	23.44	25.23	27.44	21.07	23.81	25.66	<=33.01	Pass
		Inner 1RB Right	23.60	23.97	26.80	21.23	22.55	24.95	<=33.01	Pass
CP-OFDM 16 QAM	2521.02	Edge 1RB Left	19.32	20.01	22.69	16.95	18.59	20.86	<=33.01	Pass
		Edge 1RB Right	19.71	19.67	22.70	17.34	18.25	20.83	<=33.01	Pass
		Outer Full	21.19	21.24	24.23	18.82	19.82	22.36	<=33.01	Pass
		Inner Full	23.08	23.18	26.14	20.71	21.76	24.28	<=33.01	Pass
		Inner 1RB Left	23.16	23.50	26.34	20.79	22.08	24.49	<=33.01	Pass
		Inner 1RB Right	23.20	23.27	26.25	20.83	21.85	24.38	<=33.01	Pass
	2592.99	Edge 1RB Left	19.50	19.64	22.58	17.13	18.22	20.72	<=33.01	Pass
		Edge 1RB Right	19.49	21.37	23.54	17.12	19.95	21.77	<=33.01	Pass
		Outer Full	21.34	22.11	24.75	18.97	20.69	22.92	<=33.01	Pass
		Inner Full	23.35	24.10	26.75	20.98	22.68	24.92	<=33.01	Pass
		Inner 1RB Left	23.28	23.04	26.17	20.91	21.62	24.29	<=33.01	Pass
		Inner 1RB Right	23.29	24.53	26.96	20.92	23.11	25.16	<=33.01	Pass
	2664.99	Edge 1RB Left	19.48	21.45	23.59	17.11	20.03	21.82	<=33.01	Pass
		Edge 1RB Right	19.41	20.21	22.84	17.04	18.79	21.01	<=33.01	Pass
		Outer Full	21.35	22.32	24.87	18.98	20.90	23.06	<=33.01	Pass
		Inner Full	23.45	24.29	26.90	21.08	22.87	25.08	<=33.01	Pass
		Inner 1RB Left	23.03	24.67	26.94	20.66	23.25	25.16	<=33.01	Pass
		Inner 1RB Right	23.27	23.58	26.44	20.90	22.16	24.59	<=33.01	Pass
CP-OFDM 64 QAM	2521.02	Edge 1RB Left	19.29	19.76	22.54	16.92	18.34	20.70	<=33.01	Pass
		Edge 1RB Right	19.73	19.47	22.61	17.36	18.05	20.73	<=33.01	Pass
		Outer Full	20.74	20.81	23.78	18.37	19.39	21.92	<=33.01	Pass
		Inner Full	21.14	21.22	24.19	18.77	19.80	22.33	<=33.01	Pass
		Inner 1RB Left	21.20	21.57	24.40	18.83	20.15	22.55	<=33.01	Pass
		Inner 1RB Right	21.54	21.26	24.41	19.17	19.84	22.53	<=33.01	Pass

CP-OFDM 256 QAM	2592.99	Edge 1RB Left	19.53	19.42	22.49	17.16	18.00	20.61	<=33.01	Pass	
		Edge 1RB Right	19.69	20.99	23.40	17.32	19.57	21.60	<=33.01	Pass	
		Outer_Full	20.91	21.64	24.30	18.54	20.22	22.47	<=33.01	Pass	
		Inner_Full	21.43	22.15	24.81	19.06	20.73	22.99	<=33.01	Pass	
		Inner 1RB Left	21.40	21.34	24.38	19.03	19.92	22.51	<=33.01	Pass	
		Inner 1RB Right	21.40	22.83	25.18	19.03	21.41	23.39	<=33.01	Pass	
	2664.99	Edge 1RB Left	19.20	21.05	23.23	16.83	19.63	21.46	<=33.01	Pass	
		Edge 1RB Right	19.51	19.79	22.66	17.14	18.37	20.81	<=33.01	Pass	
		Outer_Full	20.85	21.87	24.40	18.48	20.45	22.59	<=33.01	Pass	
		Inner_Full	21.48	22.37	24.96	19.11	20.95	23.14	<=33.01	Pass	
		Inner 1RB Left	21.09	22.89	25.09	18.72	21.47	23.32	<=33.01	Pass	
		Inner 1RB Right	21.50	21.53	24.53	19.13	20.11	22.66	<=33.01	Pass	
	2521.02	Edge 1RB Left	17.29	18.16	20.76	14.92	16.74	18.93	<=33.01	Pass	
		Edge 1RB Right	17.61	17.68	20.66	15.24	16.26	18.79	<=33.01	Pass	
		Outer_Full	17.28	17.41	20.36	14.91	15.99	18.49	<=33.01	Pass	
		Inner_Full	17.27	17.35	20.32	14.90	15.93	18.46	<=33.01	Pass	
		Inner 1RB Left	17.33	18.11	20.75	14.96	16.69	18.92	<=33.01	Pass	
		Inner 1RB Right	17.59	17.75	20.68	15.22	16.33	18.82	<=33.01	Pass	
		2592.99	Edge 1RB Left	17.58	17.70	20.65	15.21	16.28	18.79	<=33.01	Pass
			Edge 1RB Right	17.72	19.24	21.56	15.35	17.82	19.77	<=33.01	Pass
			Outer_Full	17.46	18.23	20.87	15.09	16.81	19.04	<=33.01	Pass
			Inner_Full	17.51	18.27	20.92	15.14	16.85	19.09	<=33.01	Pass
			Inner 1RB Left	17.51	17.67	20.60	15.14	16.25	18.74	<=33.01	Pass
			Inner 1RB Right	17.72	19.26	21.57	15.35	17.84	19.78	<=33.01	Pass
		2664.99	Edge 1RB Left	17.41	19.47	21.57	15.04	18.05	19.81	<=33.01	Pass
			Edge 1RB Right	17.56	18.22	20.91	15.19	16.80	19.08	<=33.01	Pass
			Outer_Full	17.40	18.44	20.96	15.03	17.02	19.15	<=33.01	Pass
			Inner_Full	17.55	18.56	21.10	15.18	17.14	19.28	<=33.01	Pass
			Inner 1RB Left	17.44	19.42	21.55	15.07	18.00	19.79	<=33.01	Pass
			Inner 1RB Right	17.60	18.21	20.93	15.23	16.79	19.09	<=33.01	Pass

Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.24 30_M_60M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 60MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2526	Edge 1RB Left	19.09	19.58	22.35	16.72	18.16	20.51	<=33.01	Pass
		Edge 1RB Right	19.32	19.29	22.32	16.95	17.87	20.44	<=33.01	Pass
		Outer_Full	21.10	21.14	24.13	18.73	19.72	22.26	<=33.01	Pass
		Inner_Full	23.44	23.46	26.46	21.07	22.04	24.59	<=33.01	Pass
		Inner 1RB Left	23.37	23.79	26.59	21.00	22.37	24.75	<=33.01	Pass
		Inner 1RB Right	23.60	23.56	26.59	21.23	22.14	24.72	<=33.01	Pass
	2592.99	Edge 1RB Left	19.40	19.18	22.30	17.03	17.76	20.42	<=33.01	Pass
		Edge 1RB Right	19.73	20.90	23.36	17.36	19.48	21.56	<=33.01	Pass
		Outer_Full	21.39	21.98	24.70	19.02	20.56	22.87	<=33.01	Pass
		Inner_Full	23.78	24.50	27.16	21.41	23.08	25.34	<=33.01	Pass
		Inner 1RB Left	23.75	23.53	26.65	21.38	22.11	24.77	<=33.01	Pass
		Inner 1RB Right	23.77	25.28	27.60	21.40	23.86	25.81	<=33.01	Pass
	2659.98	Edge 1RB Left	19.40	20.91	23.23	17.03	19.49	21.44	<=33.01	Pass
		Edge 1RB Right	19.31	19.60	22.47	16.94	18.18	20.61	<=33.01	Pass
		Outer_Full	21.23	22.27	24.79	18.86	20.85	22.98	<=33.01	Pass
		Inner_Full	23.73	24.71	27.26	21.36	23.29	25.44	<=33.01	Pass
		Inner 1RB Left	23.61	25.27	27.53	21.24	23.85	25.75	<=33.01	Pass
		Inner 1RB Right	23.56	23.98	26.79	21.19	22.56	24.94	<=33.01	Pass
CP-OFDM 16	2526	Edge 1RB Left	19.31	19.96	22.65	16.94	18.54	20.82	<=33.01	Pass

QAM		Edge 1RB Right	19.47	19.64	22.57	17.10	18.22	20.71	<=33.01	Pass
		Outer Full	21.10	21.18	24.15	18.73	19.76	22.29	<=33.01	Pass
		Inner Full	22.95	23.02	25.99	20.58	21.60	24.13	<=33.01	Pass
		Inner 1RB Left	23.10	23.45	26.29	20.73	22.03	24.44	<=33.01	Pass
		Inner 1RB Right	23.37	23.12	26.26	21.00	21.70	24.37	<=33.01	Pass
	2592.99	Edge 1RB Left	19.26	19.71	22.50	16.89	18.29	20.66	<=33.01	Pass
		Edge 1RB Right	19.69	21.26	23.55	17.32	19.84	21.77	<=33.01	Pass
		Outer Full	21.29	22.02	24.68	18.92	20.60	22.85	<=33.01	Pass
		Inner Full	23.30	24.13	26.74	20.93	22.71	24.92	<=33.01	Pass
		Inner 1RB Left	23.22	23.10	26.17	20.85	21.68	24.30	<=33.01	Pass
	2659.98	Inner 1RB Right	23.32	24.53	26.98	20.95	23.11	25.17	<=33.01	Pass
		Edge 1RB Left	19.48	21.13	23.39	17.11	19.71	21.61	<=33.01	Pass
		Edge 1RB Right	19.40	20.02	22.73	17.03	18.60	20.90	<=33.01	Pass
		Outer Full	21.21	22.30	24.80	18.84	20.88	22.99	<=33.01	Pass
		Inner Full	23.28	24.33	26.85	20.91	22.91	25.03	<=33.01	Pass
CP-OFDM 64 QAM	2526	Inner 1RB Left	23.01	24.58	26.88	20.64	23.16	25.09	<=33.01	Pass
		Inner 1RB Right	23.16	23.42	26.30	20.79	22.00	24.45	<=33.01	Pass
		Edge 1RB Left	19.17	19.61	22.41	16.80	18.19	20.56	<=33.01	Pass
		Edge 1RB Right	19.50	19.34	22.43	17.13	17.92	20.55	<=33.01	Pass
		Outer Full	20.64	20.74	23.70	18.27	19.32	21.84	<=33.01	Pass
	2592.99	Inner Full	21.01	21.04	24.04	18.64	19.62	22.17	<=33.01	Pass
		Inner 1RB Left	21.28	21.51	24.41	18.91	20.09	22.55	<=33.01	Pass
		Inner 1RB Right	21.42	21.21	24.33	19.05	19.79	22.45	<=33.01	Pass
		Edge 1RB Left	19.46	19.29	22.39	17.09	17.87	20.51	<=33.01	Pass
		Edge 1RB Right	19.61	21.08	23.42	17.24	19.66	21.63	<=33.01	Pass
	2659.98	Outer Full	20.85	21.63	24.27	18.48	20.21	22.44	<=33.01	Pass
		Inner Full	21.35	22.13	24.77	18.98	20.71	22.94	<=33.01	Pass
		Inner 1RB Left	21.40	21.24	24.33	19.03	19.82	22.45	<=33.01	Pass
		Inner 1RB Right	21.38	22.88	25.20	19.01	21.46	23.42	<=33.01	Pass
		Edge 1RB Left	19.43	21.00	23.30	17.06	19.58	21.51	<=33.01	Pass
CP-OFDM 256 QAM	2526	Edge 1RB Right	19.40	19.59	22.51	17.03	18.17	20.65	<=33.01	Pass
		Outer Full	20.75	21.86	24.35	18.38	20.44	22.54	<=33.01	Pass
		Inner Full	21.31	22.32	24.85	18.94	20.90	23.04	<=33.01	Pass
		Inner 1RB Left	21.22	22.90	25.15	18.85	21.48	23.37	<=33.01	Pass
		Inner 1RB Right	21.33	21.52	24.44	18.96	20.10	22.58	<=33.01	Pass
	2592.99	Edge 1RB Left	17.20	18.00	20.63	14.83	16.58	18.80	<=33.01	Pass
		Edge 1RB Right	17.47	17.55	20.52	15.10	16.13	18.66	<=33.01	Pass
		Outer Full	17.25	17.27	20.27	14.88	15.85	18.40	<=33.01	Pass
		Inner Full	17.14	17.23	20.19	14.77	15.81	18.33	<=33.01	Pass
		Inner 1RB Left	17.25	18.02	20.67	14.88	16.60	18.83	<=33.01	Pass
	2659.98	Inner 1RB Right	17.52	17.57	20.55	15.15	16.15	18.69	<=33.01	Pass
		Edge 1RB Left	17.53	17.49	20.52	15.16	16.07	18.65	<=33.01	Pass
		Edge 1RB Right	17.70	19.39	21.63	15.33	17.97	19.86	<=33.01	Pass
		Outer Full	17.43	18.13	20.80	15.06	16.71	18.97	<=33.01	Pass
		Inner Full	17.39	18.30	20.88	15.02	16.88	19.06	<=33.01	Pass
		Inner 1RB Left	17.50	17.52	20.52	15.13	16.10	18.65	<=33.01	Pass
		Inner 1RB Right	17.75	19.32	21.61	15.38	17.90	19.83	<=33.01	Pass
		Edge 1RB Left	17.56	19.32	21.54	15.19	17.90	19.76	<=33.01	Pass
		Edge 1RB Right	17.51	18.10	20.83	15.14	16.68	18.99	<=33.01	Pass
		Outer Full	17.32	18.47	20.94	14.95	17.05	19.14	<=33.01	Pass
	Inner Full	17.40	18.56	21.03	15.03	17.14	19.22	<=33.01	Pass	
		Inner 1RB Left	17.59	19.38	21.59	15.22	17.96	19.81	<=33.01	Pass
		Inner 1RB Right	17.51	17.90	20.72	15.14	16.48	18.87	<=33.01	Pass
		Edge 1RB Left	17.20	18.00	20.63	14.83	16.58	18.80	<=33.01	Pass
		Edge 1RB Right	17.47	17.55	20.52	15.10	16.13	18.66	<=33.01	Pass
		Outer Full	17.25	17.27	20.27	14.88	15.85	18.40	<=33.01	Pass
	Inner Full	17.14	17.23	20.19	14.77	15.81	18.33	<=33.01	Pass	
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.25 30_M_70M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 70MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2531.01	Edge 1RB Left	19.19	19.66	22.44	16.82	18.24	20.60	<=33.01	Pass
		Edge 1RB Right	19.49	19.23	22.37	17.12	17.81	20.49	<=33.01	Pass
		Outer Full	21.42	21.28	24.36	19.05	19.86	22.48	<=33.01	Pass
		Inner Full	23.78	23.63	26.72	21.41	22.21	24.84	<=33.01	Pass
		Inner 1RB Left	23.51	23.92	26.73	21.14	22.50	24.88	<=33.01	Pass
		Inner 1RB Right	23.83	23.60	26.73	21.46	22.18	24.85	<=33.01	Pass
	2592.99	Edge 1RB Left	19.46	19.22	22.35	17.09	17.80	20.47	<=33.01	Pass
		Edge 1RB Right	19.89	21.12	23.56	17.52	19.70	21.76	<=33.01	Pass
		Outer Full	21.60	22.13	24.88	19.23	20.71	23.04	<=33.01	Pass
		Inner Full	24.02	24.66	27.36	21.65	23.24	25.53	<=33.01	Pass
		Inner 1RB Left	23.77	23.55	26.67	21.40	22.13	24.79	<=33.01	Pass
		Inner 1RB Right	23.86	25.36	27.69	21.49	23.94	25.90	<=33.01	Pass
	2655	Edge 1RB Left	19.85	20.94	23.44	17.48	19.52	21.63	<=33.01	Pass
		Edge 1RB Right	19.36	19.71	22.54	16.99	18.29	20.70	<=33.01	Pass
		Outer Full	21.39	22.46	24.97	19.02	21.04	23.16	<=33.01	Pass
		Inner Full	23.84	25.00	27.46	21.47	23.58	25.66	<=33.01	Pass
		Inner 1RB Left	24.00	25.46	27.80	21.63	24.04	26.01	<=33.01	Pass
		Inner 1RB Right	23.56	23.91	26.75	21.19	22.49	24.90	<=33.01	Pass
CP-OFDM 16 QAM	2531.01	Edge 1RB Left	19.44	19.90	22.69	17.07	18.48	20.84	<=33.01	Pass
		Edge 1RB Right	19.48	19.57	22.53	17.11	18.15	20.67	<=33.01	Pass
		Outer Full	21.39	21.30	24.36	19.02	19.88	22.48	<=33.01	Pass
		Inner Full	23.27	23.19	26.24	20.90	21.77	24.37	<=33.01	Pass
		Inner 1RB Left	23.25	23.52	26.40	20.88	22.10	24.54	<=33.01	Pass
		Inner 1RB Right	23.41	23.11	26.27	21.04	21.69	24.39	<=33.01	Pass
	2592.99	Edge 1RB Left	19.51	19.57	22.55	17.14	18.15	20.68	<=33.01	Pass
		Edge 1RB Right	19.80	21.39	23.68	17.43	19.97	21.89	<=33.01	Pass
		Outer Full	21.57	22.13	24.87	19.20	20.71	23.03	<=33.01	Pass
		Inner Full	23.55	24.22	26.91	21.18	22.80	25.08	<=33.01	Pass
		Inner 1RB Left	23.30	23.04	26.18	20.93	21.62	24.30	<=33.01	Pass
		Inner 1RB Right	23.43	24.62	27.08	21.06	23.20	25.27	<=33.01	Pass
	2655	Edge 1RB Left	19.64	21.25	23.53	17.27	19.83	21.75	<=33.01	Pass
		Edge 1RB Right	19.53	19.80	22.68	17.16	18.38	20.82	<=33.01	Pass
		Outer Full	21.40	22.53	25.02	19.03	21.11	23.20	<=33.01	Pass
		Inner Full	23.40	24.55	27.02	21.03	23.13	25.22	<=33.01	Pass
		Inner 1RB Left	23.44	24.60	27.07	21.07	23.18	25.26	<=33.01	Pass
		Inner 1RB Right	23.27	23.42	26.35	20.90	22.00	24.50	<=33.01	Pass
CP-OFDM 64 QAM	2531.01	Edge 1RB Left	19.45	19.64	22.55	17.08	18.22	20.70	<=33.01	Pass
		Edge 1RB Right	19.50	19.35	22.44	17.13	17.93	20.56	<=33.01	Pass
		Outer Full	20.88	20.84	23.87	18.51	19.42	22.00	<=33.01	Pass
		Inner Full	21.38	21.21	24.31	19.01	19.79	22.43	<=33.01	Pass
		Inner 1RB Left	21.47	21.61	24.55	19.10	20.19	22.69	<=33.01	Pass
		Inner 1RB Right	21.46	21.32	24.40	19.09	19.90	22.52	<=33.01	Pass
	2592.99	Edge 1RB Left	19.52	19.30	22.42	17.15	17.88	20.54	<=33.01	Pass
		Edge 1RB Right	19.66	21.18	23.50	17.29	19.76	21.71	<=33.01	Pass
		Outer Full	21.08	21.70	24.41	18.71	20.28	22.58	<=33.01	Pass
		Inner Full	21.60	22.23	24.94	19.23	20.81	23.10	<=33.01	Pass
		Inner 1RB Left	21.61	21.18	24.41	19.24	19.76	22.52	<=33.01	Pass
		Inner 1RB Right	21.55	23.00	25.35	19.18	21.58	23.55	<=33.01	Pass
	2655	Edge 1RB Left	19.60	21.07	23.41	17.23	19.65	21.62	<=33.01	Pass
		Edge 1RB Right	19.49	19.67	22.59	17.12	18.25	20.73	<=33.01	Pass
		Outer Full	20.88	22.06	24.52	18.51	20.64	22.71	<=33.01	Pass
		Inner Full	21.42	22.57	25.04	19.05	21.15	23.24	<=33.01	Pass
		Inner 1RB Left	21.46	23.03	25.33	19.09	21.61	23.54	<=33.01	Pass
		Inner 1RB Right	21.47	21.57	24.53	19.10	20.15	22.67	<=33.01	Pass
CP-OFDM 256 QAM	2531.01	Edge 1RB Left	17.36	17.95	20.68	14.99	16.53	18.84	<=33.01	Pass
		Edge 1RB Right	17.57	17.49	20.54	15.20	16.07	18.67	<=33.01	Pass

		Outer Full	17.47	17.36	20.42	15.10	15.94	18.55	<=33.01	Pass
		Inner Full	17.40	17.32	20.37	15.03	15.90	18.50	<=33.01	Pass
		Inner_1RB_Left	17.38	18.01	20.72	15.01	16.59	18.88	<=33.01	Pass
		Inner_1RB_Right	17.65	17.53	20.60	15.28	16.11	18.73	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.51	17.46	20.49	15.14	16.04	18.62	<=33.01	Pass
		Edge_1RB_Right	17.82	19.46	21.73	15.45	18.04	19.95	<=33.01	Pass
		Outer Full	17.65	18.29	20.99	15.28	16.87	19.16	<=33.01	Pass
		Inner Full	17.64	18.31	21.00	15.27	16.89	19.17	<=33.01	Pass
	2655	Inner_1RB_Left	17.57	17.48	20.54	15.20	16.06	18.66	<=33.01	Pass
		Inner_1RB_Right	17.80	19.40	21.68	15.43	17.98	19.90	<=33.01	Pass
		Edge_1RB_Left	17.80	19.27	21.61	15.43	17.85	19.82	<=33.01	Pass
		Edge_1RB_Right	17.50	17.90	20.72	15.13	16.48	18.87	<=33.01	Pass
		Outer Full	17.49	18.64	21.11	15.12	17.22	19.31	<=33.01	Pass
		Inner Full	17.44	18.75	21.15	15.07	17.33	19.36	<=33.01	Pass
		Inner_1RB_Left	17.75	19.32	21.62	15.38	17.90	19.83	<=33.01	Pass
		Inner_1RB_Right	17.57	17.92	20.76	15.20	16.50	18.91	<=33.01	Pass

Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi;
Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2

1.1.26 30_M_80M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 80MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2536.02	Edge_1RB_Left	19.33	19.65	22.50	16.96	18.23	20.65	<=33.01	Pass
		Edge_1RB_Right	19.65	19.47	22.57	17.28	18.05	20.69	<=33.01	Pass
		Outer Full	21.33	21.16	24.26	18.96	19.74	22.38	<=33.01	Pass
		Inner Full	23.73	23.55	26.65	21.36	22.13	24.77	<=33.01	Pass
		Inner_1RB_Left	23.66	23.97	26.83	21.29	22.55	24.98	<=33.01	Pass
		Inner_1RB_Right	23.83	23.71	26.78	21.46	22.29	24.91	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.52	19.28	22.41	17.15	17.86	20.53	<=33.01	Pass
		Edge_1RB_Right	19.79	21.14	23.53	17.42	19.72	21.73	<=33.01	Pass
		Outer Full	21.56	22.14	24.87	19.19	20.72	23.03	<=33.01	Pass
		Inner Full	24.02	24.70	27.38	21.65	23.28	25.55	<=33.01	Pass
		Inner_1RB_Left	23.81	23.63	26.73	21.44	22.21	24.85	<=33.01	Pass
		Inner_1RB_Right	24.26	25.40	27.88	21.89	23.98	26.07	<=33.01	Pass
	2649.99	Edge_1RB_Left	19.81	20.80	23.34	17.44	19.38	21.53	<=33.01	Pass
		Edge_1RB_Right	19.65	19.77	22.72	17.28	18.35	20.86	<=33.01	Pass
		Outer Full	21.47	22.62	25.09	19.10	21.20	23.29	<=33.01	Pass
		Inner Full	23.89	25.22	27.62	21.52	23.80	25.82	<=33.01	Pass
		Inner_1RB_Left	23.93	24.92	27.47	21.56	23.50	25.65	<=33.01	Pass
		Inner_1RB_Right	23.71	24.06	26.90	21.34	22.64	25.05	<=33.01	Pass
CP-OFDM 16 QAM	2536.02	Edge_1RB_Left	19.56	19.93	22.75	17.19	18.51	20.91	<=33.01	Pass
		Edge_1RB_Right	19.65	19.86	22.77	17.28	18.44	20.91	<=33.01	Pass
		Outer Full	21.36	21.16	24.27	18.99	19.74	22.39	<=33.01	Pass
		Inner Full	23.22	23.11	26.17	20.85	21.69	24.30	<=33.01	Pass
		Inner_1RB_Left	23.35	23.52	26.44	20.98	22.10	24.59	<=33.01	Pass
		Inner_1RB_Right	23.39	23.14	26.28	21.02	21.72	24.39	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.61	19.66	22.65	17.24	18.24	20.78	<=33.01	Pass
		Edge_1RB_Right	19.80	21.52	23.76	17.43	20.10	21.98	<=33.01	Pass
		Outer Full	21.57	22.13	24.87	19.20	20.71	23.03	<=33.01	Pass
		Inner Full	23.53	24.15	26.86	21.16	22.73	25.03	<=33.01	Pass
		Inner_1RB_Left	23.58	23.16	26.38	21.21	21.74	24.49	<=33.01	Pass
		Inner_1RB_Right	23.31	24.92	27.20	20.94	23.50	25.42	<=33.01	Pass
	2649.99	Edge_1RB_Left	19.72	21.16	23.51	17.35	19.74	21.72	<=33.01	Pass
		Edge_1RB_Right	19.78	20.01	22.90	17.41	18.59	21.05	<=33.01	Pass
		Outer Full	21.50	22.63	25.11	19.13	21.21	23.30	<=33.01	Pass

		Inner_Full	23.41	24.71	27.12	21.04	23.29	25.32	<=33.01	Pass
		Inner_1RB_Left	23.46	24.33	26.93	21.09	22.91	25.10	<=33.01	Pass
		Inner_1RB_Right	23.44	23.45	26.46	21.07	22.03	24.59	<=33.01	Pass
CP-OFDM 64 QAM	2536.02	Edge_1RB_Left	19.34	19.73	22.55	16.97	18.31	20.70	<=33.01	Pass
		Edge_1RB_Right	19.65	19.70	22.69	17.28	18.28	20.82	<=33.01	Pass
		Outer_Full	20.87	20.71	23.80	18.50	19.29	21.92	<=33.01	Pass
		Inner_Full	21.31	21.14	24.23	18.94	19.72	22.36	<=33.01	Pass
		Inner_1RB_Left	21.29	21.71	24.52	18.92	20.29	22.67	<=33.01	Pass
		Inner_1RB_Right	21.49	21.47	24.49	19.12	20.05	22.62	<=33.01	Pass
	2592.99	Edge_1RB_Left	19.68	19.37	22.54	17.31	17.95	20.65	<=33.01	Pass
		Edge_1RB_Right	19.70	21.16	23.50	17.33	19.74	21.71	<=33.01	Pass
		Outer_Full	21.08	21.69	24.40	18.71	20.27	22.57	<=33.01	Pass
		Inner_Full	21.64	22.24	24.96	19.27	20.82	23.12	<=33.01	Pass
		Inner_1RB_Left	21.58	21.28	24.44	19.21	19.86	22.56	<=33.01	Pass
		Inner_1RB_Right	21.54	23.06	25.38	19.17	21.64	23.59	<=33.01	Pass
	2649.99	Edge_1RB_Left	19.68	20.89	23.33	17.31	19.47	21.53	<=33.01	Pass
		Edge_1RB_Right	19.56	19.77	22.68	17.19	18.35	20.82	<=33.01	Pass
		Outer_Full	21.01	22.20	24.66	18.64	20.78	22.85	<=33.01	Pass
		Inner_Full	21.45	22.82	25.20	19.08	21.40	23.40	<=33.01	Pass
		Inner_1RB_Left	21.50	22.74	25.17	19.13	21.32	23.37	<=33.01	Pass
		Inner_1RB_Right	21.49	21.57	24.54	19.12	20.15	22.68	<=33.01	Pass
CP-OFDM 256 QAM	2536.02	Edge_1RB_Left	17.46	18.01	20.75	15.09	16.59	18.91	<=33.01	Pass
		Edge_1RB_Right	17.67	17.75	20.72	15.30	16.33	18.86	<=33.01	Pass
		Outer_Full	17.40	17.31	20.37	15.03	15.89	18.49	<=33.01	Pass
		Inner_Full	17.35	17.25	20.31	14.98	15.83	18.44	<=33.01	Pass
		Inner_1RB_Left	17.44	17.99	20.73	15.07	16.57	18.89	<=33.01	Pass
		Inner_1RB_Right	17.67	17.73	20.71	15.30	16.31	18.84	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.68	17.60	20.65	15.31	16.18	18.78	<=33.01	Pass
		Edge_1RB_Right	17.76	19.38	21.65	15.39	17.96	19.87	<=33.01	Pass
		Outer_Full	17.61	18.29	20.97	15.24	16.87	19.14	<=33.01	Pass
		Inner_Full	17.64	18.28	20.99	15.27	16.86	19.15	<=33.01	Pass
		Inner_1RB_Left	17.68	17.55	20.63	15.31	16.13	18.75	<=33.01	Pass
		Inner_1RB_Right	17.78	19.47	21.72	15.41	18.05	19.94	<=33.01	Pass
	2649.99	Edge_1RB_Left	17.72	19.04	21.44	15.35	17.62	19.64	<=33.01	Pass
		Edge_1RB_Right	17.64	18.04	20.86	15.27	16.62	19.01	<=33.01	Pass
		Outer_Full	17.59	18.83	21.26	15.22	17.41	19.46	<=33.01	Pass
		Inner_Full	17.55	18.90	21.29	15.18	17.48	19.49	<=33.01	Pass
		Inner_1RB_Left	17.77	19.14	21.52	15.40	17.72	19.72	<=33.01	Pass
		Inner_1RB_Right	17.65	17.99	20.84	15.28	16.57	18.98	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.27 30_M_90M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 90MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2541	Edge 1RB Left	19.32	19.74	22.55	16.95	18.32	20.70	<=33.01	Pass
		Edge 1RB Right	19.71	20.04	22.89	17.34	18.62	21.04	<=33.01	Pass
		Outer Full	21.41	21.30	24.37	19.04	19.88	22.49	<=33.01	Pass
		Inner Full	23.80	23.65	26.74	21.43	22.23	24.86	<=33.01	Pass
		Inner 1RB Left	23.55	23.93	26.76	21.18	22.51	24.91	<=33.01	Pass
		Inner 1RB Right	24.00	24.22	27.12	21.63	22.80	25.26	<=33.01	Pass
	2592.99	Edge 1RB Left	19.51	19.29	22.41	17.14	17.87	20.53	<=33.01	Pass
		Edge 1RB Right	19.52	21.09	23.38	17.15	19.67	21.60	<=33.01	Pass
		Outer Full	21.59	22.13	24.88	19.22	20.71	23.04	<=33.01	Pass
		Inner Full	24.04	24.60	27.34	21.67	23.18	25.50	<=33.01	Pass

	2644.98	Inner 1RB Left	23.81	23.62	26.73	21.44	22.20	24.85	<=33.01	Pass
		Inner 1RB Right	23.96	25.48	27.80	21.59	24.06	26.01	<=33.01	Pass
		Edge 1RB Left	19.83	20.50	23.19	17.46	19.08	21.36	<=33.01	Pass
		Edge 1RB Right	19.54	19.72	22.64	17.17	18.30	20.78	<=33.01	Pass
		Outer Full	21.58	22.68	25.17	19.21	21.26	23.37	<=33.01	Pass
		Inner Full	23.94	25.34	27.71	21.57	23.92	25.91	<=33.01	Pass
		Inner 1RB Left	23.88	24.84	27.40	21.51	23.42	25.58	<=33.01	Pass
		Inner 1RB Right	23.82	24.09	26.97	21.45	22.67	25.11	<=33.01	Pass
CP-OFDM 16 QAM	2541	Edge 1RB Left	19.54	20.06	22.82	17.17	18.64	20.98	<=33.01	Pass
		Edge 1RB Right	19.90	20.42	23.17	17.53	19.00	21.34	<=33.01	Pass
		Outer Full	21.42	21.34	24.39	19.05	19.92	22.52	<=33.01	Pass
		Inner Full	23.34	23.23	26.29	20.97	21.81	24.42	<=33.01	Pass
		Inner 1RB Left	23.23	23.86	26.57	20.86	22.44	24.73	<=33.01	Pass
		Inner 1RB Right	23.59	23.83	26.72	21.22	22.41	24.87	<=33.01	Pass
	2592.99	Edge 1RB Left	19.69	19.77	22.74	17.32	18.35	20.88	<=33.01	Pass
		Edge 1RB Right	19.57	21.34	23.55	17.20	19.92	21.78	<=33.01	Pass
		Outer Full	21.57	22.16	24.89	19.20	20.74	23.05	<=33.01	Pass
		Inner Full	23.53	24.21	26.89	21.16	22.79	25.06	<=33.01	Pass
		Inner 1RB Left	23.40	23.07	26.25	21.03	21.65	24.36	<=33.01	Pass
		Inner 1RB Right	23.40	24.71	27.11	21.03	23.29	25.32	<=33.01	Pass
	2644.98	Edge 1RB Left	19.67	20.66	23.20	17.30	19.24	21.39	<=33.01	Pass
		Edge 1RB Right	19.63	20.13	22.90	17.26	18.71	21.06	<=33.01	Pass
		Outer Full	21.59	22.76	25.23	19.22	21.34	23.42	<=33.01	Pass
		Inner Full	23.56	24.92	27.30	21.19	23.50	25.51	<=33.01	Pass
		Inner 1RB Left	23.37	24.17	26.80	21.00	22.75	24.97	<=33.01	Pass
		Inner 1RB Right	23.44	23.45	26.46	21.07	22.03	24.59	<=33.01	Pass
CP-OFDM 64 QAM	2541	Edge 1RB Left	19.34	19.80	22.59	16.97	18.38	20.74	<=33.01	Pass
		Edge 1RB Right	19.80	20.24	23.04	17.43	18.82	21.19	<=33.01	Pass
		Outer Full	20.92	20.87	23.90	18.55	19.45	22.03	<=33.01	Pass
		Inner Full	21.41	21.23	24.33	19.04	19.81	22.45	<=33.01	Pass
		Inner 1RB Left	21.33	21.63	24.49	18.96	20.21	22.64	<=33.01	Pass
		Inner 1RB Right	21.70	22.06	24.89	19.33	20.64	23.04	<=33.01	Pass
	2592.99	Edge 1RB Left	19.71	19.35	22.54	17.34	17.93	20.66	<=33.01	Pass
		Edge 1RB Right	19.57	21.20	23.47	17.20	19.78	21.69	<=33.01	Pass
		Outer Full	21.08	21.69	24.41	18.71	20.27	22.57	<=33.01	Pass
		Inner Full	21.65	22.14	24.91	19.28	20.72	23.07	<=33.01	Pass
		Inner 1RB Left	21.68	21.33	24.52	19.31	19.91	22.63	<=33.01	Pass
		Inner 1RB Right	21.45	23.04	25.33	19.08	21.62	23.54	<=33.01	Pass
	2644.98	Edge 1RB Left	19.44	20.60	23.07	17.07	19.18	21.26	<=33.01	Pass
		Edge 1RB Right	19.64	19.75	22.71	17.27	18.33	20.84	<=33.01	Pass
		Outer Full	21.08	22.27	24.73	18.71	20.85	22.92	<=33.01	Pass
		Inner Full	21.52	22.89	25.27	19.15	21.47	23.47	<=33.01	Pass
		Inner 1RB Left	21.53	22.45	25.02	19.16	21.03	23.21	<=33.01	Pass
		Inner 1RB Right	21.64	21.62	24.64	19.27	20.20	22.77	<=33.01	Pass
CP-OFDM 256 QAM	2541	Edge 1RB Left	17.45	18.12	20.81	15.08	16.70	18.98	<=33.01	Pass
		Edge 1RB Right	17.90	18.26	21.09	15.53	16.84	19.24	<=33.01	Pass
		Outer Full	17.49	17.42	20.46	15.12	16.00	18.59	<=33.01	Pass
		Inner Full	17.40	17.33	20.37	15.03	15.91	18.50	<=33.01	Pass
		Inner 1RB Left	17.50	18.04	20.79	15.13	16.62	18.95	<=33.01	Pass
		Inner 1RB Right	17.91	18.31	21.13	15.54	16.89	19.28	<=33.01	Pass
	2592.99	Edge 1RB Left	17.68	17.54	20.62	15.31	16.12	18.74	<=33.01	Pass
		Edge 1RB Right	17.66	19.39	21.62	15.29	17.97	19.84	<=33.01	Pass
		Outer Full	17.67	18.29	21.00	15.30	16.87	19.17	<=33.01	Pass
		Inner Full	17.65	18.29	21.00	15.28	16.87	19.16	<=33.01	Pass
		Inner 1RB Left	17.73	17.57	20.66	15.36	16.15	18.78	<=33.01	Pass
		Inner 1RB Right	17.68	19.40	21.64	15.31	17.98	19.86	<=33.01	Pass
	2644.98	Edge 1RB Left	17.73	18.84	21.33	15.36	17.42	19.52	<=33.01	Pass
		Edge 1RB Right	17.65	17.97	20.82	15.28	16.55	18.97	<=33.01	Pass
		Outer Full	17.70	18.92	21.36	15.33	17.50	19.56	<=33.01	Pass

		Inner Full	17.63	19.11	21.45	15.26	17.69	19.65	<=33.01	Pass
		Inner 1RB Left	17.76	18.84	21.35	15.39	17.42	19.53	<=33.01	Pass
		Inner 1RB Right	17.69	18.00	20.86	15.32	16.58	19.01	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

1.1.28 30_M_100M_NTNV_EIRP

5G NR n41 SCS=30kHz MIMO 100MHz NTNV										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant3	Ant7	Sum	Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2546.01	Edge 1RB Left	19.41	19.73	22.58	17.04	18.31	20.73	<=33.01	Pass
		Edge 1RB Right	19.79	20.31	23.07	17.42	18.89	21.23	<=33.01	Pass
		Outer Full	21.39	21.30	24.36	19.02	19.88	22.48	<=33.01	Pass
		Inner Full	23.79	23.68	26.75	21.42	22.26	24.87	<=33.01	Pass
		Inner 1RB Left	23.74	24.12	26.94	21.37	22.70	25.10	<=33.01	Pass
		Inner 1RB Right	24.01	24.63	27.34	21.64	23.21	25.51	<=33.01	Pass
	2592.99	Edge 1RB Left	19.77	19.26	22.54	17.40	17.84	20.64	<=33.01	Pass
		Edge 1RB Right	19.47	21.13	23.39	17.10	19.71	21.61	<=33.01	Pass
		Outer Full	21.56	22.10	24.85	19.19	20.68	23.01	<=33.01	Pass
		Inner Full	24.06	24.69	27.40	21.69	23.27	25.56	<=33.01	Pass
		Inner 1RB Left	23.72	23.61	26.67	21.35	22.19	24.80	<=33.01	Pass
		Inner 1RB Right	23.69	25.24	27.54	21.32	23.82	25.76	<=33.01	Pass
	2640	Edge 1RB Left	19.83	20.24	23.05	17.46	18.82	21.20	<=33.01	Pass
		Edge 1RB Right	19.69	19.86	22.78	17.32	18.44	20.93	<=33.01	Pass
		Outer Full	21.61	22.65	25.17	19.24	21.23	23.36	<=33.01	Pass
		Inner Full	23.94	25.37	27.72	21.57	23.95	25.93	<=33.01	Pass
		Inner 1RB Left	24.06	24.58	27.34	21.69	23.16	25.50	<=33.01	Pass
		Inner 1RB Right	23.77	24.17	26.98	21.40	22.75	25.14	<=33.01	Pass
CP-OFDM 16 QAM	2546.01	Edge 1RB Left	19.68	20.05	22.88	17.31	18.63	21.03	<=33.01	Pass
		Edge 1RB Right	19.76	20.66	23.25	17.39	19.24	21.42	<=33.01	Pass
		Outer Full	21.40	21.36	24.39	19.03	19.94	22.52	<=33.01	Pass
		Inner Full	23.38	23.17	26.29	21.01	21.75	24.41	<=33.01	Pass
		Inner 1RB Left	23.38	23.88	26.64	21.01	22.46	24.81	<=33.01	Pass
		Inner 1RB Right	23.60	24.33	26.99	21.23	22.91	25.16	<=33.01	Pass
	2592.99	Edge 1RB Left	19.71	19.72	22.73	17.34	18.30	20.86	<=33.01	Pass
		Edge 1RB Right	19.62	21.44	23.64	17.25	20.02	21.86	<=33.01	Pass
		Outer Full	21.63	22.10	24.88	19.26	20.68	23.04	<=33.01	Pass
		Inner Full	23.54	24.13	26.85	21.17	22.71	25.02	<=33.01	Pass
		Inner 1RB Left	23.38	23.28	26.34	21.01	21.86	24.47	<=33.01	Pass
		Inner 1RB Right	23.15	24.82	27.08	20.78	23.40	25.29	<=33.01	Pass
	2640	Edge 1RB Left	19.80	20.59	23.23	17.43	19.17	21.40	<=33.01	Pass
		Edge 1RB Right	19.60	20.05	22.84	17.23	18.63	21.00	<=33.01	Pass
		Outer Full	21.62	22.68	25.19	19.25	21.26	23.38	<=33.01	Pass
		Inner Full	23.51	24.87	27.25	21.14	23.45	25.46	<=33.01	Pass
		Inner 1RB Left	23.63	24.05	26.85	21.26	22.63	25.01	<=33.01	Pass
		Inner 1RB Right	23.42	23.62	26.53	21.05	22.20	24.67	<=33.01	Pass
CP-OFDM 64 QAM	2546.01	Edge 1RB Left	19.50	19.68	22.60	17.13	18.26	20.74	<=33.01	Pass
		Edge 1RB Right	19.71	20.48	23.12	17.34	19.06	21.29	<=33.01	Pass
		Outer Full	20.92	20.89	23.91	18.55	19.47	22.04	<=33.01	Pass
		Inner Full	21.41	21.23	24.33	19.04	19.81	22.45	<=33.01	Pass
		Inner 1RB Left	21.42	21.67	24.56	19.05	20.25	22.70	<=33.01	Pass
		Inner 1RB Right	21.65	22.31	25.00	19.28	20.89	23.17	<=33.01	Pass
	2592.99	Edge 1RB Left	19.67	19.42	22.55	17.30	18.00	20.67	<=33.01	Pass
		Edge 1RB Right	19.45	21.08	23.35	17.08	19.66	21.57	<=33.01	Pass
		Outer Full	21.04	21.67	24.38	18.67	20.25	22.54	<=33.01	Pass
		Inner Full	21.62	22.18	24.92	19.25	20.76	23.08	<=33.01	Pass

		Inner_1RB_Left	21.51	21.27	24.40	19.14	19.85	22.52	<=33.01	Pass
		Inner_1RB_Right	21.26	22.96	25.20	18.89	21.54	23.42	<=33.01	Pass
	2640	Edge_1RB_Left	19.85	20.35	23.12	17.48	18.93	21.28	<=33.01	Pass
		Edge_1RB_Right	19.52	19.77	22.66	17.15	18.35	20.80	<=33.01	Pass
		Outer_Full	21.08	22.22	24.70	18.71	20.80	22.89	<=33.01	Pass
		Inner_Full	21.56	22.95	25.32	19.19	21.53	23.53	<=33.01	Pass
		Inner_1RB_Left	21.66	22.24	24.97	19.29	20.82	23.13	<=33.01	Pass
		Inner_1RB_Right	21.50	21.66	24.59	19.13	20.24	22.73	<=33.01	Pass
CP-OFDM 256 QAM	2546.01	Edge_1RB_Left	17.52	18.03	20.80	15.15	16.61	18.95	<=33.01	Pass
		Edge_1RB_Right	17.85	18.66	21.28	15.48	17.24	19.46	<=33.01	Pass
		Outer_Full	17.50	17.42	20.47	15.13	16.00	18.60	<=33.01	Pass
		Inner_Full	17.44	17.27	20.37	15.07	15.85	18.49	<=33.01	Pass
		Inner_1RB_Left	17.56	18.09	20.84	15.19	16.67	19.00	<=33.01	Pass
		Inner_1RB_Right	17.84	18.60	21.25	15.47	17.18	19.42	<=33.01	Pass
	2592.99	Edge_1RB_Left	17.65	17.62	20.65	15.28	16.20	18.77	<=33.01	Pass
		Edge_1RB_Right	17.58	19.35	21.57	15.21	17.93	19.79	<=33.01	Pass
		Outer_Full	17.59	18.26	20.95	15.22	16.84	19.12	<=33.01	Pass
		Inner_Full	17.66	18.28	20.99	15.29	16.86	19.16	<=33.01	Pass
		Inner_1RB_Left	17.65	17.61	20.64	15.28	16.19	18.77	<=33.01	Pass
		Inner_1RB_Right	17.60	19.28	21.53	15.23	17.86	19.75	<=33.01	Pass
	2640	Edge_1RB_Left	17.83	18.60	21.25	15.46	17.18	19.41	<=33.01	Pass
		Edge_1RB_Right	17.63	18.15	20.91	15.26	16.73	19.07	<=33.01	Pass
		Outer_Full	17.67	18.86	21.31	15.30	17.44	19.51	<=33.01	Pass
		Inner_Full	17.57	19.06	21.39	15.20	17.64	19.60	<=33.01	Pass
		Inner_1RB_Left	17.78	18.53	21.18	15.41	17.11	19.35	<=33.01	Pass
		Inner_1RB_Right	17.64	18.02	20.85	15.27	16.60	19.00	<=33.01	Pass
Note1: Antenna Gain: Ant3: -2.37dBi; Ant7: -1.42dBi; Note2: EIRP Ant_1=Conducted Power_1+Ant Gain_1 / EIRP Ant_2=Conducted Power_2+Ant Gain_2 / Sum=EIRP Ant_1+EIRP Ant_2										

2. Spurious Emission

2.1 Test Result

2.1.1 30_M_10M_NTNV

5G NR n41 SCS=30kHz MIMO 10MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2501.01	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2685	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.1.2 30_M_45M_NTNV

5G NR n41 SCS=30kHz MIMO 45MHz NTN


Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2518.5	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2667.48	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.1.3 30_M_100M_NTNV


5G NR n41 SCS=30kHz MIMO 100MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant3	Ant7	Sum	Limit	
CP-OFDM QPSK	2546.01	Edge_1RB_Left	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
	2640	Edge_1RB_Right	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
			Refer To Test Graph				Pass
			Refer To Test Graph				Pass

2.2 Test Graph

2.2.1 30_M_10M_NTNV




n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.000	-47.25	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2700	1	/	2	2695.500	-52.42	-13	Pass
2700	26900	1	/	3	26477.000	-40.00	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-46.04	-25	Pass
2490.5	2495	1	CHP	2	2494.499	-38.35	-13	Pass
2495	2496	0.005	CHP	3	2495.980	-46.18	-13	Pass
2496	2511.01	0.005	CHP	/	/	/	/	/


n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_Ant7



n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_Ant7




n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.494	-43.95	-25	Pass
2490.5	2495	1	CHP	2	2494.498	-36.11	-13	Pass
2495	2496	0.005	CHP	3	2495.980	-44.18	-13	Pass
2496	2511.01	0.005	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	915.900	-52.65	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2487.500	-32.11	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2700	1	/	2	2699.000	-49.83	-13	Pass
2700	26900	1	/	3	26477.000	-37.94	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Outer_Full_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-34.93	-25	Pass
2490.5	2495	1	CHP	2	2494.315	-29.04	-13	Pass
2495	2496	0.097	CHP	3	2495.065	-36.95	-13	Pass
2496	2511.01	0.097	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Outer_Full_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-33.17	-25	Pass
2490.5	2495	1	CHP	2	2493.535	-26.97	-13	Pass
2495	2496	0.097	CHP	3	2495.710	-34.64	-13	Pass
2496	2511.01	0.097	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2501.01MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.490	-30.90	-25	Pass
2490.5	2495	1	CHP	2	2494.240	-24.92	-13	Pass
2495	2496	0.097	CHP	3	2495.725	-33.29	-13	Pass
2496	2511.01	0.097	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.025	-43.19	-10	Pass
2691	2695	1	CHP	2	2691.500	-40.66	-10	Pass
2695	2700	1	CHP	3	2695.135	-47.95	-13	Pass
2700	2750	1	CHP	4	2700.070	-51.85	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	877.650	-55.69	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2352.000	-51.16	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2700	1	/	2	2696.500	-51.14	-13	Pass
2700	26900	1	/	3	26077.500	-40.13	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.160	-41.99	-10	Pass
2691	2695	1	CHP	2	2691.500	-39.06	-10	Pass
2695	2700	1	CHP	3	2695.105	-45.69	-13	Pass
2700	2750	1	CHP	4	2700.790	-51.71	-25	Pass


n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant7




n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_Ant7




n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_MIMO



n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_MIMO




n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2352.000	-49.41	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2700	1	/	2	2695.500	-47.21	-13	Pass
2700	26900	1	/	3	26486.000	-38.05	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Outer_Full_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.193	CHP	/	/	/	/	/
2690	2691	0.193	CHP	1	2690.800	-33.01	-10	Pass
2691	2695	1	CHP	2	2691.500	-28.67	-10	Pass
2695	2700	1	CHP	3	2695.050	-33.60	-13	Pass
2700	2750	1	CHP	4	2700.050	-41.43	-25	Pass

n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Outer_Full_Ant7



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.193	CHP	/	/	/	/	/
2690	2691	0.193	CHP	1	2690.450	-27.18	-10	Pass
2691	2695	1	CHP	2	2691.900	-22.66	-10	Pass
2695	2700	1	CHP	3	2695.050	-28.23	-13	Pass
2700	2750	1	CHP	4	2700.550	-39.53	-25	Pass


n41_30kHz_MIMO_NTNV_10MHz_CP-OFDM_QPSK_2685MHz_Outer_Full_MIMO



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.193	CHP	/	/	/	/	/
2690	2691	0.193	CHP	1	2690.450	-26.19	-10	Pass
2691	2695	1	CHP	2	2691.900	-21.74	-10	Pass
2695	2700	1	CHP	3	2695.050	-27.12	-13	Pass
2700	2750	1	CHP	4	2700.050	-37.46	-25	Pass


2.2.2 30_M_45M_NTNV

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.424	-50.77	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-45.77	-13	Pass
2495	2496	0.005	CHP	3	2495.952	-50.18	-13	Pass
2496	2563.5	0.005	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.800	-56.29	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.000	-51.94	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2735	1	/	2	2724.500	-51.60	-13	Pass
2735	26900	1	/	3	26447.000	-41.25	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.477	-49.74	-25	Pass
2490.5	2495	1	CHP	2	2494.482	-43.86	-13	Pass
2495	2496	0.005	CHP	3	2495.970	-46.85	-13	Pass
2496	2563.5	0.005	CHP	/	/	/	/	/


n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant7



n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_Ant7




n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.477	-47.24	-25	Pass
2490.5	2495	1	CHP	2	2494.500	-41.73	-13	Pass
2495	2496	0.005	CHP	3	2495.970	-46.85	-13	Pass
2496	2563.5	0.005	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	863.650	-53.54	-25	Pass


n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Edge_1RB_Left_MIMO



n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Outer_Full_Ant3




n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Outer_Full_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.102	-35.61	-25	Pass
2490.5	2495	1	CHP	2	2493.557	-31.33	-13	Pass
2495	2496	0.42	CHP	3	2495.597	-33.72	-13	Pass
2496	2563.5	0.42	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2518.5MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.102	-32.06	-25	Pass
2490.5	2495	1	CHP	2	2494.184	-29.67	-13	Pass
2495	2496	0.42	CHP	3	2495.597	-31.82	-13	Pass
2496	2563.5	0.42	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2622.48	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.025	-48.42	-10	Pass
2691	2695	1	CHP	2	2691.500	-47.00	-10	Pass
2695	2735	1	CHP	3	2695.075	-50.55	-13	Pass
2735	2750	1	CHP	4	2738.235	-52.36	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	897.950	-56.01	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2163.000	-51.89	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2735	1	/	2	2702.500	-48.77	-13	Pass
2735	26900	1	/	3	25956.000	-40.93	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2622.48	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-45.71	-10	Pass
2691	2695	1	CHP	2	2691.500	-43.63	-10	Pass
2695	2735	1	CHP	3	2702.355	-49.68	-13	Pass
2735	2750	1	CHP	4	2737.145	-52.21	-25	Pass


n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant7



n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_Ant7




n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2622.48	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.005	-44.21	-10	Pass
2691	2695	1	CHP	2	2691.500	-41.98	-10	Pass
2695	2735	1	CHP	3	2695.020	-47.35	-13	Pass
2735	2750	1	CHP	4	2737.035	-49.36	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.700	-53.28	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2163.000	-49.50	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2735	1	/	2	2702.500	-47.18	-13	Pass
2735	26900	1	/	3	26471.000	-38.37	-25	Pass

n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Outer_Full_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2622.48	2690	0.841	CHP	/	/	/	/	/
2690	2691	0.841	CHP	1	2690.066	-34.61	-10	Pass
2691	2695	1	CHP	2	2694.529	-32.35	-10	Pass
2695	2735	1	CHP	3	2695.039	-33.64	-13	Pass
2735	2750	1	CHP	4	2743.369	-53.87	-25	Pass


n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Outer_Full_Ant7




n41_30kHz_MIMO_NTNV_45MHz_CP-OFDM_QPSK_2667.48MHz_Outer_Full_MIMO



2.2.3 30_M_100M_NTNV




n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.000	-51.18	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2728.000	-51.66	-13	Pass
2790	26900	1	/	3	26511.000	-41.01	-25	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.494	-50.04	-25	Pass
2490.5	2495	1	CHP	2	2494.492	-40.10	-13	Pass
2495	2496	0.005	CHP	3	2495.999	-43.57	-13	Pass
2496	2646.01	0.005	CHP	/	/	/	/	/


n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant7



n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_Ant7




n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.701	-47.18	-25	Pass
2490.5	2495	1	CHP	2	2494.498	-37.45	-13	Pass
2495	2496	0.005	CHP	3	2495.989	-41.20	-13	Pass
2496	2646.01	0.005	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	843.150	-53.46	-25	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Edge_1RB_Left_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2490.000	-49.25	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2701.500	-48.73	-13	Pass
2790	26900	1	/	3	26499.500	-38.07	-25	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Outer_Full_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.351	-36.28	-25	Pass
2490.5	2495	1	CHP	2	2492.353	-36.13	-13	Pass
2495	2496	1	CHP	3	2495.954	-25.02	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Outer_Full_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.551	-32.78	-25	Pass
2490.5	2495	1	CHP	2	2492.353	-30.65	-13	Pass
2495	2496	1	CHP	3	2495.954	-25.10	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2546.01MHz_Outer_Full_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.401	-31.61	-25	Pass
2490.5	2495	1	CHP	2	2492.353	-29.57	-13	Pass
2495	2496	1	CHP	3	2495.954	-22.05	-13	Pass
2496	2646.01	1	CHP	/	/	/	/	/

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.160	-42.07	-10	Pass
2691	2695	1	CHP	2	2691.500	-41.67	-10	Pass
2695	2750	1	CHP	3	2695.010	-49.54	-13	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	916.750	-55.83	-25	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant3




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	2490.5	1	/	1	2223.500	-51.08	-25	Pass
2490.5	2695	1	/	/	/	/	/	/
2695	2790	1	/	2	2702.500	-44.43	-13	Pass
2790	26900	1	/	3	26454.000	-40.09	-25	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant7




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.100	-43.17	-10	Pass
2691	2695	1	CHP	2	2691.740	-40.60	-10	Pass
2695	2750	1	CHP	3	2695.005	-48.80	-13	Pass


n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant7



n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_Ant7




n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.165	-40.54	-10	Pass
2691	2695	1	CHP	2	2691.740	-38.15	-10	Pass
2695	2750	1	CHP	3	2695.005	-46.14	-13	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_MIMO




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	916.750	-53.15	-25	Pass


n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Edge_1RB_Right_MIMO



n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Outer_Full_Ant3




n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Outer_Full_Ant7



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.150	-27.90	-10	Pass
2691	2695	1	CHP	2	2691.950	-28.89	-10	Pass
2695	2750	1	CHP	3	2696.150	-28.23	-13	Pass

n41_30kHz_MIMO_NTNV_100MHz_CP-OFDM_QPSK_2640MHz_Outer_Full_MIMO



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540	2690	1	CHP	/	/	/	/	/
2690	2691	1	CHP	1	2690.150	-26.79	-10	Pass
2691	2695	1	CHP	2	2691.950	-27.83	-10	Pass
2695	2750	1	CHP	3	2695.700	-27.53	-13	Pass