

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	22.91	-1.29	21.62	<=33.01	Pass
			2	22.85	-1.29	21.56	<=33.01	Pass
			5	22.98	-1.29	21.69	<=33.01	Pass
		3	0	23.02	-1.29	21.73	<=33.01	Pass
			2	22.89	-1.29	21.60	<=33.01	Pass
			3	22.92	-1.29	21.63	<=33.01	Pass
		6	0	22.12	-1.29	20.83	<=33.01	Pass
	1880	1	0	22.77	-1.29	21.48	<=33.01	Pass
			2	22.77	-1.29	21.48	<=33.01	Pass
			5	22.78	-1.29	21.49	<=33.01	Pass
		3	0	22.62	-1.29	21.33	<=33.01	Pass
			2	22.61	-1.29	21.32	<=33.01	Pass
			3	22.69	-1.29	21.40	<=33.01	Pass
		6	0	21.75	-1.29	20.46	<=33.01	Pass
	1909.3	1	0	22.95	-1.29	21.66	<=33.01	Pass
			2	22.80	-1.29	21.51	<=33.01	Pass
			5	22.82	-1.29	21.53	<=33.01	Pass
		3	0	22.84	-1.29	21.55	<=33.01	Pass
			2	22.88	-1.29	21.59	<=33.01	Pass
			3	22.89	-1.29	21.60	<=33.01	Pass
		6	0	22.12	-1.29	20.83	<=33.01	Pass
16QAM	1850.7	1	0	22.12	-1.29	20.83	<=33.01	Pass
			2	22.49	-1.29	21.20	<=33.01	Pass
			5	22.09	-1.29	20.80	<=33.01	Pass
		3	0	22.18	-1.29	20.89	<=33.01	Pass
			2	21.96	-1.29	20.67	<=33.01	Pass
			3	21.96	-1.29	20.67	<=33.01	Pass
		6	0	21.18	-1.29	19.89	<=33.01	Pass
	1880	1	0	21.74	-1.29	20.45	<=33.01	Pass
			2	21.73	-1.29	20.44	<=33.01	Pass
			5	21.89	-1.29	20.60	<=33.01	Pass
		3	0	21.68	-1.29	20.39	<=33.01	Pass
			2	21.71	-1.29	20.42	<=33.01	Pass
			3	21.81	-1.29	20.52	<=33.01	Pass
		6	0	20.67	-1.29	19.38	<=33.01	Pass
	1909.3	1	0	22.10	-1.29	20.81	<=33.01	Pass
			2	22.50	-1.29	21.21	<=33.01	Pass
			5	22.15	-1.29	20.86	<=33.01	Pass
		3	0	21.93	-1.29	20.64	<=33.01	Pass
			2	22.38	-1.29	21.09	<=33.01	Pass
			3	21.93	-1.29	20.64	<=33.01	Pass
		6	0	21.12	-1.29	19.83	<=33.01	Pass
64QAM	1850.7	1	0	21.28	-1.29	19.99	<=33.01	Pass
			2	21.60	-1.29	20.31	<=33.01	Pass
			5	21.29	-1.29	20.00	<=33.01	Pass
		3	0	21.13	-1.29	19.84	<=33.01	Pass
			2	21.22	-1.29	19.93	<=33.01	Pass
			3	21.15	-1.29	19.86	<=33.01	Pass
		6	0	20.08	-1.29	18.79	<=33.01	Pass

	1880	1	0	20.85	-1.29	19.56	<=33.01	Pass
			2	20.91	-1.29	19.62	<=33.01	Pass
			5	20.89	-1.29	19.60	<=33.01	Pass
		3	0	20.75	-1.29	19.46	<=33.01	Pass
			2	20.67	-1.29	19.38	<=33.01	Pass
			3	20.81	-1.29	19.52	<=33.01	Pass
		6	0	19.63	-1.29	18.34	<=33.01	Pass
	1909.3	1	0	21.47	-1.29	20.18	<=33.01	Pass
			2	21.47	-1.29	20.18	<=33.01	Pass
			5	21.48	-1.29	20.19	<=33.01	Pass
		3	0	21.24	-1.29	19.95	<=33.01	Pass
			2	21.21	-1.29	19.92	<=33.01	Pass
			3	21.46	-1.29	20.17	<=33.01	Pass
		6	0	20.05	-1.29	18.76	<=33.01	Pass
256QAM	1850.7	1	0	18.18	-1.29	16.89	<=33.01	Pass
			2	18.07	-1.29	16.78	<=33.01	Pass
			5	17.96	-1.29	16.67	<=33.01	Pass
		3	0	18.10	-1.29	16.81	<=33.01	Pass
			2	17.94	-1.29	16.65	<=33.01	Pass
			3	18.16	-1.29	16.87	<=33.01	Pass
		6	0	18.13	-1.29	16.84	<=33.01	Pass
	1880	1	0	17.93	-1.29	16.64	<=33.01	Pass
			2	17.81	-1.29	16.52	<=33.01	Pass
			5	17.78	-1.29	16.49	<=33.01	Pass
		3	0	17.90	-1.29	16.61	<=33.01	Pass
			2	17.93	-1.29	16.64	<=33.01	Pass
			3	17.91	-1.29	16.62	<=33.01	Pass
		6	0	17.77	-1.29	16.48	<=33.01	Pass
	1909.3	1	0	18.32	-1.29	17.03	<=33.01	Pass
			2	18.38	-1.29	17.09	<=33.01	Pass
			5	18.16	-1.29	16.87	<=33.01	Pass
		3	0	18.33	-1.29	17.04	<=33.01	Pass
			2	18.13	-1.29	16.84	<=33.01	Pass
			3	18.15	-1.29	16.86	<=33.01	Pass
		6	0	18.17	-1.29	16.88	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.95	-1.29	21.66	<=33.01	Pass
			7	23.00	-1.29	21.71	<=33.01	Pass
			14	22.84	-1.29	21.55	<=33.01	Pass
		8	0	22.10	-1.29	20.81	<=33.01	Pass
			4	22.08	-1.29	20.79	<=33.01	Pass
			7	22.11	-1.29	20.82	<=33.01	Pass
		15	0	22.07	-1.29	20.78	<=33.01	Pass
	1880	1	0	22.62	-1.29	21.33	<=33.01	Pass
			7	22.71	-1.29	21.42	<=33.01	Pass
			14	22.63	-1.29	21.34	<=33.01	Pass
		8	0	21.68	-1.29	20.39	<=33.01	Pass
			4	21.69	-1.29	20.40	<=33.01	Pass
			7	21.64	-1.29	20.35	<=33.01	Pass
		15	0	21.65	-1.29	20.36	<=33.01	Pass
	1908.5	1	0	22.81	-1.29	21.52	<=33.01	Pass

		8	7	22.81	-1.29	21.52	<=33.01	Pass
			14	22.83	-1.29	21.54	<=33.01	Pass
			0	22.10	-1.29	20.81	<=33.01	Pass
			4	22.11	-1.29	20.82	<=33.01	Pass
			7	22.05	-1.29	20.76	<=33.01	Pass
		15	0	22.09	-1.29	20.80	<=33.01	Pass
16QAM	1851.5	1	0	22.13	-1.29	20.84	<=33.01	Pass
			7	22.45	-1.29	21.16	<=33.01	Pass
			14	22.40	-1.29	21.11	<=33.01	Pass
		8	0	21.34	-1.29	20.05	<=33.01	Pass
			4	21.03	-1.29	19.74	<=33.01	Pass
			7	21.02	-1.29	19.73	<=33.01	Pass
		15	0	21.02	-1.29	19.73	<=33.01	Pass
	1880	1	0	21.65	-1.29	20.36	<=33.01	Pass
			7	21.73	-1.29	20.44	<=33.01	Pass
			14	21.60	-1.29	20.31	<=33.01	Pass
		8	0	20.64	-1.29	19.35	<=33.01	Pass
			4	20.70	-1.29	19.41	<=33.01	Pass
			7	20.63	-1.29	19.34	<=33.01	Pass
		15	0	20.66	-1.29	19.37	<=33.01	Pass
	1908.5	1	0	22.03	-1.29	20.74	<=33.01	Pass
			7	22.42	-1.29	21.13	<=33.01	Pass
			14	22.45	-1.29	21.16	<=33.01	Pass
		8	0	21.23	-1.29	19.94	<=33.01	Pass
			4	21.12	-1.29	19.83	<=33.01	Pass
			7	21.04	-1.29	19.75	<=33.01	Pass
		15	0	21.07	-1.29	19.78	<=33.01	Pass
64QAM	1851.5	1	0	21.43	-1.29	20.14	<=33.01	Pass
			7	21.18	-1.29	19.89	<=33.01	Pass
			14	21.10	-1.29	19.81	<=33.01	Pass
		8	0	20.02	-1.29	18.73	<=33.01	Pass
			4	19.96	-1.29	18.67	<=33.01	Pass
			7	20.07	-1.29	18.78	<=33.01	Pass
		15	0	19.98	-1.29	18.69	<=33.01	Pass
	1880	1	0	20.77	-1.29	19.48	<=33.01	Pass
			7	20.88	-1.29	19.59	<=33.01	Pass
			14	20.76	-1.29	19.47	<=33.01	Pass
		8	0	19.57	-1.29	18.28	<=33.01	Pass
			4	19.78	-1.29	18.49	<=33.01	Pass
			7	19.63	-1.29	18.34	<=33.01	Pass
		15	0	19.56	-1.29	18.27	<=33.01	Pass
	1908.5	1	0	20.92	-1.29	19.63	<=33.01	Pass
			7	21.29	-1.29	20.00	<=33.01	Pass
			14	20.95	-1.29	19.66	<=33.01	Pass
		8	0	20.08	-1.29	18.79	<=33.01	Pass
			4	19.93	-1.29	18.64	<=33.01	Pass
			7	20.05	-1.29	18.76	<=33.01	Pass
		15	0	20.03	-1.29	18.74	<=33.01	Pass
256QAM	1851.5	1	0	18.18	-1.29	16.89	<=33.01	Pass
			7	18.17	-1.29	16.88	<=33.01	Pass
			14	17.92	-1.29	16.63	<=33.01	Pass
		8	0	18.16	-1.29	16.87	<=33.01	Pass
			4	18.22	-1.29	16.93	<=33.01	Pass
			7	18.07	-1.29	16.78	<=33.01	Pass
		15	0	18.13	-1.29	16.84	<=33.01	Pass
	1880	1	0	17.70	-1.29	16.41	<=33.01	Pass
			7	17.53	-1.29	16.24	<=33.01	Pass
			14	17.73	-1.29	16.44	<=33.01	Pass
		8	0	17.68	-1.29	16.39	<=33.01	Pass

			4	17.70	-1.29	16.41	<=33.01	Pass
			7	17.70	-1.29	16.41	<=33.01	Pass
		15	0	17.59	-1.29	16.30	<=33.01	Pass
	1908.5	1	0	18.24	-1.29	16.95	<=33.01	Pass
			7	18.16	-1.29	16.87	<=33.01	Pass
			14	18.16	-1.29	16.87	<=33.01	Pass
		8	0	18.09	-1.29	16.80	<=33.01	Pass
			4	18.10	-1.29	16.81	<=33.01	Pass
			7	17.94	-1.29	16.65	<=33.01	Pass
		15	0	18.12	-1.29	16.83	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTVN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.05	-1.29	21.76	<=33.01	Pass
			13	22.86	-1.29	21.57	<=33.01	Pass
			24	22.94	-1.29	21.65	<=33.01	Pass
		12	0	22.14	-1.29	20.85	<=33.01	Pass
			6	22.10	-1.29	20.81	<=33.01	Pass
			13	22.11	-1.29	20.82	<=33.01	Pass
		25	0	22.09	-1.29	20.80	<=33.01	Pass
	1880	1	0	22.62	-1.29	21.33	<=33.01	Pass
			13	22.76	-1.29	21.47	<=33.01	Pass
			24	22.80	-1.29	21.51	<=33.01	Pass
		12	0	21.66	-1.29	20.37	<=33.01	Pass
			6	21.65	-1.29	20.36	<=33.01	Pass
			13	21.68	-1.29	20.39	<=33.01	Pass
		25	0	21.69	-1.29	20.40	<=33.01	Pass
	1907.5	1	0	22.84	-1.29	21.55	<=33.01	Pass
			13	22.89	-1.29	21.60	<=33.01	Pass
			24	22.95	-1.29	21.66	<=33.01	Pass
		12	0	22.15	-1.29	20.86	<=33.01	Pass
			6	22.10	-1.29	20.81	<=33.01	Pass
			13	22.12	-1.29	20.83	<=33.01	Pass
		25	0	22.16	-1.29	20.87	<=33.01	Pass
16QAM	1852.5	1	0	22.04	-1.29	20.75	<=33.01	Pass
			13	22.13	-1.29	20.84	<=33.01	Pass
			24	21.89	-1.29	20.60	<=33.01	Pass
		12	0	21.20	-1.29	19.91	<=33.01	Pass
			6	21.12	-1.29	19.83	<=33.01	Pass
			13	21.03	-1.29	19.74	<=33.01	Pass
		25	0	21.17	-1.29	19.88	<=33.01	Pass
	1880	1	0	21.96	-1.29	20.67	<=33.01	Pass
			13	22.17	-1.29	20.88	<=33.01	Pass
			24	21.65	-1.29	20.36	<=33.01	Pass
		12	0	20.71	-1.29	19.42	<=33.01	Pass
			6	20.68	-1.29	19.39	<=33.01	Pass
			13	20.76	-1.29	19.47	<=33.01	Pass
		25	0	20.75	-1.29	19.46	<=33.01	Pass
	1907.5	1	0	21.99	-1.29	20.70	<=33.01	Pass
			13	22.23	-1.29	20.94	<=33.01	Pass
			24	22.03	-1.29	20.74	<=33.01	Pass
		12	0	21.15	-1.29	19.86	<=33.01	Pass
			6	21.14	-1.29	19.85	<=33.01	Pass

			13	21.16	-1.29	19.87	<=33.01	Pass	
		25	0	21.12	-1.29	19.83	<=33.01	Pass	
64QAM	1852.5	1	0	21.23	-1.29	19.94	<=33.01	Pass	
			13	21.22	-1.29	19.93	<=33.01	Pass	
			24	21.17	-1.29	19.88	<=33.01	Pass	
			0	20.17	-1.29	18.88	<=33.01	Pass	
		12	6	20.21	-1.29	18.92	<=33.01	Pass	
			13	20.08	-1.29	18.79	<=33.01	Pass	
			25	0	20.07	-1.29	18.78	<=33.01	Pass
		1880	1	0	20.78	-1.29	19.49	<=33.01	Pass
				13	20.91	-1.29	19.62	<=33.01	Pass
				24	20.96	-1.29	19.67	<=33.01	Pass
	0			19.71	-1.29	18.42	<=33.01	Pass	
	12		6	19.58	-1.29	18.29	<=33.01	Pass	
			13	19.72	-1.29	18.43	<=33.01	Pass	
			25	0	19.54	-1.29	18.25	<=33.01	Pass
	1907.5		1	0	21.26	-1.29	19.97	<=33.01	Pass
		13		21.30	-1.29	20.01	<=33.01	Pass	
		24		21.41	-1.29	20.12	<=33.01	Pass	
		0		20.17	-1.29	18.88	<=33.01	Pass	
		12	6	20.05	-1.29	18.76	<=33.01	Pass	
			13	20.13	-1.29	18.84	<=33.01	Pass	
			25	0	20.02	-1.29	18.73	<=33.01	Pass
		256QAM	1852.5	1	0	18.41	-1.29	17.12	<=33.01
	13				17.90	-1.29	16.61	<=33.01	Pass
24	18.27				-1.29	16.98	<=33.01	Pass	
12	0			18.11	-1.29	16.82	<=33.01	Pass	
	6			18.17	-1.29	16.88	<=33.01	Pass	
	13			18.05	-1.29	16.76	<=33.01	Pass	
	25			0	18.06	-1.29	16.77	<=33.01	Pass
1880	1		0	17.86	-1.29	16.57	<=33.01	Pass	
			13	17.60	-1.29	16.31	<=33.01	Pass	
			24	17.95	-1.29	16.66	<=33.01	Pass	
			0	17.66	-1.29	16.37	<=33.01	Pass	
	12		6	17.64	-1.29	16.35	<=33.01	Pass	
			13	17.71	-1.29	16.42	<=33.01	Pass	
			25	0	17.68	-1.29	16.39	<=33.01	Pass
1907.5	1		0	18.29	-1.29	17.00	<=33.01	Pass	
			13	17.96	-1.29	16.67	<=33.01	Pass	
			24	18.22	-1.29	16.93	<=33.01	Pass	
			0	18.10	-1.29	16.81	<=33.01	Pass	
	12		6	18.10	-1.29	16.81	<=33.01	Pass	
			13	18.05	-1.29	16.76	<=33.01	Pass	
			25	0	18.18	-1.29	16.89	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.11	-1.29	21.82	<=33.01	Pass
			25	22.79	-1.29	21.50	<=33.01	Pass
			49	22.66	-1.29	21.37	<=33.01	Pass
		25	0	22.05	-1.29	20.76	<=33.01	Pass
			13	21.98	-1.29	20.69	<=33.01	Pass
			25	21.90	-1.29	20.61	<=33.01	Pass

		50	0	21.98	-1.29	20.69	<=33.01	Pass
		1	0	22.64	-1.29	21.35	<=33.01	Pass
			25	22.74	-1.29	21.45	<=33.01	Pass
			49	23.01	-1.29	21.72	<=33.01	Pass
		25	0	21.63	-1.29	20.34	<=33.01	Pass
			13	21.67	-1.29	20.38	<=33.01	Pass
			25	21.81	-1.29	20.52	<=33.01	Pass
		50	0	21.67	-1.29	20.38	<=33.01	Pass
		1	0	22.92	-1.29	21.63	<=33.01	Pass
			25	22.89	-1.29	21.60	<=33.01	Pass
			49	23.05	-1.29	21.76	<=33.01	Pass
		25	0	22.09	-1.29	20.80	<=33.01	Pass
			13	22.08	-1.29	20.79	<=33.01	Pass
			25	22.09	-1.29	20.80	<=33.01	Pass
		50	0	22.07	-1.29	20.78	<=33.01	Pass
16QAM	1855	1	0	22.54	-1.29	21.25	<=33.01	Pass
			25	21.97	-1.29	20.68	<=33.01	Pass
			49	21.91	-1.29	20.62	<=33.01	Pass
		25	0	21.07	-1.29	19.78	<=33.01	Pass
			13	20.98	-1.29	19.69	<=33.01	Pass
			25	21.01	-1.29	19.72	<=33.01	Pass
		50	0	20.40	-1.29	19.11	<=33.01	Pass
	1880	1	0	22.03	-1.29	20.74	<=33.01	Pass
			25	21.72	-1.29	20.43	<=33.01	Pass
			49	21.84	-1.29	20.55	<=33.01	Pass
		25	0	20.64	-1.29	19.35	<=33.01	Pass
			13	20.73	-1.29	19.44	<=33.01	Pass
			25	20.75	-1.29	19.46	<=33.01	Pass
		50	0	20.62	-1.29	19.33	<=33.01	Pass
	1905	1	0	22.43	-1.29	21.14	<=33.01	Pass
			25	22.06	-1.29	20.77	<=33.01	Pass
			49	22.23	-1.29	20.94	<=33.01	Pass
		25	0	21.10	-1.29	19.81	<=33.01	Pass
			13	21.12	-1.29	19.83	<=33.01	Pass
			25	21.09	-1.29	19.80	<=33.01	Pass
		50	0	21.05	-1.29	19.76	<=33.01	Pass
64QAM	1855	1	0	21.27	-1.29	19.98	<=33.01	Pass
			25	20.83	-1.29	19.54	<=33.01	Pass
			49	21.29	-1.29	20.00	<=33.01	Pass
		25	0	19.98	-1.29	18.69	<=33.01	Pass
			13	20.06	-1.29	18.77	<=33.01	Pass
			25	19.92	-1.29	18.63	<=33.01	Pass
		50	0	19.90	-1.29	18.61	<=33.01	Pass
	1880	1	0	20.77	-1.29	19.48	<=33.01	Pass
			25	20.62	-1.29	19.33	<=33.01	Pass
			49	21.23	-1.29	19.94	<=33.01	Pass
		25	0	19.72	-1.29	18.43	<=33.01	Pass
			13	19.68	-1.29	18.39	<=33.01	Pass
			25	19.76	-1.29	18.47	<=33.01	Pass
		50	0	19.62	-1.29	18.33	<=33.01	Pass
	1905	1	0	20.93	-1.29	19.64	<=33.01	Pass
			25	21.27	-1.29	19.98	<=33.01	Pass
			49	21.06	-1.29	19.77	<=33.01	Pass
		25	0	20.09	-1.29	18.80	<=33.01	Pass
			13	20.09	-1.29	18.80	<=33.01	Pass
			25	20.11	-1.29	18.82	<=33.01	Pass
		50	0	20.02	-1.29	18.73	<=33.01	Pass
256QAM	1855	1	0	18.22	-1.29	16.93	<=33.01	Pass
			25	18.39	-1.29	17.10	<=33.01	Pass

		25	49	17.86	-1.29	16.57	<=33.01	Pass
			0	18.01	-1.29	16.72	<=33.01	Pass
			13	17.89	-1.29	16.60	<=33.01	Pass
			25	17.99	-1.29	16.70	<=33.01	Pass
		50	0	17.95	-1.29	16.66	<=33.01	Pass
	1880	1	0	17.61	-1.29	16.32	<=33.01	Pass
			25	17.92	-1.29	16.63	<=33.01	Pass
			49	17.91	-1.29	16.62	<=33.01	Pass
		25	0	17.56	-1.29	16.27	<=33.01	Pass
			13	17.58	-1.29	16.29	<=33.01	Pass
			25	17.71	-1.29	16.42	<=33.01	Pass
		50	0	17.69	-1.29	16.40	<=33.01	Pass
		1905	1	0	18.26	-1.29	16.97	<=33.01
	25			18.15	-1.29	16.86	<=33.01	Pass
	49			18.28	-1.29	16.99	<=33.01	Pass
	25		0	18.04	-1.29	16.75	<=33.01	Pass
			13	18.06	-1.29	16.77	<=33.01	Pass
			25	18.19	-1.29	16.90	<=33.01	Pass
	50		0	18.08	-1.29	16.79	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.05	-1.29	21.76	<=33.01	Pass
			38	22.85	-1.29	21.56	<=33.01	Pass
			74	22.65	-1.29	21.36	<=33.01	Pass
		36	0	21.98	-1.29	20.69	<=33.01	Pass
			18	21.92	-1.29	20.63	<=33.01	Pass
			39	21.80	-1.29	20.51	<=33.01	Pass
		75	0	21.91	-1.29	20.62	<=33.01	Pass
	1880	1	0	22.62	-1.29	21.33	<=33.01	Pass
			38	22.83	-1.29	21.54	<=33.01	Pass
			74	23.14	-1.29	21.85	<=33.01	Pass
		36	0	21.63	-1.29	20.34	<=33.01	Pass
			18	21.69	-1.29	20.40	<=33.01	Pass
			39	21.80	-1.29	20.51	<=33.01	Pass
		75	0	21.69	-1.29	20.40	<=33.01	Pass
	1902.5	1	0	23.08	-1.29	21.79	<=33.01	Pass
			38	23.05	-1.29	21.76	<=33.01	Pass
			74	23.04	-1.29	21.75	<=33.01	Pass
		36	0	22.05	-1.29	20.76	<=33.01	Pass
			18	22.10	-1.29	20.81	<=33.01	Pass
			39	22.09	-1.29	20.80	<=33.01	Pass
		75	0	22.12	-1.29	20.83	<=33.01	Pass
16QAM	1857.5	1	0	22.09	-1.29	20.80	<=33.01	Pass
			38	21.91	-1.29	20.62	<=33.01	Pass
			74	22.39	-1.29	21.10	<=33.01	Pass
		36	0	20.97	-1.29	19.68	<=33.01	Pass
			18	20.92	-1.29	19.63	<=33.01	Pass
			39	20.91	-1.29	19.62	<=33.01	Pass
		75	0	20.89	-1.29	19.60	<=33.01	Pass
	1880	1	0	21.86	-1.29	20.57	<=33.01	Pass
			38	21.77	-1.29	20.48	<=33.01	Pass
			74	21.86	-1.29	20.57	<=33.01	Pass

		36	0	20.63	-1.29	19.34	<=33.01	Pass
			18	20.80	-1.29	19.51	<=33.01	Pass
			39	20.81	-1.29	19.52	<=33.01	Pass
		75	0	20.70	-1.29	19.41	<=33.01	Pass
	1902.5	1	0	22.05	-1.29	20.76	<=33.01	Pass
			38	22.05	-1.29	20.76	<=33.01	Pass
			74	22.18	-1.29	20.89	<=33.01	Pass
		36	0	21.05	-1.29	19.76	<=33.01	Pass
			18	21.06	-1.29	19.77	<=33.01	Pass
			39	21.13	-1.29	19.84	<=33.01	Pass
		75	0	21.11	-1.29	19.82	<=33.01	Pass
64QAM		1857.5	1	0	21.26	-1.29	19.97	<=33.01
	38			20.81	-1.29	19.52	<=33.01	Pass
	74			20.69	-1.29	19.40	<=33.01	Pass
	36		0	20.08	-1.29	18.79	<=33.01	Pass
			18	19.92	-1.29	18.63	<=33.01	Pass
			39	19.80	-1.29	18.51	<=33.01	Pass
	75		0	19.88	-1.29	18.59	<=33.01	Pass
	1880	1	0	20.53	-1.29	19.24	<=33.01	Pass
			38	21.17	-1.29	19.88	<=33.01	Pass
			74	21.12	-1.29	19.83	<=33.01	Pass
		36	0	19.60	-1.29	18.31	<=33.01	Pass
			18	19.72	-1.29	18.43	<=33.01	Pass
			39	19.76	-1.29	18.47	<=33.01	Pass
		75	0	19.81	-1.29	18.52	<=33.01	Pass
	1902.5	1	0	21.61	-1.29	20.32	<=33.01	Pass
			38	21.20	-1.29	19.91	<=33.01	Pass
			74	21.07	-1.29	19.78	<=33.01	Pass
		36	0	20.01	-1.29	18.72	<=33.01	Pass
			18	20.04	-1.29	18.75	<=33.01	Pass
			39	20.10	-1.29	18.81	<=33.01	Pass
		75	0	20.06	-1.29	18.77	<=33.01	Pass
256QAM	1857.5	1	0	18.60	-1.29	17.31	<=33.01	Pass
			38	17.86	-1.29	16.57	<=33.01	Pass
			74	17.78	-1.29	16.49	<=33.01	Pass
		36	0	18.06	-1.29	16.77	<=33.01	Pass
			18	17.84	-1.29	16.55	<=33.01	Pass
			39	17.73	-1.29	16.44	<=33.01	Pass
		75	0	17.89	-1.29	16.60	<=33.01	Pass
	1880	1	0	17.59	-1.29	16.30	<=33.01	Pass
			38	17.78	-1.29	16.49	<=33.01	Pass
			74	17.98	-1.29	16.69	<=33.01	Pass
		36	0	17.53	-1.29	16.24	<=33.01	Pass
			18	17.75	-1.29	16.46	<=33.01	Pass
			39	17.74	-1.29	16.45	<=33.01	Pass
		75	0	17.70	-1.29	16.41	<=33.01	Pass
	1902.5	1	0	18.09	-1.29	16.80	<=33.01	Pass
			38	18.17	-1.29	16.88	<=33.01	Pass
			74	18.50	-1.29	17.21	<=33.01	Pass
		36	0	18.03	-1.29	16.74	<=33.01	Pass
			18	18.04	-1.29	16.75	<=33.01	Pass
			39	18.14	-1.29	16.85	<=33.01	Pass
		75	0	18.08	-1.29	16.79	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.07	-1.29	21.78	<=33.01	Pass
			50	22.74	-1.29	21.45	<=33.01	Pass
			99	22.64	-1.29	21.35	<=33.01	Pass
		50	0	22.01	-1.29	20.72	<=33.01	Pass
			25	21.92	-1.29	20.63	<=33.01	Pass
			50	21.81	-1.29	20.52	<=33.01	Pass
		100	0	21.91	-1.29	20.62	<=33.01	Pass
	1880	1	0	22.65	-1.29	21.36	<=33.01	Pass
			50	22.86	-1.29	21.57	<=33.01	Pass
			99	23.11	-1.29	21.82	<=33.01	Pass
		50	0	21.71	-1.29	20.42	<=33.01	Pass
			25	21.80	-1.29	20.51	<=33.01	Pass
			50	21.88	-1.29	20.59	<=33.01	Pass
		100	0	21.81	-1.29	20.52	<=33.01	Pass
	1900	1	0	23.17	-1.29	21.88	<=33.01	Pass
			50	23.10	-1.29	21.81	<=33.01	Pass
			99	23.06	-1.29	21.77	<=33.01	Pass
		50	0	22.14	-1.29	20.85	<=33.01	Pass
			25	22.18	-1.29	20.89	<=33.01	Pass
			50	22.16	-1.29	20.87	<=33.01	Pass
		100	0	22.16	-1.29	20.87	<=33.01	Pass
16QAM	1860	1	0	22.40	-1.29	21.11	<=33.01	Pass
			50	22.43	-1.29	21.14	<=33.01	Pass
			99	22.04	-1.29	20.75	<=33.01	Pass
		50	0	21.03	-1.29	19.74	<=33.01	Pass
			25	20.90	-1.29	19.61	<=33.01	Pass
			50	20.80	-1.29	19.51	<=33.01	Pass
		100	0	20.89	-1.29	19.60	<=33.01	Pass
	1880	1	0	22.29	-1.29	21.00	<=33.01	Pass
			50	22.34	-1.29	21.05	<=33.01	Pass
			99	22.55	-1.29	21.26	<=33.01	Pass
		50	0	20.68	-1.29	19.39	<=33.01	Pass
			25	20.75	-1.29	19.46	<=33.01	Pass
			50	20.85	-1.29	19.56	<=33.01	Pass
		100	0	20.80	-1.29	19.51	<=33.01	Pass
	1900	1	0	22.33	-1.29	21.04	<=33.01	Pass
			50	22.38	-1.29	21.09	<=33.01	Pass
			99	22.46	-1.29	21.17	<=33.01	Pass
		50	0	21.14	-1.29	19.85	<=33.01	Pass
			25	21.15	-1.29	19.86	<=33.01	Pass
			50	21.18	-1.29	19.89	<=33.01	Pass
		100	0	21.14	-1.29	19.85	<=33.01	Pass
64QAM	1860	1	0	21.50	-1.29	20.21	<=33.01	Pass
			50	21.53	-1.29	20.24	<=33.01	Pass
			99	21.44	-1.29	20.15	<=33.01	Pass
		50	0	20.11	-1.29	18.82	<=33.01	Pass
			25	19.96	-1.29	18.67	<=33.01	Pass
			50	19.88	-1.29	18.59	<=33.01	Pass
		100	0	19.97	-1.29	18.68	<=33.01	Pass
	1880	1	0	20.92	-1.29	19.63	<=33.01	Pass
			50	21.00	-1.29	19.71	<=33.01	Pass
			99	21.21	-1.29	19.92	<=33.01	Pass
		50	0	19.69	-1.29	18.40	<=33.01	Pass
			25	19.77	-1.29	18.48	<=33.01	Pass
			50	19.87	-1.29	18.58	<=33.01	Pass
		100	0	19.80	-1.29	18.51	<=33.01	Pass

	1900	1	0	21.42	-1.29	20.13	<=33.01	Pass		
			50	21.48	-1.29	20.19	<=33.01	Pass		
			99	21.57	-1.29	20.28	<=33.01	Pass		
		50	0	20.19	-1.29	18.90	<=33.01	Pass		
			25	20.21	-1.29	18.92	<=33.01	Pass		
			50	20.21	-1.29	18.92	<=33.01	Pass		
		100	0	20.15	-1.29	18.86	<=33.01	Pass		
		256QAM	1860	1	0	18.33	-1.29	17.04	<=33.01	Pass
					50	18.08	-1.29	16.79	<=33.01	Pass
99	17.99				-1.29	16.70	<=33.01	Pass		
50	0			18.05	-1.29	16.76	<=33.01	Pass		
	25			17.93	-1.29	16.64	<=33.01	Pass		
	50			17.81	-1.29	16.52	<=33.01	Pass		
100	0			17.91	-1.29	16.62	<=33.01	Pass		
1880	1			0	17.64	-1.29	16.35	<=33.01	Pass	
				50	17.72	-1.29	16.43	<=33.01	Pass	
			99	17.88	-1.29	16.59	<=33.01	Pass		
	50		0	17.68	-1.29	16.39	<=33.01	Pass		
			25	17.76	-1.29	16.47	<=33.01	Pass		
			50	17.85	-1.29	16.56	<=33.01	Pass		
	100		0	17.77	-1.29	16.48	<=33.01	Pass		
	1900		1	0	18.26	-1.29	16.97	<=33.01	Pass	
				50	18.33	-1.29	17.04	<=33.01	Pass	
99				18.41	-1.29	17.12	<=33.01	Pass		
50			0	18.11	-1.29	16.82	<=33.01	Pass		
			25	18.13	-1.29	16.84	<=33.01	Pass		
			50	18.11	-1.29	16.82	<=33.01	Pass		
100			0	18.08	-1.29	16.79	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-5.508	-0.0029	-2.5 to 2.5	Pass
					NV	0.417	0.0002	-2.5 to 2.5	Pass
					HV	-1.625	-0.0009	-2.5 to 2.5	Pass
				-30	NV	-2.092	-0.0011	-2.5 to 2.5	Pass
				-20	NV	0.304	0.0002	-2.5 to 2.5	Pass
				-10	NV	-0.191	-0.0001	-2.5 to 2.5	Pass
				0	NV	1.513	0.0008	-2.5 to 2.5	Pass
				10	NV	4.336	0.0023	-2.5 to 2.5	Pass
				30	NV	3.308	0.0018	-2.5 to 2.5	Pass
				40	NV	2.612	0.0014	-2.5 to 2.5	Pass
				50	NV	1.641	0.0009	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.122	/	Pass
	16QAM	1880	6	0	1.106	/	Pass
	64QAM	1880	6	0	1.105	/	Pass
	256QAM	1880	6	0	1.116	/	Pass
3	QPSK	1880	15	0	2.740	/	Pass
	16QAM	1880	15	0	2.737	/	Pass
	64QAM	1880	15	0	2.733	/	Pass
	256QAM	1880	15	0	2.729	/	Pass
5	QPSK	1880	25	0	4.562	/	Pass
	16QAM	1880	25	0	4.545	/	Pass
	64QAM	1880	25	0	4.553	/	Pass
	256QAM	1880	25	0	4.545	/	Pass
10	QPSK	1880	50	0	9.031	/	Pass
	16QAM	1880	50	0	9.045	/	Pass
	64QAM	1880	50	0	9.056	/	Pass
	256QAM	1880	50	0	9.031	/	Pass
15	QPSK	1880	75	0	13.582	/	Pass
	16QAM	1880	75	0	13.538	/	Pass
	64QAM	1880	75	0	13.568	/	Pass
	256QAM	1880	75	0	13.574	/	Pass
20	QPSK	1880	100	0	18.047	/	Pass
	16QAM	1880	100	0	18.094	/	Pass
	64QAM	1880	100	0	18.037	/	Pass
	256QAM	1880	100	0	18.044	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNv							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.317	/	Pass
	16QAM	1880	6	0	1.332	/	Pass
	64QAM	1880	6	0	1.321	/	Pass
	256QAM	1880	6	0	1.332	/	Pass
3	QPSK	1880	15	0	3.200	/	Pass
	16QAM	1880	15	0	3.002	/	Pass
	64QAM	1880	15	0	3.026	/	Pass
	256QAM	1880	15	0	3.032	/	Pass
5	QPSK	1880	25	0	5.033	/	Pass
	16QAM	1880	25	0	5.067	/	Pass
	64QAM	1880	25	0	5.082	/	Pass
	256QAM	1880	25	0	5.098	/	Pass
10	QPSK	1880	50	0	10.112	/	Pass
	16QAM	1880	50	0	9.960	/	Pass
	64QAM	1880	50	0	9.977	/	Pass
	256QAM	1880	50	0	9.923	/	Pass
15	QPSK	1880	75	0	15.075	/	Pass
	16QAM	1880	75	0	14.862	/	Pass
	64QAM	1880	75	0	14.968	/	Pass
	256QAM	1880	75	0	14.910	/	Pass
20	QPSK	1880	100	0	19.791	/	Pass
	16QAM	1880	100	0	19.707	/	Pass
	64QAM	1880	100	0	19.804	/	Pass
	256QAM	1880	100	0	19.928	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTNV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTV




Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTV




3.2.2 Band2_XDB




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTN




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTN




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.31	<=13	Pass
16QAM	1880	100	0	6.08	<=13	Pass
64QAM	1880	100	0	6.43	<=13	Pass
256QAM	1880	100	0	6.68	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-34.11	-13	Pass
1849	1850	0.013	CHP	2	1849.995	-33.27	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-29.57	-13	Pass
1911	1913	1	CHP	2	1911.500	-41.26	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-34.44	-13	Pass
1911	1913	1	CHP	2	1911.500	-34.54	-13	Pass


5.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTNV




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-26.47	-13	Pass
1849	1850	0.03	/	2	1849.994	-31.12	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN



Band2 3MHz QPSK HCH 1908.5MHz RB 1 0 NTN




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-30.29	-13	Pass
1911	1913	1	CHP	2	1911.500	-40.02	-13	Pass

Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-31.41	-13	Pass
1911	1913	1	CHP	2	1911.500	-26.71	-13	Pass


5.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTNV




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.12	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-31.91	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.012	-31.17	-13	Pass
1911	1915	1	CHP	2	1911.500	-38.63	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-32.51	-13	Pass
1911	1915	1	CHP	2	1911.510	-26.60	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.500	-30.51	-13	Pass
1849	1850	0.101	CHP	2	1849.980	-37.52	-13	Pass
1850	1860	0.101	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.014	-37.08	-13	Pass
1911	1920	1	CHP	2	1911.501	-40.92	-13	Pass

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.099	CHP	/	/	/	/	/
1910	1911	0.099	CHP	1	1910.008	-35.28	-13	Pass
1911	1920	1	CHP	2	1911.508	-28.64	-13	Pass


5.2.5 B2_15MHz



Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.350	-30.63	-13	Pass
1849	1850	0.15	CHP	2	1849.370	-37.05	-13	Pass
1850	1865	0.15	CHP	/	/	/	/	/


Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 1 74 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.018	-39.98	-13	Pass
1911	1925	1	CHP	2	1913.199	-40.58	-13	Pass

Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.151	CHP	/	/	/	/	/
1910	1911	0.151	CHP	1	1910.780	-35.78	-13	Pass
1911	1925	1	CHP	2	1912.790	-27.41	-13	Pass


5.2.6 B2_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.640	-34.18	-13	Pass
1849	1850	0.197	CHP	2	1849.960	-38.82	-13	Pass
1850	1870	0.197	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-42.65	-13	Pass
1911	1930	1	CHP	2	1911.500	-42.21	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.197	CHP	/	/	/	/	/
1910	1911	0.197	CHP	1	1910.040	-36.90	-13	Pass
1911	1930	1	CHP	2	1911.520	-31.87	-13	Pass