

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B48_5MHz_EIRP

Band: 48 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	22.05	-2.92	19.13	/	Pass
			13	21.94	-2.92	19.02	/	Pass
			24	21.95	-2.92	19.03	/	Pass
		12	0	21.12	-2.92	18.20	/	Pass
			6	21.15	-2.92	18.23	/	Pass
			13	21.01	-2.92	18.09	/	Pass
		25	0	21.06	-2.92	18.14	/	Pass
	3625	1	0	22.47	-2.92	19.55	/	Pass
			13	22.64	-2.92	19.72	/	Pass
			24	22.58	-2.92	19.66	/	Pass
		12	0	21.56	-2.92	18.64	/	Pass
			6	21.48	-2.92	18.56	/	Pass
			13	21.72	-2.92	18.80	/	Pass
		25	0	21.57	-2.92	18.65	/	Pass
	3697.5	1	0	22.89	-2.92	19.97	/	Pass
			13	22.89	-2.92	19.97	/	Pass
			24	22.82	-2.92	19.90	/	Pass
		12	0	22.05	-2.92	19.13	/	Pass
			6	21.95	-2.92	19.03	/	Pass
			13	22.01	-2.92	19.09	/	Pass
		25	0	21.94	-2.92	19.02	/	Pass
16QAM	3552.5	1	0	21.03	-2.92	18.11	/	Pass
			13	21.08	-2.92	18.16	/	Pass
			24	20.99	-2.92	18.07	/	Pass
		12	0	20.07	-2.92	17.15	/	Pass
			6	19.98	-2.92	17.06	/	Pass
			13	20.02	-2.92	17.10	/	Pass
		25	0	19.95	-2.92	17.03	/	Pass
	3625	1	0	21.61	-2.92	18.69	/	Pass
			13	21.73	-2.92	18.81	/	Pass
			24	21.72	-2.92	18.80	/	Pass
		12	0	20.56	-2.92	17.64	/	Pass
			6	20.72	-2.92	17.80	/	Pass
			13	20.72	-2.92	17.80	/	Pass
		25	0	20.62	-2.92	17.70	/	Pass
	3697.5	1	0	21.86	-2.92	18.94	/	Pass
			13	22.03	-2.92	19.11	/	Pass
			24	21.90	-2.92	18.98	/	Pass
		12	0	21.03	-2.92	18.11	/	Pass
			6	20.98	-2.92	18.06	/	Pass
			13	20.95	-2.92	18.03	/	Pass
		25	0	21.03	-2.92	18.11	/	Pass
64QAM	3552.5	1	0	20.02	-2.92	17.10	/	Pass
			13	20.09	-2.92	17.17	/	Pass
			24	20.04	-2.92	17.12	/	Pass
		12	0	19.19	-2.92	16.27	/	Pass
			6	19.06	-2.92	16.14	/	Pass
			13	18.99	-2.92	16.07	/	Pass
		25	0	19.10	-2.92	16.18	/	Pass

	3625	1	0	20.64	-2.92	17.72	/	Pass
			13	20.83	-2.92	17.91	/	Pass
			24	20.67	-2.92	17.75	/	Pass
		12	0	19.74	-2.92	16.82	/	Pass
			6	19.70	-2.92	16.78	/	Pass
			13	19.70	-2.92	16.78	/	Pass
		25	0	19.60	-2.92	16.68	/	Pass
	3697.5	1	0	21.19	-2.92	18.27	/	Pass
			13	21.01	-2.92	18.09	/	Pass
			24	20.72	-2.92	17.80	/	Pass
		12	0	20.08	-2.92	17.16	/	Pass
			6	19.98	-2.92	17.06	/	Pass
			13	19.99	-2.92	17.07	/	Pass
		25	0	20.09	-2.92	17.17	/	Pass
256QAM	3552.5	1	0	16.82	-2.92	13.90	/	Pass
			13	17.02	-2.92	14.10	/	Pass
			24	16.80	-2.92	13.88	/	Pass
		12	0	17.01	-2.92	14.09	/	Pass
			6	17.04	-2.92	14.12	/	Pass
			13	16.88	-2.92	13.96	/	Pass
		25	0	16.93	-2.92	14.01	/	Pass
	3625	1	0	17.61	-2.92	14.69	/	Pass
			13	17.70	-2.92	14.78	/	Pass
			24	17.65	-2.92	14.73	/	Pass
		12	0	17.62	-2.92	14.70	/	Pass
			6	17.51	-2.92	14.59	/	Pass
			13	17.75	-2.92	14.83	/	Pass
		25	0	17.59	-2.92	14.67	/	Pass
	3697.5	1	0	17.81	-2.92	14.89	/	Pass
			13	18.01	-2.92	15.09	/	Pass
			24	17.73	-2.92	14.81	/	Pass
		12	0	17.90	-2.92	14.98	/	Pass
			6	17.99	-2.92	15.07	/	Pass
			13	17.81	-2.92	14.89	/	Pass
		25	0	17.96	-2.92	15.04	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B48_5MHz_EIRP/10MHz

Band: 48 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	18.64	-2.92	15.72	<=23	Pass
			13	19.59	-2.92	16.67	<=23	Pass
			24	18.84	-2.92	15.92	<=23	Pass
		12	0	18.14	-2.92	15.22	<=23	Pass
			6	18.36	-2.92	15.44	<=23	Pass
			13	18.59	-2.92	15.67	<=23	Pass
		25	0	17.97	-2.92	15.05	<=23	Pass
	3625	1	0	20.69	-2.92	17.77	<=23	Pass
			13	21.24	-2.92	18.32	<=23	Pass
			24	20.97	-2.92	18.05	<=23	Pass
		12	0	19.52	-2.92	16.60	<=23	Pass
			6	19.81	-2.92	16.89	<=23	Pass
			13	19.89	-2.92	16.97	<=23	Pass
	3697.5	25	0	19.82	-2.92	16.90	<=23	Pass
	3697.5	1	0	21.07	-2.92	18.15	<=23	Pass

		12	13	21.39	-2.92	18.47	<=23	Pass
			24	21.56	-2.92	18.64	<=23	Pass
			0	20.43	-2.92	17.51	<=23	Pass
			6	20.26	-2.92	17.34	<=23	Pass
			13	20.50	-2.92	17.58	<=23	Pass
		25	0	20.58	-2.92	17.66	<=23	Pass
16QAM	3552.5	1	0	18.42	-2.92	15.50	<=23	Pass
			13	18.35	-2.92	15.43	<=23	Pass
			24	18.37	-2.92	15.45	<=23	Pass
		12	0	17.20	-2.92	14.28	<=23	Pass
			6	17.08	-2.92	14.16	<=23	Pass
			13	16.69	-2.92	13.77	<=23	Pass
		25	0	17.31	-2.92	14.39	<=23	Pass
	3625	1	0	20.11	-2.92	17.19	<=23	Pass
			13	20.41	-2.92	17.49	<=23	Pass
			24	20.23	-2.92	17.31	<=23	Pass
		12	0	18.87	-2.92	15.95	<=23	Pass
			6	19.33	-2.92	16.41	<=23	Pass
			13	19.28	-2.92	16.36	<=23	Pass
		25	0	19.12	-2.92	16.20	<=23	Pass
	3697.5	1	0	20.24	-2.92	17.32	<=23	Pass
			13	20.87	-2.92	17.95	<=23	Pass
			24	20.47	-2.92	17.55	<=23	Pass
		12	0	19.50	-2.92	16.58	<=23	Pass
			6	19.23	-2.92	16.31	<=23	Pass
			13	19.44	-2.92	16.52	<=23	Pass
		25	0	19.57	-2.92	16.65	<=23	Pass
64QAM	3552.5	1	0	19.76	-2.92	16.84	<=23	Pass
			13	20.06	-2.92	17.14	<=23	Pass
			24	19.29	-2.92	16.37	<=23	Pass
		12	0	18.84	-2.92	15.92	<=23	Pass
			6	18.31	-2.92	15.39	<=23	Pass
			13	18.70	-2.92	15.78	<=23	Pass
		25	0	18.67	-2.92	15.75	<=23	Pass
	3625	1	0	21.14	-2.92	18.22	<=23	Pass
			13	21.47	-2.92	18.55	<=23	Pass
			24	21.30	-2.92	18.38	<=23	Pass
		12	0	20.65	-2.92	17.73	<=23	Pass
			6	20.35	-2.92	17.43	<=23	Pass
			13	20.51	-2.92	17.59	<=23	Pass
		25	0	20.54	-2.92	17.62	<=23	Pass
	3697.5	1	0	21.75	-2.92	18.83	<=23	Pass
			13	21.65	-2.92	18.73	<=23	Pass
			24	21.21	-2.92	18.29	<=23	Pass
		12	0	20.65	-2.92	17.73	<=23	Pass
			6	21.16	-2.92	18.24	<=23	Pass
			13	20.50	-2.92	17.58	<=23	Pass
		25	0	20.51	-2.92	17.59	<=23	Pass
256QAM	3552.5	1	0	16.56	-2.92	13.64	<=23	Pass
			13	16.35	-2.92	13.43	<=23	Pass
			24	16.29	-2.92	13.37	<=23	Pass
		12	0	16.57	-2.92	13.65	<=23	Pass
			6	16.40	-2.92	13.48	<=23	Pass
			13	16.22	-2.92	13.30	<=23	Pass
		25	0	16.50	-2.92	13.58	<=23	Pass
	3625	1	0	18.41	-2.92	15.49	<=23	Pass
			13	18.36	-2.92	15.44	<=23	Pass
			24	18.65	-2.92	15.73	<=23	Pass
		12	0	18.06	-2.92	15.14	<=23	Pass

			6	18.45	-2.92	15.53	<=23	Pass
			13	18.12	-2.92	15.20	<=23	Pass
		25	0	18.35	-2.92	15.43	<=23	Pass
	3697.5	1	0	18.76	-2.92	15.84	<=23	Pass
			13	18.31	-2.92	15.39	<=23	Pass
			24	18.96	-2.92	16.04	<=23	Pass
		12	0	18.72	-2.92	15.80	<=23	Pass
			6	18.71	-2.92	15.79	<=23	Pass
			13	18.27	-2.92	15.35	<=23	Pass
		25	0	18.43	-2.92	15.51	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

1.1.3 B48_10MHz_EIRP

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	22.00	-2.92	19.08	/	Pass
			25	21.93	-2.92	19.01	/	Pass
			49	22.15	-2.92	19.23	/	Pass
		25	0	20.98	-2.92	18.06	/	Pass
			13	21.07	-2.92	18.15	/	Pass
			25	21.04	-2.92	18.12	/	Pass
		50	0	21.02	-2.92	18.10	/	Pass
	3625	1	0	22.51	-2.92	19.59	/	Pass
			25	22.65	-2.92	19.73	/	Pass
			49	22.90	-2.92	19.98	/	Pass
		25	0	21.59	-2.92	18.67	/	Pass
			13	21.81	-2.92	18.89	/	Pass
			25	21.85	-2.92	18.93	/	Pass
		50	0	21.71	-2.92	18.79	/	Pass
	3695	1	0	23.12	-2.92	20.20	/	Pass
			25	23.11	-2.92	20.19	/	Pass
			49	22.80	-2.92	19.88	/	Pass
		25	0	21.94	-2.92	19.02	/	Pass
			13	22.07	-2.92	19.15	/	Pass
			25	21.96	-2.92	19.04	/	Pass
		50	0	22.04	-2.92	19.12	/	Pass
16QAM	3555	1	0	21.04	-2.92	18.12	/	Pass
			25	21.21	-2.92	18.29	/	Pass
			49	21.17	-2.92	18.25	/	Pass
		25	0	20.22	-2.92	17.30	/	Pass
			13	20.15	-2.92	17.23	/	Pass
			25	20.10	-2.92	17.18	/	Pass
		50	0	20.21	-2.92	17.29	/	Pass
	3625	1	0	21.60	-2.92	18.68	/	Pass
			25	21.87	-2.92	18.95	/	Pass
			49	21.95	-2.92	19.03	/	Pass
		25	0	20.70	-2.92	17.78	/	Pass
			13	20.74	-2.92	17.82	/	Pass
			25	20.96	-2.92	18.04	/	Pass
		50	0	20.84	-2.92	17.92	/	Pass
	3695	1	0	22.01	-2.92	19.09	/	Pass
			25	21.97	-2.92	19.05	/	Pass
			49	21.90	-2.92	18.98	/	Pass
		25	0	20.96	-2.92	18.04	/	Pass
			13	21.03	-2.92	18.11	/	Pass

			25	21.11	-2.92	18.19	/	Pass	
		50	0	21.05	-2.92	18.13	/	Pass	
64QAM	3555	1	0	20.09	-2.92	17.17	/	Pass	
			25	20.19	-2.92	17.27	/	Pass	
			49	20.09	-2.92	17.17	/	Pass	
			0	19.08	-2.92	16.16	/	Pass	
		25	13	19.25	-2.92	16.33	/	Pass	
			25	19.25	-2.92	16.33	/	Pass	
			0	19.18	-2.92	16.26	/	Pass	
		3625	1	0	20.65	-2.92	17.73	/	Pass
				25	20.86	-2.92	17.94	/	Pass
	49			20.84	-2.92	17.92	/	Pass	
	0			19.79	-2.92	16.87	/	Pass	
	25		13	19.67	-2.92	16.75	/	Pass	
			25	19.97	-2.92	17.05	/	Pass	
	50		0	19.87	-2.92	16.95	/	Pass	
	3695	1	0	21.19	-2.92	18.27	/	Pass	
			25	21.13	-2.92	18.21	/	Pass	
			49	20.98	-2.92	18.06	/	Pass	
			0	20.10	-2.92	17.18	/	Pass	
		25	13	20.07	-2.92	17.15	/	Pass	
			25	20.03	-2.92	17.11	/	Pass	
			0	19.97	-2.92	17.05	/	Pass	
256QAM		3555	1	0	17.03	-2.92	14.11	/	Pass
	25			16.97	-2.92	14.05	/	Pass	
	49			17.09	-2.92	14.17	/	Pass	
	25		0	17.05	-2.92	14.13	/	Pass	
			13	17.09	-2.92	14.17	/	Pass	
			25	17.12	-2.92	14.20	/	Pass	
	50		0	17.10	-2.92	14.18	/	Pass	
	3625	1	0	17.42	-2.92	14.50	/	Pass	
			25	17.80	-2.92	14.88	/	Pass	
			49	17.91	-2.92	14.99	/	Pass	
		25	0	17.53	-2.92	14.61	/	Pass	
			13	17.69	-2.92	14.77	/	Pass	
			25	17.86	-2.92	14.94	/	Pass	
	50	0	17.65	-2.92	14.73	/	Pass		
	3695	1	0	17.85	-2.92	14.93	/	Pass	
			25	18.00	-2.92	15.08	/	Pass	
			49	17.87	-2.92	14.95	/	Pass	
		25	0	18.00	-2.92	15.08	/	Pass	
			13	17.86	-2.92	14.94	/	Pass	
			25	17.95	-2.92	15.03	/	Pass	
		50	0	17.94	-2.92	15.02	/	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B48_10MHz_EIRP/10MHz

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	19.48	-2.92	16.56	<=23	Pass
			25	19.41	-2.92	16.49	<=23	Pass
			49	19.33	-2.92	16.41	<=23	Pass
		25	0	18.42	-2.92	15.50	<=23	Pass
			13	18.35	-2.92	15.43	<=23	Pass
			25	18.52	-2.92	15.60	<=23	Pass

		50	0	18.26	-2.92	15.34	<=23	Pass
	3625	1	0	21.48	-2.92	18.56	<=23	Pass
			25	21.12	-2.92	18.20	<=23	Pass
			49	21.01	-2.92	18.09	<=23	Pass
			0	20.35	-2.92	17.43	<=23	Pass
		25	13	20.39	-2.92	17.47	<=23	Pass
			25	20.20	-2.92	17.28	<=23	Pass
			50	0	20.23	-2.92	17.31	<=23
	3695	1	0	21.53	-2.92	18.61	<=23	Pass
			25	21.28	-2.92	18.36	<=23	Pass
			49	21.18	-2.92	18.26	<=23	Pass
			0	20.66	-2.92	17.74	<=23	Pass
		25	13	20.35	-2.92	17.43	<=23	Pass
			25	20.73	-2.92	17.81	<=23	Pass
			50	0	20.58	-2.92	17.66	<=23
	16QAM	3555	1	0	18.48	-2.92	15.56	<=23
25				18.37	-2.92	15.45	<=23	Pass
49				18.53	-2.92	15.61	<=23	Pass
25			0	17.30	-2.92	14.38	<=23	Pass
			13	17.40	-2.92	14.48	<=23	Pass
			25	17.37	-2.92	14.45	<=23	Pass
50			0	17.38	-2.92	14.46	<=23	Pass
3625		1	0	20.14	-2.92	17.22	<=23	Pass
			25	20.27	-2.92	17.35	<=23	Pass
			49	19.92	-2.92	17.00	<=23	Pass
		25	0	18.96	-2.92	16.04	<=23	Pass
			13	19.11	-2.92	16.19	<=23	Pass
			25	18.80	-2.92	15.88	<=23	Pass
3695		1	0	18.70	-2.92	15.78	<=23	Pass
			0	20.81	-2.92	17.89	<=23	Pass
			25	21.08	-2.92	18.16	<=23	Pass
		25	49	20.44	-2.92	17.52	<=23	Pass
			0	19.28	-2.92	16.36	<=23	Pass
			13	19.69	-2.92	16.77	<=23	Pass
		50	25	19.67	-2.92	16.75	<=23	Pass
			0	19.46	-2.92	16.54	<=23	Pass
64QAM		3555	1	0	19.89	-2.92	16.97	<=23
	25			19.88	-2.92	16.96	<=23	Pass
	49			19.66	-2.92	16.74	<=23	Pass
	25		0	18.58	-2.92	15.66	<=23	Pass
			13	18.84	-2.92	15.92	<=23	Pass
			25	18.59	-2.92	15.67	<=23	Pass
	50		0	18.74	-2.92	15.82	<=23	Pass
	3625	1	0	21.33	-2.92	18.41	<=23	Pass
			25	21.67	-2.92	18.75	<=23	Pass
			49	21.22	-2.92	18.30	<=23	Pass
		25	0	20.41	-2.92	17.49	<=23	Pass
			13	20.17	-2.92	17.25	<=23	Pass
			25	20.35	-2.92	17.43	<=23	Pass
	3695	1	0	20.35	-2.92	17.43	<=23	Pass
			0	21.55	-2.92	18.63	<=23	Pass
			25	21.48	-2.92	18.56	<=23	Pass
		25	49	21.96	-2.92	19.04	<=23	Pass
			0	20.58	-2.92	17.66	<=23	Pass
			13	20.62	-2.92	17.70	<=23	Pass
		50	25	21.09	-2.92	18.17	<=23	Pass
			0	20.81	-2.92	17.89	<=23	Pass
	256QAM	3555	1	0	16.50	-2.92	13.58	<=23
25				16.75	-2.92	13.83	<=23	Pass

			49	16.60	-2.92	13.68	<=23	Pass
		25	0	16.58	-2.92	13.66	<=23	Pass
			13	16.62	-2.92	13.70	<=23	Pass
			25	16.38	-2.92	13.46	<=23	Pass
		50	0	16.68	-2.92	13.76	<=23	Pass
	3625	1	0	18.24	-2.92	15.32	<=23	Pass
			25	18.18	-2.92	15.26	<=23	Pass
			49	18.25	-2.92	15.33	<=23	Pass
		25	0	18.19	-2.92	15.27	<=23	Pass
			13	18.19	-2.92	15.27	<=23	Pass
			25	18.78	-2.92	15.86	<=23	Pass
		50	0	18.67	-2.92	15.75	<=23	Pass
	3695	1	0	18.38	-2.92	15.46	<=23	Pass
			25	18.87	-2.92	15.95	<=23	Pass
			49	18.82	-2.92	15.90	<=23	Pass
		25	0	18.51	-2.92	15.59	<=23	Pass
			13	18.71	-2.92	15.79	<=23	Pass
			25	18.77	-2.92	15.85	<=23	Pass
		50	0	18.67	-2.92	15.75	<=23	Pass
	Note1: EIRP/10MHz=Conducted Power+Antenna Gain							

1.1.5 B48_15MHz_EIRP

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	21.88	-2.92	18.96	/	Pass
			38	21.92	-2.92	19.00	/	Pass
			74	22.02	-2.92	19.10	/	Pass
		36	0	20.87	-2.92	17.95	/	Pass
			18	20.84	-2.92	17.92	/	Pass
			39	21.06	-2.92	18.14	/	Pass
		75	0	20.90	-2.92	17.98	/	Pass
	3625	1	0	22.36	-2.92	19.44	/	Pass
			38	22.53	-2.92	19.61	/	Pass
			74	22.85	-2.92	19.93	/	Pass
		36	0	21.40	-2.92	18.48	/	Pass
			18	21.50	-2.92	18.58	/	Pass
			39	21.70	-2.92	18.78	/	Pass
		75	0	21.61	-2.92	18.69	/	Pass
	3692.5	1	0	23.03	-2.92	20.11	/	Pass
			38	22.79	-2.92	19.87	/	Pass
			74	22.68	-2.92	19.76	/	Pass
		36	0	21.96	-2.92	19.04	/	Pass
			18	21.85	-2.92	18.93	/	Pass
			39	21.89	-2.92	18.97	/	Pass
		75	0	21.82	-2.92	18.90	/	Pass
16QAM	3557.5	1	0	20.87	-2.92	17.95	/	Pass
			38	20.80	-2.92	17.88	/	Pass
			74	21.05	-2.92	18.13	/	Pass
		36	0	19.79	-2.92	16.87	/	Pass
			18	19.98	-2.92	17.06	/	Pass
			39	20.13	-2.92	17.21	/	Pass
		75	0	20.09	-2.92	17.17	/	Pass
	3625	1	0	21.53	-2.92	18.61	/	Pass
			38	21.64	-2.92	18.72	/	Pass
			74	21.73	-2.92	18.81	/	Pass

		36	0	20.41	-2.92	17.49	/	Pass
			18	20.52	-2.92	17.60	/	Pass
			39	20.76	-2.92	17.84	/	Pass
		75	0	20.55	-2.92	17.63	/	Pass
	3692.5	1	0	21.83	-2.92	18.91	/	Pass
			38	21.74	-2.92	18.82	/	Pass
			74	21.52	-2.92	18.60	/	Pass
		36	0	21.03	-2.92	18.11	/	Pass
			18	20.90	-2.92	17.98	/	Pass
			39	20.81	-2.92	17.89	/	Pass
		75	0	20.84	-2.92	17.92	/	Pass
64QAM		3557.5	1	0	19.89	-2.92	16.97	/
	38			19.88	-2.92	16.96	/	Pass
	74			20.08	-2.92	17.16	/	Pass
	36		0	18.89	-2.92	15.97	/	Pass
			18	18.98	-2.92	16.06	/	Pass
			39	19.03	-2.92	16.11	/	Pass
	75		0	18.98	-2.92	16.06	/	Pass
	3625	1	0	20.55	-2.92	17.63	/	Pass
			38	20.55	-2.92	17.63	/	Pass
			74	20.77	-2.92	17.85	/	Pass
		36	0	19.52	-2.92	16.60	/	Pass
			18	19.45	-2.92	16.53	/	Pass
			39	19.86	-2.92	16.94	/	Pass
		75	0	19.53	-2.92	16.61	/	Pass
	3692.5	1	0	21.01	-2.92	18.09	/	Pass
			38	20.89	-2.92	17.97	/	Pass
			74	20.66	-2.92	17.74	/	Pass
		36	0	20.03	-2.92	17.11	/	Pass
			18	19.89	-2.92	16.97	/	Pass
			39	19.87	-2.92	16.95	/	Pass
		75	0	19.83	-2.92	16.91	/	Pass
256QAM	3557.5	1	0	16.62	-2.92	13.70	/	Pass
			38	16.90	-2.92	13.98	/	Pass
			74	17.08	-2.92	14.16	/	Pass
		36	0	16.82	-2.92	13.90	/	Pass
			18	16.83	-2.92	13.91	/	Pass
			39	16.92	-2.92	14.00	/	Pass
		75	0	16.87	-2.92	13.95	/	Pass
	3625	1	0	17.36	-2.92	14.44	/	Pass
			38	17.54	-2.92	14.62	/	Pass
			74	17.82	-2.92	14.90	/	Pass
		36	0	17.32	-2.92	14.40	/	Pass
			18	17.37	-2.92	14.45	/	Pass
			39	17.70	-2.92	14.78	/	Pass
		75	0	17.42	-2.92	14.50	/	Pass
	3692.5	1	0	17.87	-2.92	14.95	/	Pass
			38	17.73	-2.92	14.81	/	Pass
			74	17.59	-2.92	14.67	/	Pass
		36	0	17.88	-2.92	14.96	/	Pass
			18	17.80	-2.92	14.88	/	Pass
			39	17.77	-2.92	14.85	/	Pass
		75	0	17.71	-2.92	14.79	/	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B48_15MHz_EIRP/10MHz

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	19.18	-2.92	16.26	<=23	Pass
			38	19.32	-2.92	16.40	<=23	Pass
			74	19.05	-2.92	16.13	<=23	Pass
		36	0	18.33	-2.92	15.41	<=23	Pass
			18	18.34	-2.92	15.42	<=23	Pass
			39	18.29	-2.92	15.37	<=23	Pass
		75	0	16.90	-2.92	13.98	<=23	Pass
	3625	1	0	20.73	-2.92	17.81	<=23	Pass
			38	20.65	-2.92	17.73	<=23	Pass
			74	21.02	-2.92	18.10	<=23	Pass
		36	0	20.32	-2.92	17.40	<=23	Pass
			18	20.03	-2.92	17.11	<=23	Pass
			39	19.81	-2.92	16.89	<=23	Pass
		75	0	18.52	-2.92	15.60	<=23	Pass
	3692.5	1	0	21.01	-2.92	18.09	<=23	Pass
			38	21.06	-2.92	18.14	<=23	Pass
			74	21.00	-2.92	18.08	<=23	Pass
		36	0	20.15	-2.92	17.23	<=23	Pass
			18	20.36	-2.92	17.44	<=23	Pass
			39	20.22	-2.92	17.30	<=23	Pass
		75	0	19.08	-2.92	16.16	<=23	Pass
16QAM	3557.5	1	0	18.15	-2.92	15.23	<=23	Pass
			38	18.34	-2.92	15.42	<=23	Pass
			74	18.29	-2.92	15.37	<=23	Pass
		36	0	17.20	-2.92	14.28	<=23	Pass
			18	17.23	-2.92	14.31	<=23	Pass
			39	17.19	-2.92	14.27	<=23	Pass
		75	0	15.87	-2.92	12.95	<=23	Pass
	3625	1	0	20.16	-2.92	17.24	<=23	Pass
			38	20.83	-2.92	17.91	<=23	Pass
			74	20.29	-2.92	17.37	<=23	Pass
		36	0	18.98	-2.92	16.06	<=23	Pass
			18	19.06	-2.92	16.14	<=23	Pass
			39	19.13	-2.92	16.21	<=23	Pass
		75	0	17.51	-2.92	14.59	<=23	Pass
	3692.5	1	0	19.74	-2.92	16.82	<=23	Pass
			38	20.54	-2.92	17.62	<=23	Pass
			74	20.78	-2.92	17.86	<=23	Pass
		36	0	19.45	-2.92	16.53	<=23	Pass
			18	18.74	-2.92	15.82	<=23	Pass
			39	19.24	-2.92	16.32	<=23	Pass
		75	0	17.75	-2.92	14.83	<=23	Pass
64QAM	3557.5	1	0	19.30	-2.92	16.38	<=23	Pass
			38	19.43	-2.92	16.51	<=23	Pass
			74	19.54	-2.92	16.62	<=23	Pass
		36	0	18.43	-2.92	15.51	<=23	Pass
			18	18.51	-2.92	15.59	<=23	Pass
			39	18.30	-2.92	15.38	<=23	Pass
		75	0	17.11	-2.92	14.19	<=23	Pass
	3625	1	0	21.48	-2.92	18.56	<=23	Pass
			38	21.20	-2.92	18.28	<=23	Pass
			74	21.13	-2.92	18.21	<=23	Pass
		36	0	20.22	-2.92	17.30	<=23	Pass
			18	20.31	-2.92	17.39	<=23	Pass
			39	20.05	-2.92	17.13	<=23	Pass
		75	0	18.68	-2.92	15.76	<=23	Pass

	3692.5	1	0	21.31	-2.92	18.39	<=23	Pass		
			38	21.54	-2.92	18.62	<=23	Pass		
			74	21.52	-2.92	18.60	<=23	Pass		
		36	0	20.06	-2.92	17.14	<=23	Pass		
			18	20.09	-2.92	17.17	<=23	Pass		
			39	20.94	-2.92	18.02	<=23	Pass		
		75	0	19.12	-2.92	16.20	<=23	Pass		
		256QAM	3557.5	1	0	16.41	-2.92	13.49	<=23	Pass
					38	16.11	-2.92	13.19	<=23	Pass
74	16.64				-2.92	13.72	<=23	Pass		
36	0			16.17	-2.92	13.25	<=23	Pass		
	18			16.43	-2.92	13.51	<=23	Pass		
	39			16.47	-2.92	13.55	<=23	Pass		
75	0			14.92	-2.92	12.00	<=23	Pass		
3625	1			0	18.09	-2.92	15.17	<=23	Pass	
				38	18.33	-2.92	15.41	<=23	Pass	
			74	18.20	-2.92	15.28	<=23	Pass		
	36		0	18.11	-2.92	15.19	<=23	Pass		
			18	18.00	-2.92	15.08	<=23	Pass		
			39	18.06	-2.92	15.14	<=23	Pass		
75	0		16.42	-2.92	13.50	<=23	Pass			
3692.5	1		0	18.39	-2.92	15.47	<=23	Pass		
		38	18.35	-2.92	15.43	<=23	Pass			
		74	18.81	-2.92	15.89	<=23	Pass			
	36	0	17.90	-2.92	14.98	<=23	Pass			
		18	17.86	-2.92	14.94	<=23	Pass			
		39	18.73	-2.92	15.81	<=23	Pass			
	75	0	16.81	-2.92	13.89	<=23	Pass			
	Note1: EIRP/10MHz=Conducted Power+Antenna Gain									

1.1.7 B48_20MHz_EIRP

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	21.90	-2.92	18.98	/	Pass
			50	21.97	-2.92	19.05	/	Pass
			99	22.20	-2.92	19.28	/	Pass
		50	0	20.85	-2.92	17.93	/	Pass
			25	21.13	-2.92	18.21	/	Pass
			50	21.25	-2.92	18.33	/	Pass
		100	0	21.17	-2.92	18.25	/	Pass
	3625	1	0	22.51	-2.92	19.59	/	Pass
			50	22.57	-2.92	19.65	/	Pass
			99	22.98	-2.92	20.06	/	Pass
		50	0	21.46	-2.92	18.54	/	Pass
			25	21.54	-2.92	18.62	/	Pass
			50	21.83	-2.92	18.91	/	Pass
		100	0	21.63	-2.92	18.71	/	Pass
	3690	1	0	22.93	-2.92	20.01	/	Pass
			50	22.91	-2.92	19.99	/	Pass
			99	22.62	-2.92	19.70	/	Pass
		50	0	21.98	-2.92	19.06	/	Pass
			25	21.80	-2.92	18.88	/	Pass
			50	21.79	-2.92	18.87	/	Pass
		100	0	21.88	-2.92	18.96	/	Pass
16QAM	3560	1	0	20.73	-2.92	17.81	/	Pass

		50	50	21.04	-2.92	18.12	/	Pass
			99	21.09	-2.92	18.17	/	Pass
			0	19.99	-2.92	17.07	/	Pass
			25	20.10	-2.92	17.18	/	Pass
			50	20.22	-2.92	17.30	/	Pass
		100	0	20.08	-2.92	17.16	/	Pass
	3625	1	0	21.39	-2.92	18.47	/	Pass
			50	21.39	-2.92	18.47	/	Pass
			99	21.78	-2.92	18.86	/	Pass
		50	0	20.59	-2.92	17.67	/	Pass
			25	20.55	-2.92	17.63	/	Pass
			50	20.88	-2.92	17.96	/	Pass
		100	0	20.54	-2.92	17.62	/	Pass
	3690	1	0	22.09	-2.92	19.17	/	Pass
			50	22.08	-2.92	19.16	/	Pass
			99	21.69	-2.92	18.77	/	Pass
		50	0	21.04	-2.92	18.12	/	Pass
			25	20.91	-2.92	17.99	/	Pass
			50	20.95	-2.92	18.03	/	Pass
		100	0	20.98	-2.92	18.06	/	Pass
64QAM	3560	1	0	19.89	-2.92	16.97	/	Pass
			50	20.12	-2.92	17.20	/	Pass
			99	20.11	-2.92	17.19	/	Pass
		50	0	18.99	-2.92	16.07	/	Pass
			25	19.22	-2.92	16.30	/	Pass
			50	19.17	-2.92	16.25	/	Pass
		100	0	19.04	-2.92	16.12	/	Pass
	3625	1	0	20.47	-2.92	17.55	/	Pass
			50	20.41	-2.92	17.49	/	Pass
			99	20.85	-2.92	17.93	/	Pass
		50	0	19.47	-2.92	16.55	/	Pass
			25	19.54	-2.92	16.62	/	Pass
			50	19.90	-2.92	16.98	/	Pass
		100	0	19.61	-2.92	16.69	/	Pass
	3690	1	0	21.00	-2.92	18.08	/	Pass
			50	21.01	-2.92	18.09	/	Pass
			99	20.61	-2.92	17.69	/	Pass
		50	0	20.04	-2.92	17.12	/	Pass
			25	19.89	-2.92	16.97	/	Pass
			50	19.95	-2.92	17.03	/	Pass
		100	0	19.84	-2.92	16.92	/	Pass
256QAM	3560	1	0	16.81	-2.92	13.89	/	Pass
			50	16.88	-2.92	13.96	/	Pass
			99	17.19	-2.92	14.27	/	Pass
		50	0	16.75	-2.92	13.83	/	Pass
			25	17.09	-2.92	14.17	/	Pass
			50	17.04	-2.92	14.12	/	Pass
		100	0	17.09	-2.92	14.17	/	Pass
	3625	1	0	17.38	-2.92	14.46	/	Pass
			50	17.43	-2.92	14.51	/	Pass
			99	17.95	-2.92	15.03	/	Pass
		50	0	17.47	-2.92	14.55	/	Pass
			25	17.54	-2.92	14.62	/	Pass
			50	17.72	-2.92	14.80	/	Pass
		100	0	17.50	-2.92	14.58	/	Pass
	3690	1	0	17.87	-2.92	14.95	/	Pass
			50	17.97	-2.92	15.05	/	Pass
			99	17.83	-2.92	14.91	/	Pass
		50	0	17.95	-2.92	15.03	/	Pass

		25	17.79	-2.92	14.87	/	Pass
		50	17.71	-2.92	14.79	/	Pass
	100	0	17.78	-2.92	14.86	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.8 B48_20MHz_EIRP/10MHz

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	19.16	-2.92	16.24	<=23	Pass
			50	19.34	-2.92	16.42	<=23	Pass
			99	19.27	-2.92	16.35	<=23	Pass
		50	0	18.24	-2.92	15.32	<=23	Pass
			25	18.29	-2.92	15.37	<=23	Pass
			50	18.34	-2.92	15.42	<=23	Pass
		100	0	15.58	-2.92	12.66	<=23	Pass
	3625	1	0	20.42	-2.92	17.50	<=23	Pass
			50	20.76	-2.92	17.84	<=23	Pass
			99	20.53	-2.92	17.61	<=23	Pass
		50	0	20.47	-2.92	17.55	<=23	Pass
			25	20.33	-2.92	17.41	<=23	Pass
			50	19.65	-2.92	16.73	<=23	Pass
		100	0	17.21	-2.92	14.29	<=23	Pass
	3690	1	0	21.10	-2.92	18.18	<=23	Pass
			50	21.50	-2.92	18.58	<=23	Pass
			99	21.12	-2.92	18.20	<=23	Pass
		50	0	19.73	-2.92	16.81	<=23	Pass
			25	20.14	-2.92	17.22	<=23	Pass
			50	20.22	-2.92	17.30	<=23	Pass
		100	0	17.77	-2.92	14.85	<=23	Pass
16QAM	3560	1	0	18.34	-2.92	15.42	<=23	Pass
			50	18.21	-2.92	15.29	<=23	Pass
			99	18.22	-2.92	15.30	<=23	Pass
		50	0	17.23	-2.92	14.31	<=23	Pass
			25	17.41	-2.92	14.49	<=23	Pass
			50	17.30	-2.92	14.38	<=23	Pass
		100	0	14.70	-2.92	11.78	<=23	Pass
	3625	1	0	19.77	-2.92	16.85	<=23	Pass
			50	19.43	-2.92	16.51	<=23	Pass
			99	20.12	-2.92	17.20	<=23	Pass
		50	0	19.20	-2.92	16.28	<=23	Pass
			25	19.32	-2.92	16.40	<=23	Pass
			50	18.95	-2.92	16.03	<=23	Pass
		100	0	16.49	-2.92	13.57	<=23	Pass
	3690	1	0	19.66	-2.92	16.74	<=23	Pass
			50	20.82	-2.92	17.90	<=23	Pass
			99	20.08	-2.92	17.16	<=23	Pass
		50	0	19.27	-2.92	16.35	<=23	Pass
			25	18.98	-2.92	16.06	<=23	Pass
			50	19.40	-2.92	16.48	<=23	Pass
		100	0	16.78	-2.92	13.86	<=23	Pass
64QAM	3560	1	0	19.36	-2.92	16.44	<=23	Pass
			50	19.50	-2.92	16.58	<=23	Pass
			99	19.59	-2.92	16.67	<=23	Pass
		50	0	18.50	-2.92	15.58	<=23	Pass
			25	18.50	-2.92	15.58	<=23	Pass

			50	18.52	-2.92	15.60	<=23	Pass	
		100	0	15.93	-2.92	13.01	<=23	Pass	
	3625	1	0	21.52	-2.92	18.60	<=23	Pass	
			50	21.46	-2.92	18.54	<=23	Pass	
			99	20.94	-2.92	18.02	<=23	Pass	
			0	20.25	-2.92	17.33	<=23	Pass	
		50	25	20.63	-2.92	17.71	<=23	Pass	
			50	20.33	-2.92	17.41	<=23	Pass	
			100	0	17.13	-2.92	14.21	<=23	Pass
	3690	1	0	20.96	-2.92	18.04	<=23	Pass	
			50	21.61	-2.92	18.69	<=23	Pass	
			99	21.78	-2.92	18.86	<=23	Pass	
		50	0	19.85	-2.92	16.93	<=23	Pass	
			25	20.43	-2.92	17.51	<=23	Pass	
			50	20.14	-2.92	17.22	<=23	Pass	
		100	0	17.84	-2.92	14.92	<=23	Pass	
	256QAM	3560	1	0	16.35	-2.92	13.43	<=23	Pass
				50	16.53	-2.92	13.61	<=23	Pass
99				16.68	-2.92	13.76	<=23	Pass	
0				16.44	-2.92	13.52	<=23	Pass	
50			25	16.37	-2.92	13.45	<=23	Pass	
			50	16.34	-2.92	13.42	<=23	Pass	
			100	0	13.70	-2.92	10.78	<=23	Pass
3625		1	0	18.65	-2.92	15.73	<=23	Pass	
			50	17.75	-2.92	14.83	<=23	Pass	
			99	18.14	-2.92	15.22	<=23	Pass	
			0	17.89	-2.92	14.97	<=23	Pass	
		50	25	18.13	-2.92	15.21	<=23	Pass	
			50	18.41	-2.92	15.49	<=23	Pass	
			100	0	15.33	-2.92	12.41	<=23	Pass
3690		1	0	18.23	-2.92	15.31	<=23	Pass	
			50	18.45	-2.92	15.53	<=23	Pass	
			99	18.74	-2.92	15.82	<=23	Pass	
			0	18.43	-2.92	15.51	<=23	Pass	
		50	25	18.19	-2.92	15.27	<=23	Pass	
			50	18.75	-2.92	15.83	<=23	Pass	
			100	0	16.23	-2.92	13.31	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain									

2. Frequency Stability

2.1 Test Result

2.1.1 B48_10MHz

Band: 48 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3625	50	0	20	LV	-3.289	-0.0009	-2.5 to 2.5	Pass
					NV	-5.790	-0.0016	-2.5 to 2.5	Pass
					HV	-2.665	-0.0007	-2.5 to 2.5	Pass
				-30	NV	-4.111	-0.0011	-2.5 to 2.5	Pass
				-20	NV	-4.401	-0.0012	-2.5 to 2.5	Pass
				-10	NV	-2.661	-0.0007	-2.5 to 2.5	Pass
				0	NV	-1.776	-0.0005	-2.5 to 2.5	Pass
				10	NV	-2.744	-0.0008	-2.5 to 2.5	Pass
				30	NV	-1.361	-0.0004	-2.5 to 2.5	Pass
				40	NV	-2.542	-0.0007	-2.5 to 2.5	Pass
				50	NV	-3.515	-0.0010	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band48_OBW


Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	4.531	/	Pass
	16QAM	3625	25	0	4.550	/	Pass
	64QAM	3625	25	0	4.544	/	Pass
	256QAM	3625	25	0	4.548	/	Pass
10	QPSK	3625	50	0	9.124	/	Pass
	16QAM	3625	50	0	9.057	/	Pass
	64QAM	3625	50	0	9.086	/	Pass
	256QAM	3625	50	0	9.017	/	Pass
15	QPSK	3625	75	0	13.547	/	Pass
	16QAM	3625	75	0	13.571	/	Pass
	64QAM	3625	75	0	13.564	/	Pass
	256QAM	3625	75	0	13.601	/	Pass
20	QPSK	3625	100	0	18.080	/	Pass
	16QAM	3625	100	0	18.039	/	Pass
	64QAM	3625	100	0	18.062	/	Pass
	256QAM	3625	100	0	17.994	/	Pass

3.1.2 Band48_XDB


Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	5.206	/	Pass
	16QAM	3625	25	0	5.011	/	Pass
	64QAM	3625	25	0	5.036	/	Pass
	256QAM	3625	25	0	4.890	/	Pass
10	QPSK	3625	50	0	9.994	/	Pass
	16QAM	3625	50	0	9.820	/	Pass
	64QAM	3625	50	0	9.817	/	Pass
	256QAM	3625	50	0	9.973	/	Pass
15	QPSK	3625	75	0	15.077	/	Pass
	16QAM	3625	75	0	15.095	/	Pass
	64QAM	3625	75	0	14.958	/	Pass
	256QAM	3625	75	0	14.708	/	Pass
20	QPSK	3625	100	0	19.651	/	Pass
	16QAM	3625	100	0	19.630	/	Pass
	64QAM	3625	100	0	19.222	/	Pass
	256QAM	3625	100	0	19.229	/	Pass

3.2 Test Graph


3.2.1 Band48_OBW




Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTNV




Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 64QAM MCH 3625MHz RB 50 0 NTV




Band48 10MHz 256QAM MCH 3625MHz RB 50 0 NTV




Band48 15MHz QPSK MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 64QAM MCH 3625MHz RB 75 0 NTV




Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTV




Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTV




Band48 20MHz 16QAM MCH 3625MHz RB 100 0 NTV




Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTNV




Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTNV




3.2.2 Band48_XDB




Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTNV




Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTNV




Band48 10MHz 64QAM MCH 3625MHz RB 50 0 NTV




Band48 10MHz 256QAM MCH 3625MHz RB 50 0 NTV




Band48 15MHz QPSK MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 16QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 64QAM MCH 3625MHz RB 75 0 NTNV




Band48 15MHz 256QAM MCH 3625MHz RB 75 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 100 0 NTV




Band48 20MHz 16QAM MCH 3625MHz RB 100 0 NTV



Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTV



Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	3625	100	0	7.37	<=13	Pass
16QAM	3625	100	0	8.05	<=13	Pass
64QAM	3625	100	0	9.01	<=13	Pass
256QAM	3625	100	0	9.05	<=13	Pass

4.2 Test Graph


4.2.1 B48_20MHz



Band48 20MHz 64QAM MCH 3625MHz RB 100 0 NTV



Band48 20MHz 256QAM MCH 3625MHz RB 100 0 NTV



5. Spurious Emission

5.1 Test Result

5.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3695	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B48_15MHz


Band: 48 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B48_5MHz




Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV



Band48 5MHz QPSK LCH 3552.5MHz RB 1 0 NTNV




Band48 5MHz QPSK LCH 3552.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3528.625	-51.55	-40	Pass
3530	3545	1	CHP	2	3544.990	-35.68	-25	Pass
3545	3549	1	CHP	3	3548.500	-26.48	-13	Pass
3549	3550	0.05	CHP	4	3549.985	-29.93	-13	Pass
3550	3555	0.05	CHP	/	/	/	/	/
3555	3556	0.05	CHP	5	3555.040	-29.28	-13	Pass
3556	3560	1	CHP	6	3556.510	-26.37	-13	Pass
3560	3720	1	CHP	7	3560.005	-35.65	-25	Pass
3720	3730	1	CHP	8	3727.465	-52.69	-40	Pass


Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTNV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTNV



Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.680	-54.15	-40	Pass
3530	3690	1	CHP	2	3689.935	-45.24	-25	Pass
3690	3694	1	CHP	3	3691.285	-42.03	-13	Pass
3694	3695	0.03	/	4	3694.900	-48.62	-13	Pass
3695	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.030	-26.65	-13	Pass
3701	3705	1	CHP	6	3701.500	-31.99	-13	Pass
3705	3720	1	CHP	7	3705.025	-42.06	-25	Pass
3720	3730	1	CHP	8	3720.610	-49.98	-40	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3521.515	-54.09	-40	Pass
3530	3690	1	CHP	2	3689.995	-33.54	-25	Pass
3690	3694	1	CHP	3	3693.490	-25.42	-13	Pass
3694	3695	0.05	CHP	4	3694.990	-27.35	-13	Pass
3695	3700	0.05	CHP	/	/	/	/	/
3700	3701	0.05	CHP	5	3700.075	-29.96	-13	Pass
3701	3705	1	CHP	6	3701.500	-24.77	-13	Pass
3705	3720	1	CHP	7	3705.010	-33.30	-25	Pass
3720	3730	1	CHP	8	3720.475	-49.81	-40	Pass


5.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN



Band48 10MHz QPSK LCH 3555MHz RB 1 0 NTN




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.050	-50.17	-40	Pass
3530	3540	1	CHP	2	3540.000	-37.60	-25	Pass
3540	3549	1	CHP	3	3548.500	-29.16	-13	Pass
3549	3550	0.1	/	4	3549.850	-32.89	-13	Pass
3550	3560	0.1	/	/	/	/	/	/
3560	3561	0.1	/	5	3560.250	-32.59	-13	Pass
3561	3570	1	CHP	6	3561.500	-29.42	-13	Pass
3570	3720	1	CHP	7	3570.050	-38.21	-25	Pass
3720	3730	1	CHP	8	3726.950	-52.55	-40	Pass


Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTV




Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTNV




Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTNV



Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTV




Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3520.675	-54.25	-40	Pass
3530	3680	1	CHP	2	3661.300	-46.12	-25	Pass
3680	3689	1	CHP	3	3688.480	-45.43	-13	Pass
3689	3690	0.03	/	4	3689.770	-54.59	-13	Pass
3690	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.120	-31.61	-13	Pass
3701	3710	1	CHP	6	3701.500	-32.39	-13	Pass
3710	3720	1	CHP	7	3710.035	-45.60	-25	Pass
3720	3730	1	CHP	8	3720.010	-49.65	-40	Pass

Band48 10MHz QPSK HCH 3695MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3524.635	-54.10	-40	Pass
3530	3680	1	CHP	2	3679.990	-35.91	-25	Pass
3680	3689	1	CHP	3	3688.495	-27.19	-13	Pass
3689	3690	0.098	CHP	4	3689.995	-32.01	-13	Pass
3690	3700	0.098	CHP	/	/	/	/	/
3700	3701	0.098	CHP	5	3700.015	-32.40	-13	Pass
3701	3710	1	CHP	6	3701.500	-27.37	-13	Pass
3710	3720	1	CHP	7	3710.005	-36.17	-25	Pass
3720	3730	1	CHP	8	3720.085	-49.14	-40	Pass


5.2.3 B48_15MHz




Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV



Band48_15MHz_QPSK_LCH_3557.5MHz_RB_1_0_NTNV




Band48 15MHz QPSK LCH 3557.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3530.000	-43.53	-40	Pass
3530	3540	1	CHP	2	3537.550	-33.42	-25	Pass
3540	3549	1	CHP	3	3548.350	-29.29	-13	Pass
3549	3550	0.151	CHP	4	3549.700	-33.22	-13	Pass
3550	3565	0.151	CHP	/	/	/	/	/
3565	3566	0.151	CHP	5	3565.300	-35.31	-13	Pass
3566	3580	1	CHP	6	3566.500	-28.30	-13	Pass
3580	3720	1	CHP	7	3580.400	-38.49	-25	Pass
3720	3730	1	CHP	8	3727.450	-52.49	-40	Pass


Band48 15MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_HCH_3692.5MHz_RB_1_0_NTNV




Band48_15MHz_QPSK_HCH_3692.5MHz_RB_1_0_NTNV



Band48 15MHz QPSK HCH 3692.5MHz RB 1 0 NTNV




Band48 15MHz QPSK HCH 3692.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3525.835	-54.16	-40	Pass
3530	3670	1	CHP	2	3622.210	-49.80	-25	Pass
3670	3684	1	CHP	3	3683.455	-44.26	-13	Pass
3684	3685	0.03	/	4	3684.700	-55.93	-13	Pass
3685	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.060	-34.48	-13	Pass
3701	3710	1	CHP	6	3701.500	-32.91	-13	Pass
3710	3720	1	CHP	7	3710.155	-45.20	-25	Pass
3720	3730	1	CHP	8	3721.150	-49.17	-40	Pass

Band48 15MHz QPSK HCH 3692.5MHz RB 75 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3527.400	-54.14	-40	Pass
3530	3670	1	CHP	2	3669.000	-37.39	-25	Pass
3670	3684	1	CHP	3	3683.200	-27.04	-13	Pass
3684	3685	0.15	CHP	4	3684.600	-34.11	-13	Pass
3685	3700	0.15	CHP	/	/	/	/	/
3700	3701	0.15	CHP	5	3700.100	-33.96	-13	Pass
3701	3710	1	CHP	6	3702.250	-26.43	-13	Pass
3710	3720	1	CHP	7	3710.100	-33.38	-25	Pass
3720	3730	1	CHP	8	3720.250	-43.40	-40	Pass


5.2.4 B48_20MHz




Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTN



Band48 20MHz QPSK LCH 3560MHz RB 1 0 NTN




Band48 20MHz QPSK LCH 3560MHz RB 100 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.500	-47.14	-40	Pass
3530	3540	1	CHP	2	3538.900	-40.85	-25	Pass
3540	3549	1	CHP	3	3548.200	-36.16	-13	Pass
3549	3550	0.192	CHP	4	3549.600	-39.58	-13	Pass
3550	3570	0.192	CHP	/	/	/	/	/
3570	3571	0.192	CHP	5	3570.100	-42.15	-13	Pass
3571	3590	1	CHP	6	3571.500	-36.39	-13	Pass
3590	3720	1	CHP	7	3590.050	-48.18	-25	Pass
3720	3730	1	CHP	8	3720.600	-64.75	-40	Pass


Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK MCH 3625MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV



Band48 20MHz QPSK HCH 3690MHz RB 1 0 NTNV




Band48 20MHz QPSK HCH 3690MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3526.345	-54.19	-40	Pass
3530	3660	1	CHP	2	3621.730	-50.30	-25	Pass
3660	3679	1	CHP	3	3678.475	-48.79	-13	Pass
3679	3680	0.03	/	4	3679.945	-58.57	-13	Pass
3680	3700	0.03	/	/	/	/	/	/
3700	3701	0.03	/	5	3700.030	-33.15	-13	Pass
3701	3710	1	CHP	6	3701.905	-33.93	-13	Pass
3710	3720	1	CHP	7	3710.005	-44.92	-25	Pass
3720	3730	1	CHP	8	3720.220	-49.49	-40	Pass

Band48 20MHz QPSK HCH 3690MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.100	-63.19	-40	Pass
3530	3660	1	CHP	2	3659.900	-47.03	-25	Pass
3660	3679	1	CHP	3	3678.500	-35.38	-13	Pass
3679	3680	0.192	CHP	4	3679.950	-39.16	-13	Pass
3680	3700	0.192	CHP	/	/	/	/	/
3700	3701	0.192	CHP	5	3700.150	-39.85	-13	Pass
3701	3710	1	CHP	6	3701.500	-35.12	-13	Pass
3710	3720	1	CHP	7	3710.050	-40.53	-25	Pass
3720	3730	1	CHP	8	3720.050	-45.35	-40	Pass

6. Adjacent Channel Leakage Ratio

6.1 Test Result

6.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
64QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
256QAM	3552.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3695	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
16QAM	3555	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3695	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
64QAM	3555	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3695	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
256QAM	3555	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3625	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	3695	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	

6.1.3 B48_15MHz


Band: 48 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
64QAM	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
256QAM	3557.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

6.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Adjacent Channel Leakage Ratio		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
64QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
256QAM	3560	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 B48_5MHz




Band48 5MHz QPSK LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.53	/	/	/	/
Adjacent	-5	5.00	-21.57	-40.10	-30	10.10	Pass
Adjacent	5	5.00	-21.12	-39.65	-30	9.65	Pass

Band48 5MHz QPSK MCH 3625MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.31	/	/	/	/
Adjacent	-5	5.00	-20.50	-38.81	-30	8.81	Pass
Adjacent	5	5.00	-35.88	-54.19	-30	24.19	Pass


Band48 5MHz QPSK MCH 3625MHz RB 1 24 NTNV



Band48 5MHz QPSK MCH 3625MHz RB 25 0 NTNV




Band48 5MHz QPSK HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.26	/	/	/	/
Adjacent	-5	5.00	-20.22	-40.48	-30	10.48	Pass
Adjacent	5	5.00	-35.38	-55.64	-30	25.64	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	20.48	/	/	/	/
Adjacent	-5	5.00	-35.48	-55.96	-30	25.96	Pass
Adjacent	5	5.00	-20.87	-41.35	-30	11.35	Pass

Band48 5MHz QPSK HCH 3697.5MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.26	/	/	/	/
Adjacent	-5	5.00	-20.09	-39.35	-30	9.35	Pass
Adjacent	5	5.00	-20.53	-39.79	-30	9.79	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.61	/	/	/	/
Adjacent	-5	5.00	-21.76	-40.37	-30	10.37	Pass
Adjacent	5	5.00	-38.04	-56.65	-30	26.65	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.42	/	/	/	/
Adjacent	-5	5.00	-37.96	-56.38	-30	26.38	Pass
Adjacent	5	5.00	-24.60	-43.02	-30	13.02	Pass

Band48 5MHz 16QAM LCH 3552.5MHz RB 25_0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.69	/	/	/	/
Adjacent	-5	5.00	-21.84	-39.53	-30	9.53	Pass
Adjacent	5	5.00	-22.11	-39.80	-30	9.80	Pass

Band48 5MHz 16QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.61	/	/	/	/
Adjacent	-5	5.00	-20.85	-39.46	-30	9.46	Pass
Adjacent	5	5.00	-36.64	-55.25	-30	25.25	Pass

Band48 5MHz 16QAM MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.79	/	/	/	/
Adjacent	-5	5.00	-36.34	-55.13	-30	25.13	Pass
Adjacent	5	5.00	-21.56	-40.35	-30	10.35	Pass

Band48 5MHz 16QAM MCH 3625MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.37	/	/	/	/
Adjacent	-5	5.00	-21.63	-39.00	-30	9.00	Pass
Adjacent	5	5.00	-21.25	-38.62	-30	8.62	Pass

Band48 5MHz 16QAM HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	19.04	/	/	/	/
Adjacent	-5	5.00	-23.90	-42.94	-30	12.94	Pass
Adjacent	5	5.00	-35.55	-54.59	-30	24.59	Pass


Band48 5MHz 16QAM HCH 3697.5MHz RB 1 24 NTN



Band48 5MHz 16QAM HCH 3697.5MHz RB 25_0 NTN




Band48 5MHz 64QAM LCH 3552.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.26	/	/	/	/
Adjacent	-5	5.00	-24.39	-42.65	-30	12.65	Pass
Adjacent	5	5.00	-38.93	-57.19	-30	27.19	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.79	/	/	/	/
Adjacent	-5	5.00	-39.50	-56.29	-30	26.29	Pass
Adjacent	5	5.00	-23.57	-40.36	-30	10.36	Pass

Band48 5MHz 64QAM LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	16.00	/	/	/	/
Adjacent	-5	5.00	-23.47	-39.47	-30	9.47	Pass
Adjacent	5	5.00	-23.23	-39.23	-30	9.23	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.05	/	/	/	/
Adjacent	-5	5.00	-24.92	-42.97	-30	12.97	Pass
Adjacent	5	5.00	-36.68	-54.73	-30	24.73	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.39	/	/	/	/
Adjacent	-5	5.00	-36.96	-54.35	-30	24.35	Pass
Adjacent	5	5.00	-24.85	-42.24	-30	12.24	Pass

Band48 5MHz 64QAM MCH 3625MHz RB 25 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.03	/	/	/	/
Adjacent	-5	5.00	-22.24	-39.27	-30	9.27	Pass
Adjacent	5	5.00	-22.74	-39.77	-30	9.77	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.22	/	/	/	/
Adjacent	-5	5.00	-23.30	-41.52	-30	11.52	Pass
Adjacent	5	5.00	-36.29	-54.51	-30	24.51	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	18.18	/	/	/	/
Adjacent	-5	5.00	-35.97	-54.15	-30	24.15	Pass
Adjacent	5	5.00	-21.60	-39.78	-30	9.78	Pass

Band48 5MHz 64QAM HCH 3697.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	17.35	/	/	/	/
Adjacent	-5	5.00	-21.20	-38.55	-30	8.55	Pass
Adjacent	5	5.00	-21.42	-38.77	-30	8.77	Pass

Band48 5MHz 256QAM LCH 3552.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	14.49	/	/	/	/
Adjacent	-5	5.00	-28.62	-43.11	-30	13.11	Pass
Adjacent	5	5.00	-40.56	-55.05	-30	25.05	Pass

Band48 5MHz 256QAM LCH 3552.5MHz RB 1 24 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	14.95	/	/	/	/
Adjacent	-5	5.00	-40.47	-55.42	-30	25.42	Pass
Adjacent	5	5.00	-26.62	-41.57	-30	11.57	Pass

Band48 5MHz 256QAM LCH 3552.5MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.40	/	/	/	/
Adjacent	-5	5.00	-26.08	-41.48	-30	11.48	Pass
Adjacent	5	5.00	-25.60	-41.00	-30	11.00	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.38	/	/	/	/
Adjacent	-5	5.00	-28.95	-42.33	-30	12.33	Pass
Adjacent	5	5.00	-37.70	-51.08	-30	21.08	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 1 24 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.30	/	/	/	/
Adjacent	-5	5.00	-37.95	-53.25	-30	23.25	Pass
Adjacent	5	5.00	-29.92	-45.22	-30	15.22	Pass

Band48 5MHz 256QAM MCH 3625MHz RB 25 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	13.99	/	/	/	/
Adjacent	-5	5.00	-25.84	-39.83	-30	9.83	Pass
Adjacent	5	5.00	-26.59	-40.58	-30	10.58	Pass

Band48 5MHz 256QAM HCH 3697.5MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.77	/	/	/	/
Adjacent	-5	5.00	-24.49	-40.26	-30	10.26	Pass
Adjacent	5	5.00	-37.09	-52.86	-30	22.86	Pass

Band48 5MHz 256QAM HCH 3697.5MHz RB 1 24 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.49	/	/	/	/
Adjacent	-5	5.00	-37.39	-52.88	-30	22.88	Pass
Adjacent	5	5.00	-27.76	-43.25	-30	13.25	Pass

Band48 5MHz 256QAM HCH 3697.5MHz RB 25 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	5.00	15.06	/	/	/	/
Adjacent	-5	5.00	-24.49	-39.55	-30	9.55	Pass
Adjacent	5	5.00	-24.67	-39.73	-30	9.73	Pass

6.2.2 B48_10MHz




Band48 10MHz QPSK LCH 3555MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.64	/	/	/	/
Adjacent	-10	10.00	-22.22	-40.86	-30	10.86	Pass
Adjacent	10	10.00	-22.28	-40.92	-30	10.92	Pass

Band48 10MHz QPSK MCH 3625MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.31	/	/	/	/
Adjacent	-10	10.00	-25.45	-44.76	-30	14.76	Pass
Adjacent	10	10.00	-34.76	-54.07	-30	24.07	Pass

Band48 10MHz QPSK MCH 3625MHz RB 1 49 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.36	/	/	/	/
Adjacent	-10	10.00	-34.85	-54.21	-30	24.21	Pass
Adjacent	10	10.00	-25.41	-44.77	-30	14.77	Pass

Band48 10MHz QPSK MCH 3625MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.55	/	/	/	/
Adjacent	-10	10.00	-21.78	-40.33	-30	10.33	Pass
Adjacent	10	10.00	-22.02	-40.57	-30	10.57	Pass

Band48 10MHz QPSK HCH 3695MHz RB 1 0 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.56	/	/	/	/
Adjacent	-10	10.00	-24.97	-44.53	-30	14.53	Pass
Adjacent	10	10.00	-34.10	-53.66	-30	23.66	Pass

Band48 10MHz QPSK HCH 3695MHz RB 1 49 NTN




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.88	/	/	/	/
Adjacent	-10	10.00	-34.36	-54.24	-30	24.24	Pass
Adjacent	10	10.00	-27.53	-47.41	-30	17.41	Pass

Band48 10MHz QPSK HCH 3695MHz RB 50 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.85	/	/	/	/
Adjacent	-10	10.00	-21.26	-40.11	-30	10.11	Pass
Adjacent	10	10.00	-21.15	-40.00	-30	10.00	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	19.05	/	/	/	/
Adjacent	-10	10.00	-26.64	-45.69	-30	15.69	Pass
Adjacent	10	10.00	-37.80	-56.85	-30	26.85	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.45	/	/	/	/
Adjacent	-10	10.00	-37.61	-56.06	-30	26.06	Pass
Adjacent	10	10.00	-26.96	-45.41	-30	15.41	Pass

Band48 10MHz 16QAM LCH 3555MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.75	/	/	/	/
Adjacent	-10	10.00	-22.61	-40.36	-30	10.36	Pass
Adjacent	10	10.00	-22.63	-40.38	-30	10.38	Pass


Band48 10MHz 16QAM MCH 3625MHz RB 1 0 NTV



Band48 10MHz 16QAM MCH 3625MHz RB 1 49 NTV




Band48 10MHz 16QAM MCH 3625MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.38	/	/	/	/
Adjacent	-10	10.00	-22.42	-39.80	-30	9.80	Pass
Adjacent	10	10.00	-22.27	-39.65	-30	9.65	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.66	/	/	/	/
Adjacent	-10	10.00	-26.14	-44.80	-30	14.80	Pass
Adjacent	10	10.00	-34.46	-53.12	-30	23.12	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 1 49 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.98	/	/	/	/
Adjacent	-10	10.00	-34.48	-53.46	-30	23.46	Pass
Adjacent	10	10.00	-27.72	-46.70	-30	16.70	Pass

Band48 10MHz 16QAM HCH 3695MHz RB 50 0 NTNV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.24	/	/	/	/
Adjacent	-10	10.00	-21.83	-40.07	-30	10.07	Pass
Adjacent	10	10.00	-21.63	-39.87	-30	9.87	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 0 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	18.14	/	/	/	/
Adjacent	-10	10.00	-28.16	-46.30	-30	16.30	Pass
Adjacent	10	10.00	-37.83	-55.97	-30	25.97	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 1 49 NTV




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.45	/	/	/	/
Adjacent	-10	10.00	-37.70	-54.15	-30	24.15	Pass
Adjacent	10	10.00	-25.47	-41.92	-30	11.92	Pass

Band48 10MHz 64QAM LCH 3555MHz RB 50 0 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	16.15	/	/	/	/
Adjacent	-10	10.00	-23.75	-39.90	-30	9.90	Pass
Adjacent	10	10.00	-24.61	-40.76	-30	10.76	Pass

Band48 10MHz 64QAM MCH 3625MHz RB 1 0 NTV



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	10.00	17.87	/	/	/	/
Adjacent	-10	10.00	-27.78	-45.65	-30	15.65	Pass
Adjacent	10	10.00	-35.14	-53.01	-30	23.01	Pass