

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B66_1.4MHz_EIRP

Band: 66 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.14	0.10	24.24	<=30	Pass
			2	24.19	0.10	24.29	<=30	Pass
			5	24.10	0.10	24.20	<=30	Pass
		3	0	24.25	0.10	24.35	<=30	Pass
			2	24.28	0.10	24.38	<=30	Pass
			3	24.21	0.10	24.31	<=30	Pass
		6	0	23.29	0.10	23.39	<=30	Pass
	1745	1	0	24.10	0.10	24.20	<=30	Pass
			2	24.18	0.10	24.28	<=30	Pass
			5	24.09	0.10	24.19	<=30	Pass
		3	0	24.17	0.10	24.27	<=30	Pass
			2	24.19	0.10	24.29	<=30	Pass
			3	24.18	0.10	24.28	<=30	Pass
		6	0	23.26	0.10	23.36	<=30	Pass
	1779.3	1	0	23.90	0.10	24.00	<=30	Pass
			2	23.93	0.10	24.03	<=30	Pass
			5	23.90	0.10	24.00	<=30	Pass
		3	0	23.99	0.10	24.09	<=30	Pass
			2	24.01	0.10	24.11	<=30	Pass
			3	23.98	0.10	24.08	<=30	Pass
		6	0	23.09	0.10	23.19	<=30	Pass
16QAM	1710.7	1	0	23.28	0.10	23.38	<=30	Pass
			2	23.31	0.10	23.41	<=30	Pass
			5	23.19	0.10	23.29	<=30	Pass
		3	0	23.17	0.10	23.27	<=30	Pass
			2	23.20	0.10	23.30	<=30	Pass
			3	23.15	0.10	23.25	<=30	Pass
		6	0	22.30	0.10	22.40	<=30	Pass
	1745	1	0	23.07	0.10	23.17	<=30	Pass
			2	23.14	0.10	23.24	<=30	Pass
			5	23.09	0.10	23.19	<=30	Pass
		3	0	23.22	0.10	23.32	<=30	Pass
			2	23.24	0.10	23.34	<=30	Pass
			3	23.21	0.10	23.31	<=30	Pass
		6	0	22.18	0.10	22.28	<=30	Pass
	1779.3	1	0	22.80	0.10	22.90	<=30	Pass
			2	22.85	0.10	22.95	<=30	Pass
			5	22.81	0.10	22.91	<=30	Pass
		3	0	23.10	0.10	23.20	<=30	Pass
			2	23.17	0.10	23.27	<=30	Pass
			3	23.15	0.10	23.25	<=30	Pass
		6	0	22.05	0.10	22.15	<=30	Pass
64QAM	1710.7	1	0	22.41	0.10	22.51	<=30	Pass
			2	22.46	0.10	22.56	<=30	Pass
			5	22.30	0.10	22.40	<=30	Pass
		3	0	22.44	0.10	22.54	<=30	Pass
			2	22.47	0.10	22.57	<=30	Pass
			3	22.41	0.10	22.51	<=30	Pass
		6	0	21.66	0.10	21.76	<=30	Pass

	1745	1	0	22.31	0.10	22.41	<=30	Pass
			2	22.37	0.10	22.47	<=30	Pass
			5	22.34	0.10	22.44	<=30	Pass
		3	0	22.22	0.10	22.32	<=30	Pass
			2	22.22	0.10	22.32	<=30	Pass
			3	22.22	0.10	22.32	<=30	Pass
	1779.3	6	0	21.39	0.10	21.49	<=30	Pass
			0	22.40	0.10	22.50	<=30	Pass
			2	22.44	0.10	22.54	<=30	Pass
		1	5	22.34	0.10	22.44	<=30	Pass
			0	22.33	0.10	22.43	<=30	Pass
			2	22.34	0.10	22.44	<=30	Pass
		3	3	22.33	0.10	22.43	<=30	Pass
			0	21.07	0.10	21.17	<=30	Pass
			0	21.07	0.10	21.17	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B66_3MHz_EIRP

Band: 66 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	24.02	0.10	24.12	<=30	Pass
			7	24.12	0.10	24.22	<=30	Pass
			14	23.97	0.10	24.07	<=30	Pass
		8	0	23.23	0.10	23.33	<=30	Pass
			4	23.27	0.10	23.37	<=30	Pass
			7	23.21	0.10	23.31	<=30	Pass
		15	0	23.14	0.10	23.24	<=30	Pass
	1745	1	0	23.99	0.10	24.09	<=30	Pass
			7	24.12	0.10	24.22	<=30	Pass
			14	23.94	0.10	24.04	<=30	Pass
		8	0	23.21	0.10	23.31	<=30	Pass
			4	23.22	0.10	23.32	<=30	Pass
			7	23.17	0.10	23.27	<=30	Pass
		15	0	23.11	0.10	23.21	<=30	Pass
	1778.5	1	0	23.77	0.10	23.87	<=30	Pass
			7	23.89	0.10	23.99	<=30	Pass
			14	23.79	0.10	23.89	<=30	Pass
		8	0	23.01	0.10	23.11	<=30	Pass
			4	23.05	0.10	23.15	<=30	Pass
			7	22.97	0.10	23.07	<=30	Pass
		15	0	22.95	0.10	23.05	<=30	Pass
16QAM	1711.5	1	0	23.12	0.10	23.22	<=30	Pass
			7	23.25	0.10	23.35	<=30	Pass
			14	23.09	0.10	23.19	<=30	Pass
		8	0	22.18	0.10	22.28	<=30	Pass
			4	22.22	0.10	22.32	<=30	Pass
			7	22.14	0.10	22.24	<=30	Pass
		15	0	22.12	0.10	22.22	<=30	Pass
	1745	1	0	22.96	0.10	23.06	<=30	Pass
			7	23.10	0.10	23.20	<=30	Pass
			14	22.94	0.10	23.04	<=30	Pass
		8	0	22.24	0.10	22.34	<=30	Pass
			4	22.28	0.10	22.38	<=30	Pass
			7	22.17	0.10	22.27	<=30	Pass
		15	0	22.15	0.10	22.25	<=30	Pass
	1778.5	1	0	23.27	0.10	23.37	<=30	Pass

			7	23.34	0.10	23.44	<=30	Pass		
			14	23.13	0.10	23.23	<=30	Pass		
		8	0	22.11	0.10	22.21	<=30	Pass		
			4	22.16	0.10	22.26	<=30	Pass		
			7	22.11	0.10	22.21	<=30	Pass		
		15	0	22.00	0.10	22.10	<=30	Pass		
64QAM	1711.5	1	0	22.24	0.10	22.34	<=30	Pass		
			7	22.35	0.10	22.45	<=30	Pass		
			14	22.25	0.10	22.35	<=30	Pass		
		8	0	21.31	0.10	21.41	<=30	Pass		
			4	21.34	0.10	21.44	<=30	Pass		
			7	21.28	0.10	21.38	<=30	Pass		
		15	0	21.27	0.10	21.37	<=30	Pass		
		1745	1	0	22.22	0.10	22.32	<=30	Pass	
				7	22.35	0.10	22.45	<=30	Pass	
	14			22.17	0.10	22.27	<=30	Pass		
	8		0	21.14	0.10	21.24	<=30	Pass		
			4	21.14	0.10	21.24	<=30	Pass		
			7	21.08	0.10	21.18	<=30	Pass		
	15		0	21.20	0.10	21.30	<=30	Pass		
	1778.5		1	0	22.11	0.10	22.21	<=30	Pass	
				7	22.25	0.10	22.35	<=30	Pass	
		14		22.07	0.10	22.17	<=30	Pass		
		8	0	21.11	0.10	21.21	<=30	Pass		
			4	21.09	0.10	21.19	<=30	Pass		
			7	21.01	0.10	21.11	<=30	Pass		
		15	0	20.96	0.10	21.06	<=30	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B66_5MHz_EIRP

Band: 66 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	24.22	0.10	24.32	<=30	Pass
			13	24.33	0.10	24.43	<=30	Pass
			24	24.14	0.10	24.24	<=30	Pass
		12	0	23.18	0.10	23.28	<=30	Pass
			6	23.29	0.10	23.39	<=30	Pass
			13	23.23	0.10	23.33	<=30	Pass
		25	0	23.22	0.10	23.32	<=30	Pass
	1745	1	0	24.17	0.10	24.27	<=30	Pass
			13	24.35	0.10	24.45	<=30	Pass
			24	24.13	0.10	24.23	<=30	Pass
		12	0	23.22	0.10	23.32	<=30	Pass
			6	23.25	0.10	23.35	<=30	Pass
			13	23.22	0.10	23.32	<=30	Pass
		25	0	23.20	0.10	23.30	<=30	Pass
	1777.5	1	0	23.99	0.10	24.09	<=30	Pass
			13	24.13	0.10	24.23	<=30	Pass
			24	23.94	0.10	24.04	<=30	Pass
		12	0	22.98	0.10	23.08	<=30	Pass
			6	23.08	0.10	23.18	<=30	Pass
			13	22.99	0.10	23.09	<=30	Pass
		25	0	22.97	0.10	23.07	<=30	Pass
16QAM	1712.5	1	0	23.06	0.10	23.16	<=30	Pass
			13	23.16	0.10	23.26	<=30	Pass
			24	23.00	0.10	23.10	<=30	Pass
		12	0	22.22	0.10	22.32	<=30	Pass
			6	22.30	0.10	22.40	<=30	Pass
			13	22.22	0.10	22.32	<=30	Pass
		25	0	22.27	0.10	22.37	<=30	Pass
	1745	1	0	23.42	0.10	23.52	<=30	Pass
			13	23.53	0.10	23.63	<=30	Pass
			24	23.33	0.10	23.43	<=30	Pass
		12	0	22.21	0.10	22.31	<=30	Pass
			6	22.28	0.10	22.38	<=30	Pass
			13	22.24	0.10	22.34	<=30	Pass
		25	0	22.22	0.10	22.32	<=30	Pass
	1777.5	1	0	23.03	0.10	23.13	<=30	Pass
			13	23.15	0.10	23.25	<=30	Pass
			24	23.00	0.10	23.10	<=30	Pass
		12	0	21.99	0.10	22.09	<=30	Pass
			6	22.02	0.10	22.12	<=30	Pass
			13	21.95	0.10	22.05	<=30	Pass
		25	0	22.05	0.10	22.15	<=30	Pass
64QAM	1712.5	1	0	22.19	0.10	22.29	<=30	Pass
			13	22.28	0.10	22.38	<=30	Pass
			24	22.12	0.10	22.22	<=30	Pass
		12	0	21.33	0.10	21.43	<=30	Pass
			6	21.37	0.10	21.47	<=30	Pass
			13	21.35	0.10	21.45	<=30	Pass
		25	0	21.35	0.10	21.45	<=30	Pass
	1745	1	0	22.57	0.10	22.67	<=30	Pass
			13	22.69	0.10	22.79	<=30	Pass

		12	24	22.53	0.10	22.63	<=30	Pass
			0	21.16	0.10	21.26	<=30	Pass
			6	21.24	0.10	21.34	<=30	Pass
			13	21.16	0.10	21.26	<=30	Pass
		25	0	21.24	0.10	21.34	<=30	Pass
	1777.5	1	0	22.12	0.10	22.22	<=30	Pass
			13	22.29	0.10	22.39	<=30	Pass
			24	22.18	0.10	22.28	<=30	Pass
		12	0	21.12	0.10	21.22	<=30	Pass
			6	21.11	0.10	21.21	<=30	Pass
			13	21.09	0.10	21.19	<=30	Pass
		25	0	21.11	0.10	21.21	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B66_10MHz_EIRP

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	24.36	0.10	24.46	<=30	Pass
			25	24.30	0.10	24.40	<=30	Pass
			49	24.34	0.10	24.44	<=30	Pass
		25	0	23.21	0.10	23.31	<=30	Pass
			13	23.29	0.10	23.39	<=30	Pass
			25	23.23	0.10	23.33	<=30	Pass
		50	0	23.24	0.10	23.34	<=30	Pass
	1745	1	0	24.29	0.10	24.39	<=30	Pass
			25	24.31	0.10	24.41	<=30	Pass
			49	24.19	0.10	24.29	<=30	Pass
		25	0	23.16	0.10	23.26	<=30	Pass
			13	23.28	0.10	23.38	<=30	Pass
			25	23.24	0.10	23.34	<=30	Pass
		50	0	23.21	0.10	23.31	<=30	Pass
	1775	1	0	24.18	0.10	24.28	<=30	Pass
			25	24.17	0.10	24.27	<=30	Pass
			49	24.10	0.10	24.20	<=30	Pass
		25	0	23.10	0.10	23.20	<=30	Pass
			13	23.07	0.10	23.17	<=30	Pass
			25	22.98	0.10	23.08	<=30	Pass
		50	0	23.06	0.10	23.16	<=30	Pass
16QAM	1715	1	0	23.78	0.10	23.88	<=30	Pass
			25	23.78	0.10	23.88	<=30	Pass
			49	23.74	0.10	23.84	<=30	Pass
		25	0	22.25	0.10	22.35	<=30	Pass
			13	22.33	0.10	22.43	<=30	Pass
			25	22.33	0.10	22.43	<=30	Pass
		50	0	22.25	0.10	22.35	<=30	Pass
	1745	1	0	23.43	0.10	23.53	<=30	Pass
			25	23.46	0.10	23.56	<=30	Pass
			49	23.28	0.10	23.38	<=30	Pass
		25	0	22.22	0.10	22.32	<=30	Pass
			13	22.35	0.10	22.45	<=30	Pass
			25	22.21	0.10	22.31	<=30	Pass
		50	0	22.25	0.10	22.35	<=30	Pass
	1775	1	0	23.15	0.10	23.25	<=30	Pass
			25	23.11	0.10	23.21	<=30	Pass
			49	23.05	0.10	23.15	<=30	Pass

64QAM	1715	25	0	22.16	0.10	22.26	<=30	Pass
			13	22.16	0.10	22.26	<=30	Pass
			25	22.06	0.10	22.16	<=30	Pass
		50	0	22.06	0.10	22.16	<=30	Pass
			0	22.58	0.10	22.68	<=30	Pass
			25	22.58	0.10	22.68	<=30	Pass
	1745	1	49	22.55	0.10	22.65	<=30	Pass
			0	21.33	0.10	21.43	<=30	Pass
			13	21.44	0.10	21.54	<=30	Pass
		25	25	21.39	0.10	21.49	<=30	Pass
			0	21.35	0.10	21.45	<=30	Pass
			0	22.43	0.10	22.53	<=30	Pass
		1	25	22.45	0.10	22.55	<=30	Pass
			49	22.35	0.10	22.45	<=30	Pass
			0	21.29	0.10	21.39	<=30	Pass
		25	13	21.38	0.10	21.48	<=30	Pass
			25	21.34	0.10	21.44	<=30	Pass
			0	21.28	0.10	21.38	<=30	Pass
	1775	1	0	22.30	0.10	22.40	<=30	Pass
			25	22.24	0.10	22.34	<=30	Pass
			49	22.13	0.10	22.23	<=30	Pass
		25	0	21.22	0.10	21.32	<=30	Pass
			13	21.21	0.10	21.31	<=30	Pass
			25	21.11	0.10	21.21	<=30	Pass
		50	0	21.07	0.10	21.17	<=30	Pass
			0	22.16	0.10	22.26	<=30	Pass
			13	22.16	0.10	22.26	<=30	Pass
			25	22.06	0.10	22.16	<=30	Pass
		50	0	22.06	0.10	22.16	<=30	Pass
			0	22.58	0.10	22.68	<=30	Pass
			25	22.58	0.10	22.68	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B66_15MHz_EIRP

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.26	0.10	24.36	<=30	Pass
			38	24.36	0.10	24.46	<=30	Pass
			74	24.28	0.10	24.38	<=30	Pass
		36	0	23.29	0.10	23.39	<=30	Pass
			18	23.36	0.10	23.46	<=30	Pass
			39	23.36	0.10	23.46	<=30	Pass
		75	0	23.32	0.10	23.42	<=30	Pass
			0	24.24	0.10	24.34	<=30	Pass
			38	24.32	0.10	24.42	<=30	Pass
	1745	1	74	24.11	0.10	24.21	<=30	Pass
			0	23.23	0.10	23.33	<=30	Pass
			18	23.34	0.10	23.44	<=30	Pass
		36	39	23.28	0.10	23.38	<=30	Pass
			0	23.30	0.10	23.40	<=30	Pass
			0	23.30	0.10	23.40	<=30	Pass
		75	0	23.30	0.10	23.40	<=30	Pass
			0	24.16	0.10	24.26	<=30	Pass
			38	24.17	0.10	24.27	<=30	Pass
	1772.5	1	74	24.04	0.10	24.14	<=30	Pass
			0	23.20	0.10	23.30	<=30	Pass
			18	23.20	0.10	23.30	<=30	Pass
		36	39	23.06	0.10	23.16	<=30	Pass
			0	23.16	0.10	23.26	<=30	Pass
			0	23.73	0.10	23.83	<=30	Pass
		1	38	23.79	0.10	23.89	<=30	Pass
			74	23.78	0.10	23.88	<=30	Pass
			0	22.36	0.10	22.46	<=30	Pass
16QAM	1717.5	1	0	23.73	0.10	23.83	<=30	Pass
			38	23.79	0.10	23.89	<=30	Pass
			74	23.78	0.10	23.88	<=30	Pass
		36	0	22.36	0.10	22.46	<=30	Pass

			18	22.37	0.10	22.47	<=30	Pass
			39	22.33	0.10	22.43	<=30	Pass
		75	0	22.31	0.10	22.41	<=30	Pass
	1745	1	0	23.37	0.10	23.47	<=30	Pass
			38	23.44	0.10	23.54	<=30	Pass
			74	23.23	0.10	23.33	<=30	Pass
		36	0	22.22	0.10	22.32	<=30	Pass
			18	22.26	0.10	22.36	<=30	Pass
			39	22.25	0.10	22.35	<=30	Pass
		75	0	22.24	0.10	22.34	<=30	Pass
	1772.5	1	0	23.39	0.10	23.49	<=30	Pass
			38	23.42	0.10	23.52	<=30	Pass
			74	23.21	0.10	23.31	<=30	Pass
		36	0	22.14	0.10	22.24	<=30	Pass
			18	22.14	0.10	22.24	<=30	Pass
			39	22.00	0.10	22.10	<=30	Pass
		75	0	22.12	0.10	22.22	<=30	Pass
64QAM	1717.5	1	0	22.58	0.10	22.68	<=30	Pass
			38	22.65	0.10	22.75	<=30	Pass
			74	22.56	0.10	22.66	<=30	Pass
		36	0	21.35	0.10	21.45	<=30	Pass
			18	21.40	0.10	21.50	<=30	Pass
			39	21.39	0.10	21.49	<=30	Pass
		75	0	21.35	0.10	21.45	<=30	Pass
	1745	1	0	22.41	0.10	22.51	<=30	Pass
			38	22.49	0.10	22.59	<=30	Pass
			74	22.25	0.10	22.35	<=30	Pass
		36	0	21.25	0.10	21.35	<=30	Pass
			18	21.39	0.10	21.49	<=30	Pass
			39	21.27	0.10	21.37	<=30	Pass
		75	0	21.29	0.10	21.39	<=30	Pass
	1772.5	1	0	22.63	0.10	22.73	<=30	Pass
			38	22.68	0.10	22.78	<=30	Pass
			74	22.55	0.10	22.65	<=30	Pass
		36	0	21.16	0.10	21.26	<=30	Pass
			18	21.19	0.10	21.29	<=30	Pass
			39	21.08	0.10	21.18	<=30	Pass
		75	0	21.15	0.10	21.25	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B66_20MHz_EIRP

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	24.22	0.10	24.32	<=30	Pass
			50	24.37	0.10	24.47	<=30	Pass
			99	24.18	0.10	24.28	<=30	Pass
		50	0	23.24	0.10	23.34	<=30	Pass
			25	23.32	0.10	23.42	<=30	Pass
			50	23.26	0.10	23.36	<=30	Pass
		100	0	23.23	0.10	23.33	<=30	Pass
			0	24.20	0.10	24.30	<=30	Pass
			0	24.32	0.10	24.42	<=30	Pass
	1745	1	0	24.20	0.10	24.30	<=30	Pass
			50	24.32	0.10	24.42	<=30	Pass
			99	23.99	0.10	24.09	<=30	Pass
		50	0	23.21	0.10	23.31	<=30	Pass
			25	23.33	0.10	23.43	<=30	Pass
			50	23.26	0.10	23.36	<=30	Pass
		100	0	23.20	0.10	23.30	<=30	Pass
			0	23.98	0.10	24.08	<=30	Pass
			0	24.16	0.10	24.26	<=30	Pass
	1770	1	0	23.89	0.10	23.99	<=30	Pass
			50	23.17	0.10	23.27	<=30	Pass
			25	23.19	0.10	23.29	<=30	Pass
		50	0	23.19	0.10	23.29	<=30	Pass
			25	23.19	0.10	23.29	<=30	Pass
			50	22.92	0.10	23.02	<=30	Pass
		100	0	23.03	0.10	23.13	<=30	Pass
			0	23.43	0.10	23.53	<=30	Pass
			0	23.63	0.10	23.73	<=30	Pass
16QAM	1720	1	0	23.43	0.10	23.53	<=30	Pass
			50	23.63	0.10	23.73	<=30	Pass
			99	23.42	0.10	23.52	<=30	Pass
		50	0	22.24	0.10	22.34	<=30	Pass
			25	22.34	0.10	22.44	<=30	Pass
			50	22.29	0.10	22.39	<=30	Pass
		100	0	22.25	0.10	22.35	<=30	Pass
			0	23.30	0.10	23.40	<=30	Pass
			0	23.48	0.10	23.58	<=30	Pass
	1745	1	0	23.30	0.10	23.40	<=30	Pass
			50	23.48	0.10	23.58	<=30	Pass
			99	23.12	0.10	23.22	<=30	Pass
		50	0	22.19	0.10	22.29	<=30	Pass
			25	22.26	0.10	22.36	<=30	Pass
			50	22.24	0.10	22.34	<=30	Pass
		100	0	22.21	0.10	22.31	<=30	Pass
			0	23.45	0.10	23.55	<=30	Pass
			0	23.64	0.10	23.74	<=30	Pass
	1770	1	0	23.36	0.10	23.46	<=30	Pass
			50	22.18	0.10	22.28	<=30	Pass
			25	22.14	0.10	22.24	<=30	Pass
		50	0	22.18	0.10	22.28	<=30	Pass
			25	22.14	0.10	22.24	<=30	Pass
			50	21.99	0.10	22.09	<=30	Pass
		100	0	22.08	0.10	22.18	<=30	Pass
			0	22.58	0.10	22.68	<=30	Pass
			0	22.76	0.10	22.86	<=30	Pass
64QAM	1720	1	0	22.58	0.10	22.68	<=30	Pass
			50	22.76	0.10	22.86	<=30	Pass
			99	22.55	0.10	22.65	<=30	Pass
		50	0	21.35	0.10	21.45	<=30	Pass
			25	21.53	0.10	21.63	<=30	Pass
			50	21.39	0.10	21.49	<=30	Pass
		100	0	21.40	0.10	21.50	<=30	Pass
			0	22.77	0.10	22.87	<=30	Pass
			0	22.91	0.10	23.01	<=30	Pass
	1745	1	0	22.77	0.10	22.87	<=30	Pass

		50	99	22.59	0.10	22.69	<=30	Pass
			0	21.23	0.10	21.33	<=30	Pass
			25	21.38	0.10	21.48	<=30	Pass
			50	21.32	0.10	21.42	<=30	Pass
		100	0	21.19	0.10	21.29	<=30	Pass
	1770	1	0	22.25	0.10	22.35	<=30	Pass
			50	22.40	0.10	22.50	<=30	Pass
			99	22.08	0.10	22.18	<=30	Pass
		50	0	21.20	0.10	21.30	<=30	Pass
			25	21.19	0.10	21.29	<=30	Pass
			50	20.99	0.10	21.09	<=30	Pass
		100	0	21.10	0.10	21.20	<=30	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

2. Frequency Stability

2.1 Test Result

2.1.1 B66_10MHz

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1745	50	0	20	LV	-4.557	-0.0026	-2.5 to 2.5	Pass
					NV	-4.730	-0.0027	-2.5 to 2.5	Pass
					HV	-1.849	-0.0011	-2.5 to 2.5	Pass
				-30	NV	-3.548	-0.0020	-2.5 to 2.5	Pass
				-20	NV	-0.252	-0.0001	-2.5 to 2.5	Pass
				-10	NV	-0.558	-0.0003	-2.5 to 2.5	Pass
				0	NV	-3.546	-0.0020	-2.5 to 2.5	Pass
				10	NV	1.755	0.0010	-2.5 to 2.5	Pass
				30	NV	2.236	0.0013	-2.5 to 2.5	Pass
				40	NV	-0.819	-0.0005	-2.5 to 2.5	Pass
				50	NV	3.684	0.0021	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band66_OBW


Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.111	/	Pass
	16QAM	1745	6	0	1.115	/	Pass
	64QAM	1745	6	0	1.100	/	Pass
3	QPSK	1745	15	0	2.725	/	Pass
	16QAM	1745	15	0	2.710	/	Pass
	64QAM	1745	15	0	2.731	/	Pass
5	QPSK	1745	25	0	4.549	/	Pass
	16QAM	1745	25	0	4.536	/	Pass
	64QAM	1745	25	0	4.558	/	Pass
10	QPSK	1745	50	0	9.051	/	Pass
	16QAM	1745	50	0	9.058	/	Pass
	64QAM	1745	50	0	9.030	/	Pass
15	QPSK	1745	75	0	13.600	/	Pass
	16QAM	1745	75	0	13.579	/	Pass
	64QAM	1745	75	0	13.576	/	Pass
20	QPSK	1745	100	0	18.076	/	Pass
	16QAM	1745	100	0	18.029	/	Pass
	64QAM	1745	100	0	18.049	/	Pass


3.1.2 Band66_XDB

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1745	6	0	1.305	/	Pass
	16QAM	1745	6	0	1.309	/	Pass
	64QAM	1745	6	0	1.296	/	Pass
3	QPSK	1745	15	0	3.058	/	Pass
	16QAM	1745	15	0	3.009	/	Pass
	64QAM	1745	15	0	3.036	/	Pass
5	QPSK	1745	25	0	5.023	/	Pass
	16QAM	1745	25	0	5.016	/	Pass
	64QAM	1745	25	0	4.997	/	Pass
10	QPSK	1745	50	0	9.928	/	Pass
	16QAM	1745	50	0	9.903	/	Pass
	64QAM	1745	50	0	9.915	/	Pass
15	QPSK	1745	75	0	14.825	/	Pass
	16QAM	1745	75	0	14.804	/	Pass
	64QAM	1745	75	0	14.860	/	Pass
20	QPSK	1745	100	0	19.638	/	Pass
	16QAM	1745	100	0	19.611	/	Pass
	64QAM	1745	100	0	19.703	/	Pass


3.2 Test Graph

3.2.1 Band66_OBW







Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV




3.2.2 Band66_XDB




Band66_1.4MHz_64QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_64QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_64QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_64QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_64QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_64QAM_MCH_1745MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	5.26	<=13	Pass
16QAM	1745	100	0	6.09	<=13	Pass
64QAM	1745	100	0	6.49	<=13	Pass

4.2 Test Graph

4.2.1 B66_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B66_1.4MHz

Band: 66 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1779.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B66_3MHz

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
		1778.5	1	0	Refer To Test Graph	
	14			Refer To Test Graph		Pass
	15		0	Refer To Test Graph		Pass

5.1.3 B66_5MHz

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B66_10MHz

Band: 66 / Bandwidth: 10MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

		50	0	Refer To Test Graph	Pass
--	--	----	---	---------------------	------

5.1.5 B66_15MHz


Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.6 B66_20MHz

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B66_1.4MHz






Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-29.24	-13	Pass
1709	1710	0.013	CHP	2	1709.935	-36.40	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB_1_0_NTNV



Band66 1.4MHz QPSK HCH 1779.3MHz RB_1_0_NTNV




Band66 1.4MHz QPSK HCH 1779.3MHz RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-29.56	-13	Pass
1781	1783	1	CHP	2	1781.500	-40.48	-13	Pass

Band66 1.4MHz QPSK HCH 1779.3MHz RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.013	CHP	/	/	/	/	/
1780	1781	0.013	CHP	1	1780.095	-34.95	-13	Pass
1781	1783	1	CHP	2	1781.500	-30.05	-13	Pass


5.2.2 B66_3MHz



Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-25.70	-13	Pass
1709	1710	0.031	CHP	2	1709.994	-31.39	-13	Pass
1710	1713	0.031	CHP	/	/	/	/	/


Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.014	-27.29	-13	Pass
1781	1783	1	CHP	2	1781.500	-38.19	-13	Pass

Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.031	CHP	/	/	/	/	/
1780	1781	0.031	CHP	1	1780.006	-32.54	-13	Pass
1781	1783	1	CHP	2	1781.500	-25.09	-13	Pass


5.2.3 B66_5MHz



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.500	-26.19	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-35.24	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.002	-36.21	-13	Pass
1781	1785	1	CHP	2	1781.601	-36.93	-13	Pass

Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1775	1780	0.05	CHP	/	/	/	/	/
1780	1781	0.05	CHP	1	1780.010	-35.16	-13	Pass
1781	1785	1	CHP	2	1781.500	-25.83	-13	Pass


5.2.4 B66_10MHz



Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.462	-29.01	-13	Pass
1709	1710	0.099	CHP	2	1709.992	-37.07	-13	Pass
1710	1720	0.099	CHP	/	/	/	/	/


Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.001	-41.88	-13	Pass
1781	1790	1	CHP	2	1783.718	-37.24	-13	Pass

Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1770	1780	0.099	CHP	/	/	/	/	/
1780	1781	0.099	CHP	1	1780.323	-37.46	-13	Pass
1781	1790	1	CHP	2	1781.748	-28.98	-13	Pass


5.2.5 B66_15MHz



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.260	-27.29	-13	Pass
1709	1710	0.148	CHP	2	1709.700	-34.18	-13	Pass
1710	1725	0.148	CHP	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-45.80	-13	Pass
1781	1795	1	CHP	2	1785.851	-35.59	-13	Pass

Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1765	1780	0.149	CHP	/	/	/	/	/
1780	1781	0.149	CHP	1	1780.360	-35.50	-13	Pass
1781	1795	1	CHP	2	1781.920	-26.37	-13	Pass


5.2.6 B66_20MHz



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-31.37	-13	Pass
1709	1710	0.196	CHP	2	1709.960	-37.35	-13	Pass
1710	1730	0.196	CHP	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.003	/	/	/	/	/	/
1780	1781	0.003	/	1	1780.005	-48.54	-13	Pass
1781	1800	1	CHP	2	1787.959	-37.20	-13	Pass

Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1760	1780	0.196	CHP	/	/	/	/	/
1780	1781	0.196	CHP	1	1780.040	-36.25	-13	Pass
1781	1800	1	CHP	2	1782.040	-31.39	-13	Pass

- End of the Appendix -