

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	24.15	0.40	24.55	<=33.01	Pass
			2	24.18	0.40	24.58	<=33.01	Pass
			5	24.09	0.40	24.49	<=33.01	Pass
		3	0	24.32	0.40	24.72	<=33.01	Pass
			2	24.30	0.40	24.70	<=33.01	Pass
			3	24.25	0.40	24.65	<=33.01	Pass
		6	0	23.36	0.40	23.76	<=33.01	Pass
	1880	1	0	23.86	0.40	24.26	<=33.01	Pass
			2	23.94	0.40	24.34	<=33.01	Pass
			5	23.91	0.40	24.31	<=33.01	Pass
		3	0	23.98	0.40	24.38	<=33.01	Pass
			2	24.02	0.40	24.42	<=33.01	Pass
			3	24.00	0.40	24.40	<=33.01	Pass
		6	0	23.02	0.40	23.42	<=33.01	Pass
	1909.3	1	0	24.19	0.40	24.59	<=33.01	Pass
			2	24.25	0.40	24.65	<=33.01	Pass
			5	24.21	0.40	24.61	<=33.01	Pass
		3	0	24.34	0.40	24.74	<=33.01	Pass
			2	24.36	0.40	24.76	<=33.01	Pass
			3	24.33	0.40	24.73	<=33.01	Pass
		6	0	23.42	0.40	23.82	<=33.01	Pass
16QAM	1850.7	1	0	23.15	0.40	23.55	<=33.01	Pass
			2	23.18	0.40	23.58	<=33.01	Pass
			5	23.10	0.40	23.50	<=33.01	Pass
		3	0	23.46	0.40	23.86	<=33.01	Pass
			2	23.48	0.40	23.88	<=33.01	Pass
			3	23.48	0.40	23.88	<=33.01	Pass
		6	0	22.35	0.40	22.75	<=33.01	Pass
	1880	1	0	22.83	0.40	23.23	<=33.01	Pass
			2	22.92	0.40	23.32	<=33.01	Pass
			5	22.89	0.40	23.29	<=33.01	Pass
		3	0	23.02	0.40	23.42	<=33.01	Pass
			2	23.02	0.40	23.42	<=33.01	Pass
			3	23.02	0.40	23.42	<=33.01	Pass
		6	0	21.96	0.40	22.36	<=33.01	Pass
	1909.3	1	0	23.14	0.40	23.54	<=33.01	Pass
			2	23.20	0.40	23.60	<=33.01	Pass
			5	23.18	0.40	23.58	<=33.01	Pass
		3	0	23.48	0.40	23.88	<=33.01	Pass
			2	23.52	0.40	23.92	<=33.01	Pass
			3	23.50	0.40	23.90	<=33.01	Pass
		6	0	22.43	0.40	22.83	<=33.01	Pass
64QAM	1850.7	1	0	22.51	0.40	22.91	<=33.01	Pass
			2	22.54	0.40	22.94	<=33.01	Pass
			5	22.38	0.40	22.78	<=33.01	Pass
		3	0	22.51	0.40	22.91	<=33.01	Pass
			2	22.52	0.40	22.92	<=33.01	Pass
			3	22.48	0.40	22.88	<=33.01	Pass
		6	0	21.68	0.40	22.08	<=33.01	Pass

	1880	1	0	22.09	0.40	22.49	<=33.01	Pass
			2	22.15	0.40	22.55	<=33.01	Pass
			5	22.18	0.40	22.58	<=33.01	Pass
		3	0	21.99	0.40	22.39	<=33.01	Pass
			2	22.05	0.40	22.45	<=33.01	Pass
			3	22.05	0.40	22.45	<=33.01	Pass
	1909.3	6	0	21.18	0.40	21.58	<=33.01	Pass
			0	22.74	0.40	23.14	<=33.01	Pass
			2	22.80	0.40	23.20	<=33.01	Pass
		1	5	22.70	0.40	23.10	<=33.01	Pass
			0	22.68	0.40	23.08	<=33.01	Pass
			2	22.71	0.40	23.11	<=33.01	Pass
		3	3	22.68	0.40	23.08	<=33.01	Pass
			0	21.42	0.40	21.82	<=33.01	Pass
			0					

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	24.05	0.40	24.45	<=33.01	Pass
			7	24.09	0.40	24.49	<=33.01	Pass
			14	23.93	0.40	24.33	<=33.01	Pass
		8	0	23.22	0.40	23.62	<=33.01	Pass
			4	23.27	0.40	23.67	<=33.01	Pass
			7	23.12	0.40	23.52	<=33.01	Pass
		15	0	23.18	0.40	23.58	<=33.01	Pass
	1880	1	0	23.67	0.40	24.07	<=33.01	Pass
			7	23.86	0.40	24.26	<=33.01	Pass
			14	23.76	0.40	24.16	<=33.01	Pass
		8	0	22.95	0.40	23.35	<=33.01	Pass
			4	23.01	0.40	23.41	<=33.01	Pass
			7	22.94	0.40	23.34	<=33.01	Pass
		15	0	22.92	0.40	23.32	<=33.01	Pass
	1908.5	1	0	24.13	0.40	24.53	<=33.01	Pass
			7	24.26	0.40	24.66	<=33.01	Pass
			14	24.14	0.40	24.54	<=33.01	Pass
		8	0	23.33	0.40	23.73	<=33.01	Pass
			4	23.38	0.40	23.78	<=33.01	Pass
			7	23.31	0.40	23.71	<=33.01	Pass
		15	0	23.27	0.40	23.67	<=33.01	Pass
16QAM	1851.5	1	0	23.56	0.40	23.96	<=33.01	Pass
			7	23.62	0.40	24.02	<=33.01	Pass
			14	23.38	0.40	23.78	<=33.01	Pass
		8	0	22.36	0.40	22.76	<=33.01	Pass
			4	22.40	0.40	22.80	<=33.01	Pass
			7	22.32	0.40	22.72	<=33.01	Pass
		15	0	22.26	0.40	22.66	<=33.01	Pass
	1880	1	0	22.83	0.40	23.23	<=33.01	Pass
			7	23.00	0.40	23.40	<=33.01	Pass
			14	22.90	0.40	23.30	<=33.01	Pass
		8	0	21.90	0.40	22.30	<=33.01	Pass
			4	21.98	0.40	22.38	<=33.01	Pass
			7	21.89	0.40	22.29	<=33.01	Pass
		15	0	21.87	0.40	22.27	<=33.01	Pass
	1908.5	1	0	23.03	0.40	23.43	<=33.01	Pass

			7	23.22	0.40	23.62	<=33.01	Pass		
			14	23.09	0.40	23.49	<=33.01	Pass		
		8	0	22.39	0.40	22.79	<=33.01	Pass		
			4	22.42	0.40	22.82	<=33.01	Pass		
			7	22.36	0.40	22.76	<=33.01	Pass		
		15	0	22.30	0.40	22.70	<=33.01	Pass		
64QAM	1851.5	1	0	22.44	0.40	22.84	<=33.01	Pass		
			7	22.50	0.40	22.90	<=33.01	Pass		
			14	22.31	0.40	22.71	<=33.01	Pass		
		8	0	21.38	0.40	21.78	<=33.01	Pass		
			4	21.34	0.40	21.74	<=33.01	Pass		
			7	21.23	0.40	21.63	<=33.01	Pass		
		15	0	21.17	0.40	21.57	<=33.01	Pass		
		1880	1	0	21.94	0.40	22.34	<=33.01	Pass	
				7	22.14	0.40	22.54	<=33.01	Pass	
	14			22.06	0.40	22.46	<=33.01	Pass		
	8		0	21.01	0.40	21.41	<=33.01	Pass		
			4	21.05	0.40	21.45	<=33.01	Pass		
			7	21.02	0.40	21.42	<=33.01	Pass		
	15		0	20.96	0.40	21.36	<=33.01	Pass		
	1908.5		1	0	22.28	0.40	22.68	<=33.01	Pass	
				7	22.48	0.40	22.88	<=33.01	Pass	
		14		22.31	0.40	22.71	<=33.01	Pass		
		8	0	21.28	0.40	21.68	<=33.01	Pass		
			4	21.29	0.40	21.69	<=33.01	Pass		
			7	21.24	0.40	21.64	<=33.01	Pass		
		15	0	21.33	0.40	21.73	<=33.01	Pass		
		Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2 5MHz EIRP

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	24.27	0.40	24.67	<=33.01	Pass		
			13	24.30	0.40	24.70	<=33.01	Pass		
			24	24.08	0.40	24.48	<=33.01	Pass		
		12	0	23.23	0.40	23.63	<=33.01	Pass		
			6	23.22	0.40	23.62	<=33.01	Pass		
			13	23.19	0.40	23.59	<=33.01	Pass		
		25	0	23.17	0.40	23.57	<=33.01	Pass		
		1880	1	0	23.91	0.40	24.31	<=33.01	Pass	
				13	24.12	0.40	24.52	<=33.01	Pass	
	24			24.07	0.40	24.47	<=33.01	Pass		
	12		0	22.92	0.40	23.32	<=33.01	Pass		
			6	23.09	0.40	23.49	<=33.01	Pass		
			13	23.07	0.40	23.47	<=33.01	Pass		
	25	0	23.03	0.40	23.43	<=33.01	Pass			
	1907.5	1	0	24.30	0.40	24.70	<=33.01	Pass		
			13	24.47	0.40	24.87	<=33.01	Pass		
			24	24.35	0.40	24.75	<=33.01	Pass		
		12	0	23.35	0.40	23.75	<=33.01	Pass		
			6	23.40	0.40	23.80	<=33.01	Pass		
			13	23.31	0.40	23.71	<=33.01	Pass		
		25	0	23.34	0.40	23.74	<=33.01	Pass		
		16QAM	1852.5	1	0	23.08	0.40	23.48	<=33.01	Pass
					13	23.13	0.40	23.53	<=33.01	Pass

		12	24	22.91	0.40	23.31	<=33.01	Pass	
			0	22.21	0.40	22.61	<=33.01	Pass	
			6	22.25	0.40	22.65	<=33.01	Pass	
			13	22.18	0.40	22.58	<=33.01	Pass	
		25	0	22.23	0.40	22.63	<=33.01	Pass	
		1880	1	0	23.14	0.40	23.54	<=33.01	Pass
				13	23.37	0.40	23.77	<=33.01	Pass
				24	23.35	0.40	23.75	<=33.01	Pass
	12		0	22.01	0.40	22.41	<=33.01	Pass	
			6	22.11	0.40	22.51	<=33.01	Pass	
			13	22.11	0.40	22.51	<=33.01	Pass	
	25		0	22.07	0.40	22.47	<=33.01	Pass	
	1907.5		1	0	23.31	0.40	23.71	<=33.01	Pass
		13		23.55	0.40	23.95	<=33.01	Pass	
		24		23.38	0.40	23.78	<=33.01	Pass	
		12	0	22.31	0.40	22.71	<=33.01	Pass	
			6	22.38	0.40	22.78	<=33.01	Pass	
			13	22.27	0.40	22.67	<=33.01	Pass	
		25	0	22.39	0.40	22.79	<=33.01	Pass	
		64QAM	1852.5	1	0	22.27	0.40	22.67	<=33.01
	13				22.24	0.40	22.64	<=33.01	Pass
	24				22.04	0.40	22.44	<=33.01	Pass
	12			0	21.30	0.40	21.70	<=33.01	Pass
				6	21.31	0.40	21.71	<=33.01	Pass
13				21.25	0.40	21.65	<=33.01	Pass	
25	0			21.26	0.40	21.66	<=33.01	Pass	
1880	1			0	22.28	0.40	22.68	<=33.01	Pass
				13	22.51	0.40	22.91	<=33.01	Pass
				24	22.45	0.40	22.85	<=33.01	Pass
	12		0	20.98	0.40	21.38	<=33.01	Pass	
			6	21.04	0.40	21.44	<=33.01	Pass	
			13	21.05	0.40	21.45	<=33.01	Pass	
	25		0	21.08	0.40	21.48	<=33.01	Pass	
1907.5	1		0	22.48	0.40	22.88	<=33.01	Pass	
			13	22.65	0.40	23.05	<=33.01	Pass	
			24	22.55	0.40	22.95	<=33.01	Pass	
	12		0	21.41	0.40	21.81	<=33.01	Pass	
			6	21.53	0.40	21.93	<=33.01	Pass	
			13	21.41	0.40	21.81	<=33.01	Pass	
	25		0	21.42	0.40	21.82	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain								

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	24.35	0.40	24.75	<=33.01	Pass
			25	24.17	0.40	24.57	<=33.01	Pass
			49	23.95	0.40	24.35	<=33.01	Pass
		25	0	23.14	0.40	23.54	<=33.01	Pass
			13	23.12	0.40	23.52	<=33.01	Pass
			25	23.04	0.40	23.44	<=33.01	Pass
		50	0	23.13	0.40	23.53	<=33.01	Pass
	1880	1	0	23.93	0.40	24.33	<=33.01	Pass
			25	24.10	0.40	24.50	<=33.01	Pass
			49	24.23	0.40	24.63	<=33.01	Pass

		25	0	22.91	0.40	23.31	<=33.01	Pass
			13	23.14	0.40	23.54	<=33.01	Pass
			25	23.14	0.40	23.54	<=33.01	Pass
		50	0	23.03	0.40	23.43	<=33.01	Pass
	1905	1	0	24.47	0.40	24.87	<=33.01	Pass
			25	24.50	0.40	24.90	<=33.01	Pass
			49	24.50	0.40	24.90	<=33.01	Pass
		25	0	23.34	0.40	23.74	<=33.01	Pass
			13	23.37	0.40	23.77	<=33.01	Pass
			25	23.29	0.40	23.69	<=33.01	Pass
50		0	23.31	0.40	23.71	<=33.01	Pass	
16QAM	1855	1	0	23.86	0.40	24.26	<=33.01	Pass
			25	23.69	0.40	24.09	<=33.01	Pass
			49	23.42	0.40	23.82	<=33.01	Pass
		25	0	22.20	0.40	22.60	<=33.01	Pass
			13	22.23	0.40	22.63	<=33.01	Pass
			25	22.11	0.40	22.51	<=33.01	Pass
		50	0	22.15	0.40	22.55	<=33.01	Pass
	1880	1	0	23.04	0.40	23.44	<=33.01	Pass
			25	23.27	0.40	23.67	<=33.01	Pass
			49	23.39	0.40	23.79	<=33.01	Pass
		25	0	21.91	0.40	22.31	<=33.01	Pass
			13	22.18	0.40	22.58	<=33.01	Pass
			25	22.17	0.40	22.57	<=33.01	Pass
		50	0	22.03	0.40	22.43	<=33.01	Pass
	1905	1	0	23.31	0.40	23.71	<=33.01	Pass
			25	23.41	0.40	23.81	<=33.01	Pass
			49	23.40	0.40	23.80	<=33.01	Pass
		25	0	22.38	0.40	22.78	<=33.01	Pass
			13	22.46	0.40	22.86	<=33.01	Pass
			25	22.36	0.40	22.76	<=33.01	Pass
		50	0	22.33	0.40	22.73	<=33.01	Pass
64QAM	1855	1	0	22.64	0.40	23.04	<=33.01	Pass
			25	22.48	0.40	22.88	<=33.01	Pass
			49	22.27	0.40	22.67	<=33.01	Pass
		25	0	21.23	0.40	21.63	<=33.01	Pass
			13	21.24	0.40	21.64	<=33.01	Pass
			25	21.12	0.40	21.52	<=33.01	Pass
		50	0	21.19	0.40	21.59	<=33.01	Pass
	1880	1	0	22.05	0.40	22.45	<=33.01	Pass
			25	22.27	0.40	22.67	<=33.01	Pass
			49	22.41	0.40	22.81	<=33.01	Pass
		25	0	21.06	0.40	21.46	<=33.01	Pass
			13	21.23	0.40	21.63	<=33.01	Pass
			25	21.22	0.40	21.62	<=33.01	Pass
		50	0	21.11	0.40	21.51	<=33.01	Pass
	1905	1	0	22.45	0.40	22.85	<=33.01	Pass
			25	22.54	0.40	22.94	<=33.01	Pass
			49	22.54	0.40	22.94	<=33.01	Pass
		25	0	21.47	0.40	21.87	<=33.01	Pass
			13	21.52	0.40	21.92	<=33.01	Pass
			25	21.44	0.40	21.84	<=33.01	Pass
		50	0	21.33	0.40	21.73	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	24.30	0.40	24.70	<=33.01	Pass
			38	24.07	0.40	24.47	<=33.01	Pass
			74	23.87	0.40	24.27	<=33.01	Pass
		36	0	23.14	0.40	23.54	<=33.01	Pass
			18	23.07	0.40	23.47	<=33.01	Pass
			39	22.98	0.40	23.38	<=33.01	Pass
		75	0	23.10	0.40	23.50	<=33.01	Pass
	1880	1	0	23.83	0.40	24.23	<=33.01	Pass
			38	24.11	0.40	24.51	<=33.01	Pass
			74	24.32	0.40	24.72	<=33.01	Pass
		36	0	22.99	0.40	23.39	<=33.01	Pass
			18	23.10	0.40	23.50	<=33.01	Pass
			39	23.20	0.40	23.60	<=33.01	Pass
		75	0	23.12	0.40	23.52	<=33.01	Pass
	1902.5	1	0	24.41	0.40	24.81	<=33.01	Pass
			38	24.50	0.40	24.90	<=33.01	Pass
			74	24.41	0.40	24.81	<=33.01	Pass
		36	0	23.46	0.40	23.86	<=33.01	Pass
			18	23.49	0.40	23.89	<=33.01	Pass
			39	23.42	0.40	23.82	<=33.01	Pass
		75	0	23.43	0.40	23.83	<=33.01	Pass
16QAM	1857.5	1	0	23.77	0.40	24.17	<=33.01	Pass
			38	23.55	0.40	23.95	<=33.01	Pass
			74	23.30	0.40	23.70	<=33.01	Pass
		36	0	22.16	0.40	22.56	<=33.01	Pass
			18	22.09	0.40	22.49	<=33.01	Pass
			39	21.97	0.40	22.37	<=33.01	Pass
		75	0	22.07	0.40	22.47	<=33.01	Pass
	1880	1	0	22.96	0.40	23.36	<=33.01	Pass
			38	23.25	0.40	23.65	<=33.01	Pass
			74	23.43	0.40	23.83	<=33.01	Pass
		36	0	21.93	0.40	22.33	<=33.01	Pass
			18	22.11	0.40	22.51	<=33.01	Pass
			39	22.23	0.40	22.63	<=33.01	Pass
		75	0	22.13	0.40	22.53	<=33.01	Pass
	1902.5	1	0	23.60	0.40	24.00	<=33.01	Pass
			38	23.63	0.40	24.03	<=33.01	Pass
			74	23.69	0.40	24.09	<=33.01	Pass
		36	0	22.38	0.40	22.78	<=33.01	Pass
			18	22.42	0.40	22.82	<=33.01	Pass
			39	22.36	0.40	22.76	<=33.01	Pass
		75	0	22.33	0.40	22.73	<=33.01	Pass
64QAM	1857.5	1	0	22.57	0.40	22.97	<=33.01	Pass
			38	22.36	0.40	22.76	<=33.01	Pass
			74	22.12	0.40	22.52	<=33.01	Pass
		36	0	21.20	0.40	21.60	<=33.01	Pass
			18	21.08	0.40	21.48	<=33.01	Pass
			39	20.98	0.40	21.38	<=33.01	Pass
		75	0	21.05	0.40	21.45	<=33.01	Pass
	1880	1	0	21.96	0.40	22.36	<=33.01	Pass
			38	22.30	0.40	22.70	<=33.01	Pass
			74	22.46	0.40	22.86	<=33.01	Pass
		36	0	21.03	0.40	21.43	<=33.01	Pass
			18	21.13	0.40	21.53	<=33.01	Pass
			39	21.24	0.40	21.64	<=33.01	Pass
		75	0	21.08	0.40	21.48	<=33.01	Pass

	1902.5	1	0	22.85	0.40	23.25	<=33.01	Pass
			38	22.87	0.40	23.27	<=33.01	Pass
			74	22.96	0.40	23.36	<=33.01	Pass
		36	0	21.38	0.40	21.78	<=33.01	Pass
			18	21.44	0.40	21.84	<=33.01	Pass
			39	21.34	0.40	21.74	<=33.01	Pass
		75	0	21.41	0.40	21.81	<=33.01	Pass
		Note1: EIRP=Conducted Power+Antenna Gain						

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	24.24	0.40	24.64	<=33.01	Pass
			50	24.03	0.40	24.43	<=33.01	Pass
			99	23.79	0.40	24.19	<=33.01	Pass
		50	0	23.01	0.40	23.41	<=33.01	Pass
			25	22.97	0.40	23.37	<=33.01	Pass
			50	22.98	0.40	23.38	<=33.01	Pass
		100	0	22.95	0.40	23.35	<=33.01	Pass
	1880	1	0	23.76	0.40	24.16	<=33.01	Pass
			50	24.13	0.40	24.53	<=33.01	Pass
			99	24.27	0.40	24.67	<=33.01	Pass
		50	0	22.88	0.40	23.28	<=33.01	Pass
			25	23.09	0.40	23.49	<=33.01	Pass
			50	23.14	0.40	23.54	<=33.01	Pass
		100	0	23.04	0.40	23.44	<=33.01	Pass
	1900	1	0	24.30	0.40	24.70	<=33.01	Pass
			50	24.48	0.40	24.88	<=33.01	Pass
			99	24.29	0.40	24.69	<=33.01	Pass
		50	0	23.29	0.40	23.69	<=33.01	Pass
			25	23.41	0.40	23.81	<=33.01	Pass
			50	23.22	0.40	23.62	<=33.01	Pass
		100	0	23.22	0.40	23.62	<=33.01	Pass
16QAM	1860	1	0	23.49	0.40	23.89	<=33.01	Pass
			50	23.26	0.40	23.66	<=33.01	Pass
			99	22.97	0.40	23.37	<=33.01	Pass
		50	0	22.03	0.40	22.43	<=33.01	Pass
			25	21.99	0.40	22.39	<=33.01	Pass
			50	21.97	0.40	22.37	<=33.01	Pass
		100	0	21.97	0.40	22.37	<=33.01	Pass
	1880	1	0	22.86	0.40	23.26	<=33.01	Pass
			50	23.27	0.40	23.67	<=33.01	Pass
			99	23.40	0.40	23.80	<=33.01	Pass
		50	0	21.88	0.40	22.28	<=33.01	Pass
			25	22.12	0.40	22.52	<=33.01	Pass
			50	22.24	0.40	22.64	<=33.01	Pass
		100	0	22.05	0.40	22.45	<=33.01	Pass
	1900	1	0	23.80	0.40	24.20	<=33.01	Pass
			50	23.83	0.40	24.23	<=33.01	Pass
			99	23.80	0.40	24.20	<=33.01	Pass
		50	0	22.25	0.40	22.65	<=33.01	Pass
			25	22.34	0.40	22.74	<=33.01	Pass
			50	22.20	0.40	22.60	<=33.01	Pass
		100	0	22.23	0.40	22.63	<=33.01	Pass
64QAM	1860	1	0	22.61	0.40	23.01	<=33.01	Pass

			50	22.36	0.40	22.76	<=33.01	Pass
			99	22.12	0.40	22.52	<=33.01	Pass
		50	0	21.13	0.40	21.53	<=33.01	Pass
			25	21.09	0.40	21.49	<=33.01	Pass
			50	21.08	0.40	21.48	<=33.01	Pass
		100	0	20.98	0.40	21.38	<=33.01	Pass
	1880	1	0	22.31	0.40	22.71	<=33.01	Pass
			50	22.73	0.40	23.13	<=33.01	Pass
			99	22.86	0.40	23.26	<=33.01	Pass
		50	0	20.94	0.40	21.34	<=33.01	Pass
			25	21.19	0.40	21.59	<=33.01	Pass
			50	21.25	0.40	21.65	<=33.01	Pass
	100	0	21.07	0.40	21.47	<=33.01	Pass	
	1900	1	0	22.53	0.40	22.93	<=33.01	Pass
			50	22.57	0.40	22.97	<=33.01	Pass
			99	22.52	0.40	22.92	<=33.01	Pass
		50	0	21.31	0.40	21.71	<=33.01	Pass
			25	21.44	0.40	21.84	<=33.01	Pass
			50	21.25	0.40	21.65	<=33.01	Pass
	100	0	21.31	0.40	21.71	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-5.004	-0.0027	-2.5 to 2.5	Pass
					NV	-6.466	-0.0034	-2.5 to 2.5	Pass
					HV	3.001	0.0016	-2.5 to 2.5	Pass
				-30	NV	0.063	0.0000	-2.5 to 2.5	Pass
				-20	NV	-2.165	-0.0012	-2.5 to 2.5	Pass
				-10	NV	0.293	0.0002	-2.5 to 2.5	Pass
				0	NV	-1.519	-0.0008	-2.5 to 2.5	Pass
				10	NV	-3.111	-0.0017	-2.5 to 2.5	Pass
				30	NV	-1.183	-0.0006	-2.5 to 2.5	Pass
				40	NV	-5.349	-0.0028	-2.5 to 2.5	Pass
				50	NV	0.723	0.0004	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.111	/	Pass
	16QAM	1880	6	0	1.112	/	Pass
	64QAM	1880	6	0	1.102	/	Pass
3	QPSK	1880	15	0	2.727	/	Pass
	16QAM	1880	15	0	2.729	/	Pass
	64QAM	1880	15	0	2.720	/	Pass
5	QPSK	1880	25	0	4.563	/	Pass
	16QAM	1880	25	0	4.529	/	Pass
	64QAM	1880	25	0	4.560	/	Pass
10	QPSK	1880	50	0	9.051	/	Pass
	16QAM	1880	50	0	9.030	/	Pass
	64QAM	1880	50	0	9.053	/	Pass
15	QPSK	1880	75	0	13.586	/	Pass
	16QAM	1880	75	0	13.560	/	Pass
	64QAM	1880	75	0	13.571	/	Pass
20	QPSK	1880	100	0	18.095	/	Pass
	16QAM	1880	100	0	18.151	/	Pass
	64QAM	1880	100	0	18.029	/	Pass


3.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.309	/	Pass
	16QAM	1880	6	0	1.288	/	Pass
	64QAM	1880	6	0	1.303	/	Pass
3	QPSK	1880	15	0	3.036	/	Pass
	16QAM	1880	15	0	3.055	/	Pass
	64QAM	1880	15	0	3.039	/	Pass
5	QPSK	1880	25	0	4.994	/	Pass
	16QAM	1880	25	0	4.972	/	Pass
	64QAM	1880	25	0	4.996	/	Pass
10	QPSK	1880	50	0	9.952	/	Pass
	16QAM	1880	50	0	9.892	/	Pass
	64QAM	1880	50	0	9.881	/	Pass
15	QPSK	1880	75	0	14.870	/	Pass
	16QAM	1880	75	0	14.889	/	Pass
	64QAM	1880	75	0	14.816	/	Pass
20	QPSK	1880	100	0	19.656	/	Pass
	16QAM	1880	100	0	19.659	/	Pass
	64QAM	1880	100	0	19.720	/	Pass


3.2 Test Graph

3.2.1 Band2_OBW







Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100_0 NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100_0 NTNV




3.2.2 Band2_XDB







Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_64QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100_0 NTN



Band2 20MHz 64QAM MCH 1880MHz RB 100_0 NTN



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.21	<=13	Pass
16QAM	1880	100	0	6.03	<=13	Pass
64QAM	1880	100	0	6.45	<=13	Pass

4.2 Test Graph

4.2.1 B2_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B2_1.4MHz






Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-29.93	-13	Pass
1849	1850	0.013	CHP	2	1849.950	-35.92	-13	Pass
1850	1853	0.013	CHP	/	/	/	/	/


Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV



Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_0_NTNV




Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-28.62	-13	Pass
1911	1913	1	CHP	2	1911.500	-38.75	-13	Pass

Band2_1.4MHz_QPSK_HCH_1909.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.065	-35.06	-13	Pass
1911	1913	1	CHP	2	1911.500	-29.02	-13	Pass


5.2.2 B2_3MHz



Band2_3MHz_QPSK_LCH_1851.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.416	-26.64	-13	Pass
1849	1850	0.03	/	2	1849.982	-29.60	-13	Pass
1850	1853	0.03	/	/	/	/	/	/


Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-25.99	-13	Pass
1911	1913	1	CHP	2	1911.500	-36.93	-13	Pass


Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.006	-29.97	-13	Pass
1911	1913	1	CHP	2	1912.010	-25.23	-13	Pass

5.2.3 B2_5MHz






Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-27.92	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-36.22	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV



Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-33.75	-13	Pass
1911	1915	1	CHP	2	1911.607	-35.87	-13	Pass

Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05	CHP	/	/	/	/	/
1910	1911	0.05	CHP	1	1910.010	-34.87	-13	Pass
1911	1915	1	CHP	2	1911.500	-24.63	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-30.09	-13	Pass
1849	1850	0.1	CHP	2	1849.992	-37.60	-13	Pass
1850	1860	0.1	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-40.49	-13	Pass
1911	1920	1	CHP	2	1913.715	-35.71	-13	Pass

Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.060	-32.16	-13	Pass
1911	1920	1	CHP	2	1911.500	-25.30	-13	Pass


5.2.5 B2_15MHz



Band2_15MHz_QPSK_LCH_1857.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_LCH_1857.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.930	-28.31	-13	Pass
1849	1850	0.149	CHP	2	1849.340	-34.58	-13	Pass
1850	1865	0.149	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-44.10	-13	Pass
1911	1925	1	CHP	2	1915.584	-34.05	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.149	CHP	/	/	/	/	/
1910	1911	0.149	CHP	1	1910.360	-28.66	-13	Pass
1911	1925	1	CHP	2	1912.400	-22.74	-13	Pass


5.2.6 B2_20MHz



Band2_20MHz_QPSK_LCH_1860MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.120	-31.08	-13	Pass
1849	1850	0.197	CHP	2	1849.760	-37.08	-13	Pass
1850	1870	0.197	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV



Band2_20MHz_QPSK_HCH_1900MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_HCH_1900MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-47.63	-13	Pass
1911	1930	1	CHP	2	1917.934	-37.30	-13	Pass

Band2_20MHz_QPSK_HCH_1900MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.197	CHP	/	/	/	/	/
1910	1911	0.197	CHP	1	1910.080	-34.16	-13	Pass
1911	1930	1	CHP	2	1912.240	-27.65	-13	Pass

- End of the Appendix -