

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B4_1.4MHz_EIRP

Band: 4 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1710.7	1	0	24.08	0.10	24.18	<=30	Pass
			2	24.13	0.10	24.23	<=30	Pass
			5	24.09	0.10	24.19	<=30	Pass
		3	0	24.21	0.10	24.31	<=30	Pass
			2	24.24	0.10	24.34	<=30	Pass
			3	24.18	0.10	24.28	<=30	Pass
		6	0	23.27	0.10	23.37	<=30	Pass
	1732.5	1	0	24.10	0.10	24.20	<=30	Pass
			2	24.17	0.10	24.27	<=30	Pass
			5	24.11	0.10	24.21	<=30	Pass
		3	0	24.16	0.10	24.26	<=30	Pass
			2	24.19	0.10	24.29	<=30	Pass
			3	24.18	0.10	24.28	<=30	Pass
		6	0	23.23	0.10	23.33	<=30	Pass
	1754.3	1	0	23.89	0.10	23.99	<=30	Pass
			2	23.93	0.10	24.03	<=30	Pass
			5	23.89	0.10	23.99	<=30	Pass
		3	0	24.01	0.10	24.11	<=30	Pass
			2	24.04	0.10	24.14	<=30	Pass
			3	24.00	0.10	24.10	<=30	Pass
		6	0	23.06	0.10	23.16	<=30	Pass
16QAM	1710.7	1	0	23.20	0.10	23.30	<=30	Pass
			2	23.24	0.10	23.34	<=30	Pass
			5	23.17	0.10	23.27	<=30	Pass
		3	0	23.13	0.10	23.23	<=30	Pass
			2	23.15	0.10	23.25	<=30	Pass
			3	23.14	0.10	23.24	<=30	Pass
		6	0	22.25	0.10	22.35	<=30	Pass
	1732.5	1	0	23.04	0.10	23.14	<=30	Pass
			2	23.12	0.10	23.22	<=30	Pass
			5	23.07	0.10	23.17	<=30	Pass
		3	0	23.20	0.10	23.30	<=30	Pass
			2	23.22	0.10	23.32	<=30	Pass
			3	23.21	0.10	23.31	<=30	Pass
		6	0	22.18	0.10	22.28	<=30	Pass
	1754.3	1	0	22.83	0.10	22.93	<=30	Pass
			2	22.88	0.10	22.98	<=30	Pass
			5	22.81	0.10	22.91	<=30	Pass
		3	0	23.16	0.10	23.26	<=30	Pass
			2	23.19	0.10	23.29	<=30	Pass
			3	23.17	0.10	23.27	<=30	Pass
		6	0	22.07	0.10	22.17	<=30	Pass
64QAM	1710.7	1	0	22.37	0.10	22.47	<=30	Pass
			2	22.42	0.10	22.52	<=30	Pass
			5	22.32	0.10	22.42	<=30	Pass
		3	0	22.37	0.10	22.47	<=30	Pass
			2	22.39	0.10	22.49	<=30	Pass
			3	22.42	0.10	22.52	<=30	Pass
		6	0	21.68	0.10	21.78	<=30	Pass

	1732.5	1	0	22.29	0.10	22.39	<=30	Pass
			2	22.36	0.10	22.46	<=30	Pass
			5	22.35	0.10	22.45	<=30	Pass
		3	0	22.22	0.10	22.32	<=30	Pass
			2	22.22	0.10	22.32	<=30	Pass
			3	22.24	0.10	22.34	<=30	Pass
		6	0	21.38	0.10	21.48	<=30	Pass
	1754.3	1	0	22.40	0.10	22.50	<=30	Pass
			2	22.48	0.10	22.58	<=30	Pass
			5	22.37	0.10	22.47	<=30	Pass
		3	0	22.39	0.10	22.49	<=30	Pass
			2	22.36	0.10	22.46	<=30	Pass
			3	22.36	0.10	22.46	<=30	Pass
		6	0	21.07	0.10	21.17	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.2 B4_3MHz_EIRP

Band: 4 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1711.5	1	0	23.97	0.10	24.07	<=30	Pass
			7	24.06	0.10	24.16	<=30	Pass
			14	23.90	0.10	24.00	<=30	Pass
		8	0	23.17	0.10	23.27	<=30	Pass
			4	23.19	0.10	23.29	<=30	Pass
			7	23.11	0.10	23.21	<=30	Pass
		15	0	23.08	0.10	23.18	<=30	Pass
	1732.5	1	0	24.01	0.10	24.11	<=30	Pass
			7	24.12	0.10	24.22	<=30	Pass
			14	23.95	0.10	24.05	<=30	Pass
		8	0	23.15	0.10	23.25	<=30	Pass
			4	23.24	0.10	23.34	<=30	Pass
			7	23.18	0.10	23.28	<=30	Pass
		15	0	23.13	0.10	23.23	<=30	Pass
	1753.5	1	0	23.79	0.10	23.89	<=30	Pass
			7	23.90	0.10	24.00	<=30	Pass
			14	23.78	0.10	23.88	<=30	Pass
		8	0	23.03	0.10	23.13	<=30	Pass
			4	23.07	0.10	23.17	<=30	Pass
			7	23.00	0.10	23.10	<=30	Pass
		15	0	22.97	0.10	23.07	<=30	Pass
16QAM	1711.5	1	0	23.08	0.10	23.18	<=30	Pass
			7	23.16	0.10	23.26	<=30	Pass
			14	23.03	0.10	23.13	<=30	Pass
		8	0	22.12	0.10	22.22	<=30	Pass
			4	22.16	0.10	22.26	<=30	Pass
			7	22.08	0.10	22.18	<=30	Pass
		15	0	22.06	0.10	22.16	<=30	Pass
	1732.5	1	0	22.98	0.10	23.08	<=30	Pass
			7	23.11	0.10	23.21	<=30	Pass
			14	22.96	0.10	23.06	<=30	Pass
		8	0	22.24	0.10	22.34	<=30	Pass
			4	22.29	0.10	22.39	<=30	Pass
			7	22.21	0.10	22.31	<=30	Pass
		15	0	22.18	0.10	22.28	<=30	Pass
	1753.5	1	0	23.34	0.10	23.44	<=30	Pass
			7	23.39	0.10	23.49	<=30	Pass
			14	23.17	0.10	23.27	<=30	Pass
		8	0	22.16	0.10	22.26	<=30	Pass
			4	22.20	0.10	22.30	<=30	Pass
			7	22.15	0.10	22.25	<=30	Pass
		15	0	22.03	0.10	22.13	<=30	Pass
64QAM	1711.5	1	0	22.17	0.10	22.27	<=30	Pass
			7	22.29	0.10	22.39	<=30	Pass
			14	22.19	0.10	22.29	<=30	Pass
		8	0	21.20	0.10	21.30	<=30	Pass
			4	21.29	0.10	21.39	<=30	Pass
			7	21.24	0.10	21.34	<=30	Pass
		15	0	21.18	0.10	21.28	<=30	Pass
	1732.5	1	0	22.19	0.10	22.29	<=30	Pass
			7	22.35	0.10	22.45	<=30	Pass

		8	14	22.13	0.10	22.23	<=30	Pass
			0	21.12	0.10	21.22	<=30	Pass
			4	21.15	0.10	21.25	<=30	Pass
			7	21.06	0.10	21.16	<=30	Pass
	1753.5	15	0	21.20	0.10	21.30	<=30	Pass
			0	22.22	0.10	22.32	<=30	Pass
			7	22.29	0.10	22.39	<=30	Pass
		8	14	22.13	0.10	22.23	<=30	Pass
			0	21.16	0.10	21.26	<=30	Pass
			4	21.16	0.10	21.26	<=30	Pass
			7	21.04	0.10	21.14	<=30	Pass
			15	21.00	0.10	21.10	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B4_5MHz_EIRP

Band: 4 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1712.5	1	0	24.20	0.10	24.30	<=30	Pass
			13	24.27	0.10	24.37	<=30	Pass
			24	24.16	0.10	24.26	<=30	Pass
		12	0	23.13	0.10	23.23	<=30	Pass
			6	23.21	0.10	23.31	<=30	Pass
			13	23.21	0.10	23.31	<=30	Pass
		25	0	23.16	0.10	23.26	<=30	Pass
	1732.5	1	0	24.20	0.10	24.30	<=30	Pass
			13	24.33	0.10	24.43	<=30	Pass
			24	24.18	0.10	24.28	<=30	Pass
		12	0	23.21	0.10	23.31	<=30	Pass
			6	23.25	0.10	23.35	<=30	Pass
			13	23.24	0.10	23.34	<=30	Pass
		25	0	23.24	0.10	23.34	<=30	Pass
	1752.5	1	0	24.12	0.10	24.22	<=30	Pass
			13	24.19	0.10	24.29	<=30	Pass
			24	24.01	0.10	24.11	<=30	Pass
		12	0	23.03	0.10	23.13	<=30	Pass
			6	23.12	0.10	23.22	<=30	Pass
			13	23.05	0.10	23.15	<=30	Pass
		25	0	23.04	0.10	23.14	<=30	Pass
16QAM	1712.5	1	0	23.01	0.10	23.11	<=30	Pass
			13	23.09	0.10	23.19	<=30	Pass
			24	22.97	0.10	23.07	<=30	Pass
		12	0	22.13	0.10	22.23	<=30	Pass
			6	22.22	0.10	22.32	<=30	Pass
			13	22.21	0.10	22.31	<=30	Pass
		25	0	22.22	0.10	22.32	<=30	Pass
	1732.5	1	0	23.42	0.10	23.52	<=30	Pass
			13	23.52	0.10	23.62	<=30	Pass
			24	23.37	0.10	23.47	<=30	Pass
		12	0	22.20	0.10	22.30	<=30	Pass
			6	22.29	0.10	22.39	<=30	Pass
			13	22.25	0.10	22.35	<=30	Pass
		25	0	22.23	0.10	22.33	<=30	Pass
	1752.5	1	0	23.16	0.10	23.26	<=30	Pass
			13	23.19	0.10	23.29	<=30	Pass
			24	23.06	0.10	23.16	<=30	Pass

		12	0	22.04	0.10	22.14	<=30	Pass	
			6	22.08	0.10	22.18	<=30	Pass	
			13	22.06	0.10	22.16	<=30	Pass	
		25	0	22.08	0.10	22.18	<=30	Pass	
64QAM	1712.5	1	0	22.15	0.10	22.25	<=30	Pass	
			13	22.20	0.10	22.30	<=30	Pass	
			24	22.08	0.10	22.18	<=30	Pass	
		12	0	21.26	0.10	21.36	<=30	Pass	
			6	21.33	0.10	21.43	<=30	Pass	
			13	21.30	0.10	21.40	<=30	Pass	
		25	0	21.28	0.10	21.38	<=30	Pass	
		1732.5	1	0	22.53	0.10	22.63	<=30	Pass
				13	22.68	0.10	22.78	<=30	Pass
	24			22.56	0.10	22.66	<=30	Pass	
	12		0	21.21	0.10	21.31	<=30	Pass	
			6	21.24	0.10	21.34	<=30	Pass	
			13	21.20	0.10	21.30	<=30	Pass	
	25		0	21.26	0.10	21.36	<=30	Pass	
	1752.5		1	0	22.29	0.10	22.39	<=30	Pass
				13	22.37	0.10	22.47	<=30	Pass
		24		22.23	0.10	22.33	<=30	Pass	
		12	0	21.15	0.10	21.25	<=30	Pass	
			6	21.21	0.10	21.31	<=30	Pass	
			13	21.15	0.10	21.25	<=30	Pass	
		25	0	21.18	0.10	21.28	<=30	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

1.1.4 B4_10MHz_EIRP

Band: 4 / Bandwidth: 10MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	24.32	0.10	24.42	<=30	Pass
			25	24.29	0.10	24.39	<=30	Pass
			49	24.28	0.10	24.38	<=30	Pass
		25	0	23.12	0.10	23.22	<=30	Pass
			13	23.28	0.10	23.38	<=30	Pass
			25	23.20	0.10	23.30	<=30	Pass
		50	0	23.16	0.10	23.26	<=30	Pass
	1732.5	1	0	24.31	0.10	24.41	<=30	Pass
			25	24.31	0.10	24.41	<=30	Pass
			49	24.26	0.10	24.36	<=30	Pass
		25	0	23.20	0.10	23.30	<=30	Pass
			13	23.25	0.10	23.35	<=30	Pass
			25	23.29	0.10	23.39	<=30	Pass
		50	0	23.25	0.10	23.35	<=30	Pass
	1750	1	0	24.26	0.10	24.36	<=30	Pass
			25	24.28	0.10	24.38	<=30	Pass
			49	24.14	0.10	24.24	<=30	Pass
		25	0	23.02	0.10	23.12	<=30	Pass
			13	23.13	0.10	23.23	<=30	Pass
			25	23.12	0.10	23.22	<=30	Pass
		50	0	23.13	0.10	23.23	<=30	Pass
16QAM	1715	1	0	23.72	0.10	23.82	<=30	Pass
			25	23.77	0.10	23.87	<=30	Pass
			49	23.74	0.10	23.84	<=30	Pass
		25	0	22.18	0.10	22.28	<=30	Pass

		50	13	22.35	0.10	22.45	<=30	Pass
			25	22.28	0.10	22.38	<=30	Pass
			0	22.18	0.10	22.28	<=30	Pass
	1732.5	1	0	23.41	0.10	23.51	<=30	Pass
			25	23.45	0.10	23.55	<=30	Pass
			49	23.38	0.10	23.48	<=30	Pass
		25	0	22.25	0.10	22.35	<=30	Pass
			13	22.31	0.10	22.41	<=30	Pass
			25	22.27	0.10	22.37	<=30	Pass
		50	0	22.28	0.10	22.38	<=30	Pass
	1750	1	0	23.22	0.10	23.32	<=30	Pass
			25	23.19	0.10	23.29	<=30	Pass
			49	23.05	0.10	23.15	<=30	Pass
		25	0	22.13	0.10	22.23	<=30	Pass
			13	22.28	0.10	22.38	<=30	Pass
			25	22.24	0.10	22.34	<=30	Pass
		50	0	22.23	0.10	22.33	<=30	Pass
64QAM	1715	1	0	22.52	0.10	22.62	<=30	Pass
			25	22.58	0.10	22.68	<=30	Pass
			49	22.56	0.10	22.66	<=30	Pass
		25	0	21.25	0.10	21.35	<=30	Pass
			13	21.39	0.10	21.49	<=30	Pass
			25	21.38	0.10	21.48	<=30	Pass
		50	0	21.28	0.10	21.38	<=30	Pass
	1732.5	1	0	22.48	0.10	22.58	<=30	Pass
			25	22.45	0.10	22.55	<=30	Pass
			49	22.44	0.10	22.54	<=30	Pass
		25	0	21.31	0.10	21.41	<=30	Pass
			13	21.43	0.10	21.53	<=30	Pass
			25	21.39	0.10	21.49	<=30	Pass
	50	0	21.35	0.10	21.45	<=30	Pass	
	1750	1	0	22.39	0.10	22.49	<=30	Pass
			25	22.34	0.10	22.44	<=30	Pass
			49	22.20	0.10	22.30	<=30	Pass
		25	0	21.15	0.10	21.25	<=30	Pass
			13	21.29	0.10	21.39	<=30	Pass
			25	21.25	0.10	21.35	<=30	Pass
		50	0	21.17	0.10	21.27	<=30	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.5 B4_15MHz_EIRP

Band: 4 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	24.23	0.10	24.33	<=30	Pass
			38	24.31	0.10	24.41	<=30	Pass
			74	24.22	0.10	24.32	<=30	Pass
		36	0	23.23	0.10	23.33	<=30	Pass
			18	23.35	0.10	23.45	<=30	Pass
			39	23.30	0.10	23.40	<=30	Pass
		75	0	23.32	0.10	23.42	<=30	Pass
	1732.5	1	0	24.28	0.10	24.38	<=30	Pass
			38	24.31	0.10	24.41	<=30	Pass
			74	24.18	0.10	24.28	<=30	Pass
		36	0	23.25	0.10	23.35	<=30	Pass
			18	23.40	0.10	23.50	<=30	Pass
			39	23.32	0.10	23.42	<=30	Pass
		75	0	23.41	0.10	23.51	<=30	Pass
	1747.5	1	0	24.28	0.10	24.38	<=30	Pass
			38	24.28	0.10	24.38	<=30	Pass
			74	24.08	0.10	24.18	<=30	Pass
		36	0	23.24	0.10	23.34	<=30	Pass
			18	23.29	0.10	23.39	<=30	Pass
			39	23.25	0.10	23.35	<=30	Pass
		75	0	23.27	0.10	23.37	<=30	Pass
16QAM	1717.5	1	0	23.66	0.10	23.76	<=30	Pass
			38	23.77	0.10	23.87	<=30	Pass
			74	23.70	0.10	23.80	<=30	Pass
		36	0	22.24	0.10	22.34	<=30	Pass
			18	22.35	0.10	22.45	<=30	Pass
			39	22.34	0.10	22.44	<=30	Pass
		75	0	22.25	0.10	22.35	<=30	Pass
	1732.5	1	0	23.37	0.10	23.47	<=30	Pass
			38	23.48	0.10	23.58	<=30	Pass
			74	23.34	0.10	23.44	<=30	Pass
		36	0	22.25	0.10	22.35	<=30	Pass
			18	22.33	0.10	22.43	<=30	Pass
			39	22.30	0.10	22.40	<=30	Pass
		75	0	22.35	0.10	22.45	<=30	Pass
	1747.5	1	0	23.55	0.10	23.65	<=30	Pass
			38	23.54	0.10	23.64	<=30	Pass
			74	23.34	0.10	23.44	<=30	Pass
		36	0	22.25	0.10	22.35	<=30	Pass
			18	22.21	0.10	22.31	<=30	Pass
			39	22.21	0.10	22.31	<=30	Pass
		75	0	22.23	0.10	22.33	<=30	Pass
64QAM	1717.5	1	0	22.48	0.10	22.58	<=30	Pass
			38	22.61	0.10	22.71	<=30	Pass
			74	22.50	0.10	22.60	<=30	Pass
		36	0	21.28	0.10	21.38	<=30	Pass
			18	21.38	0.10	21.48	<=30	Pass
			39	21.39	0.10	21.49	<=30	Pass
		75	0	21.33	0.10	21.43	<=30	Pass
	1732.5	1	0	22.44	0.10	22.54	<=30	Pass
			38	22.50	0.10	22.60	<=30	Pass

		36	74	22.32	0.10	22.42	<=30	Pass
			0	21.34	0.10	21.44	<=30	Pass
			18	21.38	0.10	21.48	<=30	Pass
			39	21.37	0.10	21.47	<=30	Pass
	1747.5	75	0	21.33	0.10	21.43	<=30	Pass
			0	22.84	0.10	22.94	<=30	Pass
			38	22.84	0.10	22.94	<=30	Pass
		36	74	22.64	0.10	22.74	<=30	Pass
			0	21.26	0.10	21.36	<=30	Pass
			18	21.27	0.10	21.37	<=30	Pass
			39	21.24	0.10	21.34	<=30	Pass
		75	0	21.26	0.10	21.36	<=30	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B4_20MHz_EIRP

Band: 4 / Bandwidth: 20MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	24.14	0.10	24.24	<=30	Pass
			50	24.36	0.10	24.46	<=30	Pass
			99	24.15	0.10	24.25	<=30	Pass
		50	0	23.20	0.10	23.30	<=30	Pass
			25	23.32	0.10	23.42	<=30	Pass
			50	23.25	0.10	23.35	<=30	Pass
		100	0	23.20	0.10	23.30	<=30	Pass
	1732.5	1	0	24.20	0.10	24.30	<=30	Pass
			50	24.35	0.10	24.45	<=30	Pass
			99	24.21	0.10	24.31	<=30	Pass
		50	0	23.21	0.10	23.31	<=30	Pass
			25	23.28	0.10	23.38	<=30	Pass
			50	23.31	0.10	23.41	<=30	Pass
		100	0	23.25	0.10	23.35	<=30	Pass
	1745	1	0	24.14	0.10	24.24	<=30	Pass
			50	24.28	0.10	24.38	<=30	Pass
			99	23.98	0.10	24.08	<=30	Pass
		50	0	23.18	0.10	23.28	<=30	Pass
			25	23.28	0.10	23.38	<=30	Pass
			50	23.28	0.10	23.38	<=30	Pass
16QAM	1720	1	0	23.20	0.10	23.30	<=30	Pass
			50	23.38	0.10	23.48	<=30	Pass
			99	23.38	0.10	23.48	<=30	Pass
		50	0	22.18	0.10	22.28	<=30	Pass
			25	22.31	0.10	22.41	<=30	Pass
			50	22.27	0.10	22.37	<=30	Pass
		100	0	22.20	0.10	22.30	<=30	Pass
	1732.5	1	0	23.35	0.10	23.45	<=30	Pass
			50	23.48	0.10	23.58	<=30	Pass
			99	23.29	0.10	23.39	<=30	Pass
		50	0	22.24	0.10	22.34	<=30	Pass
			25	22.30	0.10	22.40	<=30	Pass
			50	22.33	0.10	22.43	<=30	Pass
		100	0	22.30	0.10	22.40	<=30	Pass
	1745	1	0	23.61	0.10	23.71	<=30	Pass
			50	23.79	0.10	23.89	<=30	Pass
			99	23.45	0.10	23.55	<=30	Pass

		50	0	22.15	0.10	22.25	<=30	Pass	
			25	22.33	0.10	22.43	<=30	Pass	
			50	22.31	0.10	22.41	<=30	Pass	
		100	0	22.20	0.10	22.30	<=30	Pass	
64QAM	1720	1	0	22.52	0.10	22.62	<=30	Pass	
			50	22.75	0.10	22.85	<=30	Pass	
			99	22.57	0.10	22.67	<=30	Pass	
		50	0	21.34	0.10	21.44	<=30	Pass	
			25	21.44	0.10	21.54	<=30	Pass	
			50	21.44	0.10	21.54	<=30	Pass	
		100	0	21.33	0.10	21.43	<=30	Pass	
		1732.5	1	0	22.81	0.10	22.91	<=30	Pass
				50	22.92	0.10	23.02	<=30	Pass
				99	22.79	0.10	22.89	<=30	Pass
			50	0	21.35	0.10	21.45	<=30	Pass
				25	21.41	0.10	21.51	<=30	Pass
	50			21.43	0.10	21.53	<=30	Pass	
	100		0	21.30	0.10	21.40	<=30	Pass	
	1745		1	0	22.39	0.10	22.49	<=30	Pass
				50	22.55	0.10	22.65	<=30	Pass
				99	22.22	0.10	22.32	<=30	Pass
			50	0	21.22	0.10	21.32	<=30	Pass
				25	21.37	0.10	21.47	<=30	Pass
		50		21.28	0.10	21.38	<=30	Pass	
		100	0	21.28	0.10	21.38	<=30	Pass	
		Note1: EIRP=Conducted Power+Antenna Gain							

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B4_10MHz

Band: 4 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1732.5	50	0	20	LV	-3.046	-0.0018	-2.5 to 2.5	Pass
					NV	-0.666	-0.0004	-2.5 to 2.5	Pass
					HV	-1.155	-0.0007	-2.5 to 2.5	Pass
				-30	NV	-4.929	-0.0028	-2.5 to 2.5	Pass
				-20	NV	-8.680	-0.0050	-2.5 to 2.5	Pass
				-10	NV	-1.927	-0.0011	-2.5 to 2.5	Pass
				0	NV	3.176	0.0018	-2.5 to 2.5	Pass
				10	NV	2.309	0.0013	-2.5 to 2.5	Pass
				30	NV	-6.071	-0.0035	-2.5 to 2.5	Pass
				40	NV	0.981	0.0006	-2.5 to 2.5	Pass
				50	NV	-4.689	-0.0027	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band4_OBW


Band: 4 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1732.5	6	0	1.106	/	Pass
	16QAM	1732.5	6	0	1.115	/	Pass
	64QAM	1732.5	6	0	1.103	/	Pass
3	QPSK	1732.5	15	0	2.729	/	Pass
	16QAM	1732.5	15	0	2.723	/	Pass
	64QAM	1732.5	15	0	2.727	/	Pass
5	QPSK	1732.5	25	0	4.557	/	Pass
	16QAM	1732.5	25	0	4.543	/	Pass
	64QAM	1732.5	25	0	4.554	/	Pass
10	QPSK	1732.5	50	0	9.054	/	Pass
	16QAM	1732.5	50	0	9.035	/	Pass
	64QAM	1732.5	50	0	9.045	/	Pass
15	QPSK	1732.5	75	0	13.599	/	Pass
	16QAM	1732.5	75	0	13.595	/	Pass
	64QAM	1732.5	75	0	13.595	/	Pass
20	QPSK	1732.5	100	0	18.094	/	Pass
	16QAM	1732.5	100	0	18.096	/	Pass
	64QAM	1732.5	100	0	18.103	/	Pass


3.1.2 Band4_XDB

Band: 4 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1732.5	6	0	1.304	/	Pass
	16QAM	1732.5	6	0	1.298	/	Pass
	64QAM	1732.5	6	0	1.289	/	Pass
3	QPSK	1732.5	15	0	3.026	/	Pass
	16QAM	1732.5	15	0	3.025	/	Pass
	64QAM	1732.5	15	0	3.055	/	Pass
5	QPSK	1732.5	25	0	5.003	/	Pass
	16QAM	1732.5	25	0	4.995	/	Pass
	64QAM	1732.5	25	0	5.003	/	Pass
10	QPSK	1732.5	50	0	9.972	/	Pass
	16QAM	1732.5	50	0	9.837	/	Pass
	64QAM	1732.5	50	0	9.843	/	Pass
15	QPSK	1732.5	75	0	14.968	/	Pass
	16QAM	1732.5	75	0	14.827	/	Pass
	64QAM	1732.5	75	0	14.766	/	Pass
20	QPSK	1732.5	100	0	19.719	/	Pass
	16QAM	1732.5	100	0	19.793	/	Pass
	64QAM	1732.5	100	0	19.644	/	Pass


3.2 Test Graph

3.2.1 Band4_OBW







Band4_3MHz_QPSK_MCH_1732.5MHz_RB_15_0_NTNV




Band4_3MHz_16QAM_MCH_1732.5MHz_RB_15_0_NTNV




Band4_3MHz_64QAM_MCH_1732.5MHz_RB_15_0_NTNV




Band4_5MHz_QPSK_MCH_1732.5MHz_RB_25_0_NTNV




Band4_5MHz_16QAM_MCH_1732.5MHz_RB_25_0_NTNV




Band4_5MHz_64QAM_MCH_1732.5MHz_RB_25_0_NTNV




Band4_10MHz_QPSK_MCH_1732.5MHz_RB_50_0_NTNV




Band4_10MHz_16QAM_MCH_1732.5MHz_RB_50_0_NTNV




Band4_10MHz_64QAM_MCH_1732.5MHz_RB_50_0_NTNV




Band4_15MHz_QPSK_MCH_1732.5MHz_RB_75_0_NTNV




Band4_15MHz_16QAM_MCH_1732.5MHz_RB_75_0_NTNV




Band4_15MHz_64QAM_MCH_1732.5MHz_RB_75_0_NTNV




Band4_20MHz_QPSK_MCH_1732.5MHz_RB_100_0_NTNV




Band4_20MHz_16QAM_MCH_1732.5MHz_RB_100_0_NTNV




Band4_20MHz_64QAM_MCH_1732.5MHz_RB_100_0_NTNV




3.2.2 Band4_XDB







Band4_3MHz_QPSK_MCH_1732.5MHz_RB_15_0_NTNV




Band4_3MHz_16QAM_MCH_1732.5MHz_RB_15_0_NTNV




Band4_3MHz_64QAM_MCH_1732.5MHz_RB_15_0_NTNV




Band4_5MHz_QPSK_MCH_1732.5MHz_RB_25_0_NTNV




Band4_5MHz_16QAM_MCH_1732.5MHz_RB_25_0_NTNV




Band4_5MHz_64QAM_MCH_1732.5MHz_RB_25_0_NTNV




Band4_10MHz_QPSK_MCH_1732.5MHz_RB_50_0_NTNV




Band4_10MHz_16QAM_MCH_1732.5MHz_RB_50_0_NTNV




Band4_10MHz_64QAM_MCH_1732.5MHz_RB_50_0_NTNV




Band4_15MHz_QPSK_MCH_1732.5MHz_RB_75_0_NTNV




Band4_15MHz_16QAM_MCH_1732.5MHz_RB_75_0_NTNV




Band4_15MHz_64QAM_MCH_1732.5MHz_RB_75_0_NTNV




Band4_20MHz_QPSK_MCH_1732.5MHz_RB_100_0_NTNV



Band4_20MHz_16QAM_MCH_1732.5MHz_RB_100_0_NTNV



Band4_20MHz_64QAM_MCH_1732.5MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result


4.1.1 B4_20MHz

Band: 4 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1732.5	100	0	5.24	<=13	Pass
16QAM	1732.5	100	0	6.05	<=13	Pass
64QAM	1732.5	100	0	6.44	<=13	Pass

4.2 Test Graph

4.2.1 B4_20MHz





5. Spurious Emission

5.1 Test Result

5.1.1 B4_1.4MHz

Band: 4 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
		1754.3	1	0	Refer To Test Graph	
	5			Refer To Test Graph		Pass
	6		0	Refer To Test Graph		Pass

5.1.2 B4_3MHz

Band: 4 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1753.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B4_5MHz

Band: 4 / Bandwidth: 5MHz / NTVN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1752.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B4_10MHz

Band: 4 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1750	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass

		50	0	Refer To Test Graph	Pass
--	--	----	---	---------------------	------

5.1.5 B4_15MHz


Band: 4 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1747.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


5.1.6 B4_20MHz

Band: 4 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1732.5	1	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


5.2 Test Graph

5.2.1 B4_1.4MHz






Band4_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.500	-29.24	-13	Pass
1709	1710	0.013	CHP	2	1709.970	-35.57	-13	Pass
1710	1713	0.013	CHP	/	/	/	/	/


Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_1.4MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV



Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_0_NTNV




Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_1_5_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.003	-31.00	-13	Pass
1756	1758	1	CHP	2	1756.500	-40.22	-13	Pass

Band4_1.4MHz_QPSK_HCH_1754.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.013	CHP	/	/	/	/	/
1755	1756	0.013	CHP	1	1755.005	-35.95	-13	Pass
1756	1758	1	CHP	2	1756.500	-30.20	-13	Pass


5.2.2 B4_3MHz



Band4_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band4_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.440	-25.33	-13	Pass
1709	1710	0.03	/	2	1709.994	-29.77	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_3MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV



Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_0_NTNV




Band4_3MHz_QPSK_HCH_1753.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-27.42	-13	Pass
1756	1758	1	CHP	2	1756.500	-38.54	-13	Pass

Band4_3MHz_QPSK_HCH_1753.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1752	1755	0.031	CHP	/	/	/	/	/
1755	1756	0.031	CHP	1	1755.006	-34.42	-13	Pass
1756	1758	1	CHP	2	1757.046	-25.22	-13	Pass


5.2.3 B4_5MHz



Band4_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band4_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.470	-26.05	-13	Pass
1709	1710	0.05	CHP	2	1709.990	-35.82	-13	Pass
1710	1715	0.05	CHP	/	/	/	/	/


Band4_5MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_5MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_0_NTNV



Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_0_NTNV




Band4_5MHz_QPSK_HCH_1752.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-35.79	-13	Pass
1756	1760	1	CHP	2	1756.602	-37.65	-13	Pass

Band4_5MHz_QPSK_HCH_1752.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1750	1755	0.05	CHP	/	/	/	/	/
1755	1756	0.05	CHP	1	1755.010	-36.71	-13	Pass
1756	1760	1	CHP	2	1756.500	-26.05	-13	Pass


5.2.4 B4_10MHz



Band4_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band4_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.500	-29.15	-13	Pass
1709	1710	0.1	/	2	1709.980	-36.13	-13	Pass
1710	1720	0.1	/	/	/	/	/	/


Band4_10MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_10MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV



Band4_10MHz_QPSK_HCH_1750MHz_RB_1_0_NTNV




Band4 10MHz_QPSK_HCH_1750MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-41.27	-13	Pass
1756	1765	1	CHP	2	1758.731	-38.23	-13	Pass

Band4 10MHz_QPSK_HCH_1750MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1745	1755	0.1	CHP	/	/	/	/	/
1755	1756	0.1	CHP	1	1755.083	-37.22	-13	Pass
1756	1765	1	CHP	2	1756.823	-28.26	-13	Pass


5.2.5 B4_15MHz



Band4_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band4_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1707.990	-24.36	-13	Pass
1709	1710	0.15	CHP	2	1709.850	-36.42	-13	Pass
1710	1725	0.15	CHP	/	/	/	/	/


Band4_15MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_15MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_0_NTNV



Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_0_NTNV




Band4_15MHz_QPSK_HCH_1747.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.005	-45.75	-13	Pass
1756	1770	1	CHP	2	1760.562	-37.02	-13	Pass

Band4_15MHz_QPSK_HCH_1747.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1740	1755	0.148	CHP	/	/	/	/	/
1755	1756	0.148	CHP	1	1755.540	-32.61	-13	Pass
1756	1770	1	CHP	2	1756.650	-26.52	-13	Pass


5.2.6 B4_20MHz



Band4_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band4_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.480	-30.95	-13	Pass
1709	1710	0.196	CHP	2	1709.960	-37.32	-13	Pass
1710	1730	0.196	CHP	/	/	/	/	/


Band4_20MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_20MHz_QPSK_MCH_1732.5MHz_RB_1_0_NTNV




Band4_20MHz_QPSK_HCH_1745MHz_RB_1_0_NTNV



Band4_20MHz_QPSK_HCH_1745MHz_RB_1_0_NTNV




Band4_20MHz_QPSK_HCH_1745MHz_RB_1_99_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1735	1755	0.003	/	/	/	/	/	/
1755	1756	0.003	/	1	1755.002	-49.07	-13	Pass
1756	1775	1	CHP	2	1762.949	-38.02	-13	Pass

Band4_20MHz_QPSK_HCH_1745MHz_RB_100_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1735	1755	0.197	CHP	/	/	/	/	/
1755	1756	0.197	CHP	1	1755.040	-35.03	-13	Pass
1756	1775	1	CHP	2	1756.520	-30.19	-13	Pass

- End of the Appendix -