

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B14_5MHz_ERP

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	790.5	1	0	24.20	-1.20	20.85	<=34.77	Pass
			13	24.17	-1.20	20.82	<=34.77	Pass
			24	24.12	-1.20	20.77	<=34.77	Pass
		12	0	23.20	-1.20	19.85	<=34.77	Pass
			6	23.17	-1.20	19.82	<=34.77	Pass
			13	23.13	-1.20	19.78	<=34.77	Pass
		25	0	23.20	-1.20	19.85	<=34.77	Pass
	793	1	0	24.25	-1.20	20.90	<=34.77	Pass
			13	24.17	-1.20	20.82	<=34.77	Pass
			24	24.10	-1.20	20.75	<=34.77	Pass
		12	0	23.13	-1.20	19.78	<=34.77	Pass
			6	23.08	-1.20	19.73	<=34.77	Pass
			13	23.04	-1.20	19.69	<=34.77	Pass
		25	0	23.12	-1.20	19.77	<=34.77	Pass
	795.5	1	0	24.12	-1.20	20.77	<=34.77	Pass
			13	24.07	-1.20	20.72	<=34.77	Pass
			24	24.03	-1.20	20.68	<=34.77	Pass
		12	0	23.12	-1.20	19.77	<=34.77	Pass
			6	23.06	-1.20	19.71	<=34.77	Pass
			13	23.01	-1.20	19.66	<=34.77	Pass
		25	0	23.09	-1.20	19.74	<=34.77	Pass
16QAM	790.5	1	0	23.44	-1.20	20.09	<=34.77	Pass
			13	23.41	-1.20	20.06	<=34.77	Pass
			24	23.34	-1.20	19.99	<=34.77	Pass
		12	0	22.27	-1.20	18.92	<=34.77	Pass
			6	22.24	-1.20	18.89	<=34.77	Pass
			13	22.19	-1.20	18.84	<=34.77	Pass
		25	0	22.21	-1.20	18.86	<=34.77	Pass
	793	1	0	23.05	-1.20	19.70	<=34.77	Pass
			13	22.98	-1.20	19.63	<=34.77	Pass
			24	22.93	-1.20	19.58	<=34.77	Pass
		12	0	22.18	-1.20	18.83	<=34.77	Pass
			6	22.12	-1.20	18.77	<=34.77	Pass
			13	22.06	-1.20	18.71	<=34.77	Pass
		25	0	22.16	-1.20	18.81	<=34.77	Pass
	795.5	1	0	23.40	-1.20	20.05	<=34.77	Pass
			13	23.32	-1.20	19.97	<=34.77	Pass
			24	23.27	-1.20	19.92	<=34.77	Pass
		12	0	22.18	-1.20	18.83	<=34.77	Pass
			6	22.11	-1.20	18.76	<=34.77	Pass
			13	22.05	-1.20	18.70	<=34.77	Pass
		25	0	22.09	-1.20	18.74	<=34.77	Pass
64QAM	790.5	1	0	22.42	-1.20	19.07	<=34.77	Pass
			13	22.41	-1.20	19.06	<=34.77	Pass
			24	22.35	-1.20	19.00	<=34.77	Pass
		12	0	21.27	-1.20	17.92	<=34.77	Pass

	793	25	6	21.25	-1.20	17.90	<=34.77	Pass	
			13	21.19	-1.20	17.84	<=34.77	Pass	
			0	21.21	-1.20	17.86	<=34.77	Pass	
		12	1	0	22.14	-1.20	18.79	<=34.77	Pass
				13	22.05	-1.20	18.70	<=34.77	Pass
				24	21.99	-1.20	18.64	<=34.77	Pass
			6	0	21.20	-1.20	17.85	<=34.77	Pass
				6	21.14	-1.20	17.79	<=34.77	Pass
				13	21.07	-1.20	17.72	<=34.77	Pass
	25		0	21.10	-1.20	17.75	<=34.77	Pass	
	795.5	1	0	22.49	-1.20	19.14	<=34.77	Pass	
			13	22.41	-1.20	19.06	<=34.77	Pass	
			24	22.36	-1.20	19.01	<=34.77	Pass	
		12	0	21.08	-1.20	17.73	<=34.77	Pass	
			6	21.02	-1.20	17.67	<=34.77	Pass	
			13	20.96	-1.20	17.61	<=34.77	Pass	
		25	0	21.06	-1.20	17.71	<=34.77	Pass	
	256QAM	790.5	1	0	19.35	-1.20	16.00	<=34.77	Pass
				13	19.26	-1.20	15.91	<=34.77	Pass
				24	19.19	-1.20	15.84	<=34.77	Pass
			12	0	19.26	-1.20	15.91	<=34.77	Pass
6				19.22	-1.20	15.87	<=34.77	Pass	
13				19.18	-1.20	15.83	<=34.77	Pass	
25			0	19.23	-1.20	15.88	<=34.77	Pass	
793		1	0	18.95	-1.20	15.60	<=34.77	Pass	
			13	18.90	-1.20	15.55	<=34.77	Pass	
			24	18.81	-1.20	15.46	<=34.77	Pass	
		12	0	19.21	-1.20	15.86	<=34.77	Pass	
			6	19.16	-1.20	15.81	<=34.77	Pass	
			13	19.11	-1.20	15.76	<=34.77	Pass	
25		0	19.20	-1.20	15.85	<=34.77	Pass		
795.5		1	0	19.37	-1.20	16.02	<=34.77	Pass	
			13	19.30	-1.20	15.95	<=34.77	Pass	
			24	19.24	-1.20	15.89	<=34.77	Pass	
		12	0	19.20	-1.20	15.85	<=34.77	Pass	
	6		19.13	-1.20	15.78	<=34.77	Pass		
	13		19.06	-1.20	15.71	<=34.77	Pass		
	25	0	19.13	-1.20	15.78	<=34.77	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.2 B14_10MHz_ERP

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	793	1	0	24.35	-1.20	21.00	<=34.77	Pass
			25	24.15	-1.20	20.80	<=34.77	Pass
			49	24.02	-1.20	20.67	<=34.77	Pass
		25	0	23.22	-1.20	19.87	<=34.77	Pass
			13	23.16	-1.20	19.81	<=34.77	Pass
			25	23.06	-1.20	19.71	<=34.77	Pass
		50	0	23.14	-1.20	19.79	<=34.77	Pass
16QAM	793	1	0	23.88	-1.20	20.53	<=34.77	Pass
			25	23.67	-1.20	20.32	<=34.77	Pass
			49	23.57	-1.20	20.22	<=34.77	Pass
		25	0	22.28	-1.20	18.93	<=34.77	Pass
			13	22.20	-1.20	18.85	<=34.77	Pass
			25	22.10	-1.20	18.75	<=34.77	Pass
		50	0	22.16	-1.20	18.81	<=34.77	Pass
64QAM	793	1	0	22.61	-1.20	19.26	<=34.77	Pass
			25	22.42	-1.20	19.07	<=34.77	Pass
			49	22.31	-1.20	18.96	<=34.77	Pass
		25	0	21.25	-1.20	17.90	<=34.77	Pass
			13	21.18	-1.20	17.83	<=34.77	Pass
			25	21.07	-1.20	17.72	<=34.77	Pass
		50	0	21.15	-1.20	17.80	<=34.77	Pass
256QAM	793	1	0	19.75	-1.20	16.40	<=34.77	Pass
			25	19.61	-1.20	16.26	<=34.77	Pass
			49	19.46	-1.20	16.11	<=34.77	Pass
		25	0	19.30	-1.20	15.95	<=34.77	Pass
			13	19.21	-1.20	15.86	<=34.77	Pass
			25	19.11	-1.20	15.76	<=34.77	Pass
		50	0	19.19	-1.20	15.84	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B14_10MHz

Band: 14 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	793	50	0	20	LV	-5.265	-0.0066	-2.5 to 2.5	Pass
					NV	-2.878	-0.0036	-2.5 to 2.5	Pass
					HV	-1.328	-0.0017	-2.5 to 2.5	Pass
				-30	NV	-7.532	-0.0095	-2.5 to 2.5	Pass
				-20	NV	-2.594	-0.0033	-2.5 to 2.5	Pass
				-10	NV	-2.734	-0.0034	-2.5 to 2.5	Pass
				0	NV	-5.539	-0.0070	-2.5 to 2.5	Pass
				10	NV	-1.618	-0.0020	-2.5 to 2.5	Pass
				30	NV	-1.598	-0.0020	-2.5 to 2.5	Pass
				40	NV	-0.736	-0.0009	-2.5 to 2.5	Pass
				50	NV	-3.724	-0.0047	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band14_OBW


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	4.550	/	Pass
	16QAM	793	25	0	4.541	/	Pass
	64QAM	793	25	0	4.552	/	Pass
	256QAM	793	25	0	4.548	/	Pass
10	QPSK	793	50	0	9.042	/	Pass
	16QAM	793	50	0	9.024	/	Pass
	64QAM	793	50	0	9.030	/	Pass
	256QAM	793	50	0	9.011	/	Pass

3.1.2 Band14_XDB


Band: 14 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	793	25	0	5.073	/	Pass
	16QAM	793	25	0	5.065	/	Pass
	64QAM	793	25	0	5.060	/	Pass
	256QAM	793	25	0	5.013	/	Pass
10	QPSK	793	50	0	10.012	/	Pass
	16QAM	793	50	0	9.956	/	Pass
	64QAM	793	50	0	9.997	/	Pass
	256QAM	793	50	0	9.912	/	Pass

3.2 Test Graph


3.2.1 Band14_OBW




Band14_5MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV




3.2.2 Band14_XDB




Band14_5MHz_64QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_256QAM_MCH_793MHz_RB_25_0_NTNV




Band14_10MHz_QPSK_MCH_793MHz_RB_50_0_NTNV




Band14_10MHz_16QAM_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	793	50	0	5.37	<=13	Pass
16QAM	793	50	0	6.11	<=13	Pass
64QAM	793	50	0	6.40	<=13	Pass
256QAM	793	50	0	6.67	<=13	Pass

4.2 Test Graph


4.2.1 B14_10MHz



Band14_10MHz_64QAM_MCH_793MHz_RB_50_0_NTNV



Band14_10MHz_256QAM_MCH_793MHz_RB_50_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B14_5MHz


Band: 14 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	790.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	793	1	0	Refer To Test Graph		Pass
	795.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B14_10MHz


Band: 14 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	793	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	793	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	766.890	-64.23	-13	Pass
769	775	0.00625	CHP	2	769.874	-75.71	-35	Pass
775	787.9	0.1	CHP	3	787.848	-32.65	-13	Pass
787.9	788	0.03	CHP	4	787.999	-33.08	-13	Pass
788	795.5	0.03	CHP	/	/	/	/	/


Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-20.58	-13	Pass
798.1	799	0.1	CHP	2	798.152	-26.84	-13	Pass
799	805	0.00625	CHP	3	799.835	-55.90	-35	Pass
805	810	0.1	CHP	4	806.367	-49.61	-13	Pass


Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
790.5	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	1	798.001	-34.11	-13	Pass
798.1	799	0.1	CHP	2	798.152	-34.77	-13	Pass
799	805	0.00625	CHP	3	799.104	-48.67	-35	Pass
805	810	0.1	CHP	4	805.154	-49.85	-13	Pass


5.2.2 B14_10MHz

Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	764.054	-54.10	-13	Pass
769	775	0.00625	CHP	2	774.357	-75.82	-35	Pass
775	787.9	0.1	CHP	3	787.848	-27.34	-13	Pass
787.9	788	0.03	CHP	4	787.999	-26.38	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-55.09	-13	Pass
798.1	799	0.1	CHP	6	798.150	-49.17	-13	Pass
799	803	0.00625	CHP	7	800.234	-61.12	-35	Pass

Band14_10MHz_QPSK_LCH_793MHz_RB_1_0_NTNV




Band14_10MHz_QPSK_LCH_793MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
764	769	0.1	CHP	1	765.311	-54.08	-13	Pass
769	775	0.00625	CHP	2	770.507	-75.92	-35	Pass
775	787.9	0.1	CHP	3	787.848	-36.28	-13	Pass
787.9	788	0.03	CHP	4	787.999	-39.79	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	5	798.000	-40.61	-13	Pass
798.1	799	0.1	CHP	6	798.150	-36.87	-13	Pass
799	803	0.00625	CHP	7	799.005	-49.92	-35	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_1_49_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.846	-46.64	-13	Pass
787.9	788	0.03	CHP	2	787.996	-52.83	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-26.82	-13	Pass
798.1	799	0.1	CHP	4	798.152	-27.51	-13	Pass
799	805	0.00625	CHP	5	801.834	-56.42	-35	Pass
805	810	0.1	CHP	6	807.180	-55.61	-13	Pass

Band14_10MHz_QPSK_HCH_793MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
783	787.9	0.1	CHP	1	787.843	-36.00	-13	Pass
787.9	788	0.03	CHP	2	787.998	-39.53	-13	Pass
788	798	0.03	CHP	/	/	/	/	/
798	798.1	0.03	CHP	3	798.001	-40.47	-13	Pass
798.1	799	0.1	CHP	4	798.152	-36.70	-13	Pass
799	805	0.00625	CHP	5	799.006	-49.34	-35	Pass
805	810	0.1	CHP	6	805.096	-45.14	-13	Pass

6. Emission Mask

6.1 Test Result

6.1.1 B14_5MHz

Band: 14 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	790.5	1	0	773	778	-63.03	-13	Pass
				778	785.5	-43.94	-13.74	Pass
				785.5	787.95	-19.39	-3.74	Pass
				787.95	793.05	21.26	21.26	Pass
				793.05	795.5	-46.03	-3.74	Pass
				795.5	803	-36.01	-13.74	Pass
				803	808	-62.97	-13	Pass
			13	773	778	-63.11	-13	Pass
				778	785.5	-47.18	-13.59	Pass
				785.5	787.95	-44.74	-3.59	Pass
				787.95	793.05	21.41	21.41	Pass
				793.05	795.5	-44.50	-3.59	Pass
				795.5	803	-51.74	-13.59	Pass
				803	808	-63.06	-13	Pass
			24	773	778	-62.95	-13	Pass
				778	785.5	-35.92	-13.66	Pass
				785.5	787.95	-45.87	-3.66	Pass
				787.95	793.05	21.34	21.34	Pass
				793.05	795.5	-19.76	-3.66	Pass
				795.5	803	-46.76	-13.66	Pass
				803	808	-62.96	-13	Pass
		12	0	773	778	-62.80	-13	Pass
				778	785.5	-43.67	-24.1	Pass
				785.5	787.95	-25.18	-14.1	Pass
				787.95	793.05	10.90	10.9	Pass
				793.05	795.5	-40.20	-14.1	Pass
				795.5	803	-45.53	-24.1	Pass
				803	808	-62.98	-13	Pass
			6	773	778	-62.64	-13	Pass
				778	785.5	-46.75	-24.56	Pass
				785.5	787.95	-32.73	-14.56	Pass
				787.95	793.05	10.44	10.44	Pass
				793.05	795.5	-33.30	-14.56	Pass
				795.5	803	-47.50	-24.56	Pass
				803	808	-63.10	-13	Pass
			13	773	778	-62.99	-13	Pass
				778	785.5	-45.01	-24.16	Pass
				785.5	787.95	-40.04	-14.16	Pass
				787.95	793.05	10.84	10.84	Pass
				793.05	795.5	-25.86	-14.16	Pass
				795.5	803	-43.59	-24.16	Pass
				803	808	-62.68	-13	Pass
		25	0	773	778	-55.44	-13	Pass
				778	785.5	-36.06	-27.16	Pass
				785.5	787.95	-28.49	-17.16	Pass
				787.95	793.05	7.84	7.84	Pass

	793	1	0	793.05	795.5	-29.22	-17.16	Pass
				795.5	803	-36.03	-27.16	Pass
				803	808	-55.72	-13	Pass
				775.5	780.5	-62.99	-13	Pass
				780.5	788	-43.43	-13.34	Pass
				788	790.45	-17.84	-3.34	Pass
				790.45	795.55	21.66	21.66	Pass
				795.55	798	-46.42	-3.34	Pass
				798	805.5	-35.75	-13.34	Pass
				805.5	810.5	-62.89	-13	Pass
			13	775.5	780.5	-63.14	-13	Pass
				780.5	788	-47.57	-13.33	Pass
				788	790.45	-44.96	-3.33	Pass
				790.45	795.55	21.67	21.67	Pass
				795.55	798	-44.36	-3.33	Pass
				798	805.5	-52.23	-13.33	Pass
				805.5	810.5	-63.00	-13	Pass
			24	775.5	780.5	-62.81	-13	Pass
				780.5	788	-36.38	-13.61	Pass
				788	790.45	-45.56	-3.61	Pass
				790.45	795.55	21.39	21.39	Pass
				795.55	798	-17.96	-3.61	Pass
				798	805.5	-47.26	-13.61	Pass
				805.5	810.5	-63.09	-13	Pass
		12	0	775.5	780.5	-62.32	-13	Pass
				780.5	788	-43.79	-24.04	Pass
				788	790.45	-25.36	-14.04	Pass
				790.45	795.55	10.96	10.96	Pass
				795.55	798	-40.62	-14.04	Pass
				798	805.5	-46.25	-24.04	Pass
				805.5	810.5	-62.87	-13	Pass
			6	775.5	780.5	-62.90	-13	Pass
				780.5	788	-45.49	-24.28	Pass
				788	790.45	-33.71	-14.28	Pass
				790.45	795.55	10.72	10.72	Pass
				795.55	798	-34.04	-14.28	Pass
				798	805.5	-47.69	-24.28	Pass
				805.5	810.5	-62.90	-13	Pass
			13	775.5	780.5	-62.94	-13	Pass
				780.5	788	-45.23	-23.97	Pass
				788	790.45	-40.88	-13.97	Pass
				790.45	795.55	11.03	11.03	Pass
				795.55	798	-25.55	-13.97	Pass
				798	805.5	-44.94	-23.97	Pass
				805.5	810.5	-62.46	-13	Pass
		25	0	775.5	780.5	-54.06	-13	Pass
				780.5	788	-36.49	-27.13	Pass
				788	790.45	-28.15	-17.13	Pass
				790.45	795.55	7.87	7.87	Pass
				795.55	798	-28.81	-17.13	Pass
				798	805.5	-37.29	-27.13	Pass
				805.5	810.5	-55.03	-13	Pass
	795.5	1	0	778	783	-62.79	-13	Pass
				783	790.5	-43.43	-13.62	Pass
				790.5	792.95	-18.37	-3.62	Pass
				792.95	798.05	21.38	21.38	Pass

				798.05	800.5	-46.92	-3.62	Pass
				800.5	808	-37.73	-13.62	Pass
				808	813	-62.94	-13	Pass
			13	778	783	-62.80	-13	Pass
				783	790.5	-46.35	-13.76	Pass
				790.5	792.95	-43.97	-3.76	Pass
				792.95	798.05	21.24	21.24	Pass
				798.05	800.5	-44.61	-3.76	Pass
				800.5	808	-53.18	-13.76	Pass
				808	813	-62.61	-13	Pass
			24	778	783	-62.49	-13	Pass
				783	790.5	-38.95	-13.63	Pass
				790.5	792.95	-44.47	-3.63	Pass
				792.95	798.05	21.37	21.37	Pass
				798.05	800.5	-16.24	-3.63	Pass
				800.5	808	-49.08	-13.63	Pass
				808	813	-62.76	-13	Pass
		12	0	778	783	-61.79	-13	Pass
				783	790.5	-43.05	-24.15	Pass
				790.5	792.95	-25.14	-14.15	Pass
				792.95	798.05	10.85	10.85	Pass
				798.05	800.5	-41.93	-14.15	Pass
				800.5	808	-46.73	-24.15	Pass
			6	808	813	-63.06	-13	Pass
				778	783	-62.42	-13	Pass
				783	790.5	-45.09	-24.66	Pass
				790.5	792.95	-34.22	-14.66	Pass
				792.95	798.05	10.34	10.34	Pass
				798.05	800.5	-35.56	-14.66	Pass
			13	800.5	808	-47.22	-24.66	Pass
				808	813	-62.80	-13	Pass
				778	783	-62.94	-13	Pass
				783	790.5	-44.82	-24.49	Pass
				790.5	792.95	-40.87	-14.49	Pass
				792.95	798.05	10.51	10.51	Pass
		25	0	798.05	800.5	-28.51	-14.49	Pass
				800.5	808	-45.54	-24.49	Pass
				808	813	-61.67	-13	Pass
				778	783	-53.57	-13	Pass
				783	790.5	-36.12	-27.01	Pass
				790.5	792.95	-31.20	-17.01	Pass
16QAM	790.5	1	0	792.95	798.05	7.99	7.99	Pass
				798.05	800.5	-31.08	-17.01	Pass
				800.5	808	-38.97	-27.01	Pass
				808	813	-54.39	-13	Pass
				773	778	-63.09	-13	Pass
				778	785.5	-45.98	-14.24	Pass
			13	785.5	787.95	-20.41	-4.24	Pass
				787.95	793.05	20.76	20.76	Pass
				793.05	795.5	-47.03	-4.24	Pass
				795.5	803	-36.33	-14.24	Pass
				803	808	-63.21	-13	Pass
				773	778	-63.02	-13	Pass
				778	785.5	-48.03	-14.28	Pass
				785.5	787.95	-44.40	-4.28	Pass
				787.95	793.05	20.72	20.72	Pass

	793	12	24	793.05	795.5	-44.69	-4.28	Pass
				795.5	803	-52.32	-14.28	Pass
				803	808	-62.89	-13	Pass
				773	778	-63.30	-13	Pass
				778	785.5	-37.38	-14.43	Pass
				785.5	787.95	-44.95	-4.43	Pass
				787.95	793.05	20.57	20.57	Pass
				793.05	795.5	-16.46	-4.43	Pass
			0	795.5	803	-49.03	-14.43	Pass
				803	808	-63.21	-13	Pass
				773	778	-63.09	-13	Pass
				778	785.5	-44.18	-24.88	Pass
				785.5	787.95	-26.82	-14.88	Pass
				787.95	793.05	10.12	10.12	Pass
				793.05	795.5	-40.71	-14.88	Pass
				795.5	803	-46.98	-24.88	Pass
		6	803	808	-63.15	-13	Pass	
			773	778	-63.04	-13	Pass	
			778	785.5	-47.11	-25.11	Pass	
			785.5	787.95	-35.08	-15.11	Pass	
			787.95	793.05	9.89	9.89	Pass	
			793.05	795.5	-35.01	-15.11	Pass	
			795.5	803	-48.80	-25.11	Pass	
			803	808	-63.22	-13	Pass	
		13	773	778	-63.12	-13	Pass	
			778	785.5	-46.94	-25.3	Pass	
			785.5	787.95	-40.63	-15.3	Pass	
			787.95	793.05	9.70	9.7	Pass	
			793.05	795.5	-26.88	-15.3	Pass	
			795.5	803	-44.63	-25.3	Pass	
			803	808	-62.91	-13	Pass	
			25	773	778	-55.83	-13	Pass
	778	785.5		-39.71	-27.82	Pass		
	785.5	787.95		-30.81	-17.82	Pass		
	787.95	793.05		7.18	7.18	Pass		
	793.05	795.5		-30.41	-17.82	Pass		
	795.5	803		-38.06	-27.82	Pass		
	803	808		-57.61	-13	Pass		
	1	0		775.5	780.5	-63.06	-13	Pass
			780.5	788	-46.70	-14.46	Pass	
			788	790.45	-21.21	-4.46	Pass	
			790.45	795.55	20.54	20.54	Pass	
			795.55	798	-46.87	-4.46	Pass	
			798	805.5	-37.53	-14.46	Pass	
		13	805.5	810.5	-63.27	-13	Pass	
			775.5	780.5	-63.21	-13	Pass	
			780.5	788	-47.72	-14.32	Pass	
			788	790.45	-44.53	-4.32	Pass	
			790.45	795.55	20.68	20.68	Pass	
			795.55	798	-44.82	-4.32	Pass	
		24	798	805.5	-53.03	-14.32	Pass	
			805.5	810.5	-62.98	-13	Pass	
			775.5	780.5	-63.06	-13	Pass	
			780.5	788	-36.17	-14.64	Pass	
				788	790.45	-45.08	-4.64	Pass
				790.45	795.55	20.36	20.36	Pass

				795.55	798	-17.43	-4.64	Pass
				798	805.5	-48.86	-14.64	Pass
				805.5	810.5	-62.96	-13	Pass
				775.5	780.5	-62.50	-13	Pass
				780.5	788	-43.61	-25.4	Pass
				788	790.45	-25.68	-15.4	Pass
				790.45	795.55	9.60	9.6	Pass
				795.55	798	-41.27	-15.4	Pass
				798	805.5	-47.60	-25.4	Pass
				805.5	810.5	-63.03	-13	Pass
				775.5	780.5	-62.99	-13	Pass
				780.5	788	-47.36	-24.82	Pass
				788	790.45	-34.60	-14.82	Pass
				790.45	795.55	10.18	10.18	Pass
				795.55	798	-36.84	-14.82	Pass
				798	805.5	-48.22	-24.82	Pass
				805.5	810.5	-62.64	-13	Pass
				775.5	780.5	-63.13	-13	Pass
				780.5	788	-46.14	-25.37	Pass
				788	790.45	-40.74	-15.37	Pass
				790.45	795.55	9.63	9.63	Pass
				795.55	798	-28.47	-15.37	Pass
				798	805.5	-44.45	-25.37	Pass
				805.5	810.5	-62.75	-13	Pass
				775.5	780.5	-55.89	-13	Pass
				780.5	788	-39.01	-28.1	Pass
				788	790.45	-31.42	-18.1	Pass
				790.45	795.55	6.90	6.9	Pass
				795.55	798	-28.89	-18.1	Pass
				798	805.5	-38.91	-28.1	Pass
				805.5	810.5	-56.82	-13	Pass
				778	783	-63.07	-13	Pass
				783	790.5	-46.49	-14.45	Pass
				790.5	792.95	-20.22	-4.45	Pass
				792.95	798.05	20.55	20.55	Pass
				798.05	800.5	-47.46	-4.45	Pass
				800.5	808	-37.99	-14.45	Pass
				808	813	-62.84	-13	Pass
				778	783	-62.87	-13	Pass
				783	790.5	-46.64	-14.53	Pass
				790.5	792.95	-43.85	-4.53	Pass
				792.95	798.05	20.47	20.47	Pass
				798.05	800.5	-45.26	-4.53	Pass
				800.5	808	-53.73	-14.53	Pass
				808	813	-63.01	-13	Pass
				778	783	-62.81	-13	Pass
				783	790.5	-39.31	-14.73	Pass
				790.5	792.95	-44.08	-4.73	Pass
				792.95	798.05	20.27	20.27	Pass
				798.05	800.5	-19.49	-4.73	Pass
				800.5	808	-49.76	-14.73	Pass
				808	813	-62.59	-13	Pass
				778	783	-62.55	-13	Pass
				783	790.5	-44.17	-25.37	Pass
				790.5	792.95	-26.22	-15.37	Pass
				792.95	798.05	9.63	9.63	Pass

				798.05	800.5	-41.76	-15.37	Pass
				800.5	808	-48.37	-25.37	Pass
				808	813	-63.05	-13	Pass
			6	778	783	-62.72	-13	Pass
				783	790.5	-46.43	-25.3	Pass
				790.5	792.95	-35.90	-15.3	Pass
				792.95	798.05	9.70	9.7	Pass
				798.05	800.5	-38.53	-15.3	Pass
				800.5	808	-48.39	-25.3	Pass
				808	813	-63.07	-13	Pass
			13	778	783	-62.84	-13	Pass
				783	790.5	-45.39	-25.07	Pass
				790.5	792.95	-40.69	-15.07	Pass
				792.95	798.05	9.93	9.93	Pass
				798.05	800.5	-31.88	-15.07	Pass
				800.5	808	-44.59	-25.07	Pass
				808	813	-62.39	-13	Pass
		25	0	778	783	-55.01	-13	Pass
				783	790.5	-38.94	-28.15	Pass
				790.5	792.95	-27.67	-18.15	Pass
				792.95	798.05	6.85	6.85	Pass
				798.05	800.5	-30.03	-18.15	Pass
				800.5	808	-41.30	-28.15	Pass
64QAM	790.5	1	0	808	813	-55.72	-13	Pass
				773	778	-63.45	-13	Pass
				778	785.5	-47.62	-15.45	Pass
				785.5	787.95	-20.61	-5.45	Pass
				787.95	793.05	19.55	19.55	Pass
				793.05	795.5	-46.36	-5.45	Pass
			13	795.5	803	-37.48	-15.45	Pass
				803	808	-63.01	-13	Pass
				773	778	-62.89	-13	Pass
				778	785.5	-48.86	-15.16	Pass
				785.5	787.95	-45.93	-5.16	Pass
				787.95	793.05	19.84	19.84	Pass
				793.05	795.5	-45.77	-5.16	Pass
				795.5	803	-52.52	-15.16	Pass
				803	808	-63.31	-13	Pass
			24	773	778	-63.19	-13	Pass
				778	785.5	-38.75	-15.26	Pass
				785.5	787.95	-46.26	-5.26	Pass
				787.95	793.05	19.74	19.74	Pass
				793.05	795.5	-17.44	-5.26	Pass
				795.5	803	-50.84	-15.26	Pass
		12	0	803	808	-63.09	-13	Pass
				773	778	-63.19	-13	Pass
				778	785.5	-45.36	-25.93	Pass
				785.5	787.95	-30.47	-15.93	Pass
				787.95	793.05	9.07	9.07	Pass
				793.05	795.5	-41.86	-15.93	Pass
			6	795.5	803	-47.84	-25.93	Pass
				803	808	-63.29	-13	Pass
				773	778	-63.21	-13	Pass
				778	785.5	-48.73	-26.38	Pass
				785.5	787.95	-37.62	-16.38	Pass
				787.95	793.05	8.62	8.62	Pass

	793		13	793.05	795.5	-38.52	-16.38	Pass		
				795.5	803	-49.55	-26.38	Pass		
				803	808	-63.17	-13	Pass		
					0	773	778	-63.31	-13	Pass
						778	785.5	-47.44	-26.2	Pass
						785.5	787.95	-43.02	-16.2	Pass
						787.95	793.05	8.80	8.8	Pass
						793.05	795.5	-30.50	-16.2	Pass
						795.5	803	-46.38	-26.2	Pass
						803	808	-63.16	-13	Pass
		773	778			-57.77	-13	Pass		
			25	778	785.5	-42.99	-29.28	Pass		
				785.5	787.95	-31.56	-19.28	Pass		
				787.95	793.05	5.72	5.72	Pass		
				793.05	795.5	-31.00	-19.28	Pass		
				795.5	803	-40.36	-29.28	Pass		
			1	0	803	808	-58.11	-13	Pass	
					775.5	780.5	-63.05	-13	Pass	
					780.5	788	-47.64	-15.34	Pass	
					788	790.45	-16.60	-5.34	Pass	
					790.45	795.55	19.66	19.66	Pass	
					795.55	798	-47.63	-5.34	Pass	
				13	798	805.5	-39.11	-15.34	Pass	
					805.5	810.5	-63.02	-13	Pass	
					775.5	780.5	-63.04	-13	Pass	
	780.5				788	-48.37	-15.02	Pass		
	788				790.45	-44.61	-5.02	Pass		
	790.45				795.55	19.98	19.98	Pass		
	795.55				798	-46.63	-5.02	Pass		
	798				805.5	-53.56	-15.02	Pass		
	24			805.5	810.5	-62.84	-13	Pass		
				775.5	780.5	-63.02	-13	Pass		
				780.5	788	-37.56	-15.12	Pass		
				788	790.45	-45.54	-5.12	Pass		
				790.45	795.55	19.88	19.88	Pass		
				795.55	798	-21.62	-5.12	Pass		
		12	0	798	805.5	-49.87	-15.12	Pass		
				805.5	810.5	-63.27	-13	Pass		
				775.5	780.5	-63.17	-13	Pass		
				780.5	788	-46.03	-26.05	Pass		
				788	790.45	-28.59	-16.05	Pass		
				790.45	795.55	8.95	8.95	Pass		
			6	795.55	798	-42.61	-16.05	Pass		
				798	805.5	-48.82	-26.05	Pass		
				805.5	810.5	-63.30	-13	Pass		
775.5				780.5	-63.05	-13	Pass			
780.5				788	-48.72	-25.93	Pass			
788				790.45	-38.47	-15.93	Pass			
13			790.45	795.55	9.07	9.07	Pass			
			795.55	798	-38.65	-15.93	Pass			
	798	805.5	-50.55	-25.93	Pass					
	805.5	810.5	-63.19	-13	Pass					
	775.5	780.5	-63.31	-13	Pass					
		780.5	788	-47.07	-26.59	Pass				
		788	790.45	-42.42	-16.59	Pass				
		790.45	795.55	8.41	8.41	Pass				

	795.5	25	0	795.55	798	-28.03	-16.59	Pass
				798	805.5	-46.66	-26.59	Pass
				805.5	810.5	-63.06	-13	Pass
				775.5	780.5	-56.40	-13	Pass
				780.5	788	-41.62	-29.19	Pass
				788	790.45	-30.69	-19.19	Pass
				790.45	795.55	5.81	5.81	Pass
				795.55	798	-31.03	-19.19	Pass
				798	805.5	-40.79	-29.19	Pass
				805.5	810.5	-57.19	-13	Pass
		1	0	778	783	-63.23	-13	Pass
				783	790.5	-48.45	-15.25	Pass
				790.5	792.95	-17.17	-5.25	Pass
				792.95	798.05	19.75	19.75	Pass
				798.05	800.5	-48.17	-5.25	Pass
				800.5	808	-39.27	-15.25	Pass
				808	813	-63.11	-13	Pass
			13	778	783	-62.98	-13	Pass
				783	790.5	-47.68	-15.35	Pass
				790.5	792.95	-45.39	-5.35	Pass
				792.95	798.05	19.65	19.65	Pass
				798.05	800.5	-46.21	-5.35	Pass
				800.5	808	-54.17	-15.35	Pass
			24	808	813	-63.35	-13	Pass
				778	783	-62.48	-13	Pass
				783	790.5	-38.21	-15.31	Pass
				790.5	792.95	-45.26	-5.31	Pass
				792.95	798.05	19.69	19.69	Pass
				798.05	800.5	-19.95	-5.31	Pass
		12	0	800.5	808	-49.41	-15.31	Pass
				808	813	-63.10	-13	Pass
				778	783	-62.74	-13	Pass
				783	790.5	-44.59	-26.08	Pass
				790.5	792.95	-28.29	-16.08	Pass
				792.95	798.05	8.92	8.92	Pass
			6	798.05	800.5	-42.29	-16.08	Pass
				800.5	808	-48.99	-26.08	Pass
				808	813	-62.95	-13	Pass
				778	783	-62.97	-13	Pass
				783	790.5	-48.08	-25.87	Pass
				790.5	792.95	-37.48	-15.87	Pass
			13	792.95	798.05	9.13	9.13	Pass
				798.05	800.5	-39.50	-15.87	Pass
				800.5	808	-49.96	-25.87	Pass
				808	813	-63.26	-13	Pass
				778	783	-62.92	-13	Pass
				783	790.5	-46.80	-26.27	Pass
		25	0	790.5	792.95	-41.80	-16.27	Pass
				792.95	798.05	8.73	8.73	Pass
				798.05	800.5	-30.16	-16.27	Pass
				800.5	808	-46.25	-26.27	Pass
				808	813	-62.72	-13	Pass
				778	783	-55.46	-13	Pass
				783	790.5	-40.05	-28.88	Pass
				790.5	792.95	-31.81	-18.88	Pass
				792.95	798.05	6.12	6.12	Pass

				798.05	800.5	-31.38	-18.88	Pass
				800.5	808	-41.56	-28.88	Pass
				808	813	-57.01	-13	Pass
256QAM	790.5	1	0	773	778	-63.40	-13	Pass
				778	785.5	-52.44	-18.73	Pass
				785.5	787.95	-21.30	-8.73	Pass
				787.95	793.05	16.27	16.27	Pass
				793.05	795.5	-49.51	-8.73	Pass
				795.5	803	-41.14	-18.73	Pass
				803	808	-63.26	-13	Pass
				773	778	-63.48	-13	Pass
			13	778	785.5	-52.20	-18.25	Pass
				785.5	787.95	-48.26	-8.25	Pass
				787.95	793.05	16.75	16.75	Pass
				793.05	795.5	-48.45	-8.25	Pass
				795.5	803	-55.77	-18.25	Pass
				803	808	-63.23	-13	Pass
				773	778	-63.41	-13	Pass
				778	785.5	-42.35	-18.14	Pass
			24	785.5	787.95	-49.39	-8.14	Pass
				787.95	793.05	16.86	16.86	Pass
				793.05	795.5	-27.05	-8.14	Pass
				795.5	803	-54.87	-18.14	Pass
				803	808	-63.16	-13	Pass
				773	778	-63.32	-13	Pass
				778	785.5	-47.67	-28.01	Pass
				785.5	787.95	-34.12	-18.01	Pass
		12	0	787.95	793.05	6.99	6.99	Pass
				793.05	795.5	-44.27	-18.01	Pass
				795.5	803	-50.45	-28.01	Pass
				803	808	-63.34	-13	Pass
				773	778	-63.38	-13	Pass
				778	785.5	-50.03	-28.1	Pass
				785.5	787.95	-40.10	-18.1	Pass
				787.95	793.05	6.90	6.9	Pass
			6	793.05	795.5	-41.16	-18.1	Pass
				795.5	803	-51.50	-28.1	Pass
				803	808	-63.03	-13	Pass
				773	778	-63.29	-13	Pass
				778	785.5	-50.22	-28.31	Pass
				785.5	787.95	-43.39	-18.31	Pass
				787.95	793.05	6.69	6.69	Pass
				793.05	795.5	-31.86	-18.31	Pass
13	795.5		803	-47.67	-28.31	Pass		
	803		808	-63.16	-13	Pass		
	773		778	-59.07	-13	Pass		
	778		785.5	-44.75	-31.19	Pass		
	785.5		787.95	-33.99	-21.19	Pass		
	787.95		793.05	3.81	3.81	Pass		
	793.05		795.5	-34.02	-21.19	Pass		
	795.5		803	-43.05	-31.19	Pass		
25	0	803	808	-60.43	-13	Pass		
		775.5	780.5	-63.42	-13	Pass		
		780.5	788	-52.99	-18.36	Pass		
		788	790.45	-26.53	-8.36	Pass		
		790.45	795.55	16.64	16.64	Pass		
		775.5	780.5	-63.42	-13	Pass		
		780.5	788	-52.99	-18.36	Pass		
		788	790.45	-26.53	-8.36	Pass		
793	1	0	790.45	795.55	16.64	16.64	Pass	
			775.5	780.5	-63.42	-13	Pass	
			780.5	788	-52.99	-18.36	Pass	
			788	790.45	-26.53	-8.36	Pass	

				795.55	798	-50.31	-8.36	Pass
				798	805.5	-42.00	-18.36	Pass
				805.5	810.5	-63.35	-13	Pass
			13	775.5	780.5	-62.94	-13	Pass
				780.5	788	-51.27	-18.34	Pass
				788	790.45	-48.45	-8.34	Pass
				790.45	795.55	16.66	16.66	Pass
				795.55	798	-47.78	-8.34	Pass
				798	805.5	-56.40	-18.34	Pass
				805.5	810.5	-63.18	-13	Pass
			24	775.5	780.5	-63.17	-13	Pass
				780.5	788	-41.88	-18.24	Pass
				788	790.45	-48.33	-8.24	Pass
				790.45	795.55	16.76	16.76	Pass
				795.55	798	-23.39	-8.24	Pass
				798	805.5	-53.20	-18.24	Pass
				805.5	810.5	-63.36	-13	Pass
		12	0	775.5	780.5	-63.35	-13	Pass
				780.5	788	-46.45	-28.29	Pass
				788	790.45	-32.11	-18.29	Pass
				790.45	795.55	6.71	6.71	Pass
				795.55	798	-44.69	-18.29	Pass
				798	805.5	-50.80	-28.29	Pass
			6	805.5	810.5	-63.36	-13	Pass
				775.5	780.5	-63.47	-13	Pass
				780.5	788	-49.78	-28.38	Pass
				788	790.45	-40.47	-18.38	Pass
				790.45	795.55	6.62	6.62	Pass
				795.55	798	-40.68	-18.38	Pass
				798	805.5	-51.51	-28.38	Pass
			13	805.5	810.5	-62.98	-13	Pass
				775.5	780.5	-63.40	-13	Pass
				780.5	788	-49.65	-28.32	Pass
				788	790.45	-43.43	-18.32	Pass
				790.45	795.55	6.68	6.68	Pass
				795.55	798	-29.68	-18.32	Pass
				798	805.5	-47.41	-28.32	Pass
		25	0	805.5	810.5	-63.26	-13	Pass
				775.5	780.5	-58.45	-13	Pass
				780.5	788	-44.38	-30.78	Pass
				788	790.45	-35.22	-20.78	Pass
				790.45	795.55	4.22	4.22	Pass
				795.55	798	-34.84	-20.78	Pass
795.5	1		0	798	805.5	-43.23	-30.78	Pass
				805.5	810.5	-59.18	-13	Pass
				778	783	-63.49	-13	Pass
				783	790.5	-52.67	-19.03	Pass
				790.5	792.95	-22.00	-9.03	Pass
				792.95	798.05	15.97	15.97	Pass
				798.05	800.5	-50.96	-9.03	Pass
			13	800.5	808	-42.46	-19.03	Pass
				808	813	-63.45	-13	Pass
				778	783	-63.17	-13	Pass
				783	790.5	-50.62	-18.89	Pass
				790.5	792.95	-47.11	-8.89	Pass
				792.95	798.05	16.11	16.11	Pass

			24	798.05	800.5	-49.23	-8.89	Pass
				800.5	808	-57.03	-18.89	Pass
				808	813	-63.47	-13	Pass
				778	783	-63.09	-13	Pass
				783	790.5	-40.71	-18.87	Pass
				790.5	792.95	-48.17	-8.87	Pass
				792.95	798.05	16.13	16.13	Pass
				798.05	800.5	-23.79	-8.87	Pass
				800.5	808	-53.02	-18.87	Pass
				808	813	-62.99	-13	Pass
				778	783	-63.36	-13	Pass
				783	790.5	-46.07	-28.02	Pass
		12	0	790.5	792.95	-30.86	-18.02	Pass
				792.95	798.05	6.98	6.98	Pass
				798.05	800.5	-44.02	-18.02	Pass
				800.5	808	-51.13	-28.02	Pass
				808	813	-63.29	-13	Pass
				778	783	-63.18	-13	Pass
			6	783	790.5	-48.60	-28.2	Pass
				790.5	792.95	-39.21	-18.2	Pass
				792.95	798.05	6.80	6.8	Pass
				798.05	800.5	-40.92	-18.2	Pass
				800.5	808	-51.55	-28.2	Pass
				808	813	-63.11	-13	Pass
			13	778	783	-62.96	-13	Pass
				783	790.5	-49.27	-28.58	Pass
				790.5	792.95	-43.16	-18.58	Pass
				792.95	798.05	6.42	6.42	Pass
				798.05	800.5	-31.90	-18.58	Pass
				800.5	808	-48.11	-28.58	Pass
		25	0	808	813	-63.41	-13	Pass
				778	783	-57.43	-13	Pass
				783	790.5	-42.99	-31.11	Pass
				790.5	792.95	-32.64	-21.11	Pass
				792.95	798.05	3.89	3.89	Pass
				798.05	800.5	-34.11	-21.11	Pass
				800.5	808	-44.31	-31.11	Pass
				808	813	-58.03	-13	Pass

6.1.2 B14_10MHz

Band: 14 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Freq. (MHz)		Emission Mask (dBm)		Verdict
		Size	Offset	Start	Stop	Result	Limit	
QPSK	793	1	0	758	768	-53.53	-13	Pass
				768	783	-55.84	-13.36	Pass
				783	787.95	-22.06	-3.36	Pass
				787.95	798.05	21.64	21.64	Pass
				798.05	803	-48.71	-3.36	Pass
				803	818	-34.22	-13.36	Pass
			25	818	828	-63.18	-13	Pass
				758	768	-53.61	-13	Pass
				768	783	-56.63	-13.57	Pass
				783	787.95	-48.08	-3.57	Pass

				787.95	798.05	21.43	21.43	Pass
				798.05	803	-49.26	-3.57	Pass
				803	818	-58.56	-13.57	Pass
				818	828	-62.91	-13	Pass
				758	768	-52.99	-13	Pass
			49	768	783	-34.63	-13.98	Pass
				783	787.95	-47.08	-3.98	Pass
				787.95	798.05	21.02	21.02	Pass
				798.05	803	-23.95	-3.98	Pass
				803	818	-55.74	-13.98	Pass
			25	818	828	-63.37	-13	Pass
				758	768	-53.45	-13	Pass
				768	783	-46.95	-27.21	Pass
				783	787.95	-31.39	-17.21	Pass
				787.95	798.05	7.79	7.79	Pass
				798.05	803	-44.43	-17.21	Pass
				803	818	-49.96	-27.21	Pass
				818	828	-63.44	-13	Pass
				758	768	-53.36	-13	Pass
				768	783	-49.10	-27.25	Pass
				783	787.95	-36.45	-17.25	Pass
				787.95	798.05	7.75	7.75	Pass
				798.05	803	-36.76	-17.25	Pass
				803	818	-51.01	-27.25	Pass
				818	828	-63.15	-13	Pass
			13	758	768	-53.17	-13	Pass
				768	783	-47.09	-27.24	Pass
				783	787.95	-44.05	-17.24	Pass
				787.95	798.05	7.76	7.76	Pass
				798.05	803	-33.22	-17.24	Pass
			25	803	818	-48.45	-27.24	Pass
				818	828	-63.17	-13	Pass
				758	768	-53.29	-13	Pass
				768	783	-41.42	-30.34	Pass
				783	787.95	-32.54	-20.34	Pass
		50	0	787.95	798.05	4.66	4.66	Pass
				798.05	803	-35.08	-20.34	Pass
				803	818	-42.18	-30.34	Pass
				818	828	-63.17	-13	Pass
				758	768	-53.17	-13	Pass
			0	768	783	-55.59	-14.41	Pass
				783	787.95	-25.91	-4.41	Pass
				787.95	798.05	20.59	20.59	Pass
				798.05	803	-49.38	-4.41	Pass
				803	818	-35.31	-14.41	Pass
			25	818	828	-63.40	-13	Pass
				758	768	-53.27	-13	Pass
				768	783	-56.58	-14.81	Pass
				783	787.95	-48.51	-4.81	Pass
				787.95	798.05	20.19	20.19	Pass
			49	798.05	803	-49.60	-4.81	Pass
				803	818	-58.97	-14.81	Pass
				818	828	-63.30	-13	Pass
				758	768	-53.28	-13	Pass
				768	783	-36.08	-14.76	Pass
				783	787.95	-47.58	-4.76	Pass


				787.95	798.05	20.24	20.24	Pass
				798.05	803	-23.91	-4.76	Pass
				803	818	-56.17	-14.76	Pass
				818	828	-63.40	-13	Pass
			0	758	768	-53.51	-13	Pass
				768	783	-47.31	-28.25	Pass
				783	787.95	-34.04	-18.25	Pass
				787.95	798.05	6.75	6.75	Pass
				798.05	803	-44.36	-18.25	Pass
				803	818	-51.08	-28.25	Pass
				818	828	-63.39	-13	Pass
			13	758	768	-53.38	-13	Pass
				768	783	-50.94	-28.19	Pass
				783	787.95	-39.26	-18.19	Pass
				787.95	798.05	6.81	6.81	Pass
				798.05	803	-38.49	-18.19	Pass
				803	818	-52.51	-28.19	Pass
			25	818	828	-63.27	-13	Pass
				758	768	-53.51	-13	Pass
				768	783	-48.54	-28.29	Pass
				783	787.95	-43.97	-18.29	Pass
				787.95	798.05	6.71	6.71	Pass
				798.05	803	-34.81	-18.29	Pass
			50	803	818	-48.95	-28.29	Pass
				818	828	-63.14	-13	Pass
				758	768	-53.49	-13	Pass
				768	783	-43.70	-31.18	Pass
				783	787.95	-36.66	-21.18	Pass
				787.95	798.05	3.82	3.82	Pass
				798.05	803	-36.20	-21.18	Pass
				803	818	-44.35	-31.18	Pass
				818	828	-63.24	-13	Pass
			1	758	768	-53.20	-13	Pass
				768	783	-56.90	-15.13	Pass
				783	787.95	-23.34	-5.13	Pass
				787.95	798.05	19.87	19.87	Pass
				798.05	803	-48.83	-5.13	Pass
				803	818	-36.67	-15.13	Pass
				818	828	-63.29	-13	Pass
				758	768	-52.98	-13	Pass
				768	783	-57.20	-16.01	Pass
				783	787.95	-48.65	-6.01	Pass
				787.95	798.05	18.99	18.99	Pass
				798.05	803	-50.65	-6.01	Pass
				803	818	-58.90	-16.01	Pass
				818	828	-63.04	-13	Pass
				758	768	-53.37	-13	Pass
				768	783	-34.70	-15.28	Pass
				783	787.95	-42.72	-5.28	Pass
				787.95	798.05	19.72	19.72	Pass
			49	798.05	803	-26.26	-5.28	Pass
				803	818	-56.74	-15.28	Pass
				818	828	-63.14	-13	Pass
			25	758	768	-53.48	-13	Pass
				768	783	-49.15	-29.26	Pass
				783	787.95	-35.21	-19.26	Pass

				787.95	798.05	5.74	5.74	Pass
				798.05	803	-43.19	-19.26	Pass
				803	818	-52.24	-29.26	Pass
				818	828	-63.28	-13	Pass
			13	758	768	-53.57	-13	Pass
				768	783	-51.80	-29.3	Pass
				783	787.95	-41.24	-19.3	Pass
				787.95	798.05	5.70	5.7	Pass
				798.05	803	-40.95	-19.3	Pass
				803	818	-53.54	-29.3	Pass
				818	828	-63.29	-13	Pass
			25	758	768	-53.38	-13	Pass
				768	783	-49.11	-29.43	Pass
				783	787.95	-45.19	-19.43	Pass
				787.95	798.05	5.57	5.57	Pass
				798.05	803	-36.12	-19.43	Pass
				803	818	-50.31	-29.43	Pass
				818	828	-63.06	-13	Pass
		50	0	758	768	-53.51	-13	Pass
				768	783	-47.26	-31.84	Pass
				783	787.95	-38.07	-21.84	Pass
				787.95	798.05	3.16	3.16	Pass
				798.05	803	-38.38	-21.84	Pass
				803	818	-44.98	-31.84	Pass
				818	828	-63.17	-13	Pass
256QAM	793	1	0	758	768	-53.50	-13	Pass
				768	783	-58.79	-18.18	Pass
				783	787.95	-28.55	-8.18	Pass
				787.95	798.05	16.82	16.82	Pass
				798.05	803	-52.93	-8.18	Pass
				803	818	-39.71	-18.18	Pass
				818	828	-63.33	-13	Pass
			25	758	768	-53.60	-13	Pass
				768	783	-58.80	-18.93	Pass
				783	787.95	-51.12	-8.93	Pass
				787.95	798.05	16.07	16.07	Pass
				798.05	803	-53.30	-8.93	Pass
				803	818	-60.65	-18.93	Pass
				818	828	-63.37	-13	Pass
			49	758	768	-53.05	-13	Pass
				768	783	-37.53	-18.6	Pass
				783	787.95	-51.22	-8.6	Pass
				787.95	798.05	16.40	16.4	Pass
				798.05	803	-28.63	-8.6	Pass
				803	818	-59.34	-18.6	Pass
				818	828	-63.55	-13	Pass
		25	0	758	768	-53.44	-13	Pass
				768	783	-49.93	-31.33	Pass
				783	787.95	-37.81	-21.33	Pass
				787.95	798.05	3.67	3.67	Pass
				798.05	803	-48.35	-21.33	Pass
				803	818	-53.93	-31.33	Pass
				818	828	-63.53	-13	Pass
			13	758	768	-53.30	-13	Pass
				768	783	-52.69	-31.66	Pass
				783	787.95	-44.21	-21.66	Pass


				787.95	798.05	3.34	3.34	Pass
				798.05	803	-43.32	-21.66	Pass
				803	818	-54.74	-31.66	Pass
				818	828	-63.46	-13	Pass
			25	758	768	-53.32	-13	Pass
				768	783	-52.06	-31.11	Pass
				783	787.95	-46.80	-21.11	Pass
				787.95	798.05	3.89	3.89	Pass
				798.05	803	-38.73	-21.11	Pass
				803	818	-51.69	-31.11	Pass
				818	828	-63.34	-13	Pass
				758	768	-52.89	-13	Pass
		50	0	768	783	-48.82	-33.96	Pass
				783	787.95	-38.85	-23.96	Pass
				787.95	798.05	1.04	1.04	Pass
				798.05	803	-40.35	-23.96	Pass
				803	818	-47.14	-33.96	Pass
				818	828	-63.21	-13	Pass

6.2 Test Graph


6.2.1 B14_5MHz




Band14_5MHz_QPSK_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_QPSK_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_LCH_790.5MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_MCH_793MHz_RB_25_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_1_24_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_0_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_6_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_12_13_NTNV




Band14_5MHz_16QAM_HCH_795.5MHz_RB_25_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_1_24_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_0_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_6_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_12_13_NTNV




Band14_5MHz_64QAM_LCH_790.5MHz_RB_25_0_NTNV



Band14_5MHz_64QAM_MCH_793MHz_RB_1_0_NTNV



Band14_5MHz_64QAM_MCH_793MHz_RB_1_13_NTNV



Band14_5MHz_64QAM_MCH_793MHz_RB_1_24_NTNV

