

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	23.29	-0.10	23.19	<=33.01	Pass
			2	23.28	-0.10	23.18	<=33.01	Pass
			5	23.30	-0.10	23.20	<=33.01	Pass
		3	0	23.34	-0.10	23.24	<=33.01	Pass
			2	23.36	-0.10	23.26	<=33.01	Pass
			3	23.35	-0.10	23.25	<=33.01	Pass
		6	0	22.32	-0.10	22.22	<=33.01	Pass
	1880	1	0	22.89	-0.10	22.79	<=33.01	Pass
			2	22.94	-0.10	22.84	<=33.01	Pass
			5	22.94	-0.10	22.84	<=33.01	Pass
		3	0	22.90	-0.10	22.80	<=33.01	Pass
			2	22.94	-0.10	22.84	<=33.01	Pass
			3	22.94	-0.10	22.84	<=33.01	Pass
		6	0	21.92	-0.10	21.82	<=33.01	Pass
	1909.3	1	0	22.98	-0.10	22.88	<=33.01	Pass
			2	22.96	-0.10	22.86	<=33.01	Pass
			5	22.95	-0.10	22.85	<=33.01	Pass
		3	0	23.04	-0.10	22.94	<=33.01	Pass
			2	23.06	-0.10	22.96	<=33.01	Pass
			3	23.05	-0.10	22.95	<=33.01	Pass
		6	0	21.99	-0.10	21.89	<=33.01	Pass
16QAM	1850.7	1	0	22.34	-0.10	22.24	<=33.01	Pass
			2	22.31	-0.10	22.21	<=33.01	Pass
			5	22.37	-0.10	22.27	<=33.01	Pass
		3	0	22.34	-0.10	22.24	<=33.01	Pass
			2	22.33	-0.10	22.23	<=33.01	Pass
			3	22.34	-0.10	22.24	<=33.01	Pass
		6	0	21.21	-0.10	21.11	<=33.01	Pass
	1880	1	0	22.11	-0.10	22.01	<=33.01	Pass
			2	22.13	-0.10	22.03	<=33.01	Pass
			5	22.15	-0.10	22.05	<=33.01	Pass
		3	0	21.96	-0.10	21.86	<=33.01	Pass
			2	21.98	-0.10	21.88	<=33.01	Pass
			3	21.98	-0.10	21.88	<=33.01	Pass
		6	0	20.93	-0.10	20.83	<=33.01	Pass
	1909.3	1	0	22.00	-0.10	21.90	<=33.01	Pass
			2	22.01	-0.10	21.91	<=33.01	Pass
			5	22.03	-0.10	21.93	<=33.01	Pass
		3	0	22.04	-0.10	21.94	<=33.01	Pass
			2	22.02	-0.10	21.92	<=33.01	Pass
			3	22.04	-0.10	21.94	<=33.01	Pass
		6	0	20.89	-0.10	20.79	<=33.01	Pass
64QAM	1850.7	1	0	21.73	-0.10	21.63	<=33.01	Pass
			2	21.75	-0.10	21.65	<=33.01	Pass
			5	21.70	-0.10	21.60	<=33.01	Pass
		3	0	21.58	-0.10	21.48	<=33.01	Pass
			2	21.55	-0.10	21.45	<=33.01	Pass
			3	21.55	-0.10	21.45	<=33.01	Pass
		6	0	20.28	-0.10	20.18	<=33.01	Pass

	1880	1	0	21.09	-0.10	20.99	<=33.01	Pass
			2	21.14	-0.10	21.04	<=33.01	Pass
			5	21.13	-0.10	21.03	<=33.01	Pass
		3	0	21.00	-0.10	20.90	<=33.01	Pass
			2	21.04	-0.10	20.94	<=33.01	Pass
			3	21.05	-0.10	20.95	<=33.01	Pass
		6	0	20.21	-0.10	20.11	<=33.01	Pass
	1909.3	1	0	21.17	-0.10	21.07	<=33.01	Pass
			2	21.12	-0.10	21.02	<=33.01	Pass
			5	21.16	-0.10	21.06	<=33.01	Pass
		3	0	20.88	-0.10	20.78	<=33.01	Pass
			2	20.88	-0.10	20.78	<=33.01	Pass
			3	20.89	-0.10	20.79	<=33.01	Pass
		6	0	20.06	-0.10	19.96	<=33.01	Pass
256QAM	1850.7	1	0	18.77	-0.10	18.67	<=33.01	Pass
			2	18.76	-0.10	18.66	<=33.01	Pass
			5	18.73	-0.10	18.63	<=33.01	Pass
		3	0	18.46	-0.10	18.36	<=33.01	Pass
			2	18.45	-0.10	18.35	<=33.01	Pass
			3	18.44	-0.10	18.34	<=33.01	Pass
		6	0	18.43	-0.10	18.33	<=33.01	Pass
	1880	1	0	17.87	-0.10	17.77	<=33.01	Pass
			2	17.92	-0.10	17.82	<=33.01	Pass
			5	17.97	-0.10	17.87	<=33.01	Pass
		3	0	17.89	-0.10	17.79	<=33.01	Pass
			2	17.94	-0.10	17.84	<=33.01	Pass
			3	17.96	-0.10	17.86	<=33.01	Pass
		6	0	18.13	-0.10	18.03	<=33.01	Pass
	1909.3	1	0	18.18	-0.10	18.08	<=33.01	Pass
			2	18.15	-0.10	18.05	<=33.01	Pass
			5	18.15	-0.10	18.05	<=33.01	Pass
		3	0	18.12	-0.10	18.02	<=33.01	Pass
			2	18.06	-0.10	17.96	<=33.01	Pass
			3	18.06	-0.10	17.96	<=33.01	Pass
		6	0	18.16	-0.10	18.06	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	23.41	-0.10	23.31	<=33.01	Pass
			7	23.34	-0.10	23.24	<=33.01	Pass
			14	23.28	-0.10	23.18	<=33.01	Pass
		8	0	22.30	-0.10	22.20	<=33.01	Pass
			4	22.30	-0.10	22.20	<=33.01	Pass
			7	22.25	-0.10	22.15	<=33.01	Pass
		15	0	22.27	-0.10	22.17	<=33.01	Pass
	1880	1	0	22.85	-0.10	22.75	<=33.01	Pass
			7	22.97	-0.10	22.87	<=33.01	Pass
			14	22.94	-0.10	22.84	<=33.01	Pass
		8	0	21.94	-0.10	21.84	<=33.01	Pass
			4	21.95	-0.10	21.85	<=33.01	Pass
			7	21.96	-0.10	21.86	<=33.01	Pass
		15	0	21.97	-0.10	21.87	<=33.01	Pass
	1908.5	1	0	23.01	-0.10	22.91	<=33.01	Pass

		8	7	22.97	-0.10	22.87	<=33.01	Pass
			14	22.96	-0.10	22.86	<=33.01	Pass
			0	22.05	-0.10	21.95	<=33.01	Pass
			4	22.01	-0.10	21.91	<=33.01	Pass
			7	21.98	-0.10	21.88	<=33.01	Pass
		15	0	22.00	-0.10	21.90	<=33.01	Pass
16QAM	1851.5	1	0	22.86	-0.10	22.76	<=33.01	Pass
			7	22.84	-0.10	22.74	<=33.01	Pass
			14	22.75	-0.10	22.65	<=33.01	Pass
		8	0	21.50	-0.10	21.40	<=33.01	Pass
			4	21.45	-0.10	21.35	<=33.01	Pass
			7	21.42	-0.10	21.32	<=33.01	Pass
		15	0	21.34	-0.10	21.24	<=33.01	Pass
	1880	1	0	22.08	-0.10	21.98	<=33.01	Pass
			7	22.16	-0.10	22.06	<=33.01	Pass
			14	22.14	-0.10	22.04	<=33.01	Pass
		8	0	20.90	-0.10	20.80	<=33.01	Pass
			4	20.93	-0.10	20.83	<=33.01	Pass
			7	20.93	-0.10	20.83	<=33.01	Pass
		15	0	20.91	-0.10	20.81	<=33.01	Pass
	1908.5	1	0	22.06	-0.10	21.96	<=33.01	Pass
			7	22.05	-0.10	21.95	<=33.01	Pass
			14	21.99	-0.10	21.89	<=33.01	Pass
		8	0	21.13	-0.10	21.03	<=33.01	Pass
			4	21.10	-0.10	21.00	<=33.01	Pass
			7	21.06	-0.10	20.96	<=33.01	Pass
		15	0	21.04	-0.10	20.94	<=33.01	Pass
64QAM	1851.5	1	0	21.62	-0.10	21.52	<=33.01	Pass
			7	21.63	-0.10	21.53	<=33.01	Pass
			14	21.53	-0.10	21.43	<=33.01	Pass
		8	0	20.42	-0.10	20.32	<=33.01	Pass
			4	20.38	-0.10	20.28	<=33.01	Pass
			7	20.36	-0.10	20.26	<=33.01	Pass
		15	0	20.22	-0.10	20.12	<=33.01	Pass
	1880	1	0	21.02	-0.10	20.92	<=33.01	Pass
			7	21.17	-0.10	21.07	<=33.01	Pass
			14	21.14	-0.10	21.04	<=33.01	Pass
		8	0	19.98	-0.10	19.88	<=33.01	Pass
			4	19.98	-0.10	19.88	<=33.01	Pass
			7	19.99	-0.10	19.89	<=33.01	Pass
		15	0	19.95	-0.10	19.85	<=33.01	Pass
	1908.5	1	0	21.20	-0.10	21.10	<=33.01	Pass
			7	21.19	-0.10	21.09	<=33.01	Pass
			14	21.10	-0.10	21.00	<=33.01	Pass
		8	0	19.93	-0.10	19.83	<=33.01	Pass
			4	19.90	-0.10	19.80	<=33.01	Pass
			7	19.91	-0.10	19.81	<=33.01	Pass
		15	0	20.04	-0.10	19.94	<=33.01	Pass
256QAM	1851.5	1	0	18.91	-0.10	18.81	<=33.01	Pass
			7	18.87	-0.10	18.77	<=33.01	Pass
			14	18.80	-0.10	18.70	<=33.01	Pass
		8	0	18.60	-0.10	18.50	<=33.01	Pass
			4	18.57	-0.10	18.47	<=33.01	Pass
			7	18.53	-0.10	18.43	<=33.01	Pass
		15	0	18.49	-0.10	18.39	<=33.01	Pass
	1880	1	0	17.87	-0.10	17.77	<=33.01	Pass
			7	17.92	-0.10	17.82	<=33.01	Pass
			14	17.93	-0.10	17.83	<=33.01	Pass
		8	0	18.01	-0.10	17.91	<=33.01	Pass

		15	4	18.05	-0.10	17.95	<=33.01	Pass
			7	18.06	-0.10	17.96	<=33.01	Pass
			0	18.17	-0.10	18.07	<=33.01	Pass
	1908.5	1	0	18.15	-0.10	18.05	<=33.01	Pass
			7	18.17	-0.10	18.07	<=33.01	Pass
			14	18.12	-0.10	18.02	<=33.01	Pass
		8	0	18.24	-0.10	18.14	<=33.01	Pass
			4	18.21	-0.10	18.11	<=33.01	Pass
			7	18.20	-0.10	18.10	<=33.01	Pass
		15	0	18.16	-0.10	18.06	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	23.49	-0.10	23.39	<=33.01	Pass
			13	23.41	-0.10	23.31	<=33.01	Pass
			24	23.34	-0.10	23.24	<=33.01	Pass
		12	0	22.33	-0.10	22.23	<=33.01	Pass
			6	22.32	-0.10	22.22	<=33.01	Pass
			13	22.24	-0.10	22.14	<=33.01	Pass
		25	0	22.35	-0.10	22.25	<=33.01	Pass
	1880	1	0	22.94	-0.10	22.84	<=33.01	Pass
			13	23.03	-0.10	22.93	<=33.01	Pass
			24	23.06	-0.10	22.96	<=33.01	Pass
		12	0	21.95	-0.10	21.85	<=33.01	Pass
			6	21.97	-0.10	21.87	<=33.01	Pass
			13	22.01	-0.10	21.91	<=33.01	Pass
		25	0	22.01	-0.10	21.91	<=33.01	Pass
	1907.5	1	0	23.24	-0.10	23.14	<=33.01	Pass
			13	23.11	-0.10	23.01	<=33.01	Pass
			24	23.07	-0.10	22.97	<=33.01	Pass
		12	0	22.11	-0.10	22.01	<=33.01	Pass
			6	22.07	-0.10	21.97	<=33.01	Pass
			13	22.05	-0.10	21.95	<=33.01	Pass
		25	0	22.12	-0.10	22.02	<=33.01	Pass
16QAM	1852.5	1	0	22.24	-0.10	22.14	<=33.01	Pass
			13	22.14	-0.10	22.04	<=33.01	Pass
			24	22.11	-0.10	22.01	<=33.01	Pass
		12	0	21.39	-0.10	21.29	<=33.01	Pass
			6	21.34	-0.10	21.24	<=33.01	Pass
			13	21.27	-0.10	21.17	<=33.01	Pass
		25	0	21.38	-0.10	21.28	<=33.01	Pass
	1880	1	0	22.16	-0.10	22.06	<=33.01	Pass
			13	22.26	-0.10	22.16	<=33.01	Pass
			24	22.28	-0.10	22.18	<=33.01	Pass
		12	0	21.00	-0.10	20.90	<=33.01	Pass
			6	21.03	-0.10	20.93	<=33.01	Pass
			13	21.05	-0.10	20.95	<=33.01	Pass
		25	0	21.00	-0.10	20.90	<=33.01	Pass
	1907.5	1	0	22.25	-0.10	22.15	<=33.01	Pass
			13	22.15	-0.10	22.05	<=33.01	Pass
			24	22.11	-0.10	22.01	<=33.01	Pass
		12	0	21.13	-0.10	21.03	<=33.01	Pass
			6	21.09	-0.10	20.99	<=33.01	Pass

			13	21.07	-0.10	20.97	<=33.01	Pass	
		25	0	21.12	-0.10	21.02	<=33.01	Pass	
64QAM	1852.5	1	0	21.32	-0.10	21.22	<=33.01	Pass	
			13	21.19	-0.10	21.09	<=33.01	Pass	
			24	21.17	-0.10	21.07	<=33.01	Pass	
			0	20.39	-0.10	20.29	<=33.01	Pass	
		12	6	20.35	-0.10	20.25	<=33.01	Pass	
			13	20.26	-0.10	20.16	<=33.01	Pass	
			25	0	20.29	-0.10	20.19	<=33.01	Pass
		1880	1	0	21.26	-0.10	21.16	<=33.01	Pass
				13	21.37	-0.10	21.27	<=33.01	Pass
				24	21.40	-0.10	21.30	<=33.01	Pass
	0			19.90	-0.10	19.80	<=33.01	Pass	
	12		6	19.92	-0.10	19.82	<=33.01	Pass	
			13	19.94	-0.10	19.84	<=33.01	Pass	
			25	0	19.94	-0.10	19.84	<=33.01	Pass
	1907.5		1	0	21.36	-0.10	21.26	<=33.01	Pass
		13		21.28	-0.10	21.18	<=33.01	Pass	
		24		21.25	-0.10	21.15	<=33.01	Pass	
		0		20.19	-0.10	20.09	<=33.01	Pass	
		12	6	20.15	-0.10	20.05	<=33.01	Pass	
			13	20.11	-0.10	20.01	<=33.01	Pass	
			25	0	20.13	-0.10	20.03	<=33.01	Pass
		256QAM	1852.5	1	0	18.28	-0.10	18.18	<=33.01
	13				18.18	-0.10	18.08	<=33.01	Pass
24	18.08				-0.10	17.98	<=33.01	Pass	
12	0			18.57	-0.10	18.47	<=33.01	Pass	
	6			18.52	-0.10	18.42	<=33.01	Pass	
	13			18.45	-0.10	18.35	<=33.01	Pass	
25	0			18.55	-0.10	18.45	<=33.01	Pass	
1880	1		0	18.23	-0.10	18.13	<=33.01	Pass	
			13	18.35	-0.10	18.25	<=33.01	Pass	
			24	18.37	-0.10	18.27	<=33.01	Pass	
	12		0	18.16	-0.10	18.06	<=33.01	Pass	
			6	18.19	-0.10	18.09	<=33.01	Pass	
			13	18.23	-0.10	18.13	<=33.01	Pass	
	25		0	18.17	-0.10	18.07	<=33.01	Pass	
1907.5	1		0	18.31	-0.10	18.21	<=33.01	Pass	
			13	18.23	-0.10	18.13	<=33.01	Pass	
			24	18.17	-0.10	18.07	<=33.01	Pass	
	12		0	18.25	-0.10	18.15	<=33.01	Pass	
			6	18.26	-0.10	18.16	<=33.01	Pass	
			13	18.21	-0.10	18.11	<=33.01	Pass	
	25		0	18.25	-0.10	18.15	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	23.47	-0.10	23.37	<=33.01	Pass
			25	23.24	-0.10	23.14	<=33.01	Pass
			49	23.04	-0.10	22.94	<=33.01	Pass
		25	0	22.35	-0.10	22.25	<=33.01	Pass
			13	22.22	-0.10	22.12	<=33.01	Pass
			25	22.12	-0.10	22.02	<=33.01	Pass

		50	0	22.25	-0.10	22.15	<=33.01	Pass	
		1880	1	0	22.85	-0.10	22.75	<=33.01	Pass
				25	22.98	-0.10	22.88	<=33.01	Pass
				49	23.03	-0.10	22.93	<=33.01	Pass
				0	21.93	-0.10	21.83	<=33.01	Pass
			25	13	21.97	-0.10	21.87	<=33.01	Pass
				25	22.03	-0.10	21.93	<=33.01	Pass
				0	21.97	-0.10	21.87	<=33.01	Pass
			1905	1	0	23.20	-0.10	23.10	<=33.01
		25			23.13	-0.10	23.03	<=33.01	Pass
		49			23.07	-0.10	22.97	<=33.01	Pass
		0			22.15	-0.10	22.05	<=33.01	Pass
		25		13	22.15	-0.10	22.05	<=33.01	Pass
				25	22.12	-0.10	22.02	<=33.01	Pass
				0	22.17	-0.10	22.07	<=33.01	Pass
		16QAM		1855	1	0	22.91	-0.10	22.81
25	22.73		-0.10			22.63	<=33.01	Pass	
49	22.56		-0.10			22.46	<=33.01	Pass	
25	0		21.38		-0.10	21.28	<=33.01	Pass	
	13		21.25		-0.10	21.15	<=33.01	Pass	
	25		21.15		-0.10	21.05	<=33.01	Pass	
0	21.26		-0.10		21.16	<=33.01	Pass		
1880	1		0		22.04	-0.10	21.94	<=33.01	Pass
			25	22.21	-0.10	22.11	<=33.01	Pass	
			49	22.24	-0.10	22.14	<=33.01	Pass	
	25		0	20.94	-0.10	20.84	<=33.01	Pass	
			13	20.98	-0.10	20.88	<=33.01	Pass	
			25	21.03	-0.10	20.93	<=33.01	Pass	
	0		20.97	-0.10	20.87	<=33.01	Pass		
1905	1		0	22.22	-0.10	22.12	<=33.01	Pass	
			25	22.15	-0.10	22.05	<=33.01	Pass	
			49	22.11	-0.10	22.01	<=33.01	Pass	
	25		0	21.22	-0.10	21.12	<=33.01	Pass	
			13	21.20	-0.10	21.10	<=33.01	Pass	
			25	21.20	-0.10	21.10	<=33.01	Pass	
	0	21.16	-0.10	21.06	<=33.01	Pass			
	64QAM	1855	1	0	21.69	-0.10	21.59	<=33.01	Pass
25				21.47	-0.10	21.37	<=33.01	Pass	
49				21.30	-0.10	21.20	<=33.01	Pass	
25			0	20.36	-0.10	20.26	<=33.01	Pass	
			13	20.21	-0.10	20.11	<=33.01	Pass	
			25	20.14	-0.10	20.04	<=33.01	Pass	
0			20.26	-0.10	20.16	<=33.01	Pass		
1880		1	0	21.04	-0.10	20.94	<=33.01	Pass	
			25	21.21	-0.10	21.11	<=33.01	Pass	
			49	21.24	-0.10	21.14	<=33.01	Pass	
		25	0	19.96	-0.10	19.86	<=33.01	Pass	
			13	20.00	-0.10	19.90	<=33.01	Pass	
			25	20.06	-0.10	19.96	<=33.01	Pass	
		0	19.98	-0.10	19.88	<=33.01	Pass		
1905		1	0	21.38	-0.10	21.28	<=33.01	Pass	
			25	21.30	-0.10	21.20	<=33.01	Pass	
			49	21.23	-0.10	21.13	<=33.01	Pass	
		25	0	20.19	-0.10	20.09	<=33.01	Pass	
			13	20.18	-0.10	20.08	<=33.01	Pass	
			25	20.17	-0.10	20.07	<=33.01	Pass	
	0	20.12	-0.10	20.02	<=33.01	Pass			
256QAM	1855	1	0	18.98	-0.10	18.88	<=33.01	Pass	
25	18.75		-0.10	18.65	<=33.01	Pass			

			49	18.54	-0.10	18.44	<=33.01	Pass
		25	0	18.54	-0.10	18.44	<=33.01	Pass
			13	18.39	-0.10	18.29	<=33.01	Pass
			25	18.27	-0.10	18.17	<=33.01	Pass
		50	0	18.40	-0.10	18.30	<=33.01	Pass
	1880	1	0	17.79	-0.10	17.69	<=33.01	Pass
			25	17.90	-0.10	17.80	<=33.01	Pass
			49	18.02	-0.10	17.92	<=33.01	Pass
		25	0	18.08	-0.10	17.98	<=33.01	Pass
			13	18.16	-0.10	18.06	<=33.01	Pass
			25	18.20	-0.10	18.10	<=33.01	Pass
		50	0	18.06	-0.10	17.96	<=33.01	Pass
	1905	1	0	18.41	-0.10	18.31	<=33.01	Pass
			25	18.29	-0.10	18.19	<=33.01	Pass
			49	18.22	-0.10	18.12	<=33.01	Pass
		25	0	18.33	-0.10	18.23	<=33.01	Pass
			13	18.31	-0.10	18.21	<=33.01	Pass
			25	18.25	-0.10	18.15	<=33.01	Pass
		50	0	18.26	-0.10	18.16	<=33.01	Pass
	Note1: EIRP=Conducted Power+Antenna Gain							

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	23.50	-0.10	23.40	<=33.01	Pass
			38	23.14	-0.10	23.04	<=33.01	Pass
			74	22.94	-0.10	22.84	<=33.01	Pass
		36	0	22.28	-0.10	22.18	<=33.01	Pass
			18	22.11	-0.10	22.01	<=33.01	Pass
			39	21.99	-0.10	21.89	<=33.01	Pass
		75	0	22.15	-0.10	22.05	<=33.01	Pass
	1880	1	0	22.85	-0.10	22.75	<=33.01	Pass
			38	23.05	-0.10	22.95	<=33.01	Pass
			74	23.17	-0.10	23.07	<=33.01	Pass
		36	0	21.91	-0.10	21.81	<=33.01	Pass
			18	21.95	-0.10	21.85	<=33.01	Pass
			39	22.06	-0.10	21.96	<=33.01	Pass
		75	0	21.98	-0.10	21.88	<=33.01	Pass
	1902.5	1	0	23.28	-0.10	23.18	<=33.01	Pass
			38	23.17	-0.10	23.07	<=33.01	Pass
			74	23.11	-0.10	23.01	<=33.01	Pass
		36	0	22.25	-0.10	22.15	<=33.01	Pass
			18	22.16	-0.10	22.06	<=33.01	Pass
			39	22.13	-0.10	22.03	<=33.01	Pass
		75	0	22.22	-0.10	22.12	<=33.01	Pass
16QAM	1857.5	1	0	22.95	-0.10	22.85	<=33.01	Pass
			38	22.65	-0.10	22.55	<=33.01	Pass
			74	22.46	-0.10	22.36	<=33.01	Pass
		36	0	21.32	-0.10	21.22	<=33.01	Pass
			18	21.14	-0.10	21.04	<=33.01	Pass
			39	21.02	-0.10	20.92	<=33.01	Pass
		75	0	21.19	-0.10	21.09	<=33.01	Pass
	1880	1	0	22.05	-0.10	21.95	<=33.01	Pass
			38	22.24	-0.10	22.14	<=33.01	Pass
			74	22.36	-0.10	22.26	<=33.01	Pass

		36	0	20.94	-0.10	20.84	<=33.01	Pass
			18	20.97	-0.10	20.87	<=33.01	Pass
			39	21.08	-0.10	20.98	<=33.01	Pass
		75	0	21.02	-0.10	20.92	<=33.01	Pass
	1902.5	1	0	22.66	-0.10	22.56	<=33.01	Pass
			38	22.56	-0.10	22.46	<=33.01	Pass
			74	22.44	-0.10	22.34	<=33.01	Pass
		36	0	21.23	-0.10	21.13	<=33.01	Pass
			18	21.14	-0.10	21.04	<=33.01	Pass
			39	21.13	-0.10	21.03	<=33.01	Pass
		75	0	21.22	-0.10	21.12	<=33.01	Pass
64QAM		1857.5	1	0	21.72	-0.10	21.62	<=33.01
	38			21.38	-0.10	21.28	<=33.01	Pass
	74			21.18	-0.10	21.08	<=33.01	Pass
	36		0	20.31	-0.10	20.21	<=33.01	Pass
			18	20.11	-0.10	20.01	<=33.01	Pass
			39	20.00	-0.10	19.90	<=33.01	Pass
	75		0	20.17	-0.10	20.07	<=33.01	Pass
	1880	1	0	21.04	-0.10	20.94	<=33.01	Pass
			38	21.24	-0.10	21.14	<=33.01	Pass
			74	21.37	-0.10	21.27	<=33.01	Pass
		36	0	19.96	-0.10	19.86	<=33.01	Pass
			18	19.99	-0.10	19.89	<=33.01	Pass
			39	20.11	-0.10	20.01	<=33.01	Pass
		75	0	20.01	-0.10	19.91	<=33.01	Pass
	1902.5	1	0	21.87	-0.10	21.77	<=33.01	Pass
			38	21.74	-0.10	21.64	<=33.01	Pass
			74	21.66	-0.10	21.56	<=33.01	Pass
		36	0	20.25	-0.10	20.15	<=33.01	Pass
			18	20.16	-0.10	20.06	<=33.01	Pass
			39	20.15	-0.10	20.05	<=33.01	Pass
		75	0	20.23	-0.10	20.13	<=33.01	Pass
256QAM		1857.5	1	0	18.98	-0.10	18.88	<=33.01
	38			18.61	-0.10	18.51	<=33.01	Pass
	74			18.43	-0.10	18.33	<=33.01	Pass
	36		0	18.44	-0.10	18.34	<=33.01	Pass
			18	18.27	-0.10	18.17	<=33.01	Pass
			39	18.13	-0.10	18.03	<=33.01	Pass
	75		0	18.30	-0.10	18.20	<=33.01	Pass
	1880	1	0	17.77	-0.10	17.67	<=33.01	Pass
			38	17.97	-0.10	17.87	<=33.01	Pass
			74	18.12	-0.10	18.02	<=33.01	Pass
		36	0	18.02	-0.10	17.92	<=33.01	Pass
			18	18.10	-0.10	18.00	<=33.01	Pass
			39	18.22	-0.10	18.12	<=33.01	Pass
		75	0	18.13	-0.10	18.03	<=33.01	Pass
	1902.5	1	0	18.73	-0.10	18.63	<=33.01	Pass
			38	18.59	-0.10	18.49	<=33.01	Pass
			74	18.45	-0.10	18.35	<=33.01	Pass
		36	0	18.34	-0.10	18.24	<=33.01	Pass
			18	18.27	-0.10	18.17	<=33.01	Pass
			39	18.18	-0.10	18.08	<=33.01	Pass
		75	0	18.31	-0.10	18.21	<=33.01	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	23.49	-0.10	23.39	<=33.01	Pass
			50	23.04	-0.10	22.94	<=33.01	Pass
			99	22.88	-0.10	22.78	<=33.01	Pass
		50	0	22.31	-0.10	22.21	<=33.01	Pass
			25	22.06	-0.10	21.96	<=33.01	Pass
			50	21.94	-0.10	21.84	<=33.01	Pass
		100	0	22.13	-0.10	22.03	<=33.01	Pass
	1880	1	0	22.86	-0.10	22.76	<=33.01	Pass
			50	23.06	-0.10	22.96	<=33.01	Pass
			99	23.25	-0.10	23.15	<=33.01	Pass
		50	0	21.91	-0.10	21.81	<=33.01	Pass
			25	22.03	-0.10	21.93	<=33.01	Pass
			50	22.13	-0.10	22.03	<=33.01	Pass
		100	0	22.01	-0.10	21.91	<=33.01	Pass
	1900	1	0	23.28	-0.10	23.18	<=33.01	Pass
			50	23.21	-0.10	23.11	<=33.01	Pass
			99	23.13	-0.10	23.03	<=33.01	Pass
		50	0	22.30	-0.10	22.20	<=33.01	Pass
			25	22.28	-0.10	22.18	<=33.01	Pass
			50	22.25	-0.10	22.15	<=33.01	Pass
		100	0	22.27	-0.10	22.17	<=33.01	Pass
16QAM	1860	1	0	22.73	-0.10	22.63	<=33.01	Pass
			50	22.33	-0.10	22.23	<=33.01	Pass
			99	22.11	-0.10	22.01	<=33.01	Pass
		50	0	21.30	-0.10	21.20	<=33.01	Pass
			25	21.05	-0.10	20.95	<=33.01	Pass
			50	20.93	-0.10	20.83	<=33.01	Pass
		100	0	21.14	-0.10	21.04	<=33.01	Pass
	1880	1	0	22.08	-0.10	21.98	<=33.01	Pass
			50	22.28	-0.10	22.18	<=33.01	Pass
			99	22.53	-0.10	22.43	<=33.01	Pass
		50	0	20.89	-0.10	20.79	<=33.01	Pass
			25	21.00	-0.10	20.90	<=33.01	Pass
			50	21.12	-0.10	21.02	<=33.01	Pass
		100	0	20.99	-0.10	20.89	<=33.01	Pass
	1900	1	0	22.91	-0.10	22.81	<=33.01	Pass
			50	22.82	-0.10	22.72	<=33.01	Pass
			99	22.75	-0.10	22.65	<=33.01	Pass
		50	0	21.28	-0.10	21.18	<=33.01	Pass
			25	21.26	-0.10	21.16	<=33.01	Pass
			50	21.22	-0.10	21.12	<=33.01	Pass
		100	0	21.27	-0.10	21.17	<=33.01	Pass
64QAM	1860	1	0	21.84	-0.10	21.74	<=33.01	Pass
			50	21.43	-0.10	21.33	<=33.01	Pass
			99	21.25	-0.10	21.15	<=33.01	Pass
		50	0	20.36	-0.10	20.26	<=33.01	Pass
			25	20.12	-0.10	20.02	<=33.01	Pass
			50	19.99	-0.10	19.89	<=33.01	Pass
		100	0	20.12	-0.10	20.02	<=33.01	Pass
	1880	1	0	21.50	-0.10	21.40	<=33.01	Pass
			50	21.74	-0.10	21.64	<=33.01	Pass
			99	21.88	-0.10	21.78	<=33.01	Pass
		50	0	19.91	-0.10	19.81	<=33.01	Pass
			25	20.02	-0.10	19.92	<=33.01	Pass
			50	20.15	-0.10	20.05	<=33.01	Pass
		100	0	19.97	-0.10	19.87	<=33.01	Pass

	1900	1	0	21.53	-0.10	21.43	<=33.01	Pass		
			50	21.47	-0.10	21.37	<=33.01	Pass		
			99	21.35	-0.10	21.25	<=33.01	Pass		
		50	0	20.29	-0.10	20.19	<=33.01	Pass		
			25	20.26	-0.10	20.16	<=33.01	Pass		
			50	20.24	-0.10	20.14	<=33.01	Pass		
		100	0	20.26	-0.10	20.16	<=33.01	Pass		
		256QAM	1860	1	0	18.84	-0.10	18.74	<=33.01	Pass
					50	18.36	-0.10	18.26	<=33.01	Pass
99	18.15				-0.10	18.05	<=33.01	Pass		
50	0			18.39	-0.10	18.29	<=33.01	Pass		
	25			18.16	-0.10	18.06	<=33.01	Pass		
	50			18.04	-0.10	17.94	<=33.01	Pass		
100	0			18.20	-0.10	18.10	<=33.01	Pass		
1880	1			0	18.14	-0.10	18.04	<=33.01	Pass	
				50	18.36	-0.10	18.26	<=33.01	Pass	
			99	18.55	-0.10	18.45	<=33.01	Pass		
	50		0	18.01	-0.10	17.91	<=33.01	Pass		
			25	18.13	-0.10	18.03	<=33.01	Pass		
			50	18.24	-0.10	18.14	<=33.01	Pass		
	100		0	18.09	-0.10	17.99	<=33.01	Pass		
	1900		1	0	18.34	-0.10	18.24	<=33.01	Pass	
				50	18.27	-0.10	18.17	<=33.01	Pass	
99				18.12	-0.10	18.02	<=33.01	Pass		
50			0	18.43	-0.10	18.33	<=33.01	Pass		
			25	18.41	-0.10	18.31	<=33.01	Pass		
			50	18.34	-0.10	18.24	<=33.01	Pass		
100			0	18.37	-0.10	18.27	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1880	50	0	20	LV	-3.693	-0.0020	-2.5 to 2.5	Pass
					NV	-2.259	-0.0012	-2.5 to 2.5	Pass
					HV	-6.217	-0.0033	-2.5 to 2.5	Pass
				-30	NV	-2.234	-0.0012	-2.5 to 2.5	Pass
				-20	NV	1.037	0.0006	-2.5 to 2.5	Pass
				-10	NV	-2.061	-0.0011	-2.5 to 2.5	Pass
				0	NV	-0.940	-0.0005	-2.5 to 2.5	Pass
				10	NV	-6.977	-0.0037	-2.5 to 2.5	Pass
				30	NV	-3.711	-0.0020	-2.5 to 2.5	Pass
				40	NV	0.726	0.0004	-2.5 to 2.5	Pass
				50	NV	-5.477	-0.0029	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band2_OBW


Band: 2 / NTNv							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.113	/	Pass
	16QAM	1880	6	0	1.115	/	Pass
	64QAM	1880	6	0	1.105	/	Pass
	256QAM	1880	6	0	1.098	/	Pass
3	QPSK	1880	15	0	2.733	/	Pass
	16QAM	1880	15	0	2.738	/	Pass
	64QAM	1880	15	0	2.740	/	Pass
	256QAM	1880	15	0	2.729	/	Pass
5	QPSK	1880	25	0	4.555	/	Pass
	16QAM	1880	25	0	4.535	/	Pass
	64QAM	1880	25	0	4.565	/	Pass
	256QAM	1880	25	0	4.560	/	Pass
10	QPSK	1880	50	0	9.076	/	Pass
	16QAM	1880	50	0	9.080	/	Pass
	64QAM	1880	50	0	9.034	/	Pass
	256QAM	1880	50	0	9.057	/	Pass
15	QPSK	1880	75	0	13.581	/	Pass
	16QAM	1880	75	0	13.561	/	Pass
	64QAM	1880	75	0	13.573	/	Pass
	256QAM	1880	75	0	13.549	/	Pass
20	QPSK	1880	100	0	18.099	/	Pass
	16QAM	1880	100	0	18.162	/	Pass
	64QAM	1880	100	0	18.057	/	Pass
	256QAM	1880	100	0	18.109	/	Pass

3.1.2 Band2_XDB


Band: 2 / NTNv							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1880	6	0	1.317	/	Pass
	16QAM	1880	6	0	1.350	/	Pass
	64QAM	1880	6	0	1.317	/	Pass
	256QAM	1880	6	0	1.315	/	Pass
3	QPSK	1880	15	0	3.021	/	Pass
	16QAM	1880	15	0	2.999	/	Pass
	64QAM	1880	15	0	3.041	/	Pass
	256QAM	1880	15	0	3.051	/	Pass
5	QPSK	1880	25	0	5.035	/	Pass
	16QAM	1880	25	0	5.062	/	Pass
	64QAM	1880	25	0	5.037	/	Pass
	256QAM	1880	25	0	5.045	/	Pass
10	QPSK	1880	50	0	10.076	/	Pass
	16QAM	1880	50	0	9.910	/	Pass
	64QAM	1880	50	0	9.964	/	Pass
	256QAM	1880	50	0	9.972	/	Pass
15	QPSK	1880	75	0	15.076	/	Pass
	16QAM	1880	75	0	14.914	/	Pass
	64QAM	1880	75	0	14.944	/	Pass
	256QAM	1880	75	0	14.959	/	Pass
20	QPSK	1880	100	0	19.753	/	Pass
	16QAM	1880	100	0	19.899	/	Pass
	64QAM	1880	100	0	19.754	/	Pass
	256QAM	1880	100	0	19.753	/	Pass

3.2 Test Graph


3.2.1 Band2_OBW




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV




3.2.2 Band2_XDB




Band2 1.4MHz 64QAM MCH 1880MHz RB 6 0 NTV




Band2 1.4MHz 256QAM MCH 1880MHz RB 6 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 15 0 NTN




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTN




Band2_3MHz_64QAM_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_256QAM_MCH_1880MHz_RB_15_0_NTNV




Band2 5MHz QPSK MCH 1880MHz RB 25 0 NTN




Band2 5MHz 16QAM MCH 1880MHz RB 25 0 NTN




Band2 5MHz 64QAM MCH 1880MHz RB 25 0 NTV




Band2 5MHz 256QAM MCH 1880MHz RB 25 0 NTV




Band2 10MHz QPSK MCH 1880MHz RB 50 0 NTV




Band2 10MHz 16QAM MCH 1880MHz RB 50 0 NTV




Band2_10MHz_64QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_256QAM_MCH_1880MHz_RB_50_0_NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTV




Band2 15MHz 16QAM MCH 1880MHz RB 75 0 NTV




Band2_15MHz_64QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_256QAM_MCH_1880MHz_RB_75_0_NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	5.15	<=13	Pass
16QAM	1880	100	0	5.96	<=13	Pass
64QAM	1880	100	0	6.41	<=13	Pass
256QAM	1880	100	0	6.79	<=13	Pass

4.2 Test Graph


4.2.1 B2_20MHz



Band2 20MHz 64QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 256QAM MCH 1880MHz RB 100 0 NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1909.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1907.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1905	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1902.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1900	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B2_1.4MHz



Band2 1.4MHz QPSK LCH 1850.7MHz RB 1 0 NTNV




Band2 1.4MHz QPSK LCH 1850.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-30.33	-13	Pass
1849	1850	0.014	CHP	2	1849.980	-31.61	-13	Pass
1850	1853	0.014	CHP	/	/	/	/	/


Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK MCH 1880MHz RB 1 0 NTN




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV



Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 0 NTNV




Band2 1.4MHz QPSK HCH 1909.3MHz RB 1 5 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-29.24	-13	Pass
1911	1913	1	CHP	2	1911.500	-42.04	-13	Pass

Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.013	CHP	/	/	/	/	/
1910	1911	0.013	CHP	1	1910.005	-32.71	-13	Pass
1911	1913	1	CHP	2	1911.500	-30.95	-13	Pass


5.2.2 B2_3MHz



Band2 3MHz QPSK LCH 1851.5MHz RB 1 0 NTN




Band2 3MHz QPSK LCH 1851.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.500	-22.96	-13	Pass
1849	1850	0.031	CHP	2	1849.994	-31.03	-13	Pass
1850	1853	0.031	CHP	/	/	/	/	/


Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 3MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_1_0_NTNV




Band2 3MHz QPSK HCH 1908.5MHz RB 1 14 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.002	-28.42	-13	Pass
1911	1913	1	CHP	2	1911.951	-39.98	-13	Pass

Band2 3MHz QPSK HCH 1908.5MHz RB 15 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.031	CHP	/	/	/	/	/
1910	1911	0.031	CHP	1	1910.006	-32.46	-13	Pass
1911	1913	1	CHP	2	1911.500	-24.53	-13	Pass


5.2.3 B2_5MHz



Band2 5MHz QPSK LCH 1852.5MHz RB 1 0 NTN




Band2 5MHz QPSK LCH 1852.5MHz RB 25 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-23.01	-13	Pass
1849	1850	0.05	CHP	2	1849.990	-31.24	-13	Pass
1850	1855	0.05	CHP	/	/	/	/	/


Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK MCH 1880MHz RB 1 0 NTV




Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN



Band2 5MHz QPSK HCH 1907.5MHz RB 1 0 NTN




Band2 5MHz QPSK HCH 1907.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.038	-32.32	-13	Pass
1911	1915	1	CHP	2	1911.830	-39.28	-13	Pass

Band2 5MHz QPSK HCH 1907.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.051	CHP	/	/	/	/	/
1910	1911	0.051	CHP	1	1910.010	-32.73	-13	Pass
1911	1915	1	CHP	2	1911.500	-25.66	-13	Pass


5.2.4 B2_10MHz



Band2_10MHz_QPSK_LCH_1855MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.492	-26.08	-13	Pass
1849	1850	0.099	CHP	2	1849.992	-33.42	-13	Pass
1850	1860	0.099	CHP	/	/	/	/	/


Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV



Band2_10MHz_QPSK_HCH_1905MHz_RB_1_0_NTNV




Band2 10MHz QPSK HCH 1905MHz RB 1 49 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.016	-37.54	-13	Pass
1911	1920	1	CHP	2	1911.523	-40.81	-13	Pass

Band2 10MHz QPSK HCH 1905MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1900	1910	0.1	/	/	/	/	/	/
1910	1911	0.1	/	1	1910.020	-32.43	-13	Pass
1911	1920	1	CHP	2	1912.240	-28.81	-13	Pass


5.2.5 B2_15MHz



Band2 15MHz QPSK LCH 1857.5MHz RB 1 0 NTV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1848.500	-26.33	-13	Pass
1849	1850	0.151	CHP	2	1849.160	-32.58	-13	Pass
1850	1865	0.151	CHP	/	/	/	/	/


Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV



Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_0_NTNV




Band2_15MHz_QPSK_HCH_1902.5MHz_RB_1_74_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-41.45	-13	Pass
1911	1925	1	CHP	2	1911.500	-41.22	-13	Pass

Band2_15MHz_QPSK_HCH_1902.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.149	CHP	/	/	/	/	/
1910	1911	0.149	CHP	1	1910.240	-35.51	-13	Pass
1911	1925	1	CHP	2	1913.960	-27.99	-13	Pass


5.2.6 B2_20MHz



Band2 20MHz QPSK LCH 1860MHz RB 1 0 NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.720	-29.85	-13	Pass
1849	1850	0.198	CHP	2	1849.960	-34.55	-13	Pass
1850	1870	0.198	CHP	/	/	/	/	/


Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_1_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN



Band2 20MHz QPSK HCH 1900MHz RB 1 0 NTN




Band2 20MHz QPSK HCH 1900MHz RB 1 99 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-43.01	-13	Pass
1911	1930	1	CHP	2	1911.500	-41.40	-13	Pass

Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.198	CHP	/	/	/	/	/
1910	1911	0.198	CHP	1	1910.240	-36.92	-13	Pass
1911	1930	1	CHP	2	1911.560	-30.63	-13	Pass