



CA_48C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3552.5 CC2:3564.2MHz_CC1: 25@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.22	/	/	/	/
Adjacent	-25	25.00	-19.28	-35.50	-30	5.50	Pass
Adjacent	25	25.00	-23.84	-40.06	-30	10.06	Pass

CA_48C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3678.3 CC2:3690MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	15.95	/	/	/	/
Adjacent	-25	25.00	-22.85	-38.80	-30	8.80	Pass
Adjacent	25	25.00	-45.43	-61.38	-30	31.38	Pass

CA_48C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3678.3 CC2:3690MHz_CC1: 1@24 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	13.28	/	/	/	/
Adjacent	-25	25.00	-31.67	-44.95	-30	14.95	Pass
Adjacent	25	25.00	-32.00	-45.28	-30	15.28	Pass

CA_48C_SISO_NTNV_CC1:5 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3678.3 CC2:3690MHz_CC1: 25@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	15.42	/	/	/	/
Adjacent	-25	25.00	-20.95	-36.37	-30	6.37	Pass
Adjacent	25	25.00	-26.08	-41.50	-30	11.50	Pass

CA 48C SISO NTNv CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3555 CC2:3569.4MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.55	/	/	/	/
Adjacent	-30	30.00	-19.41	-36.96	-30	6.96	Pass
Adjacent	30	30.00	-38.71	-56.26	-30	26.26	Pass

CA 48C SISO NTNv CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3555 CC2:3569.4MHz CC1: 1@49 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.28	/	/	/	/
Adjacent	-30	30.00	-29.50	-44.78	-30	14.78	Pass
Adjacent	30	30.00	-29.82	-45.10	-30	15.10	Pass

CA 48C SISO NTV CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3555 CC2:3569.4MHz CC1: 50@0 CC2: 100@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	19.46	/	/	/	/
Adjacent	-30	30.00	-12.17	-31.63	-30	1.63	Pass
Adjacent	30	30.00	-14.76	-34.22	-30	4.22	Pass


CA 48C SISO NTV CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3675.6 CC2:3690MHz CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.01	/	/	/	/
Adjacent	-30	30.00	-20.51	-37.52	-30	7.52	Pass
Adjacent	30	30.00	-42.63	-59.64	-30	29.64	Pass


CA 48C SISO NTNv CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3675.6 CC2:3690MHz CC1: 1@49 CC2: 1@99

CA_48C_SISO_NTNv_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3675.6 CC2:3690MHz_CC1: 1@49 CC2: 1@99




CA 48C SISO NTNv CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3675.6 CC2:3690MHz CC1: 50@0 CC2: 100@0

CA_48C_SISO_NTNv_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3675.6 CC2:3690MHz_CC1: 50@0 CC2: 100@0



CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@0 CC2: 1@0


:A_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@0 CC2: 1@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.50	/	/	/	/
Adjacent	-30	30.00	-20.69	-38.19	-30	8.19	Pass
Adjacent	30	30.00	-39.19	-56.69	-30	26.69	Pass


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@49 CC2: 1@99

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@49 CC2: 1@99




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.18	/	/	/	/
Adjacent	-30	30.00	-30.08	-45.26	-30	15.26	Pass
Adjacent	30	30.00	-29.86	-45.04	-30	15.04	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3555 CC2:3569.4MHz_CC1: 50@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	18.34	/	/	/	/
Adjacent	-30	30.00	-14.66	-33.00	-30	3.00	Pass
Adjacent	30	30.00	-18.04	-36.38	-30	6.38	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.57	/	/	/	/
Adjacent	-30	30.00	-20.99	-37.56	-30	7.56	Pass
Adjacent	30	30.00	-42.73	-59.30	-30	29.30	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@49 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.87	/	/	/	/
Adjacent	-30	30.00	-29.88	-44.75	-30	14.75	Pass
Adjacent	30	30.00	-30.98	-45.85	-30	15.85	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3675.6 CC2:3690MHz_CC1: 50@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.91	/	/	/	/
Adjacent	-30	30.00	-15.73	-33.64	-30	3.64	Pass
Adjacent	30	30.00	-19.30	-37.21	-30	7.21	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@0 CC2: 1@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.50	/	/	/	/
Adjacent	-30	30.00	-18.88	-35.38	-30	5.38	Pass
Adjacent	30	30.00	-38.21	-54.71	-30	24.71	Pass


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@49 CC2: 1@99



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	12.97	/	/	/	/
Adjacent	-30	30.00	-27.08	-40.05	-30	10.05	Pass
Adjacent	30	30.00	-27.75	-40.72	-30	10.72	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3555 CC2:3569.4MHz_CC1: 50@0 CC2: 100@0


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3555 CC2:3569.4MHz_CC1: 50@0
CC2: 100@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	18.28	/	/	/	/
Adjacent	-30	30.00	-14.28	-32.56	-30	2.56	Pass
Adjacent	30	30.00	-17.10	-35.38	-30	5.38	Pass


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@0 CC2: 1@0

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.44	/	/	/	/
Adjacent	-30	30.00	-20.41	-36.85	-30	6.85	Pass
Adjacent	30	30.00	-42.15	-58.59	-30	28.59	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@49 CC2: 1@99




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.25	/	/	/	/
Adjacent	-30	30.00	-29.93	-45.18	-30	15.18	Pass
Adjacent	30	30.00	-31.19	-46.44	-30	16.44	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3675.6 CC2:3690MHz_CC1: 50@0 CC2: 100@0




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.56	/	/	/	/
Adjacent	-30	30.00	-15.86	-33.42	-30	3.42	Pass
Adjacent	30	30.00	-19.40	-36.96	-30	6.96	Pass


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@0 CC2: 1@0




CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3555 CC2:3569.4MHz_CC1: 1@49 CC2: 1@99



CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3555 CC2:3569.4MHz_CC1: 50@0 CC2: 100@0




CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@0 CC2: 1@0



CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@49 CC2: 1@99


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3675.6 CC2:3690MHz_CC1: 1@49
CC2: 1@99



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	13.16	/	/	/	/
Adjacent	-30	30.00	-31.65	-44.81	-30	14.81	Pass
Adjacent	30	30.00	-32.16	-45.32	-30	15.32	Pass

CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3675.6 CC2:3690MHz_CC1: 50@0 CC2: 100@0


CA_48C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3675.6 CC2:3690MHz_CC1: 50@0
CC2: 100@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.51	/	/	/	/
Adjacent	-30	30.00	-20.93	-36.44	-30	6.44	Pass
Adjacent	30	30.00	-24.45	-39.96	-30	9.96	Pass

CA 48C SISO NTN CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3557.5 CC2:3574.6MHz CC1: 1@0 CC2: 1@0


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3557.5 CC2:3574.6MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.99	/	/	/	/
Adjacent	-35	35.00	-18.97	-35.96	-30	5.96	Pass
Adjacent	35	35.00	-37.91	-54.90	-30	24.90	Pass


CA 48C SISO NTN CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3557.5 CC2:3574.6MHz CC1: 1@74 CC2: 1@99

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3557.5 CC2:3574.6MHz_CC1: 1@74 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.44	/	/	/	/
Adjacent	-35	35.00	-22.48	-38.92	-30	8.92	Pass
Adjacent	35	35.00	-24.16	-40.60	-30	10.60	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3557.5 CC2:3574.6MHz_CC1: 75@0 CC2: 100@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	19.44	/	/	/	/
Adjacent	-35	35.00	-12.56	-32.00	-30	2.00	Pass
Adjacent	35	35.00	-14.96	-34.40	-30	4.40	Pass


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3672.9 CC2:3690MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.36	/	/	/	/
Adjacent	-35	35.00	-19.27	-35.63	-30	5.63	Pass
Adjacent	35	35.00	-40.97	-57.33	-30	27.33	Pass


CA 48C SISO NTNv CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3672.9 CC2:3690MHz CC1: 1@74 CC2: 1@99

CA_48C_SISO_NTNv_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3672.9 CC2:3690MHz_CC1: 1@74 CC2: 1@99




CA 48C SISO NTNv CC1:15 CC2:20MHz CC1:QPSK CC2:QPSK CC1:3672.9 CC2:3690MHz CC1: 75@0 CC2: 100@0

CA_48C_SISO_NTNv_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:3672.9 CC2:3690MHz_CC1: 75@0 CC2: 100@0




CA_48C_SISO_NTNV_CC1:15 CC2:20MHz CC1:16QAM CC2:16QAM CC1:3557.5 CC2:3574.6MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.70	/	/	/	/
Adjacent	-35	35.00	-19.43	-36.13	-30	6.13	Pass
Adjacent	35	35.00	-38.32	-55.02	-30	25.02	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 1@74 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.56	/	/	/	/
Adjacent	-35	35.00	-24.07	-39.63	-30	9.63	Pass
Adjacent	35	35.00	-25.02	-40.58	-30	10.58	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 75@0 CC2: 100@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	18.31	/	/	/	/
Adjacent	-35	35.00	-14.73	-33.04	-30	3.04	Pass
Adjacent	35	35.00	-17.63	-35.94	-30	5.94	Pass


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@0 CC2: 1@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.58	/	/	/	/
Adjacent	-35	35.00	-20.84	-37.42	-30	7.42	Pass
Adjacent	35	35.00	-42.30	-58.88	-30	28.88	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@74 CC2: 1@99


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@74
CC2: 1@99



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.56	/	/	/	/
Adjacent	-35	35.00	-25.09	-40.65	-30	10.65	Pass
Adjacent	35	35.00	-24.71	-40.27	-30	10.27	Pass


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3672.9 CC2:3690MHz_CC1: 75@0 CC2: 100@0

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:3672.9 CC2:3690MHz_CC1: 75@0
CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	17.65	/	/	/	/
Adjacent	-35	35.00	-15.78	-33.43	-30	3.43	Pass
Adjacent	35	35.00	-18.28	-35.93	-30	5.93	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz CC1:64QAM CC2:64QAM CC1:3557.5 CC2:3574.6MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.88	/	/	/	/
Adjacent	-35	35.00	-20.00	-36.88	-30	6.88	Pass
Adjacent	35	35.00	-38.74	-55.62	-30	25.62	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 1@74 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.60	/	/	/	/
Adjacent	-35	35.00	-25.08	-40.68	-30	10.68	Pass
Adjacent	35	35.00	-24.26	-39.86	-30	9.86	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 75@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	18.15	/	/	/	/
Adjacent	-35	35.00	-14.97	-33.12	-30	3.12	Pass
Adjacent	35	35.00	-16.90	-35.05	-30	5.05	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.26	/	/	/	/
Adjacent	-35	35.00	-22.44	-38.70	-30	8.70	Pass
Adjacent	35	35.00	-42.77	-59.03	-30	29.03	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@74 CC2: 1@99




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.01	/	/	/	/
Adjacent	-35	35.00	-24.45	-40.46	-30	10.46	Pass
Adjacent	35	35.00	-25.79	-41.80	-30	11.80	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:3672.9 CC2:3690MHz_CC1: 75@0 CC2: 100@0




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	17.94	/	/	/	/
Adjacent	-35	35.00	-15.83	-33.77	-30	3.77	Pass
Adjacent	35	35.00	-17.78	-35.72	-30	5.72	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.67	/	/	/	/
Adjacent	-35	35.00	-19.56	-36.23	-30	6.23	Pass
Adjacent	35	35.00	-38.42	-55.09	-30	25.09	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 1@74 CC2: 1@99




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.05	/	/	/	/
Adjacent	-35	35.00	-23.66	-38.71	-30	8.71	Pass
Adjacent	35	35.00	-24.59	-39.64	-30	9.64	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3557.5 CC2:3574.6MHz_CC1: 75@0 CC2: 100@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	16.18	/	/	/	/
Adjacent	-35	35.00	-20.25	-36.43	-30	6.43	Pass
Adjacent	35	35.00	-22.27	-38.45	-30	8.45	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.93	/	/	/	/
Adjacent	-35	35.00	-22.52	-38.45	-30	8.45	Pass
Adjacent	35	35.00	-42.81	-58.74	-30	28.74	Pass

CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3672.9 CC2:3690MHz_CC1: 1@74 CC2: 1@99



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	14.73	/	/	/	/
Adjacent	-35	35.00	-27.36	-42.09	-30	12.09	Pass
Adjacent	35	35.00	-27.40	-42.13	-30	12.13	Pass


CA_48C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:256QAM CC2:256QAM_CC1:3672.9 CC2:3690MHz_CC1: 75@0 CC2: 100@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	35.00	15.51	/	/	/	/
Adjacent	-35	35.00	-22.39	-37.90	-30	7.90	Pass
Adjacent	35	35.00	-24.38	-39.89	-30	9.89	Pass

CA 48C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3571.7MHz CC1: 1@0 CC2: 1@0


CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3560 CC2:3571.7MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.58	/	/	/	/
Adjacent	-25	25.00	-27.61	-40.19	-30	10.19	Pass
Adjacent	25	25.00	-29.49	-42.07	-30	12.07	Pass


CA 48C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3571.7MHz CC1: 1@99 CC2: 1@24

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:QPSK CC2:QPSK_CC1:3560 CC2:3571.7MHz_CC1: 1@99 CC2: 1@24




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.03	/	/	/	/
Adjacent	-25	25.00	-44.43	-60.46	-30	30.46	Pass
Adjacent	25	25.00	-19.76	-35.79	-30	5.79	Pass

CA 48C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3571.7MHz CC1: 100@0 CC2: 25@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	19.04	/	/	/	/
Adjacent	-25	25.00	-15.10	-34.14	-30	4.14	Pass
Adjacent	25	25.00	-12.05	-31.09	-30	1.09	Pass

CA 48C SISO NTN CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3685.8 CC2:3697.5MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.52	/	/	/	/
Adjacent	-25	25.00	-26.09	-38.61	-30	8.61	Pass
Adjacent	25	25.00	-27.82	-40.34	-30	10.34	Pass


CA 48C SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3685.8 CC2:3697.5MHz CC1: 1@99 CC2: 1@24



CA 48C SISO NTN_V CC1:20 CC2:5MHz CC1:QPSK CC2:QPSK CC1:3685.8 CC2:3697.5MHz CC1: 100@0 CC2: 25@0




CA 48C SISO NTNv CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:3560 CC2:3571.7MHz CC1: 1@0 CC2: 1@0




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.66	/	/	/	/
Adjacent	-25	25.00	-29.57	-42.23	-30	12.23	Pass
Adjacent	25	25.00	-29.61	-42.27	-30	12.27	Pass

CA 48C SISO NTNv CC1:20 CC2:5MHz CC1:16QAM CC2:16QAM CC1:3560 CC2:3571.7MHz CC1: 1@99 CC2: 1@24




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.90	/	/	/	/
Adjacent	-25	25.00	-44.64	-61.54	-30	31.54	Pass
Adjacent	25	25.00	-20.45	-37.35	-30	7.35	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3571.7MHz_CC1: 100@0 CC2: 25@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	18.20	/	/	/	/
Adjacent	-25	25.00	-17.37	-35.57	-30	5.57	Pass
Adjacent	25	25.00	-14.12	-32.32	-30	2.32	Pass


CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	13.13	/	/	/	/
Adjacent	-25	25.00	-27.75	-40.88	-30	10.88	Pass
Adjacent	25	25.00	-27.76	-40.89	-30	10.89	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@99 CC2: 1@24


CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@99
CC2: 1@24



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.38	/	/	/	/
Adjacent	-25	25.00	-44.70	-61.08	-30	31.08	Pass
Adjacent	25	25.00	-20.03	-36.41	-30	6.41	Pass


CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 100@0 CC2: 25@0

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:16QAM CC2:16QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 100@0
CC2: 25@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	18.01	/	/	/	/
Adjacent	-25	25.00	-17.73	-35.74	-30	5.74	Pass
Adjacent	25	25.00	-14.82	-32.83	-30	2.83	Pass

CA 48C SISO NTNv CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:3560 CC2:3571.7MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.76	/	/	/	/
Adjacent	-25	25.00	-29.37	-42.13	-30	12.13	Pass
Adjacent	25	25.00	-29.69	-42.45	-30	12.45	Pass

CA 48C SISO NTNv CC1:20 CC2:5MHz CC1:64QAM CC2:64QAM CC1:3560 CC2:3571.7MHz CC1: 1@99 CC2: 1@24




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.48	/	/	/	/
Adjacent	-25	25.00	-44.85	-61.33	-30	31.33	Pass
Adjacent	25	25.00	-20.76	-37.24	-30	7.24	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3571.7MHz_CC1: 100@0 CC2: 25@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	18.47	/	/	/	/
Adjacent	-25	25.00	-17.86	-36.33	-30	6.33	Pass
Adjacent	25	25.00	-14.48	-32.95	-30	2.95	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.46	/	/	/	/
Adjacent	-25	25.00	-27.62	-40.08	-30	10.08	Pass
Adjacent	25	25.00	-29.25	-41.71	-30	11.71	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@99 CC2: 1@24




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.21	/	/	/	/
Adjacent	-25	25.00	-45.00	-61.21	-30	31.21	Pass
Adjacent	25	25.00	-19.94	-36.15	-30	6.15	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:64QAM CC2:64QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 100@0 CC2: 25@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	18.01	/	/	/	/
Adjacent	-25	25.00	-18.22	-36.23	-30	6.23	Pass
Adjacent	25	25.00	-15.22	-33.23	-30	3.23	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz CC1:256QAM CC2:256QAM CC1:3560 CC2:3571.7MHz CC1: 1@0 CC2: 1@0




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.56	/	/	/	/
Adjacent	-25	25.00	-29.73	-42.29	-30	12.29	Pass
Adjacent	25	25.00	-30.93	-43.49	-30	13.49	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:3560 CC2:3571.7MHz_CC1: 1@99 CC2: 1@24




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	16.73	/	/	/	/
Adjacent	-25	25.00	-44.61	-61.34	-30	31.34	Pass
Adjacent	25	25.00	-21.08	-37.81	-30	7.81	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:3560 CC2:3571.7MHz_CC1: 100@0 CC2: 25@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	15.96	/	/	/	/
Adjacent	-25	25.00	-22.26	-38.22	-30	8.22	Pass
Adjacent	25	25.00	-19.20	-35.16	-30	5.16	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	12.47	/	/	/	/
Adjacent	-25	25.00	-28.00	-40.47	-30	10.47	Pass
Adjacent	25	25.00	-29.33	-41.80	-30	11.80	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 1@99 CC2: 1@24



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	15.87	/	/	/	/
Adjacent	-25	25.00	-44.58	-60.45	-30	30.45	Pass
Adjacent	25	25.00	-21.49	-37.36	-30	7.36	Pass


CA_48C_SISO_NTNV_CC1:20 CC2:5MHz_CC1:256QAM CC2:256QAM_CC1:3685.8 CC2:3697.5MHz_CC1: 100@0 CC2: 25@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	25.00	15.78	/	/	/	/
Adjacent	-25	25.00	-23.44	-39.22	-30	9.22	Pass
Adjacent	25	25.00	-20.62	-36.40	-30	6.40	Pass

CA 48C SISO NTNv CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3574.4MHz CC1: 1@0 CC2: 1@0


CA_48C_SISO NTNv_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3560 CC2:3574.4MHz_CC1: 1@0 CC2: 1@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.74	/	/	/	/
Adjacent	-30	30.00	-27.76	-43.50	-30	13.50	Pass
Adjacent	30	30.00	-30.05	-45.79	-30	15.79	Pass


CA 48C SISO NTNv CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3574.4MHz CC1: 1@99 CC2: 1@49

CA_48C_SISO NTNv_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:3560 CC2:3574.4MHz_CC1: 1@99 CC2: 1@49




Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.76	/	/	/	/
Adjacent	-30	30.00	-37.56	-55.32	-30	25.32	Pass
Adjacent	30	30.00	-19.52	-37.28	-30	7.28	Pass

CA 48C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3560 CC2:3574.4MHz CC1: 100@0 CC2: 50@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	19.25	/	/	/	/
Adjacent	-30	30.00	-14.24	-33.49	-30	3.49	Pass
Adjacent	30	30.00	-13.31	-32.56	-30	2.56	Pass

CA 48C SISO NTV CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3680.6 CC2:3695MHz CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	15.12	/	/	/	/
Adjacent	-30	30.00	-27.65	-42.77	-30	12.77	Pass
Adjacent	30	30.00	-30.34	-45.46	-30	15.46	Pass

CA 48C SISO NTNv CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3680.6 CC2:3695MHz CC1: 1@99 CC2: 1@49



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.62	/	/	/	/
Adjacent	-30	30.00	-40.16	-56.78	-30	26.78	Pass
Adjacent	30	30.00	-20.23	-36.85	-30	6.85	Pass


CA 48C SISO NTNv CC1:20 CC2:10MHz CC1:QPSK CC2:QPSK CC1:3680.6 CC2:3695MHz CC1: 100@0 CC2: 50@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	18.98	/	/	/	/
Adjacent	-30	30.00	-14.85	-33.83	-30	3.83	Pass
Adjacent	30	30.00	-14.17	-33.15	-30	3.15	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz CC1:16QAM CC2:16QAM CC1:3560 CC2:3574.4MHz CC1: 1@0 CC2: 1@0


:A_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@0 CC2: 1@0



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.15	/	/	/	/
Adjacent	-30	30.00	-27.69	-41.84	-30	11.84	Pass
Adjacent	30	30.00	-30.88	-45.03	-30	15.03	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@99 CC2: 1@49


CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@99 CC2: 1@49



Channel	Offset (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.84	/	/	/	/
Adjacent	-30	30.00	-38.06	-54.90	-30	24.90	Pass
Adjacent	30	30.00	-20.75	-37.59	-30	7.59	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3574.4MHz_CC1: 100@0 CC2: 50@0


CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3560 CC2:3574.4MHz_CC1: 100@0
CC2: 50@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	18.37	/	/	/	/
Adjacent	-30	30.00	-16.26	-34.63	-30	4.63	Pass
Adjacent	30	30.00	-15.70	-34.07	-30	4.07	Pass


CA 48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@0 CC2: 1@0

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@0 CC2: 1@0




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.16	/	/	/	/
Adjacent	-30	30.00	-28.72	-42.88	-30	12.88	Pass
Adjacent	30	30.00	-31.04	-45.20	-30	15.20	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@99 CC2: 1@49




CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:3680.6 CC2:3695MHz_CC1: 100@0 CC2: 50@0



CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@0 CC2: 1@0


:A_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.80	/	/	/	/
Adjacent	-30	30.00	-27.77	-42.57	-30	12.57	Pass
Adjacent	30	30.00	-29.78	-44.58	-30	14.58	Pass


CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@99 CC2: 1@49

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3574.4MHz_CC1: 1@99 CC2: 1@49




Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.30	/	/	/	/
Adjacent	-30	30.00	-37.88	-54.18	-30	24.18	Pass
Adjacent	30	30.00	-20.47	-36.77	-30	6.77	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3560 CC2:3574.4MHz_CC1: 100@0 CC2: 50@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	18.24	/	/	/	/
Adjacent	-30	30.00	-16.60	-34.84	-30	4.84	Pass
Adjacent	30	30.00	-16.16	-34.40	-30	4.40	Pass


CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@0 CC2: 1@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	14.18	/	/	/	/
Adjacent	-30	30.00	-29.64	-43.82	-30	13.82	Pass
Adjacent	30	30.00	-31.40	-45.58	-30	15.58	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@99 CC2: 1@49


CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3680.6 CC2:3695MHz_CC1: 1@99
CC2: 1@49



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	16.78	/	/	/	/
Adjacent	-30	30.00	-41.79	-58.57	-30	28.57	Pass
Adjacent	30	30.00	-21.40	-38.18	-30	8.18	Pass

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3680.6 CC2:3695MHz_CC1: 100@0 CC2: 50@0

CA_48C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:3680.6 CC2:3695MHz_CC1: 100@0
CC2: 50@0



Channel	OffSet (MHz)	Integ BW (MHz)	Power (dBm)	dBc	Limit (dBc)	Margin (dB)	Status
Carrier	/	30.00	17.75	/	/	/	/
Adjacent	-30	30.00	-17.87	-35.62	-30	5.62	Pass
Adjacent	30	30.00	-16.86	-34.61	-30	4.61	Pass